

J Thomas Brenna

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2152416/publications.pdf>

Version: 2024-02-01

287
papers

13,306
citations

25423

59
h-index

38517

99
g-index

296
all docs

296
docs citations

296
times ranked

13259
citing authors

#	ARTICLE	IF	CITATIONS
1	Unusual polymethylene-interrupted, δ^5 monounsaturated and omega-3 fatty acids in sea urchin (<i>Arbacia</i>) by ETOQq1.1. Ionization mass spectrometry. <i>Food Chemistry</i> , 2022, 371, 131131.	0.784314	7
2	Low linoleic acid foods with added DHA given to Malawian children with severe acute malnutrition improve cognition: a randomized, triple-blinded, controlled clinical trial. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 1322-1333.	2.2	14
3	Deuterated docosahexaenoic acid protects against oxidative stress and geographic atrophy-like retinal degeneration in a mouse model with iron overload. <i>Aging Cell</i> , 2022, 21, e13579.	3.0	13
4	Deuterated Arachidonic Acid Ameliorates Lipopolysaccharide-Induced Lung Damage in Mice. <i>Antioxidants</i> , 2022, 11, 681.	2.2	5
5	Inhalation of nebulized omega-3 fatty acids mitigate LPS-induced acute lung inflammation in rats: Implications for treatment of COPD and COVID-19. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2022, 179, 102426.	1.0	6
6	Neurodevelopment, nutrition and genetics. A contemporary retrospective on neurocognitive health on the occasion of the 100th anniversary of the National Institute of Nutrition, Hyderabad, India. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2022, 180, 102427.	1.0	2
7	New understandings of the pathway of long-chain polyunsaturated fatty acid biosynthesis. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2022, 25, 60-66.	1.3	15
8	Statin therapy upregulates arachidonic acid status via enhanced endogenous synthesis in patients with plaque psoriasis. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2022, 180, 102428.	1.0	3
9	Polyunsaturated fatty acids and fatty acid-derived lipid mediators: Recent advances in the understanding of their biosynthesis, structures, and functions. <i>Progress in Lipid Research</i> , 2022, 86, 101165.	5.3	164
10	Prenatal choline supplementation improves biomarkers of maternal docosahexaenoic acid (DHA) status among pregnant participants consuming supplemental DHA: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 820-832.	2.2	7
11	Effect of ultrasonic treatment on the physicochemical properties and oxidative stability of phospholipids in emulsion system. <i>Journal of Food Process Engineering</i> , 2021, 44, .	1.5	0
12	Genome-wide association study of fish oil supplementation on lipid traits in 81,246 individuals reveals new gene-diet interaction loci. <i>PLoS Genetics</i> , 2021, 17, e1009431.	1.5	24
13	FACS 2019: Fatty Acid Metabolism and Oxidation. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021, 170, 102266.	1.0	0
14	Emergent Freshwater Insects Serve as Subsidies of Methylmercury and Beneficial Fatty Acids for Riparian Predators Across an Agricultural Gradient. <i>Environmental Science & Technology</i> , 2021, 55, 5868-5877.	4.6	17
15	Safety and Efficacy of Sodium and Potassium Arachidonic Acid Salts in the Young Pig. <i>Nutrients</i> , 2021, 13, 1482.	1.7	5
16	Toward Quantitative Sequencing of Deuteration of Unsaturated Hydrocarbon Chains in Fatty Acids. <i>Analytical Chemistry</i> , 2021, 93, 8238-8247.	3.2	9
17	Acyl-CoA synthetase 6 is required for brain docosahexaenoic acid retention and neuroprotection during aging. <i>JCI Insight</i> , 2021, 6, .	2.3	16
18	Aspirin and omega-3 fatty acid status interact in the prevention of cardiovascular diseases in Framingham Heart Study. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021, 169, 102283.	1.0	3

#	ARTICLE	IF	CITATIONS
19	Breast milk EPA associated with infant distractibility when EPA level is low. <i>Nutrition</i> , 2021, 86, 111143.	1.1	4
20	Perspective: Moving Toward Desirable Linoleic Acid Content in Infant Formula. <i>Advances in Nutrition</i> , 2021, 12, 2085-2098.	2.9	14
21	The aromatase inhibitor letrozole restores FADS2 function in ER+ MCF7 human breast cancer cells. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021, 171, 102312.	1.0	9
22	Dietary Saturated Fats and Health: Are the U.S. Guidelines Evidence-Based?. <i>Nutrients</i> , 2021, 13, 3305.	1.7	40
23	The microbiome affects liver sphingolipids and plasma fatty acids in a murine model of the Western diet based on soybean oil. <i>Journal of Nutritional Biochemistry</i> , 2021, 97, 108808.	1.9	6
24	Science dialogue mapping of knowledge and knowledge gaps related to the effects of dairy intake on human cardiovascular health and disease. <i>Critical Reviews in Food Science and Nutrition</i> , 2021, 61, 179-195.	5.4	2
25	Single-cell chromatin accessibility and lipid profiling reveals SCD1-dependent metabolic shift in adipocytes induced by bariatric surgery. <i>PLoS ONE</i> , 2021, 16, e0261783.	1.1	0
26	Should formula for infants provide arachidonic acid along with DHA? A position paper of the European Academy of Paediatrics and the Child Health Foundation. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 10-16.	2.2	88
27	FADS3 is a Δ^{14} sphingoid base desaturase that contributes to gender differences in the human plasma sphingolipidome. <i>Journal of Biological Chemistry</i> , 2020, 295, 1889-1897.	1.6	64
28	Reproductive state and choline intake influence enrichment of plasma lysophosphatidylcholine-DHA: a post-hoc analysis of a controlled feeding trial – CORRIGENDUM. <i>British Journal of Nutrition</i> , 2020, 123, 120-120.	1.2	1
29	Fatty acid desaturase 2 (FADS2) but not FADS1 desaturates branched chain and odd chain saturated fatty acids. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020, 1865, 158572.	1.2	25
30	Plasma and Red Blood Cell Membrane Accretion and Pharmacokinetics of RT001 (bis-Allylic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 T Sciences, 2020, 109, 3496-3503.	1.6	16
31	Very Long-Chain Branched-Chain Fatty Acids in Chia Seeds: Implications for Human Use. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 13871-13878.	2.4	13
32	Do Refined Grains Have a Place in a Healthy Dietary Pattern: Perspectives from an Expert Panel Consensus Meeting. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa125.	0.1	5
33	Polyunsaturated fatty acid biosynthesis pathway and genetics. implications for interindividual variability in prothrombotic, inflammatory conditions such as COVID-19. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2020, 162, 102183.	1.0	41
34	Fatty acid sentinels as covalently bound randomization standards for triacylglycerol (TAG) quantitative analysis. <i>Rapid Communications in Mass Spectrometry</i> , 2020, 34, e8891.	0.7	1
35	Identification of Polymethylene-Interrupted Polyunsaturated Fatty Acids (PMI – PUFA) by Solvent-Mediated Covalent Adduct Chemical Ionization Triple Quadrupole Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2020, 92, 8209-8217.	3.2	15
36	Saturated Fats and Health: A Reassessment and Proposal for Food-Based Recommendations. <i>Journal of the American College of Cardiology</i> , 2020, 76, 844-857.	1.2	302

#	ARTICLE	IF	CITATIONS
37	The effects of aspirin and N-3 fatty acids on telomerase activity in adults with diabetes mellitus. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1795-1799.	1.1	8
38	Characterization and Semiquantitative Analysis of Novel Ultratrace C ₂₄ Monounsaturated Fatty Acid in Bovine Milkfat by Solvent-Mediated Covalent Adduct Chemical Ionization (CACI) MS/MS. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 7482-7489.	2.4	12
39	Gas Chromatography Chemical Ionization Mass Spectrometry and Tandem Mass Spectrometry for Identification and Straightforward Quantification of Branched Chain Fatty Acids in Foods. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 4973-4980.	2.4	18
40	Acyl-CoA synthetase 6 enriches seminiferous tubules with the ω -3 fatty acid docosahexaenoic acid and is required for male fertility in the mouse. <i>Journal of Biological Chemistry</i> , 2019, 294, 14394-14405.	1.6	28
41	DHA retroconversion revisited: dietary DHA spares endogenous EPA. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 789-790.	2.2	9
42	Aquatic and terrestrial resources are not nutritionally reciprocal for consumers. <i>Functional Ecology</i> , 2019, 33, 2042-2052.	1.7	54
43	Relationships between seafood consumption during pregnancy and childhood and neurocognitive development: Two systematic reviews. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2019, 151, 14-36.	1.0	75
44	An abundance of seafood consumption studies presents new opportunities to evaluate effects on neurocognitive development. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2019, 151, 8-13.	1.0	14
45	Branched chain fatty acid composition of yak milk and manure during full-lactation and half-lactation. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2019, 150, 16-20.	1.0	19
46	Reproductive state and choline intake influence enrichment of plasma lysophosphatidylcholine-DHA: a <i>post hoc</i> analysis of a controlled feeding trial. <i>British Journal of Nutrition</i> , 2019, 122, 1221-1229.	1.2	5
47	Endocrine Hormone Beta-estradiol and Anti-estrogen Letrozole Modulate 20:3 Isomer Production from 20:2n-6 in Human Cancer Cells (P08-119-19). <i>Current Developments in Nutrition</i> , 2019, 3, nzz044.P08-119-19.	0.1	0
48	Potentially High Value Conjugated Linolenic Acids (CLnA) in Melon Seed Waste. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 10306-10312.	2.4	12
49	Identification of genes mediating branched chain fatty acid elongation. <i>FEBS Letters</i> , 2019, 593, 1807-1817.	1.3	14
50	Glycerol derived process contaminants in refined coconut oil induce cholesterol synthesis in HepG2 cells. <i>Food and Chemical Toxicology</i> , 2019, 127, 135-142.	1.8	5
51	Episodic Dietary DHA for Support of Tissue DHA. <i>Journal of Nutrition</i> , 2019, 149, 547-548.	1.3	2
52	Low Temperature Catalytic Combustion Reactors for High Precision Carbon Isotope Measurements in Gas Chromatography Combustion Isotope Ratio Mass Spectrometry. <i>Analytical Chemistry</i> , 2019, 91, 2901-2907.	3.2	4
53	High levels of branched chain fatty acids in natto and other Asian fermented foods. <i>Food Chemistry</i> , 2019, 286, 428-433.	4.2	32
54	Identification of Elongase Genes Mediating Branched Chain Fatty Acid Elongation (P08-108-19). <i>Current Developments in Nutrition</i> , 2019, 3, nzz044.P08-108-19.	0.1	0

#	ARTICLE	IF	CITATIONS
55	Interlaboratory Assessment of Dried Blood Spot Fatty Acid Compositions. <i>Lipids</i> , 2019, 54, 755-761.	0.7	10
56	Structural Identification of Monounsaturated Branched Chain Fatty Acid Methyl Esters by Combination of Electron Ionization and Covalent Adduct Chemical Ionization Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2019, 91, 15147-15154.	3.2	20
57	The elongation of very long-chain fatty acid 6 gene product catalyses elongation of n-13 : 0 and n-15 : 0 odd-chain SFA in human cells. <i>British Journal of Nutrition</i> , 2019, 121, 241-248.	1.2	12
58	Dietary pattern regulates fatty acid desaturase 1 gene expression in Indian pregnant women to spare overall long chain polyunsaturated fatty acids levels. <i>Molecular Biology Reports</i> , 2019, 46, 687-693.	1.0	11
59	Conversion efficiency of alpha linolenic acid to omega-3 highly unsaturated fatty acids in aerial insectivore chicks. <i>Journal of Experimental Biology</i> , 2018, 221, .	0.8	22
60	Cryofocus fast gas chromatography combustion isotope ratio mass spectrometry for rapid detection of synthetic steroid use in sport doping. <i>Analyst, The</i> , 2018, 143, 1124-1132.	1.7	13
61	High volume steroid isotopic standards developed as working standards for gas chromatography combustion isotope ratio mass spectrometry. <i>Drug Testing and Analysis</i> , 2018, 10, 781-785.	1.6	2
62	The role of fatty acid desaturase (FADS) genes in oleic acid metabolism: FADS1 ^{Δ7} desaturates 11-20:1 to 7,11-20:2. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018, 128, 21-25.	1.0	34
63	BCFA-enriched vernix-monoacylglycerol reduces LPS-induced inflammatory markers in human enterocytes in vitro. <i>Pediatric Research</i> , 2018, 83, 874-879.	1.1	32
64	Oleogel-structured composite for the stabilization of ω3 fatty acids in fish oil. <i>Food and Function</i> , 2018, 9, 5598-5606.	2.1	20
65	Associations of plasma very-long-chain SFA and the metabolic syndrome in adults. <i>British Journal of Nutrition</i> , 2018, 120, 855-862.	1.2	4
66	A rare eicosanoid precursor analogue, sciadonic acid (5Z,11Z,14Z-20:3), detected in vivo in hormone positive breast cancer tissue. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018, 134, 1-6.	1.0	9
67	Best practices for the design, laboratory analysis, and reporting of trials involving fatty acids. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 211-227.	2.2	138
68	Resilience of small intestinal beneficial bacteria to the toxicity of soybean oil fatty acids. <i>ELife</i> , 2018, 7, .	2.8	14
69	Runx1 Role in Epithelial and Cancer Cell Proliferation Implicates Lipid Metabolism and Scd1 and Soat1 Activity. <i>Stem Cells</i> , 2018, 36, 1603-1616.	1.4	23
70	Micronutrient Gaps in Three Commercial Weight-Loss Diet Plans. <i>Nutrients</i> , 2018, 10, 108.	1.7	21
71	A novel FADS2 isoform identified in human milk fat globule suppresses FADS2 mediated Δ6-desaturation of omega-3 fatty acids. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018, 138, 52-59.	1.0	6
72	Sea Lions Develop Human-like Vernix Caseosa Delivering Branched Fats and Squalene to the GI Tract. <i>Scientific Reports</i> , 2018, 8, 7478.	1.6	11

#	ARTICLE	IF	CITATIONS
73	A regulatory insertion-deletion polymorphism in the FADS gene cluster influences PUFA and lipid profiles among Chinese adults: a population-based study. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 867-875.	2.2	24
74	BCFA suppresses LPS induced IL-8 mRNA expression in human intestinal epithelial cells. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2017, 116, 27-31.	1.0	64
75	Human fetal intestinal epithelial cells metabolize and incorporate branched chain fatty acids in a structure specific manner. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2017, 116, 32-39.	1.0	20
76	A strong developmental isotope effect in <i>Caenorhabditis elegans</i> induced by 5,5-deuterated lysine. <i>Amino Acids</i> , 2017, 49, 887-894.	1.2	3
77	Branched-chain fatty acid composition of human milk and the impact of maternal diet: the Global Exploration of Human Milk (GEHM) Study. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 177-184.	2.2	45
78	Branched chain fatty acids positional distribution in human milk fat and common human food fats and uptake in human intestinal cells. <i>Journal of Functional Foods</i> , 2017, 29, 172-177.	1.6	17
79	Limited seasonal variation in food quality and foodweb structure in an Adirondack stream: insights from fatty acids. <i>Freshwater Science</i> , 2017, 36, 877-892.	0.9	16
80	Maternal Choline Supplementation Modulates Placental Nutrient Transport and Metabolism in Late Gestation of Mouse Pregnancy. <i>Journal of Nutrition</i> , 2017, 147, 2083-2092.	1.3	37
81	Fads3 modulates docosahexaenoic acid in liver and brain. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2017, 123, 25-32.	1.0	23
82	Metabolism of uniformly labeled ¹³ C-eicosapentaenoic acid and ¹³ C-arachidonic acid in young and old men. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 467-474.	2.2	17
83	Sustainable production of housefly (<i>Musca domestica</i>) larvae as a protein-rich feed ingredient by utilizing cattle manure. <i>PLoS ONE</i> , 2017, 12, e0171708.	1.1	90
84	Regular-Fat Dairy and Human Health: A Synopsis of Symposia Presented in Europe and North America (2014-2015). <i>Nutrients</i> , 2016, 8, 463.	1.7	42
85	Branched chain fatty acids concentrate prepared from butter oil via urea adduction. <i>European Journal of Lipid Science and Technology</i> , 2016, 118, 669-674.	1.0	6
86	Alternative splicing generates novel Fads3 transcript in mice. <i>Molecular Biology Reports</i> , 2016, 43, 761-766.	1.0	5
87	Increases in ambient particulate matter air pollution, acute changes in platelet function, and effect modification by aspirin and omega-3 fatty acids: A panel study. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2016, 79, 287-298.	1.1	14
88	Positive Selection on a Regulatory Insertion-Deletion Polymorphism in <i>FADS2</i> Influences Apparent Endogenous Synthesis of Arachidonic Acid. <i>Molecular Biology and Evolution</i> , 2016, 33, 1726-1739.	3.5	76
89	The 2015 Dietary Guidelines Advisory Committee Scientific Report: Development and Major Conclusions. <i>Advances in Nutrition</i> , 2016, 7, 438-444.	2.9	224
90	Full Library of (<i>Bis</i> -allyl)-deuterated Arachidonic Acids: Synthesis and Analytical Verification. <i>ChemistrySelect</i> , 2016, 1, 4758-4764.	0.7	12

#	ARTICLE	IF	CITATIONS
91	Saturated Branched Chain, Normal Odd-Carbon-Numbered, and n-3 (Omega-3) Polyunsaturated Fatty Acids in Freshwater Fish in the Northeastern United States. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 7512-7519.	2.4	44
92	Metabolic fate of docosahexaenoic acid (<sc>DHA</sc>; 22:6nâ€³) in human cells: direct retroconversion of <sc>DHA</sc> to eicosapentaenoic acid (20:5nâ€³) dominates over elongation to tetracosahexaenoic acid (24:6nâ€³). <i>FEBS Letters</i> , 2016, 590, 3188-3194.	1.3	37
93	Omega-3 long-chain polyunsaturated fatty acids support aerial insectivore performance more than food quantity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 10920-10925.	3.3	164
94	Highly unsaturated fatty acids in nature: what we know and what we need to learn. <i>Oikos</i> , 2016, 125, 749-760.	1.2	182
95	Peter J. Todd (1949â€“2015). <i>Journal of the American Society for Mass Spectrometry</i> , 2016, 27, 563-564.	1.2	0
96	Desaturase and elongase-limiting endogenous long-chain polyunsaturated fatty acid biosynthesis. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2016, 19, 103-110.	1.3	146
97	Long-chain polyunsaturated fatty acids and the preterm infant: a case study in developmentally sensitive nutrient needs in the United States. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 606S-615S.	2.2	15
98	Novel characterisation of minor Î±-linolenic acid isomers in linseed oil by gas chromatography and covalent adduct chemical ionisation tandem mass spectrometry. <i>Food Chemistry</i> , 2016, 200, 141-145.	4.2	10
99	Palmitic acid (16:0) competes with omega-6 linoleic and omega-3 É-linolenic acids for FADS2 mediated Î³6-desaturation. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016, 1861, 91-97.	1.2	61
100	Arachidonic acid needed in infant formula when docosahexaenoic acid is present. <i>Nutrition Reviews</i> , 2016, 74, 329-336.	2.6	67
101	Brown but not white adipose cells synthesize omega-3 docosahexaenoic acid in culture. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2016, 104, 19-24.	1.0	9
102	Highâ€“Oleic Readyâ€“Use Therapeutic Food Maintains Docosahexaenoic Acid Status in Severe Malnutrition. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015, 61, 138-143.	0.9	33
103	Balancing omega-6 and omega-3 fatty acids in ready-to-use therapeutic foods (RUTF). <i>BMC Medicine</i> , 2015, 13, 117.	2.3	24
104	The effects of aspirin on platelet function and lysophosphatidic acids depend on plasma concentrations of EPA and DHA. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2015, 96, 17-24.	1.0	8
105	The European Food Safety Authority recommendation for polyunsaturated fatty acid composition of infant formula overrules breast milk, puts infants at risk, and should be revised. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2015, 102-103, 1-3.	1.0	41
106	The fatty acid desaturase 2 (<i>FADS2</i>) gene product catalyzes Î³4 desaturation to yield n-3 docosahexaenoic acid and n-6 docosapentaenoic acid in human cells. <i>FASEB Journal</i> , 2015, 29, 3911-3919.	0.2	109
107	Long-chain polyunsaturated fatty acids attenuate the IL-1Î²-induced proinflammatory response in human fetal intestinal epithelial cells. <i>Pediatric Research</i> , 2015, 78, 626-633.	1.1	29
108	Short branched-chain C6 carboxylic acids result in increased growth, novel â€“unnaturalâ€“ fatty acids and increased membrane fluidity in a <i>Listeria monocytogenes</i> branched-chain fatty acid-deficient mutant. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2015, 1851, 1406-1415.	1.2	15

#	ARTICLE	IF	CITATIONS
109	Quantitative analysis of volatiles in edible oils following accelerated oxidation using broad spectrum isotope standards. <i>Food Chemistry</i> , 2015, 174, 310-318.	4.2	38
110	Dietary Zinc Deficiency Affects Blood Linoleic Acid: Dihomo- β -linolenic Acid (LA:DGLA) Ratio; a Sensitive Physiological Marker of Zinc Status in Vivo (<i>Gallus gallus</i>). <i>Nutrients</i> , 2014, 6, 1164-1180.	1.7	60
111	Kinetics of ^{13}C -DHA before and during fish-oil supplementation in healthy older individuals. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 105-112.	2.2	40
112	RE: Plasma Phospholipid Fatty Acids and Prostate Cancer Risk in the SELECT Trial. <i>Journal of the National Cancer Institute</i> , 2014, 106, dju015-dju015.	3.0	6
113	Multiple Micronutrient Supplementation Transiently Ameliorates Environmental Enteropathy in Malawian Children Aged 12-35 Months in a Randomized Controlled Clinical Trial. <i>Journal of Nutrition</i> , 2014, 144, 2059-2065.	1.3	41
114	Branched-chain fatty acid content of foods and estimated intake in the USA. <i>British Journal of Nutrition</i> , 2014, 112, 565-572.	1.2	121
115	Commentary on "Influence of virgin coconut oil-enriched diet on the transcriptional regulation of fatty acid synthesis and oxidation in rats" a comparative study by Sakunthala Arunima and Thankappan Rajamohan. <i>British Journal of Nutrition</i> , 2014, 112, 1425-1426.	1.2	6
116	Docosahexaenoic acid and human brain development: Evidence that a dietary supply is needed for optimal development. <i>Journal of Human Evolution</i> , 2014, 77, 99-106.	1.3	140
117	The effects of aspirin and fish oil consumption on lysophosphatidylcholines and lysophosphatidic acids and their correlates with platelet aggregation in adults with diabetes mellitus. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2014, 90, 61-68.	1.0	13
118	Quantifying the Contribution of Grape Hexoses to Wine Volatiles by High-Precision [^{13}C]-Glucose Tracer Studies. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 6820-6827.	2.4	15
119	The ER-Associated Degradation Adaptor Protein Sel1L Regulates LPL Secretion and Lipid Metabolism. <i>Cell Metabolism</i> , 2014, 20, 458-470.	7.2	92
120	Effect of sex hormones on n-3 polyunsaturated fatty acid biosynthesis in HepG2 cells and in human primary hepatocytes. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2014, 90, 47-54.	1.0	46
121	Imbalance of folic acid and vitamin B12 is associated with birth outcome: an Indian pregnant women study. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 726-729.	1.3	40
122	Higher efficacy of dietary DHA provided as a phospholipid than as a triglyceride for brain DHA accretion in neonatal piglets. <i>Journal of Lipid Research</i> , 2014, 55, 531-539.	2.0	81
123	Dietary arachidonic acid and docosahexaenoic acid regulate liver fatty acid desaturase (FADS) alternative transcript expression in suckling piglets. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2013, 89, 345-350.	1.0	19
124	Dietary long-chain polyunsaturated fatty acids upregulate expression of FADS3 transcripts. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2013, 88, 15-19.	1.0	46
125	Effects of low-dose aspirin and fish oil on platelet function and NF-kappaB in adults with diabetes mellitus. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2013, 89, 9-18.	1.0	12
126	Disturbance in uniformly ^{13}C -labelled DHA metabolism in elderly human subjects carrying the apoE ϵ 4 allele. <i>British Journal of Nutrition</i> , 2013, 110, 1751-1759.	1.2	74

#	ARTICLE	IF	CITATIONS
127	Commentary on "Maternal long-chain PUFA supplementation during protein deficiency improves brain fatty acid accretion in rat pups by altering the milk fatty acid composition of the dam" by Ranade and Rao. <i>Journal of Nutritional Science</i> , 2013, 2, e4.	0.7	1
128	Branched-Chain Fatty Acids in the Neonatal Gut and Estimated Dietary Intake in Infancy and Adulthood. <i>Nestle Nutrition Institute Workshop Series</i> , 2013, 77, 133-143.	1.5	35
129	Fatty acid analysis by high resolution gas chromatography and mass spectrometry for clinical and experimental applications. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2013, 16, 548-554.	1.3	23
130	Pregnancy alters choline dynamics: results of a randomized trial using stable isotope methodology in pregnant and nonpregnant women. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 1459-1467.	2.2	85
131	Omega-3 Fatty Acid Supplementation and Cardiovascular Disease Events. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 27.	3.8	11
132	Plasma oxylipin profiling identifies polyunsaturated vicinal diols as responsive to arachidonic acid and docosahexaenoic acid intake in growing piglets. <i>Journal of Lipid Research</i> , 2013, 54, 1598-1607.	2.0	27
133	New European Food Safety Authority recommendation for infant formulae contradicts the physiology of human milk and infant development. <i>Nutrition and Health</i> , 2013, 22, 81-87.	0.6	2
134	Interruption of scheduled, automatic feeding and reduction of excess energy intake in toddlers. <i>International Journal of General Medicine</i> , 2013, 6, 39.	0.8	11
135	Pomegranate seed oil reduces intestinal damage in a rat model of necrotizing enterocolitis. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, G744-G751.	1.6	43
136	A novel FADS1 isoform potentiates FADS2-mediated production of eicosanoid precursor fatty acids. <i>Journal of Lipid Research</i> , 2012, 53, 1502-1512.	2.0	44
137	Structural characterization of saturated branched chain fatty acid methyl esters by collisional dissociation of molecular ions generated by electron ionization. <i>Journal of Lipid Research</i> , 2012, 53, 195-203.	2.0	40
138	Growth, clinical chemistry and immune function in domestic piglets fed varying ratios of arachidonic acid and DHA. <i>British Journal of Nutrition</i> , 2012, 107, 809-816.	1.2	10
139	Production of Isotopically Labeled Standards from a Uniformly Labeled Precursor for Quantitative Volatile Metabolomic Studies. <i>Analytical Chemistry</i> , 2012, 84, 5400-5406.	3.2	8
140	Insertion-deletions in a FADS2 intron 1 conserved regulatory locus control expression of fatty acid desaturases 1 and 2 and modulate response to simvastatin. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2012, 87, 25-33.	1.0	41
141	Comment: Environmental exposures: how to counsel preconception and prenatal patients in the clinical setting. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 207, e7.	0.7	11
142	The combination of EPA+DHA and low-dose aspirin ingestion reduces platelet function acutely whereas each alone may not in healthy humans. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2012, 87, 143-151.	1.0	20
143	Calibration and data processing in gas chromatography combustion isotope ratio mass spectrometry. <i>Drug Testing and Analysis</i> , 2012, 4, 912-922.	1.6	28
144	Examination of the kinetic isotopic effect to the acetylation derivatization for the gas chromatographic combustion isotope ratio mass spectrometric doping control analysis of endogenous steroids. <i>Drug Testing and Analysis</i> , 2012, 4, 923-927.	1.6	9

#	ARTICLE	IF	CITATIONS
145	Highly sensitive and selective analysis of urinary steroids by comprehensive two-dimensional gas chromatography combined with positive chemical ionization quadrupole mass spectrometry. <i>Analyst</i> , 2012, 137, 3102.	1.7	17
146	Maintenance of Arachidonic Acid and Evidence of δ^5 Desaturation in Cats Fed δ^3 -Linolenic and Linoleic Acid Enriched Diets. <i>Lipids</i> , 2012, 47, 413-423.	0.7	20
147	Detection of Synthetic Testosterone Use by Novel Comprehensive Two-Dimensional Gas Chromatography Combustion-Isotope Ratio Mass Spectrometry. <i>Analytical Chemistry</i> , 2011, 83, 7158-7165.	3.2	40
148	Placental docosahexaenoic and arachidonic acids correlate weakly with placental polychlorinated dibenzofurans (PCDF) and are uncorrelated with polychlorinated dibenzo-p-dioxins (PCDD) or polychlorinated biphenyls (PCB) at delivery: A pilot study. <i>Food and Chemical Toxicology</i> , 2011, 49, 1711-1717.	1.8	1
149	Evaluation of bioequivalency and toxicological effects of three sources of arachidonic acid (ARA) in domestic piglets. <i>Food and Chemical Toxicology</i> , 2011, 49, 2320-2327.	1.8	11
150	Heart arachidonic acid is uniquely sensitive to dietary arachidonic acid and docosahexaenoic acid content in domestic piglets. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2011, 85, 335-343.	1.0	14
151	Branched Chain Fatty Acids Reduce the Incidence of Necrotizing Enterocolitis and Alter Gastrointestinal Microbial Ecology in a Neonatal Rat Model. <i>PLoS ONE</i> , 2011, 6, e29032.	1.1	168
152	Animal studies of the functional consequences of suboptimal polyunsaturated fatty acid status during pregnancy, lactation and early postnatal life. <i>Maternal and Child Nutrition</i> , 2011, 7, 59-79.	1.4	73
153	Comprehensive 2-dimensional gas chromatography fast quadrupole mass spectrometry (GC-MS) for urinary steroid profiling: Mass spectral characteristics with chemical ionization. <i>Drug Testing and Analysis</i> , 2011, 3, 857-867.	1.6	21
154	Branched Chain Fatty Acid Content of United States Retail Cow's Milk and Implications for Dietary Intake. <i>Lipids</i> , 2011, 46, 569-576.	0.7	53
155	Plasma incorporation, apparent retroconversion and δ^2 -oxidation of ^{13}C -docosahexaenoic acid in the elderly. <i>Nutrition and Metabolism</i> , 2011, 8, 5.	1.3	93
156	Acetonitrile covalent adduct chemical ionization tandem mass spectrometry of non-methylene-interrupted pentaene fatty acid methyl esters. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 1933-1941.	0.7	16
157	Mammalian DNA ^{15}N exhibits $\sim 40\%$ intramolecular variation and is unresponsive to dietary protein level. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 3555-3562.	0.7	7
158	External calibration in Gas Chromatography-Combustion-Isotope Ratio Mass Spectrometry measurements of endogenous androgenic anabolic steroids in sports doping control. <i>Journal of Chromatography A</i> , 2011, 1218, 5675-5682.	1.8	14
159	Folate Intake, Mthfr Genotype, and Sex Modulate Choline Metabolism in Mice. <i>Journal of Nutrition</i> , 2011, 141, 1475-1481.	1.3	54
160	MTHFR C677T genotype influences the isotopic enrichment of one-carbon metabolites in folate-compromised men consuming d9-choline. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 348-355.	2.2	72
161	The polypyrimidine tract binding protein regulates desaturase alternative splicing and PUFA composition. <i>Journal of Lipid Research</i> , 2011, 52, 2279-2286.	2.0	22
162	FADS2 Function Loss at the Cancer Hotspot 11q13 Locus Diverts Lipid Signaling Precursor Synthesis to Unusual Eicosanoid Fatty Acids. <i>PLoS ONE</i> , 2011, 6, e28186.	1.1	49

#	ARTICLE	IF	CITATIONS
163	Microfabrication of high temperature micro-reactors for continuous flow isotope ratio mass spectrometry. <i>Microfluidics and Nanofluidics</i> , 2010, 9, 461-470.	1.0	10
164	Alternative splicing generates a novel FADS2 alternative transcript in baboons. <i>Molecular Biology Reports</i> , 2010, 37, 2403-2406.	1.0	20
165	Dose-response effects of betamethasone on maturation of the fetal sheep lung. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 186.e1-186.e7.	0.7	28
166	Altered cholesterol and fatty acid metabolism in Huntington disease. <i>Journal of Clinical Lipidology</i> , 2010, 4, 17-23.	0.6	126
167	Alternative transcripts of fatty acid desaturase (FADS) genes. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2010, 82, 281-285.	1.0	39
168	Mice lacking FABP9/PERF15 develop sperm head abnormalities but are fertile. <i>Developmental Biology</i> , 2010, 348, 177-189.	0.9	38
169	Characterization of cis-9 trans-11 trans-15 C18:3 in milk fat by GC and covalent adduct chemical ionization tandem MS. <i>Journal of Lipid Research</i> , 2009, 50, 2412-2420.	2.0	62
170	Background Paper on Fat and Fatty Acid Requirements during Pregnancy and Lactation. <i>Annals of Nutrition and Metabolism</i> , 2009, 55, 97-122.	1.0	88
171	An alternate pathway to long-chain polyunsaturates: the FADS2 gene product Δ^8 -desaturates 20:2n-6 and 20:3n-3. <i>Journal of Lipid Research</i> , 2009, 50, 1195-1202.	2.0	175
172	Disruption of FADS2 gene in mice impairs male reproduction and causes dermal and intestinal ulceration. <i>Journal of Lipid Research</i> , 2009, 50, 1870-1880.	2.0	150
173	Individual Trans Octadecenoic Acids and Partially Hydrogenated Vegetable Oil Differentially Affect Hepatic Lipid and Lipoprotein Metabolism in Golden Syrian Hamsters. <i>Journal of Nutrition</i> , 2009, 139, 257-263.	1.3	63
174	Novel fatty acid desaturase 3 (FADS3) transcripts generated by alternative splicing. <i>Gene</i> , 2009, 446, 28-34.	1.0	42
175	Steroid isotopic standards for gas chromatography-combustion isotope ratio mass spectrometry (GCC-IRMS). <i>Steroids</i> , 2009, 74, 369-378.	0.8	66
176	Δ^7 -Linolenic acid supplementation and conversion to n-3 long-chain polyunsaturated fatty acids in humans. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2009, 80, 85-91.	1.0	700
177	Dietary docosahexaenoic acid but not arachidonic acid influences central nervous system fatty acid status in baboon neonates. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2009, 81, 105-110.	1.0	46
178	Workshop proceedings: DHA As A Required Nutrient. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2009, 81, 97.	1.0	1
179	Workshop on DHA as a required nutrient: Overview. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2009, 81, 233-236.	1.0	13
180	The Influence of Maternal Early to Mid-Gestation Nutrient Restriction on Long Chain Polyunsaturated Fatty Acids in Fetal Sheep. <i>Lipids</i> , 2008, 43, 525-531.	0.7	32

#	ARTICLE	IF	CITATIONS
181	Application of comprehensive two-dimensional gas chromatography to sterols analysis. <i>Journal of Chromatography A</i> , 2008, 1214, 134-142.	1.8	34
182	Biochemical and white blood cell profiles of baboon neonates consuming formulas with moderate and high dietary long-chain polyunsaturated fatty acids. <i>Journal of Medical Primatology</i> , 2008, 37, 81-87.	0.3	1
183	Comprehensive Two-Dimensional Gas Chromatography Combustion Isotope Ratio Mass Spectrometry. <i>Analytical Chemistry</i> , 2008, 80, 8613-8621.	3.2	56
184	Branched Chain Fatty Acids Are Constituents of the Normal Healthy Newborn Gastrointestinal Tract. <i>Pediatric Research</i> , 2008, 64, 605-609.	1.1	106
185	The Influence of Moderate and High Dietary Long Chain Polyunsaturated Fatty Acids (LCPUFA) on Baboon Neonate Tissue Fatty Acids. <i>Pediatric Research</i> , 2007, 61, 537-545.	1.1	64
186	Dietary fat intakes for pregnant and lactating women. <i>British Journal of Nutrition</i> , 2007, 98, 873-877.	1.2	382
187	Docosahexaenoic and arachidonic acid concentrations in human breast milk worldwide. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 1457-1464.	2.2	578
188	The influence of dietary docosahexaenoic acid and arachidonic acid on central nervous system polyunsaturated fatty acid composition. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2007, 77, 247-250.	1.0	160
189	Polyunsaturates, inflammation and brain function. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2007, 77, 225.	1.0	0
190	Fast Gas Chromatography Combustion Isotope Ratio Mass Spectrometry. <i>Analytical Chemistry</i> , 2007, 79, 6348-6358.	3.2	32
191	Atmospheric Pressure Covalent Adduct Chemical Ionization Tandem Mass Spectrometry for Double Bond Localization in Monoene- and Diene-Containing Triacylglycerols. <i>Analytical Chemistry</i> , 2007, 79, 2525-2536.	3.2	48
192	Differential Cerebral Cortex Transcriptomes of Baboon Neonates Consuming Moderate and High Docosahexaenoic Acid Formulas. <i>PLoS ONE</i> , 2007, 2, e370.	1.1	49
193	Differential Tissue Dose Responses of (n-3) and (n-6) PUFA in Neonatal Piglets Fed Docosahexaenoate and Arachidonoate3. <i>Journal of Nutrition</i> , 2007, 137, 2049-2055.	1.3	34
194	Reply to FAJ Muskiet et al. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1803-1804.	2.2	1
195	The intramolecular $\delta^{15}\text{N}$ of lysine responds to respiratory status in <i>Paracoccus denitrificans</i> . <i>Amino Acids</i> , 2007, 33, 631-638.	1.2	7
196	Electron transfer dissociation of doubly sodiated glycerophosphocholine lipids. <i>Journal of the American Society for Mass Spectrometry</i> , 2007, 18, 1783-1788.	1.2	38
197	Reply to FAJ Muskiet et al. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1803-1804.	2.2	1
198	Acetyl CoA Carboxylase Shares Control of Fatty Acid Synthesis with Fatty Acid Synthase in Bovine Mammary Homogenate. <i>Journal of Dairy Science</i> , 2006, 89, 2552-2558.	1.4	20

#	ARTICLE	IF	CITATIONS
199	Omega-3 fatty acids, energy substrates, and brain function during aging. Prostaglandins Leukotrienes and Essential Fatty Acids, 2006, 75, 213-220.	1.0	133
200	Determination of Intramolecular $\delta^{13}C$ from Incomplete Pyrolysis Fragments. Evaluation of Pyrolysis-Induced Isotopic Fractionation in Fragments from the Lactic Acid Analogue Propylene Glycol. Analytical Chemistry, 2006, 78, 2752-2757.	3.2	12
201	Elemental Speciation by Parallel Elemental and Molecular Mass Spectrometry and Peak Profile Matching. Analytical Chemistry, 2006, 78, 8445-8455.	3.2	9
202	Acetonitrile Covalent Adduct Chemical Ionization Mass Spectrometry for Double Bond Localization in Non-Methylene-Interrupted Polyene Fatty Acid Methyl Esters. Analytical Chemistry, 2006, 78, 1312-1317.	3.2	78
203	Effects of conjugated linoleic acid on linoleic and linolenic acid metabolism in man. British Journal of Nutrition, 2006, 95, 727-733.	1.2	14
204	Structural Analysis of Unsaturated Fatty Acid Methyl Ester Isomers with Acetonitrile Covalent-Adduct Chemical Ionization (CACI) Tandem Mass Spectrometry. , 2006, , 157-172.		17
205	Structural Characterization of Conjugated Linoleic Acid Methyl Esters with Acetonitrile Chemical Ionization Tandem Mass Spectrometry. , 2006, , 119-128.		1
206	The influence of long chain polyunsaturate supplementation on docosahexaenoic acid and arachidonic acid in baboon neonate central nervous system. BMC Medicine, 2005, 3, 11.	2.3	173
207	Milk fat synthesis is unaffected by abomasal infusion of the conjugated diene $18\Delta^7$ isomers cis-6, trans-10, cis-12 and cis-6, trans-8, cis-12. Lipids, 2005, 40, 89-95.	0.7	13
208	Gas chromatography-chemical ionization-mass spectrometric fatty acid analysis of a commercial supercritical carbon dioxide lipid extract from New Zealand green-lipped mussel (<i>Perna canaliculus</i>). Lipids, 2005, 40, 355-360.	0.7	31
209	On the formation of conjugated linoleic acid diagnostic ions with acetonitrile chemical ionization tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2005, 19, 363-368.	0.7	29
210	$^{15}N/^{14}N$ Position-Specific Isotopic Analyses of Polynitrogenous Amino Acids. Analytical Chemistry, 2005, 77, 1013-1019.	3.2	33
211	Carbon Position-Specific Isotope Analysis of Alanine and Phenylalanine Analogues Exhibiting Nonideal Pyrolytic Fragmentation. Analytical Chemistry, 2005, 77, 1746-1752.	3.2	18
212	Formula feeding potentiates docosahexaenoic and arachidonic acid biosynthesis in term and preterm baboon neonates. Journal of Lipid Research, 2004, 45, 71-80.	2.0	47
213	No effect of inhibitors of fatty acid synthesis on profile of fatty acids synthesized by mammary homogenate. Journal of Animal and Feed Sciences, 2004, 13, 571-574.	0.4	0
214	Influence of dietary long-chain PUFA on premature baboon lung FA and dipalmitoyl PC composition. Lipids, 2003, 38, 425-429.	0.7	21
215	Long chain polyunsaturate supplementation does not induce excess lipid peroxidation of piglet tissues. European Journal of Nutrition, 2003, 42, 293-296.	1.8	19
216	Analysis of quantization error in high-precision continuous-flow isotope ratio mass spectrometry. Journal of Chromatography A, 2003, 1020, 273-282.	1.8	11

#	ARTICLE	IF	CITATIONS
217	Identification and Characterization of Conjugated Fatty Acid Methyl Esters of Mixed Double Bond Geometry by Acetonitrile Chemical Ionization Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2003, 75, 4925-4930.	3.2	72
218	High-Precision Position-Specific Isotope Analysis of $^{13}\text{C}/^{12}\text{C}$ in Leucine and Methionine Analogues. <i>Analytical Chemistry</i> , 2003, 75, 5495-5503.	3.2	18
219	Sourcing Organic Compounds Based on Natural Isotopic Variations Measured by High Precision Isotope Ratio Mass Spectrometry. <i>Current Organic Chemistry</i> , 2003, 7, 1527-1543.	0.9	44
220	The Influence of Prematurity and Long Chain Polyunsaturate Supplementation in 4-Week Adjusted Age Baboon Neonate Brain and Related Tissues. <i>Pediatric Research</i> , 2003, 54, 244-252.	1.1	63
221	Docosahexaenoic and Arachidonic Acid Influence on Preterm Baboon Retinal Composition and Function. , 2003, 44, 4559.		38
222	Efficacy of Dietary Arachidonic Acid Provided as Triglyceride or Phospholipid as Substrates for Brain Arachidonic Acid Accretion in Baboon Neonates. <i>Pediatric Research</i> , 2002, 51, 265-272.	1.1	155
223	Efficiency of conversion of $\hat{\iota}$ -linolenic acid to long chain n-3 fatty acids in man. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2002, 5, 127-132.	1.3	413
224	Enzymatic Decarboxylation of Tyrosine and Phenylalanine To Enhance Volatility for High-Precision Isotopic Analysis. <i>Analytical Chemistry</i> , 2002, 74, 479-483.	3.2	10
225	Straight-Chain Acyl-CoA Oxidase Knockout Mouse Accumulates Extremely Long Chain Fatty Acids from $\hat{\iota}$ -Linolenic Acid: Evidence for Runaway Carousel-Type Enzyme Kinetics in Peroxisomal $\hat{\iota}$ -Oxidation Diseases. <i>Molecular Genetics and Metabolism</i> , 2002, 75, 108-119.	0.5	34
226	Negligible changes in piglet serum clinical indicators or organ weights due to dietary single-cell long-chain polyunsaturated oils. <i>Food and Chemical Toxicology</i> , 2002, 40, 453-460.	1.8	17
227	Double bond localization in minor homoallylic fatty acid methyl esters using acetonitrile chemical ionization tandem mass spectrometry. <i>Analytical Biochemistry</i> , 2002, 307, 348-360.	1.1	63
228	Reduction of Nonpolar Amino Acids to Amino Alcohols To Enhance Volatility for High-Precision Isotopic Analysis. <i>Analytical Chemistry</i> , 2001, 73, 799-802.	3.2	15
229	Natural intramolecular isotope measurements in physiology: elements of the case for an effort toward high-precision position-specific isotope analysis. <i>Rapid Communications in Mass Spectrometry</i> , 2001, 15, 1252-1262.	0.7	58
230	Growth, Neurobehavioral and Circadian Rhythm Development in Newborn Baboons. <i>Pediatric Research</i> , 2001, 49, 673-677.	1.1	14
231	Fetal baboons convert 18:3n-3 to 22:6n-3 in vivo: a stable isotope tracer study. <i>Journal of Lipid Research</i> , 2001, 42, 581-586.	2.0	73
232	High-Precision Isotope Ratio Mass Spectrometry and Stable Isotope Precursors for Tracer Studies in Cell Culture. <i>Analytical Biochemistry</i> , 2000, 287, 80-86.	1.1	15
233	Breast-fed infants achieve a higher rate of brain and whole body docosahexaenoate accumulation than formula-fed infants not consuming dietary docosahexaenoate. <i>Lipids</i> , 2000, 35, 105-111.	0.7	180
234	Delay of Preterm Delivery in Sheep by Omega-3 Long-Chain Polyunsaturates1. <i>Biology of Reproduction</i> , 1999, 60, 698-701.	1.2	76

#	ARTICLE	IF	CITATIONS
235	Studies of structure and mechanism in acetonitrile chemical ionization tandem mass spectrometry of polyunsaturated fatty acid methyl esters. <i>Journal of the American Society for Mass Spectrometry</i> , 1999, 10, 1253-1262.	1.2	45
236	On-line pyrolysis of hydrocarbons coupled to high-precision carbon isotope ratio analysis. <i>Analytica Chimica Acta</i> , 1999, 397, 217-224.	2.6	23
237	Dietary 18:3n-3 and 22:6n-3 as sources of 22:6n-3 accretion in neonatal baboon brain and associated organs. <i>Lipids</i> , 1999, 34, S347-S350.	0.7	41
238	Acetonitrile Chemical Ionization Tandem Mass Spectrometry To Locate Double Bonds in Polyunsaturated Fatty Acid Methyl Esters. <i>Analytical Chemistry</i> , 1999, 71, 1981-1989.	3.2	108
239	An octaene fatty acid, 4,7,10,13,16,19,22,25-octacosaoctanoic acid (28:8n-3), found in marine oils. <i>Journal of Lipid Research</i> , 1999, 40, 1501-1505.	2.0	40
240	Linoleic acid kinetics and conversion to arachidonic acid in the pregnant and fetal baboon. <i>Journal of Lipid Research</i> , 1999, 40, 1304-1311.	2.0	35
241	Bioequivalence of Dietary $\hat{\pm}$ -Linolenic and Docosahexaenoic Acids as Sources of Docosahexaenoate Accretion in Brain and Associated Organs of Neonatal Baboons. <i>Pediatric Research</i> , 1999, 45, 87-93.	1.1	118
242	Simultaneous Measurement of Desaturase Activities Using Stable Isotope Tracers or a Nontracer Method. <i>Analytical Biochemistry</i> , 1998, 261, 43-50.	1.1	32
243	Reduction of Fatty Acid Methyl Esters to Fatty Alcohols To Improve Volatility for Isotopic Analysis without Extraneous Carbon. <i>Analytical Chemistry</i> , 1998, 70, 3752-3756.	3.2	19
244	Gas Chromatograph Injection Liner for Continuous Analyte Admission into a Mass Spectrometer. <i>Analytical Chemistry</i> , 1998, 70, 1030-1032.	3.2	4
245	Quantitative Subfemtomole Analysis of $\hat{\pm}$ -Tocopherol and Deuterated Isotopomers in Plasma Using Tabletop GC/MS/MS. <i>Analytical Chemistry</i> , 1998, 70, 4369-4375.	3.2	31
246	Recycling of Carbon into Lipids Synthesized De Novo Is a Quantitatively Important Pathway of $\hat{\pm}$ - $\{Ua\}^{\sup>13\</sup>C}$ Linolenate Utilization in the Developing Rat Brain. <i>Journal of Neurochemistry</i> , 1998, 71, 2151-2158.	2.1	71
247	[12] Assessing metabolism of $\hat{\pm}$ - $\{13\}$ carotene using high-precision isotope ratio mass spectrometry. <i>Methods in Enzymology</i> , 1997, 282, 130-140.	0.4	26
248	High-precision position-specific isotope analysis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 1049-1053.	3.3	99
249	On-Line Pyrolysis as a Limitless Reduction Source for High-Precision Isotopic Analysis of Organic-Derived Hydrogen. <i>Analytical Chemistry</i> , 1997, 69, 3148-3152.	3.2	42
250	Use of stable isotopes to study fatty acid and lipoprotein metabolism in man. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1997, 57, 467-472.	1.0	27
251	Desaturation and interconversion of dietary stearic and palmitic acids in human plasma and lipoproteins. <i>American Journal of Clinical Nutrition</i> , 1997, 65, 451-458.	2.2	55
252	Fatty acid carbon isotope ratios in humans on controlled diets. <i>Lipids</i> , 1997, 32, 1257-1263.	0.7	24

#	ARTICLE	IF	CITATIONS
253	[3-13C] $\hat{\pm}$ -linolenic acid: A new probe for 13C nuclear magnetic resonance studies of arachidonic acid synthesis in the suckling rat. <i>Lipids</i> , 1997, 32, 211-217.	0.7	9
254	High-precision continuous-flow isotope ratio mass spectrometry. , 1997, 16, 227-258.		282
255	Quantitative evaluation of carbon isotopic fractionation during reversed-phase high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1997, 757, 307-310.	1.8	50
256	High-precision continuous-flow isotope ratio mass spectrometry. <i>Mass Spectrometry Reviews</i> , 1997, 16, 227-258.	2.8	5
257	Brain Docosahexaenoate Accretion in Fetal Baboons: Bioequivalence of Dietary $\hat{\pm}$ -Linolenic and Docosahexaenoic Acids. <i>Pediatric Research</i> , 1997, 42, 826-834.	1.1	106
258	Correction of Ion Source Nonlinearities over a Wide Signal Range in Continuous-Flow Isotope Ratio Mass Spectrometry of Water-Derived Hydrogen. <i>Analytical Chemistry</i> , 1996, 68, 2281-2286.	3.2	12
259	Increasing dietary linoleic acid in young rats increases and then decreases docosahexaenoic acid in retina but not in brain. <i>Lipids</i> , 1996, 31, 1289-1298.	0.7	32
260	Identification and Mapping of Phosphocholine in Animal Tissue by Static Secondary Ion Mass Spectrometry and Tandem Mass Spectrometry. , 1996, 10, 335-340.		34
261	Direct analysis of carbon isotope variability in albumins by liquid flow-injection isotope ratio mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 1996, 7, 605-610.	1.2	17
262	Docosahexaenoic Acid Modulates the Interactions of the Interphotoreceptor Retinoid-binding Protein with 11-cis-Retinal. <i>Journal of Biological Chemistry</i> , 1996, 271, 20507-20515.	1.6	79
263	High-Precision D/H Measurement from Organic Mixtures by Gas Chromatography Continuous-Flow Isotope Ratio Mass Spectrometry Using a Palladium Filter. <i>Analytical Chemistry</i> , 1996, 68, 3002-3007.	3.2	34
264	High-sensitivity liquid chromatography-combustion isotope ratio mass spectrometry of fat-soluble vitamins. <i>Journal of Mass Spectrometry</i> , 1995, 30, 466-472.	0.7	26
265	High-precision gas chromatography-combustion isotope ratio mass spectrometry at low signal levels. <i>Journal of Chromatography A</i> , 1995, 689, 63-68.	1.8	32
266	High-Precision D/H Measurement from Hydrogen Gas and Water by Continuous-Flow Isotope Ratio Mass Spectrometry. <i>Analytical Chemistry</i> , 1995, 67, 2486-2492.	3.2	39
267	Curve Fitting for Restoration of Accuracy for Overlapping Peaks in Gas Chromatography/Combustion Isotope Ratio Mass Spectrometry. <i>Analytical Chemistry</i> , 1994, 66, 1294-1301.	3.2	82
268	Condensed-Phase Carbon Isotopic Standards for Compound-Specific Isotope Analysis. <i>Analytical Chemistry</i> , 1994, 66, 2989-2991.	3.2	26
269	High-precision gas isotope ratio mass spectrometry: recent advances in instrumentation and biomedical applications. <i>Accounts of Chemical Research</i> , 1994, 27, 340-346.	7.6	71
270	High-precision liquid chromatography-combustion isotope ratio mass spectrometry. <i>Analytical Chemistry</i> , 1993, 65, 3497-3500.	3.2	72

#	ARTICLE	IF	CITATIONS
271	Study of β -Carotene Metabolism in Humans Using ^{13}C - β -Carotene and High Precision Isotope Ratio Mass Spectrometry. <i>Annals of the New York Academy of Sciences</i> , 1993, 691, 86-95.	1.8	63
272	High sensitivity tracer detection using high-precision gas chromatography-combustion isotope ratio mass spectrometry and highly enriched uniformly carbon-13 labeled precursors. <i>Analytical Chemistry</i> , 1992, 64, 1088-1095.	3.2	158
273	High-Molecular-Weight Polymer Analysis by Laser Microprobe Fourier Transform Ion Cyclotron Resonance Mass Spectrometry. <i>Applied Spectroscopy</i> , 1991, 45, 80-91.	1.2	23
274	Raman studies of laser-ablated ETFE (teflon [®]) films. <i>Surface and Interface Analysis</i> , 1990, 15, 95-99.	0.8	2
275	Formation of high mass carbon cluster ions from laser ablation of polymers and thin carbon films. <i>Journal of Chemical Physics</i> , 1990, 92, 2269-2279.	1.2	92
276	Elemental composition of ions associated with low mass carbon clusters generated by UV laser ablation of polyimide. <i>Chemical Physics Letters</i> , 1989, 163, 499-502.	1.2	10
277	Experimental evaluation of apodization functions for quantitative fourier transform mass spectrometry. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1989, 90, 151-166.	1.9	18
278	Interface between a Nicolet FTMS/2000 and a quantel Nd:YAG laser using an IBM PC-AT. <i>Computers & Chemistry</i> , 1989, 13, 319-324.	1.2	4
279	A plasma source for Fourier transform mass spectrometry. <i>Plasma Chemistry and Plasma Processing</i> , 1989, 9, 207-215.	1.1	9
280	Large carbon cluster ion formation by laser ablation of polyimide and graphite. <i>Chemical Physics</i> , 1988, 126, 453-468.	0.9	105
281	Nd:YAG laser microprobe system for Fourier transform ion cyclotron resonance mass spectrometry. <i>Review of Scientific Instruments</i> , 1988, 59, 873-879.	0.6	46
282	Ionization probability variations due to matrix in ion microscopic analysis of plastic-embedded and ashed biological specimens. <i>Analytical Chemistry</i> , 1986, 58, 1675-1680.	3.2	26
283	A versatile video tape system for storage and selective retrieval of ion images for digital acquisition and processing. <i>Analytical Chemistry</i> , 1986, 58, 428-433.	3.2	8
284	Detection and localization of silicon and associated elements in vertebrate bone tissue by imaging ion microscopy. <i>Calcified Tissue International</i> , 1986, 38, 52-59.	1.5	44
285	Temperature stage for ultralow temperature oxygen plasma ashing (L2TA). <i>Review of Scientific Instruments</i> , 1985, 56, 2084-2087.	0.6	2
286	Elemental isotopic abundance determinations of magnesium in biological materials by secondary ion mass spectrometry. <i>Analytical Chemistry</i> , 1984, 56, 402-407.	3.2	16
287	Low-temperature ashing preconcentration for elemental localization in biological soft tissues by ion microscopy. <i>Analytical Chemistry</i> , 1984, 56, 2791-2797.	3.2	11