## Le Qu

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2154851/publications.pdf

Version: 2024-02-01

687363 794594 1,755 19 13 19 citations h-index g-index papers 19 19 19 2731 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	Exosome-Transmitted IncARSR Promotes Sunitinib Resistance in Renal Cancer by Acting as a Competing Endogenous RNA. Cancer Cell, 2016, 29, 653-668.	16.8	874
2	Long noncoding RNA MRCCAT1 promotes metastasis of clear cell renal cell carcinoma via inhibiting NPR3 and activating p38-MAPK signaling. Molecular Cancer, 2017, 16, 111.	19.2	212
3	Prognostic Value of a Long Non-coding RNA Signature in Localized Clear Cell Renal Cell Carcinoma. European Urology, 2018, 74, 756-763.	1.9	144
4	Long noncoding RNA EGFR-AS1 promotes cell growth and metastasis via affecting HuR mediated mRNA stability of EGFR in renal cancer. Cell Death and Disease, 2019, 10, 154.	6.3	105
5	Robotic versus Open Partial Nephrectomy: A Systematic Review and Meta-Analysis. PLoS ONE, 2014, 9, e94878.	2.5	101
6	A feed-forward loop between IncARSR and YAP activity promotes expansion of renal tumour-initiating cells. Nature Communications, 2016, 7, 12692.	12.8	91
7	Adverse Events of Immune Checkpoint Inhibitors Therapy for Urologic Cancer Patients in Clinical Trials: A Collaborative Systematic Review and Meta-analysis. European Urology, 2022, 81, 414-425.	1.9	40
8	ATF2 predicts poor prognosis and promotes malignant phenotypes in renal cell carcinoma. Journal of Experimental and Clinical Cancer Research, 2016, 35, 108.	8.6	30
9	At the crossroads of cancer stem cells and targeted therapy resistance. Cancer Letters, 2017, 385, 87-96.	7.2	24
10	NMMHC-IIA-dependent nuclear location of CXCR4 promotes migration and invasion in renal cell carcinoma. Oncology Reports, 2016, 36, 2681-2688.	2.6	23
11	Genome-wide CRISPR-Cas9 screen identified KLF11 as a druggable suppressor for sarcoma cancer stem cells. Science Advances, 2021, 7, .	10.3	21
12	A Propensity-Score Matched Comparison of Perioperative and Early Renal Functional Outcomes of Robotic versus Open Partial Nephrectomy. PLoS ONE, 2014, 9, e94195.	2.5	16
13	Identification and Verification of m7G Modification Patterns and Characterization of Tumor Microenvironment Infiltration via Multi-Omics Analysis in Clear Cell Renal Cell Carcinoma. Frontiers in Immunology, 2022, 13, 874792.	4.8	16
14	Angiopoietin-like protein 3 blocks nuclear import of FAK and contributes to sorafenib response. British Journal of Cancer, 2018, 119, 450-461.	6.4	15
15	CCNA2 as an Immunological Biomarker Encompassing Tumor Microenvironment and Therapeutic Response in Multiple Cancer Types. Oxidative Medicine and Cellular Longevity, 2022, 2022, 1-35.	4.0	15
16	Elevated SNRPA1, as a Promising Predictor Reflecting Severe Clinical Outcome via Effecting Tumor Immunity for ccRCC, Is Related to Cell Invasion, Metastasis, and Sunitinib Sensitivity. Frontiers in Immunology, 2022, 13, 842069.	4.8	10
17	Identification of Immune-Related Cells and Genes in Tumor Microenvironment of Clear Cell Renal Cell Carcinoma. Frontiers in Oncology, 2020, 10, 1770.	2.8	7
18	QPCT regulation by CTCF leads to sunitinib resistance in renal cell carcinoma by promoting angiogenesis. International Journal of Oncology, 2021, 59, .	3.3	7

#	ARTICLE	IF	CITATIONS
19	Pure retroperitoneoscopic extravesical standardized seeable (PRESS) excision of distal ureter and bladder cuff in radical nephroureterectomy: step-by-step technique. Minerva Urology and Nephrology, 2021, 73, 392-400.	2.5	4