

Nipavan Chiamvimonvat

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2155078/publications.pdf>

Version: 2024-02-01

132
papers

5,518
citations

81900

39
h-index

85541

71
g-index

181
all docs

181
docs citations

181
times ranked

6011
citing authors

#	ARTICLE	IF	CITATIONS
1	Ionic Mechanism of Action Potential Prolongation in Ventricular Myocytes From Dogs With Pacing-Induced Heart Failure. <i>Circulation Research</i> , 1996, 78, 262-273.	4.5	467
2	Molecular Identification and Functional Roles of a Ca ²⁺ -activated K ⁺ Channel in Human and Mouse Hearts. <i>Journal of Biological Chemistry</i> , 2003, 278, 49085-49094.	3.4	242
3	Prevention and reversal of cardiac hypertrophy by soluble epoxide hydrolase inhibitors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 18733-18738.	7.1	215
4	Functional Roles of Ca _v 1.3 (I _{CaT}) Calcium Channel in Sinoatrial Nodes. <i>Circulation Research</i> , 2002, 90, 981-987.	4.5	213
5	Differential expression of small-conductance Ca ²⁺ -activated K ⁺ channels SK1, SK2, and SK3 in mouse atrial and ventricular myocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H2714-H2723.	3.2	204
6	Ablation of a Ca ²⁺ -activated K ⁺ channel (SK2 channel) results in action potential prolongation in atrial myocytes and atrial fibrillation. <i>Journal of Physiology</i> , 2009, 587, 1087-1100.	2.9	177
7	Mechanism-Based Facilitated Maturation of Human Pluripotent Stem Cell-Derived Cardiomyocytes. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 191-201.	4.8	164
8	The Soluble Epoxide Hydrolase as a Pharmaceutical Target for Hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 2007, 50, 225-237.	1.9	159
9	Soluble epoxide hydrolase plays an essential role in angiotensin II-induced cardiac hypertrophy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 564-569.	7.1	150
10	Molecular Coupling of a Ca ²⁺ -Activated K ⁺ Channel to L-Type Ca ²⁺ Channels via I _{CaT} -Actinin2. <i>Circulation Research</i> , 2007, 100, 112-120.	4.5	129
11	Mechanochemotransduction During Cardiomyocyte Contraction Is Mediated by Localized Nitric Oxide Signaling. <i>Science Signaling</i> , 2014, 7, ra27.	3.6	128
12	Functional Roles of Ca _v 1.3(I _{CaT}) Calcium Channels in Atria. <i>Circulation</i> , 2005, 112, 1936-1944.	1.6	127
13	Metabolic profiling of murine plasma reveals an unexpected biomarker in rofecoxib-mediated cardiovascular events. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 17017-17022.	7.1	116
14	Inhibition of soluble epoxide hydrolase enhances the anti-inflammatory effects of aspirin and 5-lipoxygenase activation protein inhibitor in a murine model. <i>Biochemical Pharmacology</i> , 2010, 79, 880-887.	4.4	115
15	Functional Roles of a Ca ²⁺ -Activated K ⁺ Channel in Atrioventricular Nodes. <i>Circulation Research</i> , 2008, 102, 465-471.	4.5	92
16	Anti-inflammatory Effects of ω-3 Polyunsaturated Fatty Acids and Soluble Epoxide Hydrolase Inhibitors in Angiotensin-II-Dependent Hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 2013, 62, 285-297.	1.9	92
17	Changes in Ca ²⁺ Cycling Proteins Underlie Cardiac Action Potential Prolongation in a Pressure-Overloaded Guinea Pig Model With Cardiac Hypertrophy and Failure. <i>Circulation Research</i> , 2000, 86, 558-570.	4.5	87
18	Cardiac Small Conductance Ca ²⁺ -Activated K ⁺ Channel Subunits Form Heteromultimers via the Coiled-Coil Domains in the C Termini of the Channels. <i>Circulation Research</i> , 2010, 107, 851-859.	4.5	86

#	ARTICLE	IF	CITATIONS
19	Unique mechanistic insights into the beneficial effects of soluble epoxide hydrolase inhibitors in the prevention of cardiac fibrosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 5618-5623.	7.1	85
20	Beneficial effects of soluble epoxide hydrolase inhibitors in myocardial infarction model: Insight gained using metabolomic approaches. <i>Journal of Molecular and Cellular Cardiology</i> , 2009, 47, 835-845.	1.9	81
21	Potassium channels in the heart: structure, function and regulation. <i>Journal of Physiology</i> , 2017, 595, 2209-2228.	2.9	79
22	Na ⁺ /Ca ²⁺ Exchanger is a Determinant of Excitation- Contraction Coupling in Human Embryonic Stem Cell-Derived Ventricular Cardiomyocytes. <i>Stem Cells and Development</i> , 2010, 19, 773-782.	2.1	78
23	Potassium currents in the heart: functional roles in repolarization, arrhythmia and therapeutics. <i>Journal of Physiology</i> , 2017, 595, 2229-2252.	2.9	76
24	Critical roles of a small conductance Ca ²⁺ -activated K ⁺ channel (SK3) in the repolarization process of atrial myocytes. <i>Cardiovascular Research</i> , 2014, 101, 317-325.	3.8	73
25	Complex electrophysiological remodeling in postinfarction ischemic heart failure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E3036-E3044.	7.1	72
26	Adenylyl Cyclase Subtype-Specific Compartmentalization. <i>Circulation Research</i> , 2013, 112, 1567-1576.	4.5	71
27	Inhibition of soluble epoxide hydrolase attenuates hepatic fibrosis and endoplasmic reticulum stress induced by carbon tetrachloride in mice. <i>Toxicology and Applied Pharmacology</i> , 2015, 286, 102-111.	2.8	70
28	Î±-Actinin2 cytoskeletal protein is required for the functional membrane localization of a Ca ²⁺ -activated K ⁺ channel (SK2 channel). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 18402-18407.	7.1	64
29	Soluble Epoxide Hydrolase Inhibitors and Heart Failure. <i>Cardiovascular Therapeutics</i> , 2011, 29, 99-111.	2.5	63
30	Substituted phenyl groups improve the pharmacokinetic profile and anti-inflammatory effect of urea-based soluble epoxide hydrolase inhibitors in murine models. <i>European Journal of Pharmaceutical Sciences</i> , 2013, 48, 619-627.	4.0	62
31	Small-conductance Ca ²⁺ -activated K ⁺ channels and cardiac arrhythmias. <i>Heart Rhythm</i> , 2015, 12, 1845-1851.	0.7	62
32	A potent soluble epoxide hydrolase inhibitor, t-AUCB, acts through PPAR ^{Î³} to modulate the function of endothelial progenitor cells from patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 167, 1298-1304.	1.7	59
33	Na ⁺ channel function, regulation, structure, trafficking and sequestration. <i>Journal of Physiology</i> , 2015, 593, 1347-1360.	2.9	59
34	Low-level vagus nerve stimulation upregulates small conductance calcium-activated potassium channels in the stellate ganglion. <i>Heart Rhythm</i> , 2013, 10, 910-915.	0.7	53
35	Lack of association of antihypertensive drugs with the risk and severity of COVID-19: A meta-analysis. <i>Journal of Cardiology</i> , 2021, 77, 482-491.	1.9	49
36	Use of Metabolomic Profiling in the Study of Arachidonic Acid Metabolism in Cardiovascular Disease. <i>Congestive Heart Failure</i> , 2011, 17, 42-46.	2.0	48

#	ARTICLE	IF	CITATIONS
37	Functional interaction with filamin A and intracellular Ca ²⁺ enhance the surface membrane expression of a small-conductance Ca ²⁺ -activated K ⁺ (SK2) channel. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 9989-9994.	7.1	47
38	Presence of a calcium-activated chloride current in mouse ventricular myocytes. American Journal of Physiology - Heart and Circulatory Physiology, 2002, 283, H302-H314.	3.2	46
39	Regulation of Gene Transcription by Voltage-gated L-type Calcium Channel, Cav1.3. Journal of Biological Chemistry, 2015, 290, 4663-4676.	3.4	44
40	Expression and roles of Cav1.3 (Î±1D) L-Type Ca ²⁺ Channel in atrioventricular node automaticity. Journal of Molecular and Cellular Cardiology, 2011, 50, 194-202.	1.9	40
41	MicroRNA profiling predicts a variance in the proliferative potential of cardiac progenitor cells derived from neonatal and adult murine hearts. Journal of Molecular and Cellular Cardiology, 2012, 52, 264-272.	1.9	40
42	Cardioprotection by Controlling Hyperamylinemia in a "Humanized" Diabetic Rat Model. Journal of the American Heart Association, 2014, 3, .	3.7	40
43	Molecular Mechanisms and New Treatment Paradigm for Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2016, 9, .	4.8	39
44	The effects of intracellular Ca ²⁺ on cardiac K ⁺ channel expression and activity: novel insights from genetically altered mice. Journal of Physiology, 2005, 562, 745-758.	2.9	38
45	The developing gut-lung axis: postnatal growth restriction, intestinal dysbiosis, and pulmonary hypertension in a rodent model. Pediatric Research, 2020, 87, 472-479.	2.3	37
46	Adenylyl cyclase 5-generated cAMP controls cerebral vascular reactivity during diabetic hyperglycemia. Journal of Clinical Investigation, 2019, 129, 3140-3152.	8.2	35
47	Characterization of a KCNQ1/KVLQT1 polymorphism in Asian families with LQT2: implications for genetic testing. Journal of Molecular and Cellular Cardiology, 2004, 37, 79-89.	1.9	33
48	Inhibition of soluble epoxide hydrolase in mice promotes reverse cholesterol transport and regression of atherosclerosis. Atherosclerosis, 2015, 239, 557-565.	0.8	31
49	CAABL-AF (California Study of Ablation for Atrial Fibrillation). Circulation: Arrhythmia and Electrophysiology, 2018, 11, e005739.	4.8	31
50	Coupling of SK channels, L-type Ca ²⁺ channels, and ryanodine receptors in cardiomyocytes. Scientific Reports, 2018, 8, 4670.	3.3	30
51	Mechano-electric and mechano-chemo-transduction in cardiomyocytes. Journal of Physiology, 2020, 598, 1285-1305.	2.9	30
52	Key Characteristics of Cardiovascular Toxicants. Environmental Health Perspectives, 2021, 129, 95001.	6.0	30
53	Same-Single-Cell Analysis of Pacemaker-Specific Markers in Human Induced Pluripotent Stem Cell-Derived Cardiomyocyte Subtypes Classified by Electrophysiology. Stem Cells, 2016, 34, 2670-2680.	3.2	28
54	Dynamical effects of calcium-sensitive potassium currents on voltage and calcium alternans. Journal of Physiology, 2017, 595, 2285-2297.	2.9	27

#	ARTICLE	IF	CITATIONS
55	Cooperativity of K ^v 7.4 channels confers ultrafast electromechanical sensitivity and emergent properties in cochlear outer hair cells. <i>Science Advances</i> , 2020, 6, eaba1104.	10.3	26
56	Biochemical and biomechanical properties of the pacemaking sinoatrial node extracellular matrix are distinct from contractile left ventricular matrix. <i>PLoS ONE</i> , 2017, 12, e0185125.	2.5	26
57	The cargo of CRPPR-conjugated liposomes crosses the intact murine cardiac endothelium. <i>Journal of Controlled Release</i> , 2012, 163, 10-17.	9.9	24
58	Pharmacological inhibition of soluble epoxide hydrolase provides cardioprotection in hyperglycemic rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 303, H853-H862.	3.2	23
59	Intestinal Dysbiosis and the Developing Lung: The Role of Toll-Like Receptor 4 in the Gut-Lung Axis. <i>Frontiers in Immunology</i> , 2020, 11, 357.	4.8	23
60	Etiology of distinct membrane excitability in pre- and posthearing auditory neurons relies on activity of Cl ⁻ channel TMEM16A. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2575-2580.	7.1	22
61	AKAP5 complex facilitates purinergic modulation of vascular L-type Ca ²⁺ channel CaV1.2. <i>Nature Communications</i> , 2020, 11, 5303.	12.8	22
62	Label-free identification and characterization of human pluripotent stem cell-derived cardiomyocytes using second harmonic generation (SHG) microscopy. <i>Journal of Biophotonics</i> , 2012, 5, 57-66.	2.3	21
63	Cardiac small-conductance calcium-activated potassium channels in health and disease. <i>Pflügers Archiv European Journal of Physiology</i> , 2021, 473, 477-489.	2.8	21
64	Human induced pluripotent stem cell line with genetically encoded fluorescent voltage indicator generated via CRISPR for action potential assessment post-cardiogenesis. <i>Stem Cells</i> , 2020, 38, 90-101.	3.2	20
65	Genetic, Cellular, and Functional Evidence for Ca ²⁺ Inflow through Ca _v 1.2 and Ca _v 1.3 Channels in Murine Spiral Ganglion Neurons. <i>Journal of Neuroscience</i> , 2014, 34, 7383-7393.	3.6	19
66	Multimodal SHG-2PF Imaging of Microdomain Ca ²⁺ -Contraction Coupling in Live Cardiac Myocytes. <i>Circulation Research</i> , 2016, 118, e19-28.	4.5	19
67	NODAL inhibition promotes differentiation of pacemaker-like cardiomyocytes from human induced pluripotent stem cells. <i>Stem Cell Research</i> , 2020, 49, 102043.	0.7	19
68	Ketone Ester D-β-Hydroxybutyrate (R)-1,3 Butanediol Prevents Decline in Cardiac Function in Type 2 Diabetic Mice. <i>Journal of the American Heart Association</i> , 2021, 10, e020729.	3.7	19
69	Distinct subcellular mechanisms for the enhancement of the surface membrane expression of SK2 channel by its interacting proteins, ß-actinin2 and filamin A. <i>Journal of Physiology</i> , 2017, 595, 2271-2284.	2.9	18
70	Mechanisms of Calmodulin Regulation of Different Isoforms of Kv7.4 K ⁺ Channels. <i>Journal of Biological Chemistry</i> , 2016, 291, 2499-2509.	3.4	17
71	Action Potential Shortening and Impairment of Cardiac Function by Ablation of <i>Slc26a6</i> . <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, .	4.8	17
72	Aspirin and clopidogrel high on-treatment platelet reactivity and genetic predictors in peripheral arterial disease. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 91, 1308-1317.	1.7	17

#	ARTICLE	IF	CITATIONS
73	Prestin amplifies cardiac motor functions. <i>Cell Reports</i> , 2021, 35, 109097.	6.4	17
74	Training the Translational Research Teams of the Future: UC Davis-HHMI Integrating Medicine into Basic Science Program. <i>Clinical and Translational Science</i> , 2013, 6, 339-346.	3.1	16
75	Feedback Mechanisms for Cardiac-Specific MicroRNAs and cAMP Signaling in Electrical Remodeling. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015, 8, 942-950.	4.8	16
76	Selectin-targeting glycosaminoglycan-peptide conjugate limits neutrophil-mediated cardiac reperfusion injury. <i>Cardiovascular Research</i> , 2022, 118, 267-281.	3.8	13
77	Suppression of inflammation and fibrosis using soluble epoxide hydrolase inhibitors enhances cardiac stem cell-based therapy. <i>Stem Cells Translational Medicine</i> , 2020, 9, 1570-1584.	3.3	12
78	Assessment of Chloroquine and Hydroxychloroquine Safety Profiles: A Systematic Review and Meta-Analysis. <i>Frontiers in Pharmacology</i> , 2020, 11, 562777.	3.5	11
79	Gating Properties of Mutant Sodium Channels and Responses to Sodium Current Inhibitors Predict Mexiletine-Sensitive Mutations of Long QT Syndrome 3. <i>Frontiers in Pharmacology</i> , 2020, 11, 1182.	3.5	11
80	Disruption of adenylyl cyclase type V does not rescue the phenotype of cardiac-specific overexpression of G _s protein-induced cardiomyopathy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 299, H1459-H1467.	3.2	10
81	In Vivo Cannulation Methods for Cardiomyocytes Isolation from Heart Disease Models. <i>PLoS ONE</i> , 2016, 11, e0160605.	2.5	10
82	Mechanical Load Regulates Excitation-Ca ²⁺ Signaling-Contraction in Cardiomyocyte. <i>Circulation Research</i> , 2021, 128, 772-774.	4.5	9
83	Chronic Diclofenac Exposure Increases Mitochondrial Oxidative Stress, Inflammatory Mediators, and Cardiac Dysfunction. <i>Cardiovascular Drugs and Therapy</i> , 2023, 37, 25-37.	2.6	9
84	The local translation of KNa in dendritic projections of auditory neurons and the roles of KNa in the transition from hidden to overt hearing loss. <i>Aging</i> , 2019, 11, 11541-11564.	3.1	9
85	Identification of a key residue in Kv7.1 potassium channel essential for sensing external potassium ions. <i>Journal of General Physiology</i> , 2015, 145, 201-212.	1.9	8
86	Small-Conductance Ca ²⁺ -Activated K ⁺ Current in Atrial Fibrillation: Both Friend and FOE. <i>Biophysical Journal</i> , 2016, 110, 274a.	0.5	8
87	Novel large-particle FACS purification of adult ventricular myocytes reveals accumulation of myosin and actin disproportionate to cell size and proteome in normal post-weaning development. <i>Journal of Molecular and Cellular Cardiology</i> , 2017, 111, 114-122.	1.9	8
88	The Critical Roles of Proteostasis and Endoplasmic Reticulum Stress in Atrial Fibrillation. <i>Frontiers in Physiology</i> , 2021, 12, 793171.	2.8	8
89	High-fat diet induces protein kinase A and G-protein receptor kinase phosphorylation of Î ₂ -adrenergic receptor and impairs cardiac adrenergic reserve in animal hearts. <i>Journal of Physiology</i> , 2017, 595, 1973-1986.	2.9	7
90	Electrotaxis of cardiac progenitor cells, cardiac fibroblasts, and induced pluripotent stem cell-derived cardiac progenitor cells requires serum and is directed via PI3K pathways. <i>Heart Rhythm</i> , 2017, 14, 1685-1692.	0.7	7

#	ARTICLE	IF	CITATIONS
91	Bariatric surgery to alleviate Occurrence of Atrial Fibrillation Hospitalization”BLOC-AF. Heart Rhythm O2, 2020, 1, 96-102.	1.7	7
92	Different arrhythmia-associated calmodulin mutations have distinct effects on cardiac SK channel regulation. Journal of General Physiology, 2020, 152, .	1.9	7
93	Disruption of protein quality control of the human ether-Å-go-go related gene K+ channel results in profound long QT syndrome. Heart Rhythm, 2022, 19, 281-292.	0.7	7
94	LRRRC10 (Leucine-Rich Repeat Containing Protein 10) and REEP5 (Receptor Accessory Protein 5) as Novel Regulators of Cardiac Excitation-Contraction Coupling Structure and Function. Journal of the American Heart Association, 2018, 7, .	3.7	4
95	Beat-to-beat dynamic regulation of intracellular pH in cardiomyocytes. IScience, 2022, 25, 103624.	4.1	4
96	Deciphering cellular signals in adult mouse sinoatrial node cells. IScience, 2022, 25, 103693.	4.1	4
97	Electrocardiogram With a Twist. Critical Pathways in Cardiology, 2012, 11, 218-219.	0.5	2
98	Aerobic exercise-based rehabilitation affects the activities of progenitor endothelial cells through EETs pathway. Medical Hypotheses, 2015, 85, 1037-1038.	1.5	2
99	Making Heads or Tails of the Large Mammalian Sinoatrial Node Micro-Organization. Circulation: Arrhythmia and Electrophysiology, 2021, 14, CIRCEP121010465.	4.8	2
100	Retrograde Cycle Length Alternans During Supraventricular Tachycardia: An Unusual Tachycardia Mechanism. PACE - Pacing and Clinical Electrophysiology, 2004, 27, 1017-1019.	1.2	1
101	Mechanical Load Effects on Cardiomyocyte Action Potential, Calcium Transient, and Contraction Revealed by using a Novel Patch-Clamp-in-Gel Technology. Biophysical Journal, 2018, 114, 620a.	0.5	1
102	Early functional alterations in membrane properties and neuronal degeneration are hallmarks of progressive hearing loss in NOD mice. Scientific Reports, 2019, 9, 12128.	3.3	1
103	Sex and Race Disparities in Presumed Sudden Cardiac Death: One Size Does Not Fit All. Circulation: Arrhythmia and Electrophysiology, 2021, 14, e010053.	4.8	1
104	Model Systems for Addressing Mechanism of Arrhythmogenesis in Cardiac Repair. Current Cardiology Reports, 2021, 23, 72.	2.9	1
105	Development of congestive heart failure in mice with a null deletion of MAFbx. FASEB Journal, 2010, 24, 1036.17.	0.5	1
106	Cardiac applications of second harmonic generation (SHG) microscopy. , 2019, , .		1
107	Protocol to record and quantify the intracellular pH in contracting cardiomyocytes. STAR Protocols, 2022, 3, 101301.	1.2	1
108	Changing in atrioventricular conduction in mice over-expressing Ca ²⁺ -activated K ⁺ channels. Cell Biology International, 2008, 32, S20-S20.	3.0	0

#	ARTICLE	IF	CITATIONS
109	Critical Roles of SK3 Calcium-Activated Potassium Channels in the Repolarization of Atrial Myocytes. <i>Biophysical Journal</i> , 2014, 106, 118a.	0.5	0
110	Functional Interaction with Filamin a Enhances Atrial-Specific Small Conductance Ca ²⁺ Activated K ⁺ Channel (SK2) Surface Membrane Expression. <i>Biophysical Journal</i> , 2014, 106, 118a.	0.5	0
111	Mechano-Chemotransduction in the Single Cardiac Myocyte Contracting in 3D Elastic Gel. <i>Biophysical Journal</i> , 2014, 106, 117a-118a.	0.5	0
112	Localized Nitric Oxide Signaling Mediates Cardiac Mechano-Chemotransduction. <i>Biophysical Journal</i> , 2014, 106, 566a.	0.5	0
113	A-Actinin2 and Filamin a Cytoskeletal Interacting Proteins Facilitate SK2 Channels Recycling from Endosomes to the Surface Membrane. <i>Biophysical Journal</i> , 2014, 106, 118a.	0.5	0
114	Multimodal second harmonic generation and two photon fluorescence imaging of microdomain calcium contraction coupling in single cardiomyocytes. , 2016, , .		0
115	Modeling of the Small-Conductance Calcium-Activated Potassium Channel and Cardiac Alternans. <i>Biophysical Journal</i> , 2016, 110, 106a.	0.5	0
116	Spatial and Functional Interactions between SK Channels and L-Type Calcium Channels in Cardiomyocytes. <i>Biophysical Journal</i> , 2016, 110, 122a.	0.5	0
117	Mechano-Chemo-Transduction in Rabbit Cardiomyocytes Mediated by no Signaling. <i>Biophysical Journal</i> , 2016, 110, 600a.	0.5	0
118	Mechanotransduction via No Signaling Auto-Regulates Cardiomyocyte Contractility. <i>Biophysical Journal</i> , 2018, 114, 620a.	0.5	0
119	Feedback Mechanisms for Cardiac-Specific MicroRNAs and cAMP Signaling in Electrical Remodeling. , 2018, , 219-225.		0
120	Ring Finger Protein 207 Degrades T613M Kv11.1 Channel. <i>Biophysical Journal</i> , 2018, 114, 625a.	0.5	0
121	Mechanical Load on Cardiomyocyte Activates Mechano-Chemo-Transduction to Autoregulate Ca ²⁺ Signaling and Contractility. <i>Biophysical Journal</i> , 2020, 118, 409a.	0.5	0
122	Mechanisms of Cardiac Arrhythmias and Sudden Cardiac Death in Human Calmodulinopathy. <i>Biophysical Journal</i> , 2020, 118, 195a.	0.5	0
123	Functional Microdomain of Adenylyl Cyclase Isoform 1 Contributes to Sinoatrial Node Automaticity via β^2 -Adrenergic Receptor Pathway. <i>Biophysical Journal</i> , 2020, 118, 345a-346a.	0.5	0
124	Functional Roles of Cl ⁻ /HCO ₃ ⁻ Exchanger in the Sinoatrial Node. <i>Biophysical Journal</i> , 2020, 118, 260a.	0.5	0
125	Functional Significance of Slc26a6 in Cardiac PH Regulation Revealed by ex vivo Confocal Imaging. <i>Biophysical Journal</i> , 2020, 118, 130a-131a.	0.5	0
126	Structural and Functional Alterations in Sinoatrial Node Mitochondria During Heart Failure. <i>Biophysical Journal</i> , 2020, 118, 446a.	0.5	0

#	ARTICLE	IF	CITATIONS
127	Protocol to assess two distinct components of the nonlinear capacitance in mouse cardiomyocytes. STAR Protocols, 2021, 2, 100891.	1.2	0
128	Local regulation of L-type Ca _v 1.2 channel and vascular reactivity by adenylyl cyclase 5 during diabetic hyperglycemia. FASEB Journal, 2018, 32, 567.1.	0.5	0
129	Abstract 495: Determinants Of Atrial Fibrillation Mechanisms Using Metabolomic Profiling. Circulation Research, 2019, 125, .	4.5	0
130	Stretch and Inflammation- Their Relation to Fractionation of Electrograms in Atrial Fibrillation. Journal of Atrial Fibrillation, 2011, 4, 406.	0.5	0
131	EP NEWS:EP News: Basic and Translational. Heart Rhythm, 2022, , .	0.7	0
132	Abstract 16912: Molecular Mechanisms Underlying the Beneficial Effects of Inhibition of Soluble Epoxide Hydrolase in the Prevention of Atrial Fibrillation. Circulation, 2015, 132, .	1.6	0