Wilson Z Shou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2165700/publications.pdf

Version: 2024-02-01

218677 254184 1,861 51 26 43 h-index citations g-index papers 55 55 55 1495 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Acoustic ejection mass spectrometry: Development, applications, and future perspective. Biomedical Chromatography, 2022, 36, e5278.	1.7	5
2	Rapid Compound Integrity Assessment for High-Throughput Screening Hit Triaging. SLAS Discovery, 2021, 26, 242-247.	2.7	3
3	Acoustic Ejection/Full-Scan Mass Spectrometry Analysis for High-Throughput Compound Quality Control. SLAS Technology, 2021, 26, 178-188.	1.9	22
4	Enabling direct and definitive free fraction determination for highly-bound compounds in protein binding assay. Journal of Pharmaceutical and Biomedical Analysis, 2021, 194, 113765.	2.8	4
5	Ultrahigh-Throughput and Chromatography-Free Bioanalysis of Polar Analytes with Acoustic Ejection Mass Spectrometry. Analytical Chemistry, 2020, 92, 13525-13531.	6.5	20
6	Current status and future directions of high-throughput ADME screening in drug discovery. Journal of Pharmaceutical Analysis, 2020, 10, 201-208.	5.3	51
7	Optimization of microflow LC–MS/MS and its utility in quantitative discovery bioanalysis. Bioanalysis, 2019, 11, 1117-1127.	1.5	14
8	Addition of Optimized Bovine Serum Albumin Level in a High-Throughput Caco-2 Assay Enabled Accurate Permeability Assessment for Lipophilic Compounds. SLAS Discovery, 2019, 24, 738-744.	2.7	11
9	Development, optimization and implementation of a centralized metabolic soft spot assay. Bioanalysis, 2017, 9, 541-552.	1.5	13
10	Development of a highâ€throughput mass spectrometry based analytical method to support an <i>in vitro</i> OATP1B1 inhibition screening assay. Rapid Communications in Mass Spectrometry, 2016, 30, 1787-1796.	1.5	4
11	Recent developments in software tools for high-throughput <i>in vitro</i> ADME support with high-resolution MS. Bioanalysis, 2016, 8, 1723-1733.	1.5	10
12	Application of Cassette Ultracentrifugation Using Non-labeled Compounds and Liquid Chromatography-Tandem Mass Spectrometry Analysis for High-Throughput Protein Binding Determination. Journal of Pharmaceutical Sciences, 2016, 105, 1036-1042.	3.3	8
13	Coupling Laser Diode Thermal Desorption with Acoustic Sample Deposition to Improve Throughput of Mass Spectrometry–Based Screening. Journal of Biomolecular Screening, 2016, 21, 165-175.	2.6	23
14	Development of an LC–MS/MS method for high throughput quantification of metformin uptake in transporter inhibition assays. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 967, 211-218.	2.3	6
15	A highâ€speed liquid chromatography/tandem mass spectrometry platform using multiplexed multipleâ€injection chromatography controlled by single software and its application in discovery ADME screening. Rapid Communications in Mass Spectrometry, 2013, 27, 731-737.	1.5	20
16	Characterization of Efflux Transporters Involved in Distribution and Disposition of Apixaban. Drug Metabolism and Disposition, 2013, 41, 827-835.	3.3	109
17	Sample reduction strategies in discovery bioanalysis. Bioanalysis, 2013, 5, 1691-1701.	1.5	12
18	Cassette incubation followed by bioanalysis using high-resolution MS for <i>in vitro</i> ADME screening assays. Bioanalysis, 2012, 4, 581-593.	1.5	23

#	Article	IF	CITATIONS
19	Evaluation and Optimization of Compound Solubilization and Delivery Methods in a Two-Tiered Ion Channel Lead Optimization Triage. Assay and Drug Development Technologies, 2012, 10, 202-211.	1.2	1
20	Recent development in software and automation tools for high-throughput discovery bioanalysis. Bioanalysis, 2012, 4, 1097-1109.	1.5	27
21	Discovery bioanalysis. Bioanalysis, 2012, 4, 983-984.	1.5	2
22	Approach to Improve Compound Recovery in a High-Throughput Caco-2 Permeability Assay Supported by Liquid Chromatography–Tandem Mass Spectrometry. Journal of Pharmaceutical Sciences, 2012, 101, 2755-2762.	3.3	27
23	Discovery of 3-hydroxy-4-cyano-isoquinolines as novel, potent, and selective inhibitors of human 11β-hydroxydehydrogenase 1 (11β-HSD1). Bioorganic and Medicinal Chemistry Letters, 2011, 21, 6693-6698.	2.2	19
24	Ultrafast mass spectrometry based bioanalytical method for digoxin supporting an ⟨i⟩in vitro⟨/i⟩ Pâ€glycoprotein (Pâ€gp) inhibition screen. Rapid Communications in Mass Spectrometry, 2011, 25, 1231-1240.	1.5	27
25	An integrated bioanalytical platform for supporting highâ€throughput serum protein binding screening. Rapid Communications in Mass Spectrometry, 2010, 24, 3593-3601.	1.5	22
26	Recent development in high-throughput bioanalytical support for <i>in vitro</i> ADMET profiling. Expert Opinion on Drug Metabolism and Toxicology, 2010, 6, 321-336.	3.3	37
27	A highâ€throughput bioanalytical platform using automated infusion for tandem mass spectrometric method optimization and its application in a metabolic stability screen. Rapid Communications in Mass Spectrometry, 2009, 23, 1579-1591.	1.5	47
28	Proposal of buspirone collisionâ€induced dissociation rearrangement by exact mass measurements. Rapid Communications in Mass Spectrometry, 2009, 23, 1742-1745.	1.5	4
29	â€~N-in-one' strategy for metabolite identification using a liquid chromatography/hybrid triple quadrupole linear ion trap instrument using multiple dependent product ion scans triggered with full mass scan. Rapid Communications in Mass Spectrometry, 2007, 21, 1421-1430.	1.5	44
30	Complete profiling and characterization ofin vitro nefazodone metabolites using two different tandem mass spectrometric platforms. Rapid Communications in Mass Spectrometry, 2007, 21, 4001-4008.	1.5	29
31	Advantages of using tetrahydrofuran–water as mobile phases in the quantitation of cyclosporin A in monkey and rat plasma by liquid chromatography–tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2007, 43, 277-284.	2.8	9
32	Simple means to alleviate sensitivity loss by trifluoroacetic acid (TFA) mobile phases in the hydrophilic interaction chromatography–electrospray tandem mass spectrometric (HILIC–ESI/MS/MS) bioanalysis of basic compounds. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 825, 186-192.	2.3	122
33	A novel approach to perform metabolite screening during the quantitative LC-MS/MS analyses ofin vitro metabolic stability samples using a hybrid triple-quadrupole linear ion trap mass spectrometer. Journal of Mass Spectrometry, 2005, 40, 1347-1356.	1.6	74
34	Simultaneously quantifying parent drugs and screening for metabolites in plasma pharmacokinetic samples using selected reaction monitoring information-dependent acquisition on a QTrap instrument. Rapid Communications in Mass Spectrometry, 2005, 19, 1943-1950.	1.5	68
35	The use of chemical derivatization to enhance liquid chromatography/tandem mass spectrometric determination of 1-hydroxypyrene, a biomarker for polycyclic aromatic hydrocarbons in human urine. Rapid Communications in Mass Spectrometry, 2005, 19, 3331-3338.	1.5	44
36	Direct injection of solid-phase extraction eluents onto silica columns for the analysis of polar compounds isoniazid and cetirizine in plasma using hydrophilic interaction chromatography with tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2004, 18, 2343-2350.	1.5	53

#	Article	IF	CITATIONS
37	Development and validation of a high-sensitivity liquid chromatography/tandem mass spectrometry(LC/MS/MS) method with chemical derivatization for the determination of ethinyl estradiol in human plasma. Biomedical Chromatography, 2004, 18, 414-421.	1.7	57
38	Liquid/liquid extraction using 96-well plate format in conjunction with hydrophilic interaction liquid chromatography–tandem mass spectrometry method for the analysis of fluconazole in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2003, 31, 917-928.	2.8	56
39	Post-column infusion study of the ?dosing vehicle effect? in the liquid chromatography/tandem mass spectrometric analysis of discovery pharmacokinetic samples. Rapid Communications in Mass Spectrometry, 2003, 17, 589-597.	1.5	65
40	Tunica Albuginea Tissue Analysis After Electromotive Drug Administration. Journal of Urology, 2003, 169, 1775-1778.	0.4	54
41	A SENSITIVE AND HIGH-THROUGHPUT LC/MS/MS METHOD USING A SILICA COLUMN AND AN AQUEOUS-ORGANIC MOBILE PHASE FOR THE ANALYSIS OF FLUOXETINE AND NORFLUOXETINE IN HUMAN PLASMA. Journal of Liquid Chromatography and Related Technologies, 2002, 25, 1215-1227.	1.0	18
42	An automatic 96-well solid phase extraction and liquid chromatography–tandem mass spectrometry method for the analysis of morphine, morphine-3-glucuronide and morphine-6-glucuronide in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2002, 27, 143-152.	2.8	65
43	Simultaneous development of six LC–MS–MS methods for the determination of multiple analytes in human plasma. Journal of Pharmaceutical and Biomedical Analysis, 2002, 28, 1115-1126.	2.8	73
44	Development and validation of a liquid chromatography/tandem mass spectrometry (LC/MS/MS) method for the determination of ribavirin in human plasma and serum. Journal of Pharmaceutical and Biomedical Analysis, 2002, 29, 83-94.	2.8	62
45	Ultrafast liquid chromatography/tandem mass spectrometry bioanalysis of polar analytes using packed silica columns. Rapid Communications in Mass Spectrometry, 2002, 16, 1613-1621.	1.5	48
46	Liquid chromatography/tandem mass spectrometric bioanalysis using normal-phase columns with aqueous/organic mobile phases - a novel approach of eliminating evaporation and reconstitution steps in 96-well SPE. Rapid Communications in Mass Spectrometry, 2002, 16, 1965-1975.	1.5	70
47	Novel liquid chromatographic–tandem mass spectrometric methods using silica columns and aqueous–organic mobile phases for quantitative analysis of polar ionic analytes in biological fluids. Biomedical Applications, 2001, 754, 387-399.	1.7	113
48	Importance of injection solution composition for LC–MS–MS methods. Journal of Pharmaceutical and Biomedical Analysis, 2001, 26, 753-767.	2.8	50
49	A highly automated 96-well solid phase extraction and liquid chromatography/tandem mass spectrometry method for the determination of fentanyl in human plasma. Rapid Communications in Mass Spectrometry, 2001, 15, 466-476.	1.5	75
50	Liquid Chromatography/Electrospray Mass Spectrometry of Organoselenium Compounds with Postcolumn Crown Ether Complexation. Analytical Chemistry, 2000, 72, 3266-3271.	6.5	11
51	Evaluation of Crown Ether Complexation for Elemental Electrospray Mass Spectrometry. Analytical Chemistry, 1999, 71, 3365-3373.	6.5	23