

# Ketil Hylland

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/216747/publications.pdf>

Version: 2024-02-01

76  
papers

2,992  
citations

159585

30  
h-index

168389

53  
g-index

76  
all docs

76  
docs citations

76  
times ranked

4312  
citing authors

#	ARTICLE	IF	CITATIONS
1	Insights on Ecotoxicological Effects of Microplastics in Marine Ecosystems: The EPHEMARE Project. Springer Water, 2020, , 12-19.	0.3	0
2	Genotoxic Response and Mortality in 3 Marine Copepods Exposed to Waterborne Copper. Environmental Toxicology and Chemistry, 2019, 38, 2224-2232.	4.3	8
3	Seabird-Transported Contaminants Are Reflected in the Arctic Tundra, But Not in Its Soil-Dwelling Springtails (Collembola). Environmental Science & Technology, 2019, 53, 12835-12845.	10.0	11
4	Current state of knowledge on biological effects from contaminants on arctic wildlife and fish. Science of the Total Environment, 2019, 696, 133792.	8.0	184
5	Environmental Adaptive Management: Application on Submarine Mine Tailings Disposal. Integrated Environmental Assessment and Management, 2019, 15, 575-583.	2.9	4
6	Contaminant accumulation and biological responses in Atlantic cod ( <i>Gadus morhua</i> ) caged at a capped waste disposal site in KollevÅy, Western Norway. Marine Environmental Research, 2019, 145, 39-51.	2.5	25
7	Environmentally relevant microplastic exposure affects sediment-dwelling bivalves. Environmental Pollution, 2018, 236, 652-660.	7.5	147
8	DNA damage in Arctic seabirds: Baseline, sensitivity to a genotoxic stressor, and association with organohalogen contaminants. Environmental Toxicology and Chemistry, 2018, 37, 1084-1091.	4.3	13
9	Presence of microplastics in benthic and epibenthic organisms: Influence of habitat, feeding mode and trophic level. Environmental Pollution, 2018, 243, 1217-1225.	7.5	195
10	Predation Risk Potentiates Toxicity of a Common Metal Contaminant in a Coastal Copepod. Environmental Science & Technology, 2018, 52, 13535-13542.	10.0	13
11	Biomarkers of general stress in mussels as common indicators for marine biomonitoring programmes in Europe: The ICON experience. Marine Environmental Research, 2017, 124, 70-80.	2.5	32
12	Integrated indicator framework and methodology for monitoring and assessment of hazardous substances and their effects in the marine environment. Marine Environmental Research, 2017, 124, 11-20.	2.5	77
13	Integrated chemical and biological assessment of contaminant impacts in selected European coastal and offshore marine areas. Marine Environmental Research, 2017, 124, 130-138.	2.5	30
14	Assessment of contaminant concentrations in sediments, fish and mussels sampled from the North Atlantic and European regional seas within the ICON project. Marine Environmental Research, 2017, 124, 21-31.	2.5	41
15	How can we quantify impacts of contaminants in marine ecosystems? The ICON project. Marine Environmental Research, 2017, 124, 2-10.	2.5	33
16	Assessing environmental quality status by integrating chemical and biological effect data: The Cartagena coastal zone as a case. Marine Environmental Research, 2017, 124, 106-117.	2.5	18
17	DNA damage in dab ( <i>Limanda limanda</i> ) and haddock ( <i>Melanogrammus aeglefinus</i> ) from European seas. Marine Environmental Research, 2017, 124, 54-60.	2.5	13
18	Baseline and oxidative DNA damage in marine invertebrates. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2017, 80, 807-819.	2.3	18

#	ARTICLE	IF	CITATIONS
19	Integrated monitoring of chemicals and their effects on four sentinel species, <i>Limanda limanda</i> , <i>Platichthys flesus</i> , <i>Nucella lapillus</i> and <i>Mytilus</i> sp., in Seine Bay: A key step towards applying biological effects to monitoring. <i>Marine Environmental Research</i> , 2017, 124, 92-105.	2.5	22
20	The influence of dissolved organic carbon and ultraviolet radiation on the genomic integrity of <i>Daphnia magna</i> . <i>Functional Ecology</i> , 2017, 31, 848-855.	3.6	22
21	Environmentally realistic exposure to weathered North Sea oil: Sublethal effects in Atlantic cod ( <i>Gadus morhua</i> ) and turbot ( <i>Scophthalmus maximus</i> ). <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2017, 80, 895-906.	2.3	4
22	Dietary vitamin A supplementation ameliorates the effects of poly-aromatic hydrocarbons in Atlantic salmon ( <i>Salmo salar</i> ). <i>Aquatic Toxicology</i> , 2016, 175, 171-183.	4.0	21
23	Comment on "Contaminant levels in Norwegian farmed Atlantic salmon ( <i>Salmo salar</i> ) in the 13-year period from 1999 to 2011" by NÅstbakken et al.. <i>Environment International</i> , 2015, 80, 98-99.	10.0	4
24	Reactive Oxygen Species and Cytotoxicity in Rainbow Trout Hepatocytes: Effects of Medium and Incubation Time. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2015, 94, 193-198.	2.7	6
25	Pristine Arctic: Background mapping of PAHs, PAH metabolites and inorganic trace elements in the North-Atlantic Arctic and sub-Arctic coastal environment. <i>Science of the Total Environment</i> , 2014, 493, 719-728.	8.0	36
26	Persistent organic pollutant concentrations in fledglings of two arctic seabird species. <i>Environmental Pollution</i> , 2014, 184, 414-418.	7.5	9
27	Release of emamectin from sediment: effects of oil, organic material or infauna?. <i>Journal of Soils and Sediments</i> , 2014, 14, 1469-1478.	3.0	1
28	Expert opinion on toxicity profiling" report from a NORMAN expert group meeting. <i>Integrated Environmental Assessment and Management</i> , 2013, 9, 185-191.	2.9	31
29	Atorvastatin up-regulate toxicologically relevant genes in rainbow trout gills. <i>Ecotoxicology</i> , 2012, 21, 1841-1856.	2.4	19
30	Ecotoxicity of paint mixtures: Comparison between measured and calculated toxicity. <i>Science of the Total Environment</i> , 2012, 435-436, 526-540.	8.0	13
31	Accumulation of polychlorinated biphenyls from contaminated sediment by Atlantic cod ( <i>Gadus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 6 polychaete <i>Nereis virens</i> . <i>Environmental Toxicology and Chemistry</i> , 2012, 31, 2472-2481.	4.3	21
32	Sublethal effects of contaminated sediment on <i>Arenicola marina</i> . <i>Journal of Soils and Sediments</i> , 2012, 12, 921-932.	3.0	2
33	Characterization of AhR agonist compounds in roadside snow. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 2047-2056.	3.7	7
34	Lack of response in a marine pelagic community to short-term oil and contaminant exposure. <i>Journal of Experimental Marine Biology and Ecology</i> , 2012, 416-417, 110-114.	1.5	2
35	Low impact of exposure to environmentally relevant doses of <sup>226</sup> Ra in Atlantic cod ( <i>Gadus morhua</i> ) embryonic cells. <i>Journal of Environmental Radioactivity</i> , 2012, 109, 84-93.	1.7	14
36	Accumulation of Polychlorinated Dibenzo- <i>p</i> -Dioxins and Furans in Atlantic Cod ( <i>Gadus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6 Health - Part A: Current Issues, 2011, 74, 455-465.	2.3	7

#	ARTICLE	IF	CITATIONS
37	Characterization of the effluent from a nanosilver producing washing machine. <i>Environment International</i> , 2011, 37, 1057-1062.	10.0	230
38	Biomarkers in Natural Fish Populations Indicate Adverse Biological Effects of Offshore Oil Production. <i>PLoS ONE</i> , 2011, 6, e19735.	2.5	68
39	Species-dependent sensitivity to contaminants: An approach using primary hepatocyte cultures with three marine fish species. <i>Marine Environmental Research</i> , 2011, 72, 216-224.	2.5	32
40	REACH exposure assessment of anticorrosive paint products – Determination of exposure from application and service life to the aquatic environment. <i>Regulatory Toxicology and Pharmacology</i> , 2011, 61, 332-339.	2.7	1
41	Development of sediment quality criteria in Norway. <i>Journal of Soils and Sediments</i> , 2010, 10, 172-178.	3.0	144
42	Genotoxicity monitoring of freshwater environments using caged carp ( <i>Cyprinus carpio</i> ). <i>Ecotoxicology</i> , 2010, 19, 77-84.	2.4	38
43	Diastereomer-specific bioaccumulation of hexabromocyclododecane (HBCD) in a coastal food web, Western Norway. <i>Science of the Total Environment</i> , 2010, 408, 5910-5916.	8.0	42
44	Bioavailability of hexabromocyclododecane to the polychaete <i>Hediste diversicolor</i> : Exposure through sediment and food from a contaminated fjord. <i>Environmental Toxicology and Chemistry</i> , 2010, 29, 1709-1715.	4.3	8
45	Cytotoxicity of atorvastatin and simvastatin on primary rainbow trout ( <i>Oncorhynchus mykiss</i> ) hepatocytes. <i>Toxicology in Vitro</i> , 2010, 24, 1610-1618.	2.4	34
46	Long-term exposure of Atlantic cod ( <i>Gadus morhua</i> ) to components of produced water: condition, gonad maturation, and gene expression. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2010, 67, 1685-1698.	1.4	20
47	Relationship Between Polycyclic Aromatic Hydrocarbon (PAH) Accumulation in Semipermeable Membrane Devices and PAH Bile Metabolite Levels in Atlantic Cod ( <i>Gadus morhua</i> ). <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2009, 72, 234-243.	2.3	27
48	Relationships Between Physiology, Tissue Contaminants, and Biomarker Responses in Atlantic Cod ( <i>Gadus morhua</i> ). <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2009, 72, 226-233.	2.3	20
49	Spatial diastereomer patterns of hexabromocyclododecane (HBCD) in a Norwegian fjord. <i>Science of the Total Environment</i> , 2009, 407, 5907-5913.	8.0	46
50	A study of metal concentrations and metallothionein binding capacity in liver, kidney and brain tissues of three Arctic seal species. <i>Science of the Total Environment</i> , 2009, 407, 6166-6172.	8.0	30
51	Bioaccumulation and lack of oxidative stress response in the ragworm <i>H. diversicolor</i> following exposure to 226Ra in sediment. <i>Journal of Environmental Radioactivity</i> , 2009, 100, 429-434.	1.7	17
52	Genotoxicity of Environmentally Relevant Concentrations of Water-Soluble Oil Components in Cod ( <i>Gadus morhua</i> ). <i>Environmental Science &amp; Technology</i> , 2009, 43, 3329-3334.	10.0	30
53	Polycyclic Aromatic Hydrocarbon (PAH) Metabolites in Atlantic Cod Exposed via Water or Diet to a Synthetic Produced Water. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2009, 72, 254-265.	2.3	32
54	2nd Norwegian Environmental Toxicology Symposium: Joining Forces for an Integrated Search for Environmental Solutions. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2009, 72, 111-111.	2.3	0

#	ARTICLE	IF	CITATIONS
55	Cellular Energy Allocation in <i>Hediste diversicolor</i> Exposed to Sediment Contaminants. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2009, 72, 244-253.	2.3	13
56	Testing REACH draft technical guidance notes for conducting chemical safety assessments – The experience of a downstream user of a preparation. Regulatory Toxicology and Pharmacology, 2008, 51, 168-180.	2.7	12
57	Detection of DNA damage in haemocytes of <i>Mytilus galloprovincialis</i> in the coastal ecosystems of Kaštela and Trogir bays, Croatia. Science of the Total Environment, 2008, 405, 330-337.	8.0	45
58	Water column monitoring near oil installations in the North Sea 2001–2004. Marine Pollution Bulletin, 2008, 56, 414-429.	5.0	103
59	Environmental indicators: utility in meeting regulatory needs. An overview. ICES Journal of Marine Science, 2008, 65, 1381-1386.	2.5	43
60	Contaminants in marine ecosystems: developing an integrated indicator framework using biological-effect techniques. ICES Journal of Marine Science, 2008, 65, 1508-1514.	2.5	82
61	Alterations in the energy budget of Arctic benthic species exposed to oil-related compounds. Aquatic Toxicology, 2007, 83, 85-92.	4.0	35
62	Metallothionein levels in willow ptarmigan ( <i>Lagopus lagopus</i> ) populations with different natural loads of cadmium. European Journal of Wildlife Research, 2007, 53, 142-152.	1.4	4
63	May Organic Pollutants Affect Fish Populations in the North Sea?. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2006, 69, 125-138.	2.3	41
64	Polycyclic Aromatic Hydrocarbon (PAH) Ecotoxicology in Marine Ecosystems. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2006, 69, 109-123.	2.3	282
65	Quantitative changes in metallothionein expression in target cell-types in the gills of turbot ( <i>Scophthalmus maximus</i> ) exposed to Cd, Cu, Zn and after a depuration treatment. Aquatic Toxicology, 2006, 77, 64-77.	4.0	45
66	Disposition of arsenobetaine in two marine fish species following administration of a single oral dose of [ <sup>14</sup> C]arsenobetaine. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2006, 143, 171-178.	2.6	13
67	Detection of endocrine disrupters: Evaluation of a Fish Sexual Development Test (FSDT). Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2006, 144, 57-66.	2.6	62
68	Disposition of polychlorinated dibenzo-p-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs) in two Norwegian epibenthic marine food webs. Chemosphere, 2006, 62, 1856-1868.	8.2	35
69	Vitellogenin in the blood plasma of male cod ( <i>Gadus morhua</i> ): A sign of oestrogenic endocrine disruption in the open sea?. Marine Environmental Research, 2006, 61, 149-170.	2.5	53
70	Use of fish in vitro hepatocyte assays to detect multi-endpoint toxicity in Slovenian river sediments. Marine Environmental Research, 2006, 62, S356-S359.	2.5	18
71	Biological effects in the management of chemicals in the marine environment. Marine Pollution Bulletin, 2006, 53, 614-619.	5.0	20
72	A multi-generation <i>Calanus finmarchicus</i> culturing system for use in long-term oil exposure experiments. Journal of Experimental Marine Biology and Ecology, 2006, 333, 71-78.	1.5	6

#	ARTICLE	IF	CITATIONS
73	Polychlorinated Dibenzo-p-Dioxins (PCDDs) and Dibenzofurans (PCDFs) in the Grenland Fjords (Norway) – Disposition, Levels, and Effects. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2006, 69, 185-200.	2.3	13
74	Cadmium accumulation and Cd-binding proteins in marine invertebrates – A radiotracer study. <i>Chemosphere</i> , 2005, 61, 1651-1664.	8.2	21
75	Experimental results on bioaccumulation of metals and organic contaminants from marine sediments. <i>Aquatic Toxicology</i> , 2005, 72, 273-292.	4.0	85
76	Higher faecal excretion and lower tissue accumulation of mercury in Wistar rats from contaminated fish than from methylmercury chloride added to fish. <i>Food and Chemical Toxicology</i> , 2004, 42, 1359-1366.	3.6	39