

Daniela Fenoglio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2170806/publications.pdf>

Version: 2024-02-01

141
papers

4,158
citations

117625

34
h-index

138484

58
g-index

148
all docs

148
docs citations

148
times ranked

5983
citing authors

#	ARTICLE	IF	CITATIONS
1	Humoral and T-Cell Immune Response After 3 Doses of Messenger RNA Severe Acute Respiratory Syndrome Coronavirus 2 Vaccines in Fragile Patients: The Italian VAX4FRAIL Study. <i>Clinical Infectious Diseases</i> , 2023, 76, e426-e438.	5.8	23
2	Case Report: Atypical Manifestations Associated With FOXP3 Mutations. The "Fil Rouge" of Treg Between IPEX Features and Other Clinical Entities?. <i>Frontiers in Immunology</i> , 2022, 13, 854749.	4.8	6
3	Early and Polyantigenic CD4 T Cell Responses Correlate with Mild Disease in Acute COVID-19 Donors. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7155.	4.1	31
4	Dysregulation in B-cell responses and T follicular helper cell function in ADA2 deficiency patients. <i>European Journal of Immunology</i> , 2021, 51, 206-219.	2.9	29
5	CD38 downregulation modulates NAD ⁺ and NADP(H) levels in thermogenic adipose tissues. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2021, 1866, 158819.	2.4	18
6	Transcription Factor Evaluation by Flow Cytometry. <i>Methods in Molecular Biology</i> , 2021, 2285, 35-47.	0.9	1
7	The Longest Persistence of Viable SARS-CoV-2 With Recurrence of Viremia and Relapsing Symptomatic COVID-19 in an Immunocompromised Patient—A Case Study. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab217.	0.9	64
8	Extensive activation, tissue trafficking, turnover and functional impairment of NK cells in COVID-19 patients at disease onset associates with subsequent disease severity. <i>PLoS Pathogens</i> , 2021, 17, e1009448.	4.7	43
9	Development of Exhaustion and Acquisition of Regulatory Function by Infiltrating CD8 ⁺ CD28 ^{hi} T Lymphocytes Dictate Clinical Outcome in Head and Neck Cancer. <i>Cancers</i> , 2021, 13, 2234.	3.7	8
10	Characterization of T lymphocytes in severe COVID-19 patients. <i>Journal of Medical Virology</i> , 2021, 93, 5608-5613.	5.0	24
11	Telomerase-based GX301 cancer vaccine in patients with metastatic castration-resistant prostate cancer: a randomized phase II trial. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 3679-3692.	4.2	15
12	COVID-19 Vaccination in Fragile Patients: Current Evidence and an Harmonized Transdisease Trial. <i>Frontiers in Immunology</i> , 2021, 12, 704110.	4.8	22
13	Increased frequency of interleukin-4 and reduced frequency of interferon- γ and IL-17-producing CD4 ⁺ and CD8 ⁺ cells in scleromyxedema. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 1092-1097.	2.4	8
14	Identification, Purification and Molecular Characterization of Chondrosin, a New Protein with Anti-tumoral Activity from the Marine Sponge <i>Chondrosia Reniformis</i> Nardo 1847. <i>Marine Drugs</i> , 2020, 18, 409.	4.6	9
15	PO-183 Pilot study on immunomodulation role of radiotherapy in oropharyngeal cancer: preliminary results. <i>Radiotherapy and Oncology</i> , 2019, 132, 96-97.	0.6	0
16	Dopamine inhibits human CD8 ⁺ Treg function through D1-like dopaminergic receptors. <i>Journal of Neuroimmunology</i> , 2019, 332, 233-241.	2.3	24
17	THU0505...INTRINSIC AND EXTRINSIC B CELL DEFECT IN DADA2 PATIENTS. , 2019, , ,		0
18	Immunological profile of an infant treated with integrase inhibitor from the neonatal period. <i>Journal of Virus Eradication</i> , 2019, 5, 47-49.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Immunological profile of an infant treated with integrase inhibitor from the neonatal period. <i>Journal of Virus Eradication</i> , 2019, 5, 47-49.	0.5	0
20	The Ligurian HIV Network: How Medical Informatics Standards Can Help Clinical Research. <i>Studies in Health Technology and Informatics</i> , 2019, 264, 1666-1667.	0.3	0
21	White matter microstructure alterations correlate with terminally differentiated CD8+ effector T cell depletion in the peripheral blood in mania: Combined DTI and immunological investigation in the different phases of bipolar disorder. <i>Brain, Behavior, and Immunity</i> , 2018, 73, 192-204.	4.1	30
22	CD8+CD28 ^{hi} CD127 ^{lo} CD39 ⁺ regulatory T-cell expansion: A new possible pathogenic mechanism for HIV infection?. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 2220-2233.e4.	2.9	22
23	Rationale for an Association Between PD1 Checkpoint Inhibition and Therapeutic Vaccination Against HIV. <i>Frontiers in Immunology</i> , 2018, 9, 2447.	4.8	1
24	Inflammatory effects of atazanavir/ritonavir versus darunavir/ritonavir in treatment naïve, HIV-1-infected patients. <i>HIV Clinical Trials</i> , 2018, 19, 158-162.	2.0	2
25	Feasibility and Efficacy of Post-Transplant Consolidation Immunotherapy with Nivolumab Supported By the Reinfusion of Unselected Autologous Lymphocytes in Patients Affected By Relapsed/Refractory Hodgkin Lymphoma. <i>Blood</i> , 2018, 132, 4598-4598.	1.4	2
26	Glutathione and the switch of aerobic metabolism collaborate for multi-drug resistance of neuroblastoma. <i>Free Radical Biology and Medicine</i> , 2017, 108, S69.	2.9	0
27	A new marine-derived sulfoglycolipid triggers dendritic cell activation and immune adjuvant response. <i>Scientific Reports</i> , 2017, 7, 6286.	3.3	46
28	Phenotypic Alterations Involved in CD8+ Treg Impairment in Systemic Sclerosis. <i>Frontiers in Immunology</i> , 2017, 8, 18.	4.8	15
29	Regulatory T Cells and Their Prognostic Relevance in Hematologic Malignancies. <i>Journal of Immunology Research</i> , 2017, 2017, 1-13.	2.2	29
30	AIRE polymorphism, melanoma antigen-specific T cell immunity, and susceptibility to melanoma. <i>Oncotarget</i> , 2016, 7, 60872-60884.	1.8	8
31	Role of Nrf2, HO-1 and GSH in Neuroblastoma Cell Resistance to Bortezomib. <i>PLoS ONE</i> , 2016, 11, e0152465.	2.5	45
32	Glutathione-mediated antioxidant response and aerobic metabolism: two crucial factors involved in determining the multi-drug resistance of high-risk neuroblastoma. <i>Oncotarget</i> , 2016, 7, 70715-70737.	1.8	40
33	Residual tumor micro-foci and overwhelming regulatory T lymphocyte infiltration are the causes of bladder cancer recurrence. <i>Oncotarget</i> , 2016, 7, 6424-6435.	1.8	22
34	Abstract A020: The analyses of immune infiltrate and gene expression of MAGE antigens in bladder cancer allow to explain and predict recurrence. , 2016, , .		0
35	Abstract B127: Free DNA and tolerance. , 2016, , .		0
36	Increased CD38 expression on T lymphocytes as a marker of HIV dissemination into the central nervous system. <i>HIV Clinical Trials</i> , 2015, 16, 190-196.	2.0	7

#	ARTICLE	IF	CITATIONS
37	Nanoparticles increase the efficacy of cancer chemopreventive agents in cells exposed to cigarette smoke condensate. <i>Carcinogenesis</i> , 2015, 36, 368-377.	2.8	17
38	Early and repeated IgG1Fc-pCons chimera vaccinations (GX101) improve the outcome in SLE-prone mice. <i>Clinical and Experimental Medicine</i> , 2015, 15, 255-260.	3.6	5
39	Impaired immune response to <i>Candida albicans</i> in cells from Fanconi anemia patients. <i>Cytokine</i> , 2015, 73, 203-207.	3.2	5
40	Immunogenicity of GX301 cancer vaccine: Four (telomerase peptides) are better than one. <i>Human Vaccines and Immunotherapeutics</i> , 2015, 11, 838-850.	3.3	26
41	Relationship between innate immunity, soluble markers and metabolic-clinical parameters in HIV+ patients ART treated with HIV-RNA <50 cp/mL. <i>Journal of the International AIDS Society</i> , 2014, 17, 19718.	3.0	2
42	Innate immunity cell activation in virologically suppressed HIV-infected maraviroc-treated patients. <i>Aids</i> , 2014, 28, 1071-1074.	2.2	5
43	Single nucleotide polymorphisms in the promoter regions of <i>Foxp3</i> and <i>ICOSLG</i> genes are associated with Alopecia Areata. <i>Clinical and Experimental Medicine</i> , 2014, 14, 91-97.	3.6	33
44	Recombinant IL-21 and anti-CD4 antibodies cooperate in syngeneic neuroblastoma immunotherapy and mediate long-lasting immunity. <i>Cancer Immunology, Immunotherapy</i> , 2014, 63, 501-511.	4.2	21
45	HO-1 up-regulation: A key point in high-risk neuroblastoma resistance to bortezomib. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014, 1842, 613-622.	3.8	46
46	Prevention of Lymphocyte Neurotoxic Effects by microRNA Delivery. <i>MicroRNA (Shariqah, United Arab)</i> Tj ETQq0 0 0 rgBT /Overlock 10 T 1.25 3		
47	ImmunoDB: a web based tool to analyze preclinical data. <i>Studies in Health Technology and Informatics</i> , 2014, 205, 438-42.	0.3	2
48	Comparative analysis of cancer vaccine settings for the selection of an effective protocol in mice. <i>Journal of Translational Medicine</i> , 2013, 11, 120.	4.4	18
49	Fingolimod Modulates Peripheral Effector and Regulatory T Cells in MS Patients. <i>Journal of NeuroImmune Pharmacology</i> , 2013, 8, 1106-1113.	4.1	69
50	A multi-peptide, dual-adjuvant telomerase vaccine (GX301) is highly immunogenic in patients with prostate and renal cancer. <i>Cancer Immunology, Immunotherapy</i> , 2013, 62, 1041-1052.	4.2	55
51	CD39 is highly involved in mediating the suppression activity of tumor-infiltrating CD8+ T regulatory lymphocytes. <i>Cancer Immunology, Immunotherapy</i> , 2013, 62, 851-862.	4.2	56
52	Indoleamine 2,3 dioxygenase gene polymorphisms correlate with CD8+ Treg impairment in systemic sclerosis. <i>Human Immunology</i> , 2013, 74, 166-169.	2.4	24
53	Metformin selectively affects human glioblastoma tumor-initiating cell viability. <i>Cell Cycle</i> , 2013, 12, 145-156.	2.6	154
54	Multicentre clinical trialsâ€™ data management: a hybrid solution to exploit the strengths of electronic data capture and electronic health records systems. <i>Informatics for Health and Social Care</i> , 2013, 38, 313-329.	2.6	19

#	ARTICLE	IF	CITATIONS
55	Generation of more effective cancer vaccines. <i>Human Vaccines and Immunotherapeutics</i> , 2013, 9, 2543-2547.	3.3	11
56	The Ligurian Human Immunodeficiency Virus Clinical Network: A Web Tool to Manage Patients With Human Immunodeficiency Virus in Primary Care and Multicenter Clinical Trials. <i>Medicine</i> 2013, 2, e5.	2.4	22
57	Th17 and regulatory T lymphocytes in primary biliary cirrhosis and systemic sclerosis as models of autoimmune fibrotic diseases. <i>Autoimmunity Reviews</i> , 2012, 12, 300-304.	5.8	70
58	The plant hormone abscisic acid increases in human plasma after hyperglycemia and stimulates glucose consumption by adipocytes and myoblasts. <i>FASEB Journal</i> , 2012, 26, 1251-1260.	0.5	81
59	Cyclophosphamide inhibits the generation and function of CD8+ regulatory T cells. <i>Human Immunology</i> , 2012, 73, 207-213.	2.4	27
60	Abscisic acid ameliorates the systemic sclerosis fibroblast phenotype in vitro. <i>Biochemical and Biophysical Research Communications</i> , 2012, 422, 70-74.	2.1	19
61	Resistance of neuroblastoma GI-ME-N cell line to glutathione depletion involves Nrf2 and heme oxygenase-1. <i>Free Radical Biology and Medicine</i> , 2012, 52, 488-496.	2.9	40
62	CD8 ⁺ T regulatory/suppressor cells and their relationships with autoreactivity and autoimmunity. <i>Autoimmunity</i> , 2011, 44, 51-57.	2.6	42
63	Alteration of Th17 and Treg cell subpopulations co-exist in patients affected with systemic sclerosis. <i>Clinical Immunology</i> , 2011, 139, 249-257.	3.2	105
64	Th17 cells and allergic rhinitis: Is there clinical relevance?. <i>Otolaryngology - Head and Neck Surgery</i> , 2010, 143, 604-605.	1.9	8
65	The role of AIRE polymorphisms in melanoma. <i>Clinical Immunology</i> , 2010, 136, 96-104.	3.2	23
66	Th1/Th17 gamma delta T cells are expanded in HIV-1 infected patients and respond to <i>Candida albicans</i> . <i>Retrovirology</i> , 2010, 7, .	2.0	0
67	Expansion of vdelta1 T lymphocytes reactive to <i>C. albicans</i> IN HIV-1 infected patients: effect of influenza virus vaccine. <i>Retrovirology</i> , 2010, 7, .	2.0	0
68	Relevance of CD38 Expression on CD8 T Cells to Evaluate Antiretroviral Therapy Response in HIV-1-infected Youths. <i>Scandinavian Journal of Immunology</i> , 2010, 71, 45-51.	2.7	14
69	Peripheral TH-17 Cells in Children with Allergic Rhinitis: Preliminary Report. <i>International Journal of Immunopathology and Pharmacology</i> , 2010, 23, 379-382.	2.1	6
70	Elispot and Elisa Assessment of Interferon-Gamma after Sublingual Immunotherapy. <i>European Journal of Inflammation</i> , 2010, 8, 31-35.	0.5	5
71	365 ANALYSIS OF REGULATORY T CELLS IN PATIENTS AFFECTED BY RENAL CELL CARCINOMA. <i>Journal of Urology</i> , 2010, 183, .	0.4	0
72	Crosstalk between decidual NK and CD14 ⁺ myelomonocytic cells results in induction of Tregs and immunosuppression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 11918-11923.	7.1	220

#	ARTICLE	IF	CITATIONS
73	Peripheral Th-17 cells in allergic rhinitis: New evidence. <i>International Immunopharmacology</i> , 2010, 10, 226-229.	3.8	34
74	Phenotypical and functional alterations of CD8 regulatory T cells in primary biliary cirrhosis. <i>Journal of Autoimmunity</i> , 2010, 35, 176-180.	6.5	64
75	Serum IL-17 after one Course of Sublingual Immunotherapy in Allergic Rhinitis to Birch. <i>European Journal of Inflammation</i> , 2009, 7, 49-51.	0.5	9
76	Serum Leptin Levels in Patients with Pollen-Induced Allergic Rhinitis. <i>International Archives of Allergy and Immunology</i> , 2009, 148, 211-218.	2.1	20
77	Conserved T cell and natural killer cell function in treatment-experienced adults receiving tenofovir plus didanosine as nucleoside reverse transcription inhibitor backbone. <i>Clinical and Experimental Immunology</i> , 2009, 158, 55-63.	2.6	1
78	Serum interleukin-17 levels are related to clinical severity in allergic rhinitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2009, 64, 1375-1378.	5.7	116
79	Flu vaccination with a virosomal vaccine does not affect clinical course and immunological parameters in scleroderma patients. <i>Vaccine</i> , 2009, 27, 3367-3372.	3.8	34
80	Adipokines and sublingual immunotherapy: Preliminary report. <i>Human Immunology</i> , 2009, 70, 73-78.	2.4	7
81	V α 1 T lymphocytes producing IFN- γ and IL-17 are expanded in HIV-1-infected patients and respond to <i>Candida albicans</i> . <i>Blood</i> , 2009, 113, 6611-6618.	1.4	153
82	Antigen-presenting function of human peritoneum mesothelial cells. <i>Clinical and Experimental Immunology</i> , 2008, 101, 172-176.	2.6	44
83	Relationship between soluble HLA-G and HLA-A,-B,-C serum levels, and interferon- γ production after sublingual immunotherapy in patients with allergic rhinitis. <i>Human Immunology</i> , 2008, 69, 409-413.	2.4	24
84	Advancements on phenotypic and functional characterization of non-antigen-specific CD8+CD28 ⁺ regulatory T cells. <i>Human Immunology</i> , 2008, 69, 745-750.	2.4	44
85	Carry-over effect on IFN-gamma production induced by allergen-specific immunotherapy. <i>International Immunopharmacology</i> , 2008, 8, 1622-1625.	3.8	12
86	867 IMPAIRMENT OF CD8+CD28- T SUPPRESSOR CELL FUNCTION IN PRIMARY BILIARY CIRRHOSIS. <i>Journal of Hepatology</i> , 2008, 48, S325-S326.	3.7	1
87	Serum IL-17 levels in patients with allergic rhinitis. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 650-651.e2.	2.9	52
88	Safety and Immunogenicity of Two Influenza Virus Subunit Vaccines, with or without MF59 Adjuvant, Administered to Human Immunodeficiency Virus Type 1-Seropositive and -Seronegative Adults. <i>Vaccine Journal</i> , 2008, 15, 253-259.	3.1	64
89	Assessment of humoral and cell-mediated immunity against <i>Bordetella pertussis</i> in adolescent, adult, and senior subjects in Italy. <i>Epidemiology and Infection</i> , 2008, 136, 1576-1584.	2.1	16
90	Patients with Allergic Rhinitis Show an Allergen-Specific Interferon-Gamma Defect. <i>European Journal of Inflammation</i> , 2008, 6, 87-91.	0.5	6

#	ARTICLE	IF	CITATIONS
91	CD8+CD28 ^{hi} T Regulatory Lymphocytes Inhibiting T Cell Proliferative and Cytotoxic Functions Infiltrate Human Cancers. <i>Journal of Immunology</i> , 2007, 179, 4323-4334.	0.8	207
92	Adhesion Molecules and Kinases Involved in γ ; δ ; T Cells Migratory Pathways: Implications for Viral and Autoimmune Diseases. <i>Current Medicinal Chemistry</i> , 2007, 14, 3166-3170.	2.4	19
93	Sublingual immunotherapy: An update on immunologic and functional effects. <i>Allergy and Asthma Proceedings</i> , 2007, 28, 40-43.	2.2	25
94	Sublingual immunotherapy-induced IL-10 production is associated with changed response to the decongestion test: Preliminary results. <i>Allergy and Asthma Proceedings</i> , 2007, 28, 574-577.	2.2	5
95	Sublingual immunotherapy induces spirometric improvement associated with IL-10 production: Preliminary reports. <i>International Immunopharmacology</i> , 2006, 6, 1370-1373.	3.8	28
96	Frequency of telomerase-specific CD8+ T lymphocytes in patients with cancer. <i>Blood</i> , 2006, 107, 1505-1512.	1.4	55
97	Sublingual immunotherapy and regulatory T cells. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006, 61, 511-513.	5.7	19
98	Endocrine Regulation of Suppressor Lymphocytes: Role of the Glucocorticoid-Induced TNF-Like Receptor. <i>Annals of the New York Academy of Sciences</i> , 2006, 1069, 377-385.	3.8	12
99	Non-Antigen-Specific CD8+ T Suppressor Lymphocytes in Diseases Characterized by Chronic Immune Responses and Inflammation. <i>Annals of the New York Academy of Sciences</i> , 2005, 1050, 115-123.	3.8	45
100	Induction of interleukin 10 by sublingual immunotherapy for house dust mites: a preliminary report. <i>Annals of Allergy, Asthma and Immunology</i> , 2005, 95, 38-44.	1.0	115
101	Non-antigen specific CD8+ T suppressor lymphocytes. <i>Clinical and Experimental Medicine</i> , 2004, 4, 86-92.	3.6	46
102	Nonantigen specific CD8+ T suppressor lymphocytes originate from CD8+CD28 ^{hi} T cells and inhibit both T-Cell proliferation and CTL function. <i>Human Immunology</i> , 2004, 65, 142-156.	2.4	151
103	Migration of V α 1 and V α 2 T cells in response to CXCR3 and CXCR4 ligands in healthy donors and HIV-1 ^{infected} patients: competition by HIV-1 Tat. <i>Blood</i> , 2004, 103, 2205-2213.	1.4	120
104	Apoptotic DNA binds to HLA class II molecules inhibiting antigen presentation and participating in the development of anti-inflammatory functional behavior of phagocytic macrophages. <i>Human Immunology</i> , 2003, 64, 9-20.	2.4	10
105	Preservation of clonal heterogeneity of the <i>Pneumocystis carinii</i> -specific CD4 T cell repertoire in HIV infected, asymptomatic individuals. <i>Clinical and Experimental Immunology</i> , 2002, 128, 155-162.	2.6	7
106	Analysis of the antigen specific T cell repertoires in HIV infection. <i>Immunology Letters</i> , 2001, 79, 85-91.	2.5	7
107	Genetically modified immunocompetent cells in HIV infection. <i>Gene Therapy</i> , 2001, 8, 1593-1600.	4.5	5
108	Natural Analogue Peptides of an HIV-1 GP120 T-Helper Epitope Antagonize Response of GP120-Specific Human CD4 T-Cell Clones. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2000, 23, 1-7.	2.1	9

#	ARTICLE	IF	CITATIONS
109	Natural Analogue Peptides of an HIV-1 GP120 T-Helper Epitope Antagonize Response of GP120-Specific Human CD4 T-Cell Clones. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2000, 23, 1-7.	2.1	10
110	Cd4+ T cell response to leishmania spp. in non-infected individuals. <i>Human Immunology</i> , 2000, 61, 531-537.	2.4	8
111	T Helper Cells Specific for Retroviral Epitopes. , 1999, , 89-97.		0
112	Loci influencing development of Th responses. Identification from in vitro analysis. <i>Microbes and Infection</i> , 1999, 1, 79-88.	1.9	7
113	Rational reconstitution of the immune repertoire in AIDS with autologous, antigen-specific, in vitro-expanded CD4 lymphocytes. <i>Immunology Letters</i> , 1999, 66, 117-120.	2.5	7
114	Antagonistic activity of HIV-1 T helper peptides flanked by an unrelated carrier protein. <i>European Journal of Immunology</i> , 1999, 29, 1448-1455.	2.9	6
115	Antagonistic activity of HIV-1 T helper peptides flanked by an unrelated carrier protein. <i>European Journal of Immunology</i> , 1999, 29, 1448-1455.	2.9	0
116	Attenuated <i>Listeria monocytogenes</i> carrier strains can deliver an HIV-1 gp120 T helper epitope to MHC class II-restricted human CD4+ T cells. <i>European Journal of Immunology</i> , 1998, 28, 1807-1814.	2.9	20
117	A restricted T cell response to myelin basic protein (MBP) is stable in multiple sclerosis (MS) patients. <i>Clinical and Experimental Immunology</i> , 1998, 111, 186-192.	2.6	18
118	Repertoire Breadth of Human CD4+ T Cells Specific for HIV gp120 and p66 (Primary Antigens) or for PPD and Tetanus Toxoid (Secondary Antigens). <i>Human Immunology</i> , 1998, 59, 137-148.	2.4	19
119	Requirement for Different Presenting Cells and for Different Processing Mechanisms by Human CD4 T Helper Clones Specific for <i>M. tuberculosis</i> Antigens. <i>Human Immunology</i> , 1998, 59, 265-274.	2.4	3
120	Recognition of Antigenic Clusters of <i>Candida albicans</i> by T Lymphocytes from Human Immunodeficiency Virus-Infected Persons. <i>Journal of Infectious Diseases</i> , 1998, 178, 488-496.	4.0	29
121	Anti-HIV genetic treatment of antigen-specific human CD4 lymphocytes for adoptive immunotherapy of opportunistic infections in AIDS. <i>Gene Therapy</i> , 1997, 4, 1216-1224.	4.5	16
122	Handling of retroviral antigens by human antigen-presenting cells. <i>Research in Virology</i> , 1996, 147, 97-101.	0.7	1
123	Antigenicity of HIV-derived T helper determinants in the context of carrier recombinant proteins: effect on T helper cell repertoire selection. <i>European Journal of Immunology</i> , 1996, 26, 2461-2469.	2.9	29
124	Human T leukaemia virus type 1 (HTLV-1) specific T helper cell response: clonal fluctuations and repertoire heterogeneity. <i>British Journal of Haematology</i> , 1996, 93, 287-294.	2.5	6
125	Human T helper cells specific for HIV reverse transcriptase: possible role in intrastructural help for HIV envelope-specific antibodies. <i>European Journal of Immunology</i> , 1995, 25, 1217-1223.	2.9	16
126	Recognition of human T-leukemia virus (HTLV-1) envelope by human CD4+ T- cell lines from HTLV-1 seronegative individuals: specificity and clonal heterogeneity. <i>Blood</i> , 1995, 85, 1547-1554.	1.4	22

#	ARTICLE	IF	CITATIONS
127	Intravenous immunoglobulin, plasmalymphocytapheresis and azathioprine in chronic progressive multiple sclerosis. <i>Italian Journal of Neurological Sciences</i> , 1994, 15, 49-53.	0.1	6
128	Quantitative analysis of peripheral allergen-specific B lymphocytes in asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1994, 49, 348-353.	5.7	2
129	Human T-helper cell recognition of an immunodominant epitope of HIV-1 gp120 expressed on the surface of <i>Streptococcus gordonii</i> . <i>Vaccine</i> , 1994, 12, 1071-1077.	3.8	54
130	Role of flanking variable sequences in antigenicity of consensus regions of HIV gp120 for recognition by specific human T helper clones. <i>European Journal of Immunology</i> , 1993, 23, 269-274.	2.9	24
131	Frequency of allergen-specific T lymphocytes in blood and bronchial response to allergen in asthma. <i>Journal of Allergy and Clinical Immunology</i> , 1993, 91, 1075-1081.	2.9	44
132	Quality Control in Immunophenotyping.. <i>Annals of the New York Academy of Sciences</i> , 1993, 677, 417-419.	3.8	2
133	Circulating Lymphocyte Subsets after Total Lymphoid Irradiation in Chronic Progressive Multiple Sclerosis. <i>Annals of the New York Academy of Sciences</i> , 1993, 677, 458-461.	3.8	0
134	Non-covalent complexes of HIV gp120 with CD4 and/or mAbs enhance activation of gp120-specific T clones and provide intermolecular help for anti-CD4 antibody production. <i>International Immunology</i> , 1993, 5, 1109-1117.	4.0	21
135	Kinetic immunodominance: functionally competing antibodies against exposed and cryptic epitopes of <i>Escherichia coli</i> β -galactosidase are produced in time sequence. <i>International Immunology</i> , 1992, 4, 627-636.	4.0	16
136	Effect of antigen/antibody ratio on macrophage uptake, processing, and presentation to T cells of antigen complexed with polyclonal antibodies.. <i>Journal of Experimental Medicine</i> , 1991, 173, 37-48.	8.5	191
137	B cells on the podium: regulatory roles of surface and secreted immunoglobulins. <i>Trends in Immunology</i> , 1988, 9, 300-303.	7.5	23
138	EFFECT OF CYCLOSPORINE ON THE ANTIGEN-PRESENTING FUNCTION OF HUMAN AND MURINE ACCESSORY CELLS1. <i>Transplantation</i> , 1988, 46, 40S-43S.	1.0	17
139	Selective Cooperation between T and B Clones Specific for the Same Macromolecular Antigen: Does Antibody Specificity Influence Antigen Processing?. , 1988, , 235-245.		0
140	Constraints in T-B cooperation related to epitope topology on <i>E. coli</i> β -galactosidase. I. The fine specificity of T cells dictates the fine specificity of antibodies directed to conformation-dependent determinants. <i>European Journal of Immunology</i> , 1985, 15, 345-350.	2.9	97
141	The serum capacity to solubilize immune complexes (ICSC) measured by an enzyme-anti-enzyme complex probe. <i>Journal of Immunological Methods</i> , 1985, 77, 119-130.	1.4	1