

Jeeyun Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2172793/publications.pdf>

Version: 2024-02-01

400
papers

17,161
citations

28274

55
h-index

20358

116
g-index

409
all docs

409
docs citations

409
times ranked

20620
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Machine-learning model derived gene signature predictive of paclitaxel survival benefit in gastric cancer: results from the randomised phase III SAMIT trial. <i>Gut</i> , 2022, 71, 676-685. | 12.1 | 21 |
| 2 | Prediction of epithelial-to-mesenchymal transition molecular subtype using CT in gastric cancer. <i>European Radiology</i> , 2022, 32, 1-11. | 4.5 | 6 |
| 3 | Epigenetic promoter alterations in GI tumour immune-editing and resistance to immune checkpoint inhibition. <i>Gut</i> , 2022, 71, 1277-1288. | 12.1 | 23 |
| 4 | The prevalence of homologous recombination deficiency (HRD) in various solid tumors and the role of HRD as a single biomarker to immune checkpoint inhibitors. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 2427-2435. | 2.5 | 5 |
| 5 | Genomic Sequencing for Bladder Urothelial Carcinoma and Its Clinical Implications for Immunotherapy. <i>Cancer Research and Treatment</i> , 2022, 54, 894-906. | 3.0 | 6 |
| 6 | A liquid biopsy signature predicts treatment response to fluoropyrimidine plus platinum therapy in patients with metastatic or unresectable gastric cancer: implications for precision oncology. <i>Molecular Cancer</i> , 2022, 21, 9. | 19.2 | 2 |
| 7 | Tumour mutational burden predicts resistance to EGFR/BRAF blockade in BRAF-mutated microsatellite stable metastatic colorectal cancer. <i>European Journal of Cancer</i> , 2022, 161, 90-98. | 2.8 | 13 |
| 8 | Hepatocellular carcinoma patients with high circulating cytotoxic T cells and intra-tumoral immune signature benefit from pembrolizumab: results from a single-arm phase 2 trial. <i>Genome Medicine</i> , 2022, 14, 1. | 8.2 | 68 |
| 9 | Safety and anti-tumor effects of vismodegib in patients with refractory advanced gastric cancer: A single-arm, phase-II trial. <i>Journal of Cancer</i> , 2022, 13, 1097-1102. | 2.5 | 2 |
| 10 | Whole-Genome and Transcriptome Sequencing Identified NOTCH2 and HES1 as Potential Markers of Response to Imatinib in Desmoid Tumor (Aggressive Fibromatosis): A Phase II Trial Study. <i>Cancer Research and Treatment</i> , 2022, 54, 1240-1255. | 3.0 | 4 |
| 11 | Pembrolizumab with or without chemotherapy versus chemotherapy alone for patients with PD-L1“positive advanced gastric or gastroesophageal junction adenocarcinoma: Update from the phase 3 KEYNOTE-062 trial.. <i>Journal of Clinical Oncology</i> , 2022, 40, 243-243. | 1.6 | 8 |
| 12 | Trastuzumab deruxtecan (T-DXd; DS-8201) in patients with HER2“positive advanced gastric or gastroesophageal junction (GEJ) adenocarcinoma: Final overall survival (OS) results from a randomized, multicenter, open-label, phase 2 study (DESTINY-Gastric01).. <i>Journal of Clinical Oncology</i> , 2022, 40, 242-242. | 1.6 | 5 |
| 13 | Dose-escalation and dose-expansion study of trastuzumab deruxtecan (T-DXd) monotherapy and combinations in patients (pts) with advanced/metastatic HER2+ gastric cancer (GC)/gastroesophageal junction adenocarcinoma (GEJA): DESTINY-Gastric03.. <i>Journal of Clinical Oncology</i> , 2022, 40, 295-295. | 1.6 | 17 |
| 14 | Updated Integrated Analysis of the Efficacy and Safety of Entrectinib in Patients With <i>NTRK</i> Fusion-Positive Solid Tumors. <i>Clinical Cancer Research</i> , 2022, 28, 1302-1312. | 7.0 | 74 |
| 15 | Genomic sequencing for bladder urothelial carcinoma and its clinical implications for immunotherapy.. <i>Journal of Clinical Oncology</i> , 2022, 40, 551-551. | 1.6 | 0 |
| 16 | Incidence of FGFR2 Amplification and FGFR2 Fusion in Patients with Metastatic Cancer Using Clinical Sequencing. <i>Journal of Oncology</i> , 2022, 2022, 1-9. | 1.3 | 7 |
| 17 | Epidermal Growth Factor Receptor Inhibition in Epidermal Growth Factor Receptor“Amplified Gastroesophageal Cancer: Retrospective Global Experience. <i>Journal of Clinical Oncology</i> , 2022, 40, 2458-2467. | 1.6 | 9 |
| 18 | Determining Which Patients Require Preoperative Pelvic Radiotherapy Before Curative-Intent Surgery and/or Ablation for Metastatic Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2022, , 1. | 1.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Early Tumorâ€Immune Microenvironmental Remodeling and Response to First-Line Fluoropyrimidine and Platinum Chemotherapy in Advanced Gastric Cancer. <i>Cancer Discovery</i> , 2022, 12, 984-1001. | 9.4 | 52 |
| 20 | ASO Visual Abstract: Determining Which Patients Require Preoperative Pelvic Radiotherapy Before Curative Intent Surgery and/or Ablation for Metastatic Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2022,, . | 1.5 | 0 |
| 21 | Expression of SLC22A18 regulates oxaliplatin resistance by modulating the ERK pathway in colorectal cancer.. <i>American Journal of Cancer Research</i> , 2022, 12, 1393-1408. | 1.4 | 0 |
| 22 | Abstract 6352: Ascites derived exosomes promote progression of advanced gastric cancers. <i>Cancer Research</i> , 2022, 82, 6352-6352. | 0.9 | 0 |
| 23 | Prevalence of MET aberration using next generation sequencing in oncology clinic: A real-world experience.. <i>Journal of Clinical Oncology</i> , 2022, 40, e16099-e16099. | 1.6 | 0 |
| 24 | Comprehensive landscape of tumor angiogenesis via integrating RNA sequencing and three-dimensional microphysiological system.. <i>Journal of Clinical Oncology</i> , 2022, 40, e16058-e16058. | 1.6 | 1 |
| 25 | Immune landscape of colorectal cancer lung metastasis.. <i>Journal of Clinical Oncology</i> , 2022, 40, e15542-e15542. | 1.6 | 1 |
| 26 | Solid tumor patients with G12V and G13D <i>KRAS</i> aberrations have poor survival following ICI treatment.. <i>Journal of Clinical Oncology</i> , 2022, 40, e14567-e14567. | 1.6 | 0 |
| 27 | Landscape of tumor mutation burden and correlation to clinical outcomes in 1,744 solid cancers.. <i>Journal of Clinical Oncology</i> , 2022, 40, 2667-2667. | 1.6 | 0 |
| 28 | Exosome in ascites can be a potential therapeutic target for gastric cancer with malignant ascites.. <i>Journal of Clinical Oncology</i> , 2022, 40, e15008-e15008. | 1.6 | 0 |
| 29 | Oxaliplatin (3 months <i>v</i> 6 months) With 6 Months of Fluoropyrimidine as Adjuvant Therapy in Patients With Stage II/III Colon Cancer: KCSG CO09-07. <i>Journal of Clinical Oncology</i> , 2022, 40, 3868-3877. | 1.6 | 6 |
| 30 | Phase II study of ceralasertib (AZD6738) in combination with durvalumab in patients with advanced gastric cancer.. <i>Journal of Clinical Oncology</i> , 2022, 40, 4045-4045. | 1.6 | 0 |
| 31 | Tumor microenvironment (TME) dynamics following capecitabine/oxaliplatin (CapeOx) plus pembrolizumab in patients with advanced gastric cancer.. <i>Journal of Clinical Oncology</i> , 2022, 40, 4053-4053. | 1.6 | 0 |
| 32 | Association of Tumor Mutational Burden with Efficacy of Pembrolizumab±Chemotherapy as First-Line Therapy for Gastric Cancer in the Phase III KEYNOTE-062 Study. <i>Clinical Cancer Research</i> , 2022, 28, 3489-3498. | 7.0 | 35 |
| 33 | Prognostic significance of sarcopenia in microsatellite-stable gastric cancer patients treated with programmed death-1 inhibitors. <i>Gastric Cancer</i> , 2021, 24, 457-466. | 5.3 | 34 |
| 34 | Incorporating sarcopenia and inflammation with radiation therapy in patients with hepatocellular carcinoma treated with nivolumab. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 1593-1603. | 4.2 | 32 |
| 35 | Programmed Death Ligand 1 Expression as a Prognostic Marker in Patients with Advanced Biliary Tract Cancer. <i>Oncology</i> , 2021, 99, 365-372. | 1.9 | 6 |
| 36 | Prognostic Factors of Survival with Aflibercept and FOLFIRI (fluorouracil, leucovorin, irinotecan) as Second-line Therapy for Patients with Metastatic Colorectal Cancer. <i>Journal of Cancer</i> , 2021, 12, 460-466. | 2.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | When to apply immune checkpoint inhibitor in patients with refractory advanced gastric cancer. <i>Journal of Cancer</i> , 2021, 12, 5681-5686. | 2.5 | 0 |
| 38 | Chromatin accessibility of circulating CD8+ T cells predicts treatment response to PD-1 blockade in patients with gastric cancer. <i>Nature Communications</i> , 2021, 12, 975. | 12.8 | 26 |
| 39 | <i>EGFR</i> Amplification in Metastatic Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1561-1569. | 6.3 | 12 |
| 40 | Clinical profile of cutaneous adverse events of immune checkpoint inhibitors in a single tertiary center. <i>Journal of Dermatology</i> , 2021, 48, 979-988. | 1.2 | 2 |
| 41 | Determinants of Response and Intrinsic Resistance to PD-1 Blockade in Microsatellite Instability-High Gastric Cancer. <i>Cancer Discovery</i> , 2021, 11, 2168-2185. | 9.4 | 105 |
| 42 | Multimodal circulating tumor DNA (ctDNA) colorectal neoplasia detection assay for asymptomatic and early-stage colorectal cancer (CRC).. <i>Journal of Clinical Oncology</i> , 2021, 39, 3536-3536. | 1.6 | 5 |
| 43 | <i>ARAF</i> mutations confer resistance to the RAF inhibitor <i>belvarafenib</i> in melanoma. <i>Nature</i> , 2021, 594, 418-423. | 27.8 | 64 |
| 44 | Phase I Study of Ceralasertib (AZD6738), a Novel DNA Damage Repair Agent, in Combination with Weekly Paclitaxel in Refractory Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 4700-4709. | 7.0 | 54 |
| 45 | Contextualizing a single-arm trial of ceralasertib (cer) plus paclitaxel with real-world data (RWD) in patients (pts) with advanced melanoma previously treated with anti-PD-(L)1(PDx) therapies.. <i>Journal of Clinical Oncology</i> , 2021, 39, e21542-e21542. | 1.6 | 0 |
| 46 | Phase II study of ceralasertib (AZD6738), in combination with durvalumab in patients with metastatic melanoma who have failed prior anti-PD-1 therapy.. <i>Journal of Clinical Oncology</i> , 2021, 39, 9514-9514. | 1.6 | 4 |
| 47 | Validation of the Combined Biomarker for Prediction of Response to Checkpoint Inhibitor in Patients with Advanced Cancer. <i>Cancers</i> , 2021, 13, 2316. | 3.7 | 5 |
| 48 | Assessment of Pembrolizumab Therapy for the Treatment of Microsatellite Instability-High Gastric or Gastroesophageal Junction Cancer Among Patients in the KEYNOTE-059, KEYNOTE-061, and KEYNOTE-062 Clinical Trials. <i>JAMA Oncology</i> , 2021, 7, 895. | 7.1 | 184 |
| 49 | The Right Treatment of the Right Patient: Integrating Genetic Profiling Into Clinical Decision Making in Advanced Gastric Cancer in Asia. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2021, 41, e166-e173. | 3.8 | 8 |
| 50 | A phase I study of IMC-001, a PD-L1 blocker, in patients with metastatic or locally advanced solid tumors. <i>Investigational New Drugs</i> , 2021, 39, 1624-1632. | 2.6 | 0 |
| 51 | Prognostic Impact of Sarcopenia and Radiotherapy in Patients With Advanced Gastric Cancer Treated With Anti-PD-1 Antibody. <i>Frontiers in Immunology</i> , 2021, 12, 701668. | 4.8 | 13 |
| 52 | Microsatellite Instability and Effectiveness of Adjuvant Treatment in pT1N1 Gastric Cancer: A Multicohort Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 8908-8915. | 1.5 | 4 |
| 53 | ASO Video Abstract: Microsatellite Instability and the Effectiveness of Adjuvant Treatment in pT1N1 Gastric Cancer-A Multi-cohort Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 688. | 1.5 | 0 |
| 54 | Reducing tumor invasiveness by ramucirumab and TGF- α 2 receptor kinase inhibitor in a diffuse-type gastric cancer patient-derived cell model. <i>Cancer Medicine</i> , 2021, 10, 7253-7262. | 2.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Clinical sequencing to assess tumor mutational burden as a useful biomarker to immunotherapy in various solid tumors. Therapeutic Advances in Medical Oncology, 2021, 13, 175883592199299. | 3.2 | 20 |
| 56 | Comprehensive molecular characterization of gastric cancer patients from phase II second-line ramucirumab plus paclitaxel therapy trial. Genome Medicine, 2021, 13, 11. | 8.2 | 17 |
| 57 | Comprehensive molecular profiling to predict clinical outcomes in pancreatic cancer. Therapeutic Advances in Medical Oncology, 2021, 13, 175883592110384. | 3.2 | 10 |
| 58 | Analysis of inpatient heterogeneity of circulating tumor cells at the single-cell level in the cerebrospinal fluid of a patient with metastatic gastric cancer. Journal of Cancer Research and Therapeutics, 2021, 17, 1047. | 0.9 | 2 |
| 59 | Zanidatamab (ZW25) in HER2-expressing gastroesophageal adenocarcinoma (GEA): Results from a phase I study.. Journal of Clinical Oncology, 2021, 39, 164-164. | 1.6 | 21 |
| 60 | Impact of Radiotherapy on Kidney Function among Patients Who Received Adjuvant Treatment for Gastric Cancer: Logistic and Linear Regression Analyses. Cancers, 2021, 13, 59. | 3.7 | 8 |
| 61 | 409â€...Trial in progress: a phase 2 study to assess the safety, efficacy of FLX475 combined with pembrolizumab in patients with advanced or metastatic gastric cancer. , 2021, 9, A440-A440. | | 0 |
| 62 | The Impact of Tumor Mutation Burden on the Effect of Frontline Trastuzumab Plus Chemotherapy in Human Epidermal Growth Factor Receptor 2-Positive Advanced Gastric Cancers. Frontiers in Oncology, 2021, 11, 792340. | 2.8 | 3 |
| 63 | Evorpcept alone and in combination with pembrolizumab or trastuzumab in patients with advanced solid tumours (ASPEN-01): a first-in-human, open-label, multicentre, phase 1 dose-escalation and dose-expansion study. Lancet Oncology, The, 2021, 22, 1740-1751. | 10.7 | 46 |
| 64 | Safety and Efficacy of Durvalumab and Tremelimumab Alone or in Combination in Patients with Advanced Gastric and Gastroesophageal Junction Adenocarcinoma. Clinical Cancer Research, 2020, 26, 846-854. | 7.0 | 90 |
| 65 | Prognostic value of mismatch repair deficiency in patients with advanced gastric cancer, treated by surgery and adjuvant 5-fluorouracil and leucovorin chemoradiotherapy. European Journal of Surgical Oncology, 2020, 46, 189-194. | 1.0 | 10 |
| 66 | A Randomized Controlled Trial of Epidermal Growth Factor Ointment for Treating Epidermal Growth Factor Receptor Inhibitor-Induced Skin Toxicities. Oncologist, 2020, 25, e186-e193. | 3.7 | 10 |
| 67 | PD-L1 expression in gastric cancer determined by digital image analyses: pitfalls and correlation with pathologist interpretation. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 476, 243-250. | 2.8 | 16 |
| 68 | Correlation between RICTOR overexpression and amplification in advanced solid tumors. Pathology Research and Practice, 2020, 216, 152734. | 2.3 | 6 |
| 69 | Development of tuberculosis in cancer patients receiving immune checkpoint inhibitors. Respiratory Medicine, 2020, 161, 105853. | 2.9 | 23 |
| 70 | Pemetrexed/Erlotinib as a Salvage Treatment in Patients with High EGFR-Expressing Metastatic Colorectal Cancer Following Failure of Standard Chemotherapy: A Phase II Single-Arm Prospective Study. Targeted Oncology, 2020, 15, 67-73. | 3.6 | 1 |
| 71 | Single-cell transcriptome analysis of tumor and stromal compartments of pancreatic ductal adenocarcinoma primary tumors and metastatic lesions. Genome Medicine, 2020, 12, 80. | 8.2 | 134 |
| 72 | Delivering Cancer Care During the COVID-19 Pandemic: Recommendations and Lessons Learned From ASCO Global Webinars. JCO Global Oncology, 2020, 6, 1461-1471. | 1.8 | 44 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Tumor-promoting macrophages prevail in malignant ascites of advanced gastric cancer. <i>Experimental and Molecular Medicine</i> , 2020, 52, 1976-1988. | 7.7 | 53 |
| 74 | Effect of baseline sarcopenia on adjuvant treatment for D2 dissected gastric cancer: Analysis of the ARTIST phase III trial. <i>Radiotherapy and Oncology</i> , 2020, 152, 19-25. | 0.6 | 9 |
| 75 | First-in-human phase I trial of anti-hepatocyte growth factor antibody (YYB101) in refractory solid tumor patients. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592092679. | 3.2 | 9 |
| 76 | Phase I clinical trial of KML001 monotherapy in patients with advanced solid tumors. <i>Expert Opinion on Investigational Drugs</i> , 2020, 29, 1059-1067. | 4.1 | 2 |
| 77 | IL-7R ^{hi} low CD8 ⁺ T Cells from Healthy Individuals Are Anergic with Defective Glycolysis. <i>Journal of Immunology</i> , 2020, 205, 2968-2978. | 0.8 | 5 |
| 78 | Efficacy and Safety of Pembrolizumab or Pembrolizumab Plus Chemotherapy vs Chemotherapy Alone for Patients With First-line, Advanced Gastric Cancer. <i>JAMA Oncology</i> , 2020, 6, 1571. | 7.1 | 611 |
| 79 | Clinical and molecular distinctions in patients with refractory colon cancer who benefit from regorafenib treatment. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592096584. | 3.2 | 8 |
| 80 | Effect of Vemurafenib on the Pharmacokinetics of a Single Dose of Tizanidine (a CYP1A2 Substrate) in Patients With <i>BRAF</i> ^{V600} Mutation—Positive Malignancies. <i>Clinical Pharmacology in Drug Development</i> , 2020, 9, 651-658. | 1.6 | 3 |
| 81 | Claudin 18.2 expression in various tumor types and its role as a potential target in advanced gastric cancer. <i>Translational Cancer Research</i> , 2020, 9, 3367-3374. | 1.0 | 26 |
| 82 | Efficacy of intravenous iron treatment for chemotherapy-induced anemia: A prospective Phase II pilot clinical trial in South Korea. <i>PLoS Medicine</i> , 2020, 17, e1003091. | 8.4 | 9 |
| 83 | A Pilot Study of Baseline Spatial Genomic Heterogeneity in Primary Gastric Cancers Using Multi-Region Endoscopic Sampling. <i>Frontiers in Oncology</i> , 2020, 10, 225. | 2.8 | 7 |
| 84 | Phase I Escalation and Expansion Study of Bemarituzumab (FPA144) in Patients With Advanced Solid Tumors and FGFR2b-Selected Gastroesophageal Adenocarcinoma. <i>Journal of Clinical Oncology</i> , 2020, 38, 2418-2426. | 1.6 | 55 |
| 85 | Antitumor activity and safety of sirolimus for solid tumors with PIK3CA mutations: A multicenter, open-label, prospective single-arm study (KM 02-01, KCSG UN17-16). <i>Translational Cancer Research</i> , 2020, 9, 3222-3230. | 1.0 | 3 |
| 86 | TPK1 as a predictive marker for the anti-tumour effects of simvastatin in gastric cancer. <i>Pathology Research and Practice</i> , 2020, 216, 152820. | 2.3 | 6 |
| 87 | Detection of Fusion Genes Using a Targeted RNA Sequencing Panel in Gastrointestinal and Rare Cancers. <i>Journal of Oncology</i> , 2020, 2020, 1-8. | 1.3 | 7 |
| 88 | High PD-L1 expression in gastric cancer (GC) patients and correlation with molecular features. <i>Pathology Research and Practice</i> , 2020, 216, 152881. | 2.3 | 67 |
| 89 | High-level FGFR2 amplification is associated with poor prognosis and Lower response to chemotherapy in gastric cancers. <i>Pathology Research and Practice</i> , 2020, 216, 152878. | 2.3 | 21 |
| 90 | Comprehensive pharmacogenomic characterization of gastric cancer. <i>Genome Medicine</i> , 2020, 12, 17. | 8.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Use of Gefitinib in EGFR-Amplified Refractory Solid Tumors: An Open-Label, Single-Arm, Single-Center Prospective Pilot Study. Targeted Oncology, 2020, 15, 185-192. | 3.6 | 5 |
| 92 | 99mTc-MIBI uptake as a marker of mitochondrial membrane potential in cancer cells and effects of MDR1 and verapamil. PLoS ONE, 2020, 15, e0228848. | 2.5 | 4 |
| 93 | Markedly increased ocular side effect causing severe vision deterioration after chemotherapy using new or investigational epidermal or fibroblast growth factor receptor inhibitors. BMC Ophthalmology, 2020, 20, 19. | 1.4 | 32 |
| 94 | Association Between Spatial Heterogeneity Within Nonmetastatic Gastroesophageal Adenocarcinomas and Survival. JAMA Network Open, 2020, 3, e203652. | 5.9 | 19 |
| 95 | CDH1 mutations in gastric cancers are not associated with family history. Pathology Research and Practice, 2020, 216, 152941. | 2.3 | 4 |
| 96 | Clinical scoring system for the prediction of survival of patients with advanced gastric cancer. ESMO Open, 2020, 5, e000670. | 4.5 | 17 |
| 97 | Outcomes of Radiotherapy for Mesenchymal and Non-Mesenchymal Subtypes of Gastric Cancer. Cancers, 2020, 12, 943. | 3.7 | 5 |
| 98 | Synergistic Effects of Combination Therapy with AKT and mTOR Inhibitors on Bladder Cancer Cells. International Journal of Molecular Sciences, 2020, 21, 2825. | 4.1 | 11 |
| 99 | Tumor Mutational Burden Determined by Panel Sequencing Predicts Survival After Immunotherapy in Patients With Advanced Gastric Cancer. Frontiers in Oncology, 2020, 10, 314. | 2.8 | 62 |
| 100 | Mechanisms of Acquired Resistance to Savolitinib, a Selective MET Inhibitor in <i>MET</i>-Amplified Gastric Cancer. JCO Precision Oncology, 2020, 4, 222-232. | 3.0 | 16 |
| 101 | Impact of Prior Ramucirumab Use on Treatment Outcomes of Checkpoint Inhibitors in Advanced Gastric Cancer Patients. Targeted Oncology, 2020, 15, 203-209. | 3.6 | 3 |
| 102 | Association of serine/threonine kinase 11 mutations and response to programmed cell death 1 inhibitors in metastatic gastric cancer. Pathology Research and Practice, 2020, 216, 152947. | 2.3 | 11 |
| 103 | 401â€¦Phase 1/2 study of novel HER2-targeting, TLR7/8 immune-stimulating antibody conjugate (ISAC) BDC-1001 with or without immune checkpoint inhibitor in patients with advanced HER2-expressing solid tumors. , 2020, , . | | 2 |
| 104 | A phase I study of TGF-Î² inhibitor, vactosertib in combination with imatinib in patients with advanced desmoid tumor (aggressive fibromatosis).. Journal of Clinical Oncology, 2020, 38, 11557-11557. | 1.6 | 6 |
| 105 | A phase I study of ALX148, a CD47 blocker, in combination with standard anticancer antibodies and chemotherapy regimens in patients with advanced malignancy.. Journal of Clinical Oncology, 2020, 38, 3056-3056. | 1.6 | 11 |
| 106 | Results from a phase I, open-label study of ceralasertib (AZD6738), a novel DNA damage repair agent, in combination with weekly paclitaxel in refractory cancer (NCT02630199).. Journal of Clinical Oncology, 2020, 38, 3503-3503. | 1.6 | 12 |
| 107 | Efficacy and safety of entrectinib in patients (pts) with <i>NTRK</i>-fusion positive (<i>NTRK</i>-fp) solid tumors: An updated integrated analysis.. Journal of Clinical Oncology, 2020, 38, 3605-3605. | 1.6 | 33 |
| 108 | Trastuzumab deruxtecan (T-DXd; DS-8201) in patients with HER2-positive advanced gastric or gastroesophageal junction (GEJ) adenocarcinoma: A randomized, phase II, multicenter, open-label study (DESTINY-Gastric01).. Journal of Clinical Oncology, 2020, 38, 4513-4513. | 1.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Pembrolizumab (pembro) versus standard of care chemotherapy (chemo) in patients with advanced gastric or gastroesophageal junction adenocarcinoma: Asian subgroup analysis of KEYNOTE-062.. Journal of Clinical Oncology, 2020, 38, 4523-4523. | 1.6 | 9 |
| 110 | Safety and preliminary clinical activity of the MET antibody mixture, Sym015 in advanced non-small cell lung cancer (NSCLC) patients with MET amplification/exon 14 deletion (<i>MET</i> .. Journal of Clinical Oncology, 2020, 38, 9510-9510. | 1.6 | 21 |
| 111 | Pembrolizumab (pembro) in microsatellite instability-high (MSI-H) advanced gastric/gastroesophageal junction (G/GEJ) cancer by line of therapy.. Journal of Clinical Oncology, 2020, 38, 430-430. | 1.6 | 20 |
| 112 | A Multi-cohort Study of the Prognostic Significance of Microsatellite Instability or Mismatch Repair Status after Recurrence of Resectable Gastric Cancer. Cancer Research and Treatment, 2020, 52, 1153-1161. | 3.0 | 9 |
| 113 | Molecular features for selecting Asian metastatic melanoma patients who benefit from check-point inhibitors.. Journal of Clinical Oncology, 2020, 38, e22011-e22011. | 1.6 | 0 |
| 114 | Novel target discovery in pembrolizumab-resistant gastric cancer using a comprehensive RNA-seq analysis pipeline.. Journal of Clinical Oncology, 2020, 38, e16541-e16541. | 1.6 | 0 |
| 115 | Initial safety run-in findings with bavituximab plus pembrolizumab in patients with advanced gastric or gastroesophageal cancer.. Journal of Clinical Oncology, 2020, 38, e16537-e16537. | 1.6 | 1 |
| 116 | Phase Ib/II open-label, randomized evaluation of 2L atezolizumab (atezo) + PEGPH20 versus control in MORPHEUS-pancreatic ductal adenocarcinoma (M-PDAC) and MORPHEUS-gastric cancer (M-GC).. Journal of Clinical Oncology, 2020, 38, 4540-4540. | 1.6 | 6 |
| 117 | Phase Ib/II open-label, randomized evaluation of 2L atezolizumab (atezo) + BL-8040 versus control in MORPHEUS-pancreatic ductal adenocarcinoma (M-PDAC) and MORPHEUS-gastric cancer (M-GC).. Journal of Clinical Oncology, 2020, 38, 712-712. | 1.6 | 5 |
| 118 | A clinical scoring system for survival prediction in advanced gastric cancer.. Journal of Clinical Oncology, 2020, 38, 436-436. | 1.6 | 0 |
| 119 | Pemetrexed plus erlotinib as a salvage treatment in high EGFR-expressing metastatic colorectal cancer patients following failure of standard chemotherapy: A phase II single-arm prospective study.. Journal of Clinical Oncology, 2020, 38, 104-104. | 1.6 | 0 |
| 120 | 288â€¦A phase 1 study of IMC-001, a PD-L1 blocker, in patients with metastatic or locally advanced solid tumors. , 2020, , . | | 0 |
| 121 | The use of regorafenib for patients with refractory metastatic colorectal cancer in clinical practice. OncoTargets and Therapy, 2019, Volume 12, 225-231. | 2.0 | 4 |
| 122 | Baseline neutrophilâ€“lymphocyte ratio and plateletâ€“lymphocyte ratio in rectal cancer patients following neoadjuvant chemoradiotherapy. Tumori, 2019, 105, 434-440. | 1.1 | 36 |
| 123 | Comprehensive molecular and clinical characterization of Asian melanoma patients treated with anti-PD-1 antibody. BMC Cancer, 2019, 19, 805. | 2.6 | 9 |
| 124 | Validation of Microsatellite Instability Detection Using a Comprehensive Plasma-Based Genotyping Panel. Clinical Cancer Research, 2019, 25, 7035-7045. | 7.0 | 152 |
| 125 | High delta-like ligand 4 expression correlates with a poor clinical outcome in gastric cancer. Journal of Cancer, 2019, 10, 3172-3178. | 2.5 | 9 |
| 126 | The impact of primary tumor site on outcomes of treatment with etoposide and cisplatin in grade 3 gastroenteropancreatic neuroendocrine carcinoma. Journal of Cancer, 2019, 10, 3140-3144. | 2.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Reproduction of molecular subtypes of gastric adenocarcinoma by transcriptome sequencing of archival tissue. <i>Scientific Reports</i> , 2019, 9, 9675. | 3.3 | 7 |
| 128 | Tumor Genomic Profiling Guides Patients with Metastatic Gastric Cancer to Targeted Treatment: The VIKTORY Umbrella Trial. <i>Cancer Discovery</i> , 2019, 9, 1388-1405. | 9.4 | 155 |
| 129 | FGFR2-Altered Gastroesophageal Adenocarcinomas Are an Uncommon Clinicopathologic Entity with a Distinct Genomic Landscape. <i>Oncologist</i> , 2019, 24, 1462-1468. | 3.7 | 16 |
| 130 | Clinical Outcomes and the Role of Adjuvant Concurrent Chemoradiation Therapy in D2-resected LN-positive Young Patients (≤45 Years) With Gastric Cancer. <i>Anticancer Research</i> , 2019, 39, 5811-5820. | 1.1 | 6 |
| 131 | Genomic characterization of intrinsic and acquired resistance to cetuximab in colorectal cancer patients. <i>Scientific Reports</i> , 2019, 9, 15365. | 3.3 | 54 |
| 132 | Clinical significance of radiotherapy before and/or during nivolumab treatment in hepatocellular carcinoma. <i>Cancer Medicine</i> , 2019, 8, 6986-6994. | 2.8 | 37 |
| 133 | Anti-leukemic effects of simvastatin on NRASG12D mutant acute myeloid leukemia cells. <i>Molecular Biology Reports</i> , 2019, 46, 5859-5866. | 2.3 | 12 |
| 134 | Cancer Panel Assay for Precision Oncology Clinic: Results from a 1-Year Study. <i>Translational Oncology</i> , 2019, 12, 1488-1495. | 3.7 | 6 |
| 135 | Risk factors for immune-related adverse events associated with anti-PD-1 pembrolizumab. <i>Scientific Reports</i> , 2019, 9, 14039. | 3.3 | 125 |
| 136 | Combination of Docetaxel Plus Savolitinib in Refractory Cancer Patients: A Report on Phase I Trial. <i>Translational Oncology</i> , 2019, 12, 597-601. | 3.7 | 8 |
| 137 | Tumor Heterogeneity Index to Detect Human Epidermal Growth Factor Receptor 2 Amplification by Next-Generation Sequencing. <i>Journal of Molecular Diagnostics</i> , 2019, 21, 612-622. | 2.8 | 9 |
| 138 | CCNE1 amplification is associated with liver metastasis in gastric carcinoma. <i>Pathology Research and Practice</i> , 2019, 215, 152434. | 2.3 | 22 |
| 139 | Selective colony area method for heterogeneous patient-derived tumor cell lines in anti-cancer drug screening system. <i>PLoS ONE</i> , 2019, 14, e0215080. | 2.5 | 2 |
| 140 | Prognostic Impact of Microsatellite Instability in Asian Gastric Cancer Patients Enrolled in the ARTIST Trial. <i>Oncology</i> , 2019, 97, 38-43. | 1.9 | 26 |
| 141 | Detection of ERBB2 (HER2) Gene Amplification Events in Cell-Free DNA and Response to Anti-HER2 Agents in a Large Asian Cancer Patient Cohort. <i>Frontiers in Oncology</i> , 2019, 9, 212. | 2.8 | 20 |
| 142 | Intratumor heterogeneity inferred from targeted deep sequencing as a prognostic indicator. <i>Scientific Reports</i> , 2019, 9, 4542. | 3.3 | 40 |
| 143 | The Impact of Primary Tumor Sidedness on the Effect of Regorafenib in Refractory Metastatic Colorectal Cancer. <i>Journal of Cancer</i> , 2019, 10, 1611-1615. | 2.5 | 7 |
| 144 | Bridging genomics and phenomics of gastric carcinoma. <i>International Journal of Cancer</i> , 2019, 145, 2407-2417. | 5.1 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Avelumab (anti-“PD-L1) as first-line switch-maintenance or second-line therapy in patients with advanced gastric or gastroesophageal junction cancer: phase 1b results from the JAVELIN Solid Tumor trial. , 2019, 7, 30. | | 68 |
| 146 | Acral malignant melanoma; emphasis on the primary metastasis and the usefulness of preoperative ultrasound for sentinel lymph node metastasis. Scientific Reports, 2019, 9, 15894. | 3.3 | 2 |
| 147 | Systematic Evaluation of Gastric Tumor Cell Index and Two-Drug Combination Therapy via 3-Dimensional High-Throughput Drug Screening. Frontiers in Oncology, 2019, 9, 1327. | 2.8 | 5 |
| 148 | Capecitabine plus Oxaliplatin as a Second-Line Therapy for Advanced Biliary Tract Cancers: A Multicenter, Open-Label, Phase II Trial. Journal of Cancer, 2019, 10, 6185-6190. | 2.5 | 7 |
| 149 | RRAD expression in gastric and colorectal cancer with peritoneal carcinomatosis. Scientific Reports, 2019, 9, 19439. | 3.3 | 8 |
| 150 | Atypical <i>RAS</i> Mutations in Metastatic Colorectal Cancer. JCO Precision Oncology, 2019, 3, 1-11. | 3.0 | 1 |
| 151 | MET is overexpressed in microsatellite instability-high gastric carcinoma. Pathology Research and Practice, 2019, 215, 433-438. | 2.3 | 10 |
| 152 | Genomic landscape of synchronous tubulovillous adenoma and multiple non-familial colon cancers from a single patient. Cancer Genetics, 2019, 231-232, 54-61. | 0.4 | 1 |
| 153 | Safety and efficacy of trastuzumab administered as a 30-min infusion in patients with HER2-positive advanced gastric cancer. Cancer Chemotherapy and Pharmacology, 2019, 83, 501-508. | 2.3 | 6 |
| 154 | A phase I study of ALX148, a CD47 blocker, in combination with established anticancer antibodies in patients with advanced malignancy.. Journal of Clinical Oncology, 2019, 37, 2514-2514. | 1.6 | 15 |
| 155 | Belvarafenib, a novel pan-RAF inhibitor, in solid tumor patients harboring BRAF, KRAS, or NRAS mutations: Phase I study.. Journal of Clinical Oncology, 2019, 37, 3000-3000. | 1.6 | 40 |
| 156 | First-in-human phase I trial of anti-hepatocyte growth factor (HGF) antibody (YYB101) in refractory solid tumor patients: Integrative pathologic-genomic analysis and the final results.. Journal of Clinical Oncology, 2019, 37, 3104-3104. | 1.6 | 2 |
| 157 | ARTIST 2: Interim results of a phase III trial involving adjuvant chemotherapy and/or chemoradiotherapy after D2-gastrectomy in stage II/III gastric cancer (GC).. Journal of Clinical Oncology, 2019, 37, 4001-4001. | 1.6 | 53 |
| 158 | Safety and preliminary clinical activity of repotrectinib in patients with advanced <i>ROS1</i> fusion-positive non-small cell lung cancer (TRIDENT-1 study).. Journal of Clinical Oncology, 2019, 37, 9011-9011. | 1.6 | 58 |
| 159 | Epigenetic alternate promoter utilization and association with PD-L1 expression in Epstein-“Barr virus positive gastric cancer.. Journal of Clinical Oncology, 2019, 37, e15509-e15509. | 1.6 | 1 |
| 160 | MSI-GC-01: Individual patient data (IPD) meta-analysis of microsatellite instability (MSI) and gastric cancer (GC) from four randomized clinical trials (RCTs).. Journal of Clinical Oncology, 2019, 37, 66-66. | 1.6 | 17 |
| 161 | Landscape of Actionable Genetic Alterations Profiled from 1,071 Tumor Samples in Korean Cancer Patients. Cancer Research and Treatment, 2019, 51, 211-222. | 3.0 | 12 |
| 162 | A Single Arm, Phase II Study of Simvastatin Plus XELOX and Bevacizumab as First-Line Chemotherapy in Metastatic Colorectal Cancer Patients. Cancer Research and Treatment, 2019, 51, 1128-1134. | 3.0 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | Comparison of the 7th and the 8th AJCC Staging System for Non-metastatic D2-Resected Lymph Node-Positive Gastric Cancer Treated with Different Adjuvant Protocols. <i>Cancer Research and Treatment</i> , 2019, 51, 876-885. | 3.0 | 8 |
| 164 | FGFR2-altered gastroesophageal adenocarcinomas (GEA) are a rare clinicopathologic entity with a distinct genomic landscape.. <i>Journal of Clinical Oncology</i> , 2019, 37, 72-72. | 1.6 | 1 |
| 165 | The impact of primary tumor site on outcomes of treatment with etoposide and cisplatin in grade 3 gastroenteropancreatic neuroendocrine carcinoma.. <i>Journal of Clinical Oncology</i> , 2019, 37, 213-213. | 1.6 | 0 |
| 166 | Comprehensive molecular characterization of clinical response in ramucirumab-treated gastric cancer patients: Phase II trial with integrated genomic profiling.. <i>Journal of Clinical Oncology</i> , 2019, 37, 4064-4064. | 1.6 | 0 |
| 167 | Comprehensive genomic profiling of circulating cell-free DNA (cfDNA) distinguishes focal amplification (amp) from aneuploidy among MET amps in diverse advanced cancer types.. <i>Journal of Clinical Oncology</i> , 2019, 37, 3046-3046. | 1.6 | 0 |
| 168 | Phase 1a study results investigating the safety and preliminary efficacy of ABL001 (NOV1501), a bispecific antibody targeting VEGF and DLL4 in metastatic gastrointestinal (GI) cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, 3023-3023. | 1.6 | 3 |
| 169 | Detection of circulating tumor cells (CTCs) in cerebrospinal fluid of a patient with HER2-overexpressing gastric cancer and single cell analysis of intra-patient heterogeneity of CTCs. <i>Translational Cancer Research</i> , 2019, 8, 2107-2112. | 1.0 | 0 |
| 170 | Neutralizing antibody to FGFR2 can act as a selective biomarker and potential therapeutic agent for gastric cancer with FGFR2 amplification. <i>American Journal of Translational Research (discontinued)</i> , 2019, 11, 4508-4515. | 0.0 | 4 |
| 171 | MCT4 Expression Is a Potential Therapeutic Target in Colorectal Cancer with Peritoneal Carcinomatosis. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 838-848. | 4.1 | 36 |
| 172 | Effect of Vemurafenib on the Pharmacokinetics of a Single Dose of Digoxin in Patients With BRAF ^{V600} Mutation-Positive Metastatic Malignancy. <i>Journal of Clinical Pharmacology</i> , 2018, 58, 1067-1073. | 2.0 | 11 |
| 173 | Four distinct immune microenvironment subtypes in gastric adenocarcinoma with special reference to microsatellite instability. <i>ESMO Open</i> , 2018, 3, e000326. | 4.5 | 52 |
| 174 | Phase I Trial of Anti-MET Monoclonal Antibody in MET-Overexpressed Refractory Cancer. <i>Clinical Colorectal Cancer</i> , 2018, 17, 140-146. | 2.3 | 17 |
| 175 | Clinical and genomic landscape of gastric cancer with a mesenchymal phenotype. <i>Nature Communications</i> , 2018, 9, 1777. | 12.8 | 245 |
| 176 | c-MET Overexpression in Colorectal Cancer: A Poor Prognostic Factor for Survival. <i>Clinical Colorectal Cancer</i> , 2018, 17, 165-169. | 2.3 | 71 |
| 177 | Adjuvant Chemotherapy Versus Chemoradiotherapy Versus Surgery Alone for Early Gastric Cancer with One or Two Lymph Node Metastasis. <i>Annals of Surgical Oncology</i> , 2018, 25, 1616-1624. | 1.5 | 17 |
| 178 | The Correlation Between Serum Chemokines and Clinical Outcome in Patients with Advanced Biliary Tract Cancer. <i>Translational Oncology</i> , 2018, 11, 353-357. | 3.7 | 8 |
| 179 | Genomic Heterogeneity as a Barrier to Precision Medicine in Gastroesophageal Adenocarcinoma. <i>Cancer Discovery</i> , 2018, 8, 37-48. | 9.4 | 248 |
| 180 | Molecular Characterization of Urothelial Carcinoma of the Bladder and Upper Urinary Tract. <i>Translational Oncology</i> , 2018, 11, 37-42. | 3.7 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | Deep Learning-Based Survival Analysis Identified Associations Between Molecular Subtype and Optimal Adjuvant Treatment of Patients With Gastric Cancer. JCO Clinical Cancer Informatics, 2018, 2, 1-14. | 2.1 | 17 |
| 182 | Low ATM expression and progression-free and overall survival in advanced gastric cancer patients treated with first-line XELOX chemotherapy. Journal of Gastrointestinal Oncology, 2018, 9, 1198-1206. | 1.4 | 6 |
| 183 | Triptolide as a novel agent in pancreatic cancer: the validation using patient derived pancreatic tumor cell line. BMC Cancer, 2018, 18, 1103. | 2.6 | 25 |
| 184 | Adjuvant Chemotherapy with or without Concurrent Radiotherapy for Patients with Stage IB Gastric Cancer: a Subgroup Analysis of the Adjuvant Chemoradiotherapy in Stomach Tumors (ARTIST) Phase III Trial. Journal of Gastric Cancer, 2018, 18, 348. | 2.5 | 12 |
| 185 | Antitumor activity of sorafenib plus CDK4/6 inhibitor in pancreatic patient derived cell with KRAS mutation. Journal of Cancer, 2018, 9, 3394-3399. | 2.5 | 5 |
| 186 | Protective Effects of Female Reproductive Factors on Lauren Intestinal-Type Gastric Adenocarcinoma. Yonsei Medical Journal, 2018, 59, 28. | 2.2 | 15 |
| 187 | Computational measurement of tumor immune microenvironment in gastric adenocarcinomas. Scientific Reports, 2018, 8, 13887. | 3.3 | 10 |
| 188 | NCOA4-RET fusion in colorectal cancer: Therapeutic challenge using patient-derived tumor cell lines. Journal of Cancer, 2018, 9, 3032-3037. | 2.5 | 22 |
| 189 | The impact of microsatellite instability status and sidedness of the primary tumor on the effect of bevacizumab-containing chemotherapy in patients with metastatic colorectal cancer. Journal of Cancer, 2018, 9, 1791-1796. | 2.5 | 7 |
| 190 | Necessity of adjuvant concurrent chemo-radiotherapy in D2-resected LN-positive gastric cancer. Radiotherapy and Oncology, 2018, 129, 306-312. | 0.6 | 12 |
| 191 | Pazopanib monotherapy in the treatment of pretreated, metastatic uterine sarcoma: a single-center retrospective study. Journal of Gynecologic Oncology, 2018, 29, e3. | 2.2 | 13 |
| 192 | Comprehensive molecular characterization of clinical responses to PD-1 inhibition in metastatic gastric cancer. Nature Medicine, 2018, 24, 1449-1458. | 30.7 | 1,071 |
| 193 | Primary malignant melanoma of the uterine cervix treated with pembrolizumab after radical surgery: a case report and literature review. Obstetrics and Gynecology Science, 2018, 61, 524. | 1.6 | 9 |
| 194 | Repotrectinib (TPX-0005) Is a Next-Generation ROS1/TRK/ALK Inhibitor That Potently Inhibits ROS1/TRK/ALK Solvent- Front Mutations. Cancer Discovery, 2018, 8, 1227-1236. | 9.4 | 321 |
| 195 | Estimating Survival Probabilities of Advanced Gastric Cancer Patients in the Second-Line Setting: The Gastric Life Nomogram. Oncology, 2018, 95, 344-352. | 1.9 | 11 |
| 196 | Pemetrexed Monotherapy as Salvage Treatment in Patients with Metastatic Colorectal Cancer Refractory to Standard Chemotherapy: A Phase II Single-arm Prospective Trial. Journal of Cancer, 2018, 9, 2910-2915. | 2.5 | 6 |
| 197 | TP53-dependence on the effect of doxorubicin and Src inhibitor combination therapy. Tumor Biology, 2018, 40, 101042831879421. | 1.8 | 6 |
| 198 | A precision oncology approach to the pharmacological targeting of mechanistic dependencies in neuroendocrine tumors. Nature Genetics, 2018, 50, 979-989. | 21.4 | 168 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Transcriptional analysis of immune genes in Epstein-Barr virus-associated gastric cancer and association with clinical outcomes. <i>Gastric Cancer</i> , 2018, 21, 1064-1070. | 5.3 | 25 |
| 200 | A phase 1 study of the next-generation ALK/ROS1/TRK inhibitor ropotrectinib (TPX-0005) in patients with advanced ALK/ROS1/NTRK+ cancers (TRIDENT-1). <i>Journal of Clinical Oncology</i> , 2018, 36, 2513-2513. | 1.6 | 15 |
| 201 | Safety and efficacy of durvalumab in combination with tremelimumab, durvalumab monotherapy, and tremelimumab monotherapy in patients with advanced gastric cancer. <i>Journal of Clinical Oncology</i> , 2018, 36, 4031-4031. | 1.6 | 11 |
| 202 | Selumetinib plus docetaxel as second-line chemotherapy in KRAS mutant, KRAS amplified or MEK signed gastric cancer patients: First arm of the umbrella trial in GC though the molecular screening, VIKTORY trial. <i>Journal of Clinical Oncology</i> , 2018, 36, 4061-4061. | 1.6 | 3 |
| 203 | First-in-human phase I trial of anti-hepatocyte growth factor (HGF) antibody (YYB101) in refractory solid tumor patients. <i>Journal of Clinical Oncology</i> , 2018, 36, e14501-e14501. | 1.6 | 1 |
| 204 | Results from the safety interim analysis of the Adjuvant chemoRadioTherapy In Stomach Tumors 2 (ARTIST 2) randomized, multi-center clinical trial. <i>Journal of Clinical Oncology</i> , 2018, 36, e16029-e16029. | 1.6 | 1 |
| 205 | Prediction of clinical outcomes for early gastric cancer using radiomic signatures derived from the quantitative texture analysis of conventional CT scans and machine learning. <i>Journal of Clinical Oncology</i> , 2018, 36, e16091-e16091. | 1.6 | 1 |
| 206 | Gemcitabine and Docetaxel Combination for Advanced Soft Tissue Sarcoma: A Nationwide Retrospective Study. <i>Cancer Research and Treatment</i> , 2018, 50, 175-182. | 3.0 | 18 |
| 207 | Pilot trial of epidermal growth factor (EGF) ointment for the patients with epidermal growth factor receptor (EGFR) inhibitor related skin side effects. <i>Journal of Clinical Oncology</i> , 2018, 36, 10054-10054. | 1.6 | 0 |
| 208 | VariantPlex panel to detect genomic aberrations in oncology patients with rare cancer type. <i>Journal of Clinical Oncology</i> , 2018, 36, e24234-e24234. | 1.6 | 0 |
| 209 | Co-existing alterations in cell-cycle pathway genes and impact on benefit from trastuzumab in advanced esophagogastric cancers (EGC): Analysis of 527 Her2-amplified cases. <i>Journal of Clinical Oncology</i> , 2018, 36, 4063-4063. | 1.6 | 0 |
| 210 | Detection of targetable fusions using FusionPlex in oncology patients. <i>Journal of Clinical Oncology</i> , 2018, 36, e24238-e24238. | 1.6 | 0 |
| 211 | Transcriptional analysis of immune genes in Epstein-Barr virus-associated gastric cancer and association with clinical outcomes. <i>Journal of Clinical Oncology</i> , 2018, 36, e16024-e16024. | 1.6 | 0 |
| 212 | A multi-center, open-label, randomized phase III trial of first-line chemotherapy with capecitabine monotherapy versus capecitabine plus oxaliplatin in elderly patients with advanced gastric cancer. <i>Journal of Geriatric Oncology</i> , 2017, 8, 170-175. | 1.0 | 39 |
| 213 | Safety and Antitumor Activity of the Multitargeted Pan-TRK, ROS1, and ALK Inhibitor Entrectinib: Combined Results from Two Phase I Trials (ALKA-372-001 and STARTRK-1). <i>Cancer Discovery</i> , 2017, 7, 400-409. | 9.4 | 647 |
| 214 | Phase I trial and pharmacokinetic study of tanibirumab, a fully human monoclonal antibody to vascular endothelial growth factor receptor 2, in patients with refractory solid tumors. <i>Investigational New Drugs</i> , 2017, 35, 782-790. | 2.6 | 22 |
| 215 | Antitumor Effect of AZD4547 in a Fibroblast Growth Factor Receptor 2-Amplified Gastric Cancer Patient-Derived Cell Model. <i>Translational Oncology</i> , 2017, 10, 469-475. | 3.7 | 23 |
| 216 | Prospective phase II trial of everolimus in PIK3CA amplification/mutation and/or PTEN loss patients with advanced solid tumors refractory to standard therapy. <i>BMC Cancer</i> , 2017, 17, 211. | 2.6 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Gastric adenocarcinoma. Nature Reviews Disease Primers, 2017, 3, 17036. | 30.5 | 409 |
| 218 | ALK, ROS1, and NTRK Rearrangements in Metastatic Colorectal Cancer. Journal of the National Cancer Institute, 2017, 109, . | 6.3 | 183 |
| 219 | Integrated genomic analyses reveal frequent <i>TERT</i> aberrations in acral melanoma. Genome Research, 2017, 27, 524-532. | 5.5 | 122 |
| 220 | Development of Novel Patient-Derived Preclinical Models from Malignant Effusions in Patients with Tyrosine Kinase Inhibitor-Resistant Clear Cell Renal Cell Carcinoma. Translational Oncology, 2017, 10, 304-310. | 3.7 | 4 |
| 221 | Epigenomic Promoter Alterations Amplify Gene Isoform and Immunogenic Diversity in Gastric Adenocarcinoma. Cancer Discovery, 2017, 7, 630-651. | 9.4 | 48 |
| 222 | Host immune response index in gastric cancer identified by comprehensive analyses of tumor immunity. Oncoimmunology, 2017, 6, e1356150. | 4.6 | 32 |
| 223 | Clinical Application of Targeted Deep Sequencing in Solid-Cancer Patients and Utility for Biomarker-Selected Clinical Trials. Oncologist, 2017, 22, 1169-1177. | 3.7 | 14 |
| 224 | Clinical Significance of Four Molecular Subtypes of Gastric Cancer Identified by The Cancer Genome Atlas Project. Clinical Cancer Research, 2017, 23, 4441-4449. | 7.0 | 342 |
| 225 | Prevalence and detection of low-allele-fraction variants in clinical cancer samples. Nature Communications, 2017, 8, 1377. | 12.8 | 137 |
| 226 | Pilot study of sirolimus in patients with PIK3CA mutant/amplified refractory solid cancer. Molecular and Clinical Oncology, 2017, 7, 27-31. | 1.0 | 15 |
| 227 | TP53 alteration determines the combinational cytotoxic effect of doxorubicin and an antioxidant NAC. Tumor Biology, 2017, 39, 101042831770015. | 1.8 | 5 |
| 228 | 3-Dimensional micropillar drug screening identifies FGFR2-IIIC overexpression as a potential target in metastatic giant cell tumor. Oncotarget, 2017, 8, 36484-36491. | 1.8 | 8 |
| 229 | An investigation of the role of gene copy number variations in sorafenib sensitivity in metastatic hepatocellular carcinoma patients. Journal of Cancer, 2017, 8, 730-736. | 2.5 | 1 |
| 230 | The Clinical Impact of c-MET Over-Expression in Advanced Biliary Tract Cancer (BTC). Journal of Cancer, 2017, 8, 1395-1399. | 2.5 | 20 |
| 231 | The Impact of Microsatellite Instability Status and Sidedness of the Primary Tumor on the Effect of Cetuximab-Containing Chemotherapy in Patients with Metastatic Colorectal Cancer. Journal of Cancer, 2017, 8, 2809-2815. | 2.5 | 18 |
| 232 | The Impact of Cetuximab Plus AKT- or mTOR- Inhibitor in a Patient-Derived Colon Cancer Cell Model with Wild-Type RAS and PIK3CA Mutation. Journal of Cancer, 2017, 8, 2713-2719. | 2.5 | 16 |
| 233 | Acquired resistance to LY2874455 in <i>FGFR2</i> -amplified gastric cancer through an emergence of novel <i>FGFR2-ACSL5</i> fusion. Oncotarget, 2017, 8, 15014-15022. | 1.8 | 42 |
| 234 | Prospective Feasibility Study for Using Cell-Free Circulating Tumor DNA-Guided Therapy in Refractory Metastatic Solid Cancers: An Interim Analysis. JCO Precision Oncology, 2017, 1, 1-15. | 3.0 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Direct analysis of aberrant glycosylation on haptoglobin in patients with gastric cancer. <i>Oncotarget</i> , 2017, 8, 11094-11104. | 1.8 | 21 |
| 236 | Correlating programmed death ligand 1 (PD-L1) expression, mismatch repair deficiency, and outcomes across tumor types: implications for immunotherapy. <i>Oncotarget</i> , 2017, 8, 77415-77423. | 1.8 | 68 |
| 237 | Updated antitumor activity and safety of FPA144, an ADCC-enhanced, FGFR2b isoform-specific monoclonal antibody, in patients with FGFR2b+ gastric cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, 4067-4067. | 1.6 | 10 |
| 238 | Phase II XELOX + lapatinib treatment in HER2-amplified gastric cancer: Monitoring with serial cell-free DNA genomics.. <i>Journal of Clinical Oncology</i> , 2017, 35, e15610-e15610. | 1.6 | 1 |
| 239 | Unforeseen clonal evolution of tumor cell population in recurrent and metastatic dermatofibrosarcoma protuberans. <i>PLoS ONE</i> , 2017, 12, e0185826. | 2.5 | 10 |
| 240 | The implication of FLT3 amplification for FLT targeted therapeutics in solid tumors. <i>Oncotarget</i> , 2017, 8, 3237-3245. | 1.8 | 20 |
| 241 | Programmed cell death-ligand 1 expression predicts survival in patients with gastric carcinoma with microsatellite instability. <i>Oncotarget</i> , 2017, 8, 13320-13328. | 1.8 | 60 |
| 242 | Tissue recommendations for precision cancer therapy using next generation sequencing: a comprehensive single cancer centerâ€™s experiences. <i>Oncotarget</i> , 2017, 8, 42478-42486. | 1.8 | 32 |
| 243 | The impact of pathologic differentiation (well/poorly) and the degree of Ki-67 index in patients with metastatic WHO grade 3 GEP-NECs. <i>Oncotarget</i> , 2017, 8, 73974-73980. | 1.8 | 5 |
| 244 | Correlation between MEK signature and Ras gene alteration in advanced gastric cancer. <i>Oncotarget</i> , 2017, 8, 107492-107499. | 1.8 | 9 |
| 245 | Development of mesenchymal subtype gene signature for clinical application in gastric cancer. <i>Oncotarget</i> , 2017, 8, 66305-66315. | 1.8 | 23 |
| 246 | MerTK inhibition by RXDX-106 in MerTK activated gastric cancer cell lines. <i>Oncotarget</i> , 2017, 8, 105727-105734. | 1.8 | 16 |
| 247 | MerTK is a novel therapeutic target in gastric cancer. <i>Oncotarget</i> , 2017, 8, 96656-96667. | 1.8 | 23 |
| 248 | IKKÎµ and TBK1 expression in gastric cancer. <i>Oncotarget</i> , 2017, 8, 16233-16242. | 1.8 | 11 |
| 249 | Effect of leukocyte alteration on treatment outcomes following preoperative chemoradiotherapy in patients with rectal cancer. <i>Radiation Oncology Journal</i> , 2017, 35, 217-226. | 1.5 | 5 |
| 250 | Ipilimumab Real-World Efficacy and Safety in Korean Melanoma Patients from the Korean Named-Patient Program Cohort. <i>Cancer Research and Treatment</i> , 2017, 49, 44-53. | 3.0 | 27 |
| 251 | Clinical and molecular landscape of metastatic colorectal cancer (mCRC) harboring ALK, ROS1, or NTRK 1, 2, 3 (NTRKs) rearrangements.. <i>Journal of Clinical Oncology</i> , 2017, 35, 589-589. | 1.6 | 0 |
| 252 | Cell free circulating tumor DNA (ctDNA) landscape in patients with advanced gastroesophageal adenocarcinoma (GEC).. <i>Journal of Clinical Oncology</i> , 2017, 35, 47-47. | 1.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Programmed death (PD)-ligand 1 (L1) expression and mismatch repair (MMR) deficiency across tumor types: Candidates for checkpoint inhibitor based immunotherapy.. Journal of Clinical Oncology, 2017, 35, e14622-e14622. | 1.6 | 0 |
| 254 | Post resection circulating residual disease monitoring in early stage lung and colorectal cancer patients using a circulating cell-free DNA assay with ultra-high accuracy and specificity.. Journal of Clinical Oncology, 2017, 35, e23068-e23068. | 1.6 | 0 |
| 255 | The impact of pathologic differentiation (well/ poorly) and the degree of Ki-67 index in patients with metastatic WHO grade 3 GEP-NECs.. Journal of Clinical Oncology, 2017, 35, e15686-e15686. | 1.6 | 0 |
| 256 | VIKTORY trial: Report on AZD1775/paclitaxel in TP53 mutation (+) GC, selumetinib/paclitaxel in ras aberrant GC, AZD5363/paclitaxel in PIK3CA mt and biomarker negative, savolitinib/docetaxel in met (+), and vistusertib/paclitaxel in RICTOR(+) GC.. Journal of Clinical Oncology, 2017, 35, 4024-4024. | 1.6 | 1 |
| 257 | Next-generation sequencing reveals somatic mutations that confer exceptional response to everolimus. Oncotarget, 2016, 7, 10547-10556. | 1.8 | 52 |
| 258 | Genomic Profiling of Metastatic Gastroenteropancreatic Neuroendocrine Tumor (GEP-NET) Patients in the Personalized-Medicine Era. Journal of Cancer, 2016, 7, 1044-1048. | 2.5 | 17 |
| 259 | To Excavate Biomarkers Predictive of the Response for Capecitabine plus RAD001 through Nanostring-Based Multigene Assay in Advanced Gastric Cancer Patients. Journal of Cancer, 2016, 7, 2173-2178. | 2.5 | 1 |
| 260 | Prognostic Model to Predict Survival Outcome for Curatively Resected Liposarcoma: A Multi-Institutional Experience. Journal of Cancer, 2016, 7, 1174-1180. | 2.5 | 25 |
| 261 | A Retrospective Analysis for Patients with HER2-Positive Gastric Cancer Who Were Treated with Trastuzumab-Based Chemotherapy: In the Perspectives of Ethnicity and Histology. Cancer Research and Treatment, 2016, 48, 553-560. | 3.0 | 19 |
| 262 | Gastric Adenocarcinoma: An Update on Genomics, Immune System Modulations, and Targeted Therapy. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2016, 35, 104-111. | 3.8 | 12 |
| 263 | The Influence of Metastatic Lymph Node Ratio on the Treatment Outcomes in the Adjuvant Chemoradiotherapy in Stomach Tumors (ARTIST) Trial: A Phase III Trial. Journal of Gastric Cancer, 2016, 16, 105. | 2.5 | 34 |
| 264 | MCT4 as a potential therapeutic target for metastatic gastric cancer with peritoneal carcinomatosis. Oncotarget, 2016, 7, 43492-43503. | 1.8 | 45 |
| 265 | ADAR-Mediated RNA Editing Predicts Progression and Prognosis of Gastric Cancer. Gastroenterology, 2016, 151, 637-650.e10. | 1.3 | 127 |
| 266 | Efficacy of BRAF Inhibitors in Asian Metastatic Melanoma Patients: Potential Implications of Genomic Sequencing in BRAF-Mutated Melanoma. Translational Oncology, 2016, 9, 557-564. | 3.7 | 16 |
| 267 | FGFR2 in gastric cancer: protein overexpression predicts gene amplification and high H-index predicts poor survival. Modern Pathology, 2016, 29, 1095-1103. | 5.5 | 70 |
| 268 | Genomic Alterations in Biliary Tract Cancer Using Targeted Sequencing. Translational Oncology, 2016, 9, 173-178. | 3.7 | 22 |
| 269 | A nCounter CNV Assay to Detect HER2 Amplification: A Correlation Study with Immunohistochemistry and In Situ Hybridization in Advanced Gastric Cancer. Molecular Diagnosis and Therapy, 2016, 20, 375-383. | 3.8 | 13 |
| 270 | BEZ235 (PIK3/mTOR inhibitor) Overcomes Pazopanib Resistance in Patient-Derived Refractory Soft Tissue Sarcoma Cells. Translational Oncology, 2016, 9, 197-202. | 3.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | The impact of KRAS mutations on prognosis in surgically resected colorectal cancer patients with liver and lung metastases: a retrospective analysis. BMC Cancer, 2016, 16, 120. | 2.6 | 35 |
| 272 | Broad Detection of Alterations Predicted to Confer Lack of Benefit From EGFR Antibodies or Sensitivity to Targeted Therapy in Advanced Colorectal Cancer. Oncologist, 2016, 21, 1306-1314. | 3.7 | 36 |
| 273 | Treatment outcome of PD-1 immune checkpoint inhibitor in Asian metastatic melanoma patients: correlative analysis with PD-L1 immunohistochemistry. Investigational New Drugs, 2016, 34, 677-684. | 2.6 | 30 |
| 274 | NanoString expression profiling identifies candidate biomarkers of RAD001 response in metastatic gastric cancer. ESMO Open, 2016, 1, e000009. | 4.5 | 16 |
| 275 | Clinical Significance of Mucinous Rectal Adenocarcinoma following Preoperative Chemoradiotherapy and Curative Surgery. Tumori, 2016, 102, 114-121. | 1.1 | 9 |
| 276 | A Korean single-center, real-world, retrospective study of first-line weekly paclitaxel in patients with metastatic angiosarcoma. Clinical Sarcoma Research, 2016, 6, 8. | 2.3 | 10 |
| 277 | Value of FGFR2 expression for advanced gastric cancer patients receiving pazopanib plus CapeOX (capecitabine and oxaliplatin). Journal of Cancer Research and Clinical Oncology, 2016, 142, 1231-1237. | 2.5 | 11 |
| 278 | Oncogenic <i>ALK</i> Fusion in Rare and Aggressive Subtype of Colorectal Adenocarcinoma as a Potential Therapeutic Target. Clinical Cancer Research, 2016, 22, 3831-3840. | 7.0 | 99 |
| 279 | Phase II trial of epidermal growth factor ointment for patients with Erlotinib-related skin effects. Supportive Care in Cancer, 2016, 24, 301-309. | 2.2 | 11 |
| 280 | A Phase II Study of Weekly Docetaxel as Second-Line Chemotherapy in Patients With Metastatic Urothelial Carcinoma. Clinical Genitourinary Cancer, 2016, 14, 76-81. | 1.9 | 12 |
| 281 | Cell-free DNA sequencing-guided therapy in a prospective clinical trial: NEXT-2 trial—A feasibility analysis.. Journal of Clinical Oncology, 2016, 34, 11534-11534. | 1.6 | 3 |
| 282 | Antitumor activity and safety of FPA144, an ADCC-enhanced, FGFR2b isoform-selective monoclonal antibody, in patients with FGFR2b+ gastric cancer and advanced solid tumors.. Journal of Clinical Oncology, 2016, 34, 2502-2502. | 1.6 | 5 |
| 283 | First-in-human study of HM95573, a novel oral RAF inhibitor, in patients with solid tumors.. Journal of Clinical Oncology, 2016, 34, 2570-2570. | 1.6 | 4 |
| 284 | Avelumab (MSB0010718C; anti-PD-L1) in patients with advanced gastric or gastroesophageal junction cancer from JAVELIN solid tumor phase Ib trial: Analysis of safety and clinical activity.. Journal of Clinical Oncology, 2016, 34, 4009-4009. | 1.6 | 42 |
| 285 | Prognostic value of the metastatic lymph node (N) ratio in the adjuvant chemoradiotherapy in stomach tumors (ARTIST) phase III trial. Journal of Clinical Oncology, 2016, 34, 4038-4038. | 1.6 | 1 |
| 286 | Correlation between PD-L1 expression and PD-1 immune checkpoint blockade: A retrospective analysis for advanced melanoma.. Journal of Clinical Oncology, 2016, 34, e21007-e21007. | 1.6 | 1 |
| 287 | Integrated genomic analyses identify frequent gene fusion events and <i>VHL</i> inactivation in gastrointestinal stromal tumors. Oncotarget, 2016, 7, 6538-6551. | 1.8 | 29 |
| 288 | Identification of the BRAF V600E mutation in gastroenteropancreatic neuroendocrine tumors. Oncotarget, 2016, 7, 4024-4035. | 1.8 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Molecular characterization of colorectal cancer patients and concomitant patient-derived tumor cell establishment. <i>Oncotarget</i> , 2016, 7, 19610-19619. | 1.8 | 12 |
| 290 | Prospective phase II trial of pazopanib plus CapeOX (capecitabine and oxaliplatin) in previously untreated patients with advanced gastric cancer. <i>Oncotarget</i> , 2016, 7, 24088-24096. | 1.8 | 15 |
| 291 | Prospective phase II trial of regional hyperthermia and whole liver irradiation for numerous chemorefractory liver metastases from colorectal cancer. <i>Radiation Oncology Journal</i> , 2016, 34, 34-44. | 1.5 | 10 |
| 292 | The Role of Plasma Chromogranin A as Assessment of Treatment Response in Non-functioning Gastroenteropancreatic Neuroendocrine Tumors. <i>Cancer Research and Treatment</i> , 2016, 48, 153-161. | 3.0 | 11 |
| 293 | Early, molecular detection of cancer utilizing circulating cell-free DNA assay with ultra high accuracy and sensitivity.. <i>Journal of Clinical Oncology</i> , 2016, 34, 11540-11540. | 1.6 | 0 |
| 294 | Ipilimumab real-world efficacy and safety in Asian melanoma patients from the Korean Named-Patient Program cohort.. <i>Journal of Clinical Oncology</i> , 2016, 34, e21002-e21002. | 1.6 | 0 |
| 295 | Tuberous sclerosis complex 2 (TSC2) expression in hepatocellular carcinoma to predict responses to mTOR inhibitor.. <i>Journal of Clinical Oncology</i> , 2016, 34, e15628-e15628. | 1.6 | 0 |
| 296 | The clinicopathologic features and treatment of 607 hindgut neuroendocrine tumor (NET) patients at a single institution.. <i>Journal of Clinical Oncology</i> , 2016, 34, 4091-4091. | 1.6 | 0 |
| 297 | The impact of cetuximab plus AKT- or mTOR- inhibitor in patient-derived colon cancer cell model with RAS wild type and PIK3CA mutation.. <i>Journal of Clinical Oncology</i> , 2016, 34, e15153-e15153. | 1.6 | 0 |
| 298 | Moving molecular subtypes to the clinic in gastric cancer. <i>Translational Cancer Research</i> , 2016, 5, S25-S30. | 1.0 | 1 |
| 299 | The Impact of Concomitant Genomic Alterations on Treatment Outcome for Trastuzumab Therapy in HER2-Positive Gastric Cancer. <i>Scientific Reports</i> , 2015, 5, 9289. | 3.3 | 43 |
| 300 | Phase II Trial of Nilotinib in Patients With Metastatic Malignant Melanoma Harboring <i>KIT</i> Gene Aberration: A Multicenter Trial of Korean Cancer Study Group (UN10-06). <i>Oncologist</i> , 2015, 20, 1312-1319. | 3.7 | 70 |
| 301 | Clinical Significance of IGFBP-3 Methylation in Patients with Early Stage Gastric Cancer. <i>Translational Oncology</i> , 2015, 8, 288-294. | 3.7 | 8 |
| 302 | Capecitabine in combination with either cisplatin or weekly paclitaxel as a first-line treatment for metastatic esophageal squamous cell carcinoma: a randomized phase II study. <i>BMC Cancer</i> , 2015, 15, 693. | 2.6 | 23 |
| 303 | Exploratory biomarker analysis for treatment response in KRAS wild type metastatic colorectal cancer patients who received cetuximab plus irinotecan. <i>BMC Cancer</i> , 2015, 15, 747. | 2.6 | 10 |
| 304 | Prospective blinded study of somatic mutation detection in cell-free DNA utilizing a targeted 54-gene next generation sequencing panel in metastatic solid tumor patients. <i>Oncotarget</i> , 2015, 6, 40360-40369. | 1.8 | 85 |
| 305 | Analytical and Clinical Validation of a Digital Sequencing Panel for Quantitative, Highly Accurate Evaluation of Cell-Free Circulating Tumor DNA. <i>PLoS ONE</i> , 2015, 10, e0140712. | 2.5 | 580 |
| 306 | Circulating Tumor Cells are Predictive of Poor Response to Chemotherapy in Metastatic gastric cancer. <i>International Journal of Biological Markers</i> , 2015, 30, 382-386. | 1.8 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 307 | Gastrointestinal malignancies harbor actionable MET exon 14 deletions. <i>Oncotarget</i> , 2015, 6, 28211-28222. | 1.8 | 57 |
| 308 | Molecular Subgroup Analysis of Clinical Outcomes in a Phase 3 Study of Gemcitabine and Oxaliplatin with or without Erlotinib in Advanced Biliary Tract Cancer. <i>Translational Oncology</i> , 2015, 8, 40-46. | 3.7 | 16 |
| 309 | Signatures of tumour immunity distinguish Asian and non-Asian gastric adenocarcinomas. <i>Gut</i> , 2015, 64, 1721-1731. | 12.1 | 197 |
| 310 | Phase III Trial to Compare Adjuvant Chemotherapy With Capecitabine and Cisplatin Versus Concurrent Chemoradiotherapy in Gastric Cancer: Final Report of the Adjuvant Chemoradiotherapy in Stomach Tumors Trial, Including Survival and Subset Analyses. <i>Journal of Clinical Oncology</i> , 2015, 33, 3130-3136. | 1.6 | 370 |
| 311 | Molecular analysis of gastric cancer identifies subtypes associated with distinct clinical outcomes. <i>Nature Medicine</i> , 2015, 21, 449-456. | 30.7 | 1,592 |
| 312 | Tumour shrinkage at 6 weeks predicts favorable clinical outcomes in a phase III study of gemcitabine and oxaliplatin with or without erlotinib for advanced biliary tract cancer. <i>BMC Cancer</i> , 2015, 15, 530. | 2.6 | 17 |
| 313 | Efficacy of pazopanib monotherapy in patients who had been heavily pretreated for metastatic soft tissue sarcoma: a retrospective case series. <i>BMC Cancer</i> , 2015, 15, 154. | 2.6 | 58 |
| 314 | Effects of adjuvant radiotherapy on completely resected gastric cancer: A radiation oncologist's view of the ARTIST randomized phase III trial. <i>Radiotherapy and Oncology</i> , 2015, 117, 171-177. | 0.6 | 31 |
| 315 | Phase I trial and pharmacokinetic study of Tanibirumab, a fully human monoclonal antibody to the vascular endothelial growth factor receptor 2 in patients with refractory solid tumors.. <i>Journal of Clinical Oncology</i> , 2015, 33, 2522-2522. | 1.6 | 2 |
| 316 | INTEGRATE: A randomized, phase II, double-blind, placebo-controlled study of regorafenib in refractory advanced oesophagogastric cancer (AOGC): A study by the Australasian Gastrointestinal Trials Group (AGITG)â€”Final overall and subgroup results.. <i>Journal of Clinical Oncology</i> , 2015, 33, 4003-4003. | 1.6 | 11 |
| 317 | The NEXT-2 (Next Generation Personalized Tx with Plasma DNA Genomics Trial-2 in Refractory Solid) Tj ETQq1 1 0.784314 rgBT /Overl e12540-e12540. | 1.6 | 1 |
| 318 | Copy Number Gains at 8q24 and 20q11-q13 in Gastric Cancer Are More Common in Intestinal-Type than Diffuse-Type. <i>PLoS ONE</i> , 2015, 10, e0137657. | 2.5 | 21 |
| 319 | Overexpression of MAPK15 in gastric cancer is associated with copy number gain and contributes to the stability of c-Jun. <i>Oncotarget</i> , 2015, 6, 20190-20203. | 1.8 | 29 |
| 320 | Detection of novel and potentially actionable anaplastic lymphoma kinase (ALK) rearrangement in colorectal adenocarcinoma by immunohistochemistry screening. <i>Oncotarget</i> , 2015, 6, 24320-24332. | 1.8 | 32 |
| 321 | Patient-derived cell models as preclinical tools for genome-directed targeted therapy. <i>Oncotarget</i> , 2015, 6, 25619-25630. | 1.8 | 48 |
| 322 | The NEXT-1 (Next generation pErsonalized tX with mulTi-omics and preclinical model) trial: prospective molecular screening trial of metastatic solid cancer patients, a feasibility analysis. <i>Oncotarget</i> , 2015, 6, 33358-33368. | 1.8 | 24 |
| 323 | PIK3CA mutation detection in metastatic biliary cancer using cell-free DNA. <i>Oncotarget</i> , 2015, 6, 40026-40035. | 1.8 | 15 |
| 324 | NTRK1 rearrangement in colorectal cancer patients: evidence for actionable target using patient-derived tumor cell line. <i>Oncotarget</i> , 2015, 6, 39028-39035. | 1.8 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 325 | Weekly docetaxel and gemcitabine in previously treated metastatic esophageal squamous cell carcinoma. World Journal of Gastroenterology, 2015, 21, 4268. | 3.3 | 8 |
| 326 | Gastroenteropancreatic Neuroendocrine Tumors with Liver Metastases in Korea: A Clinicopathological Analysis of 72 Cases in a Single Institute. Cancer Research and Treatment, 2015, 47, 738-746. | 3.0 | 10 |
| 327 | Prospective phase II trial of pazopanib plus CapeOX (capecitabine and oxaliplatin) in previously untreated patients with advanced gastric cancer.. Journal of Clinical Oncology, 2015, 33, 4049-4049. | 1.6 | 2 |
| 328 | Placebo-controlled, double-blinded multi-center phase III trial of XELIRI/FOLFIRI plus simvastatin in metastatic colorectal cancer.. Journal of Clinical Oncology, 2015, 33, 3576-3576. | 1.6 | 3 |
| 329 | Comprehensive genomic profiling of metastatic gastric cancer undergoing palliative chemotherapy at Samsung Medical Center using custom targeted deep sequencing (CancerSCAN [®]).. Journal of Clinical Oncology, 2015, 33, e22173-e22173. | 1.6 | 0 |
| 330 | Next-generation sequencing to reveal somatic mutations that confer sensitivity to everolimus.. Journal of Clinical Oncology, 2015, 33, 11010-11010. | 1.6 | 0 |
| 331 | Molecular profiling of patient derived cells (PDCs) from metastatic cancer patients using CancerSCAN: Highly profiled models to test the efficacy of genome-directed therapy in cancer.. Journal of Clinical Oncology, 2015, 33, e22241-e22241. | 1.6 | 0 |
| 332 | Pazopanib, a Novel Multitargeted Kinase Inhibitor, Shows Potent <i>In Vitro</i> Antitumor Activity in Gastric Cancer Cell Lines with <i>FGFR2</i> Amplification. Molecular Cancer Therapeutics, 2014, 13, 2527-2536. | 4.1 | 34 |
| 333 | Successful use of pazopanib for treatment of refractory metastatic hemangiopericytoma. Clinical Sarcoma Research, 2014, 4, 13. | 2.3 | 28 |
| 334 | A phase II open-label randomized multicenter trial of TSU-68 in combination with S-1 and oxaliplatin versus S-1 in combination with oxaliplatin in patients with metastatic colorectal cancer. Investigational New Drugs, 2014, 32, 561-568. | 2.6 | 2 |
| 335 | Genomic landscape and genetic heterogeneity in gastric adenocarcinoma revealed by whole-genome sequencing. Nature Communications, 2014, 5, 5477. | 12.8 | 166 |
| 336 | The analysis of mutations and exon deletions at TSC2 gene in angiomyolipomas associated with tuberous sclerosis complex. Experimental and Molecular Pathology, 2014, 97, 440-444. | 2.1 | 5 |
| 337 | Simvastatin plus capecitabine+cisplatin versus placebo plus capecitabine+cisplatin in patients with previously untreated advanced gastric cancer: A double-blind randomised phase 3 study. European Journal of Cancer, 2014, 50, 2822-2830. | 2.8 | 79 |
| 338 | Effect of simvastatin plus cetuximab/irinotecan for KRAS mutant colorectal cancer and predictive value of the RAS signature for treatment response to cetuximab. Investigational New Drugs, 2014, 32, 535-541. | 2.6 | 30 |
| 339 | Aberrant CDK4 Amplification in Refractory Rhabdomyosarcoma as Identified by Genomic Profiling. Scientific Reports, 2014, 4, 3623. | 3.3 | 25 |
| 340 | Anti-tumor efficacy of fulvestrant in estrogen receptor positive gastric cancer. Scientific Reports, 2014, 4, 7592. | 3.3 | 24 |
| 341 | Interim safety analysis from a randomized, open-label, multicenter, phase III trial of capecitabine plus oxaliplatin (XELOX) versus capecitabine (X) as first-line chemotherapy in elderly patients with advanced gastric cancer (AGC).. Journal of Clinical Oncology, 2014, 32, 158-158. | 1.6 | 1 |
| 342 | Activated cMET and IGF1R-Driven PI3K Signaling Predicts Poor Survival in Colorectal Cancers Independent of KRAS Mutational Status. PLoS ONE, 2014, 9, e103551. | 2.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | High-Throughput Sequencing and Copy Number Variation Detection Using Formalin Fixed Embedded Tissue in Metastatic Gastric Cancer. PLoS ONE, 2014, 9, e111693. | 2.5 | 34 |
| 344 | Pulmonary metastasectomy for colorectal cancer: How many nodules, how many times?. World Journal of Gastroenterology, 2014, 20, 6133. | 3.3 | 60 |
| 345 | Aggressive clinical course of extramammary Paget disease after radiotherapy. Radiation Oncology Journal, 2014, 32, 95. | 1.5 | 5 |
| 346 | CD133-positive tumor cell content is a predictor of early recurrence in colorectal cancer. Journal of Gastrointestinal Oncology, 2014, 5, 447-56. | 1.4 | 25 |
| 347 | Ultra-high-quality sequencing assay for comprehensive genetic panel analysis of tumor-derived circulating cell-free DNA in colorectal cancer patients.. Journal of Clinical Oncology, 2014, 32, 504-504. | 1.6 | 18 |
| 348 | The role of pazopanib in various histologic subtypes of metastatic soft tissue sarcomas.. Journal of Clinical Oncology, 2014, 32, 10586-10586. | 1.6 | 1 |
| 349 | Phase III trial to compare capecitabine/cisplatin (XP) versus XP plus concurrent capecitabine-radiotherapy in gastric cancer (GC): The final report on the ARTIST trial.. Journal of Clinical Oncology, 2014, 32, 4008-4008. | 1.6 | 1 |
| 350 | Evaluation of biochemical features of anemia in cancer patients.. Journal of Clinical Oncology, 2014, 32, e20698-e20698. | 1.6 | 1 |
| 351 | Transcriptome analysis of CD133-positive stem cells and prognostic value of survivin in colorectal cancer. Cancer Genomics and Proteomics, 2014, 11, 259-66. | 2.0 | 25 |
| 352 | Adjuvant chemoradiation with 5-fluorouracil/leucovorin versus S-1 in gastric cancer patients following D2 lymph node dissection surgery: a feasibility study. Anticancer Research, 2014, 34, 6585-91. | 1.1 | 2 |
| 353 | High level of CDK4 amplification is a poor prognostic factor in well-differentiated and dedifferentiated liposarcoma. Histology and Histopathology, 2014, 29, 127-38. | 0.7 | 30 |
| 354 | Identification of ROS1 rearrangement in gastric adenocarcinoma. Cancer, 2013, 119, 1627-1635. | 4.1 | 108 |
| 355 | Exome Sequencing Identifies Early Gastric Carcinoma as an Early Stage of Advanced Gastric Cancer. PLoS ONE, 2013, 8, e82770. | 2.5 | 36 |
| 356 | Phase Ib dose-escalation study of Pexa-Vec (pexastimogene devacirepvec; JX-594), an oncolytic and immunotherapeutic vaccinia virus, administered by intravenous (IV) infusions in patients with metastatic colorectal carcinoma (mCRC).. Journal of Clinical Oncology, 2013, 31, 3608-3608. | 1.6 | 3 |
| 357 | A phase II open-label randomized multicenter trial of TSU-68 in combination with S-1 and oxaliplatin versus S-1 in combination with oxaliplatin in patients with metastatic colorectal cancer.. Journal of Clinical Oncology, 2013, 31, 492-492. | 1.6 | 1 |
| 358 | Nomogram to Predict Treatment Outcome of Fluoropyrimidine/Platinum-Based Chemotherapy in Metastatic Esophageal Squamous Cell Carcinoma. Cancer Research and Treatment, 2013, 45, 285-294. | 3.0 | 12 |
| 359 | A phase II trial of weekly docetaxel for second-line treatment of urothelial carcinoma.. Journal of Clinical Oncology, 2013, 31, e15613-e15613. | 1.6 | 0 |
| 360 | Towards the goal of personalized medicine in gastric cancer--time to move beyond HER2 inhibition. Part I: Targeting receptor tyrosine kinase gene amplification. Discovery Medicine, 2013, 15, 333-41. | 0.5 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 361 | Towards the goal of personalized medicine in gastric cancer--time to move beyond HER2 inhibition. Part II: Targeting gene mutations and gene amplifications and the angiogenesis pathway. <i>Discovery Medicine</i> , 2013, 16, 7-14. | 0.5 | 13 |
| 362 | A comparative study of telomerase activity and cytologic diagnosis in malignant ascites. <i>Analytical and Quantitative Cytopathology and Histopathology</i> , 2013, 35, 146-51. | 0.2 | 4 |
| 363 | Phase III Trial Comparing Capecitabine Plus Cisplatin Versus Capecitabine Plus Cisplatin With Concurrent Capecitabine Radiotherapy in Completely Resected Gastric Cancer With D2 Lymph Node Dissection: The ARTIST Trial. <i>Journal of Clinical Oncology</i> , 2012, 30, 268-273. | 1.6 | 667 |
| 364 | Gemcitabine and oxaliplatin with or without erlotinib in advanced biliary-tract cancer: a multicentre, open-label, randomised, phase 3 study. <i>Lancet Oncology</i> , The, 2012, 13, 181-188. | 10.7 | 407 |
| 365 | Statins and the risk of gastric cancer in diabetes patients. <i>BMC Cancer</i> , 2012, 12, 596. | 2.6 | 48 |
| 366 | Metastasis of Neuroendocrine Tumors Are Characterized by Increased Cell Proliferation and Reduced Expression of the ATM Gene. <i>PLoS ONE</i> , 2012, 7, e34456. | 2.5 | 28 |
| 367 | High-Throughput Mutation Profiling Identifies Frequent Somatic Mutations in Advanced Gastric Adenocarcinoma. <i>PLoS ONE</i> , 2012, 7, e38892. | 2.5 | 72 |
| 368 | Profiling of activated receptor tyrosine kinases in advanced gastric cancers identifies patients with poor prognosis.. <i>Journal of Clinical Oncology</i> , 2012, 30, 4011-4011. | 1.6 | 8 |
| 369 | Profiling of circulating tumor cells isolated from 105 metastatic gastric cancer patients revealed HER2 overexpression/activation for potential use in clinical setting.. <i>Journal of Clinical Oncology</i> , 2012, 30, 10535-10535. | 1.6 | 1 |
| 370 | A phase Ib dose escalation study of JX-594 (TK-vaccinia virus expressing GM-CSF) administered by biweekly intravenous infusion in patients with metastatic, refractory colorectal carcinoma.. <i>Journal of Clinical Oncology</i> , 2012, 30, e13044-e13044. | 1.6 | 0 |
| 371 | A prospective phase II study of neoadjuvant FOLFOX6 plus cetuximab in patients with colorectal cancer and unresectable liver metastasis.. <i>Journal of Clinical Oncology</i> , 2012, 30, e14072-e14072. | 1.6 | 0 |
| 372 | Impact of MET amplification on gastric cancer: Possible roles as a novel prognostic marker and a potential therapeutic target. <i>Oncology Reports</i> , 2011, 25, 1517-24. | 2.6 | 111 |
| 373 | Effect of Simvastatin on Cetuximab Resistance in Human Colorectal Cancer With KRAS Mutations. <i>Journal of the National Cancer Institute</i> , 2011, 103, 674-688. | 6.3 | 87 |
| 374 | SSTR2A Protein Expression in Neuroendocrine Neoplasms of the Colorectum. <i>Korean Journal of Pathology</i> , 2011, 45, 276. | 1.3 | 0 |
| 375 | Simvastatin plus irinotecan, 5-fluorouracil, and leucovorin (FOLFIRI) as first-line chemotherapy in metastatic colorectal patients: a multicenter phase II study. <i>Cancer Chemotherapy and Pharmacology</i> , 2009, 64, 657-663. | 2.3 | 69 |
| 376 | Expression of activated signal transducer and activator of transcription 3 predicts poor clinical outcome in gastric adenocarcinoma. <i>Apmis</i> , 2009, 117, 598-606. | 2.0 | 41 |
| 377 | A phase II study of capecitabine and cisplatin (XP) as first-line chemotherapy in patients with advanced esophageal squamous cell carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2008, 62, 77-84. | 2.3 | 38 |
| 378 | Autologous Hematopoietic Stem Cell Transplantation in Extranodal Natural Killer/T Cell Lymphoma: A Multinational, Multicenter, Matched Controlled Study. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 1356-1364. | 2.0 | 133 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 379 | Impact of E2F-1 Expression on Clinical Outcome of Gastric Adenocarcinoma Patients with Adjuvant Chemoradiation Therapy. <i>Clinical Cancer Research</i> , 2008, 14, 82-88. | 7.0 | 40 |
| 380 | Effect of Positive Bone Marrow EBV In situ Hybridization in Staging and Survival of Localized Extranodal Natural Killer/T-Cell Lymphoma, Nasal-Type. <i>Clinical Cancer Research</i> , 2007, 13, 3250-3254. | 7.0 | 48 |
| 381 | Impact of epidermal growth factor receptor (EGFR) kinase mutations, <i>EGFR</i> gene amplifications, and <i>KRAS</i> mutations on survival of pancreatic adenocarcinoma. <i>Cancer</i> , 2007, 109, 1561-1569. | 4.1 | 120 |
| 382 | Prospective clinical study of surgical resection followed by CHOP in localized intestinal diffuse large B cell lymphoma. <i>Leukemia Research</i> , 2007, 31, 359-364. | 0.8 | 41 |
| 383 | Phase II trial of gemcitabine combined with cisplatin in patients with inoperable biliary tract carcinomas. <i>Cancer Chemotherapy and Pharmacology</i> , 2007, 61, 47-52. | 2.3 | 34 |
| 384 | Nongastric Marginal Zone B-Cell Lymphoma: A Prognostic Model from a Retrospective Multicenter Study.. <i>Blood</i> , 2007, 110, 1361-1361. | 1.4 | 0 |
| 385 | Extranodal Natural Killer T-Cell Lymphoma, Nasal-Type: A Prognostic Model From a Retrospective Multicenter Study. <i>Journal of Clinical Oncology</i> , 2006, 24, 612-618. | 1.6 | 560 |
| 386 | Lovastatin-induced RhoA modulation and its effect on senescence in prostate cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2006, 339, 748-754. | 2.1 | 58 |
| 387 | Interferon-alpha resistance can be reversed by inhibition of IFN-alpha-induced COX-2 expression potentially via STAT1 activation in A549 cells. <i>Oncology Reports</i> , 2006, 15, 1541-9. | 2.6 | 16 |
| 388 | Influential Factors for the Collection of Peripheral Blood Stem Cells and Engraftment in Acute Myeloid Leukemia Patients in First Complete Remission. <i>International Journal of Hematology</i> , 2005, 81, 258-263. | 1.6 | 6 |
| 389 | Curcumin inhibits interferon- γ induced NF- κ B and COX-2 in human A549 non-small cell lung cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2005, 334, 313-318. | 2.1 | 56 |
| 390 | Extranodal nasal type NK/T-cell Lymphoma: Elucidating clinical prognostic factors for risk-based stratification of therapy. <i>European Journal of Cancer</i> , 2005, 41, 1402-1408. | 2.8 | 152 |
| 391 | Adjuvant Chemotherapy with 5-Fluorouracil and Cisplatin in Lymph Node-Positive Thoracic Esophageal Squamous Cell Carcinoma. <i>Annals of Thoracic Surgery</i> , 2005, 80, 1170-1175. | 1.3 | 59 |
| 392 | Nongastric Marginal Zone B-Cell Lymphoma: Analysis of 247 Cases - Clinical Presentation and Treatment Outcomes of Nongastric Marginal Zone B-Cell Lymphoma.. <i>Blood</i> , 2005, 106, 1491-1491. | 1.4 | 0 |
| 393 | Intestinal Lymphoma: Exploration of the Prognostic Factors and the Optimal Treatment. <i>Leukemia and Lymphoma</i> , 2004, 45, 339-344. | 1.3 | 50 |
| 394 | Phase II Study of Gemcitabine Combined with Uracil-Tegafur in Metastatic Pancreatic Cancer. <i>Oncology</i> , 2004, 66, 32-37. | 1.9 | 20 |
| 395 | Tuberculosis in Hematopoietic Stem Cell Transplant Recipients in Korea. <i>International Journal of Hematology</i> , 2004, 79, 185-188. | 1.6 | 36 |
| 396 | Phase II study of doxorubicin and cisplatin in patients with metastatic hepatocellular carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2004, 54, 385-390. | 2.3 | 83 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 397 | A Randomized Trial of Short-Course Preemptive Ganciclovir Compared with Conventional Ganciclovir Therapy To Prevent Cytomegalovirus Infection after Allogeneic Stem Cell Transplantation.. Blood, 2004, 104, 3162-3162. | 1.4 | 1 |
| 398 | Clinical Characteristics of Takayasu's Arteritis. Sunhwan'gi, 2001, 31, 1106. | 0.3 | 6 |
| 399 | Changes in the Mean Corpuscular Volume after Capecitabine Treatment Are Associated with Clinical Response and Survival in Patients with Advanced Gastric Cancer. Cancer Research and Treatment, 1970, 47, 72-77. | 3.0 | 20 |
| 400 | Pazopanib monotherapy in the treatment of pretreated, metastatic uterine sarcoma: a single-center retrospective study. Journal of Gynecologic Oncology, 0, 29, . | 2.2 | 0 |