
## Jesðs MartÃ-n-FernÃ;ndez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2176793/publications.pdf Version: 2024-02-01



1.5

11

#	Article	IF	CITATIONS
1	Psychometric properties of the EQ-5D-5L in patients with major depression: factor analysis and Rasch analysis. Journal of Mental Health, 2021, , 1-11.	1.9	11
2	Risk aversion, trust in institutions and contingent valuation of healthcare services: trying to explain the WTA-WTP gap in the Dutch population. Cost Effectiveness and Resource Allocation, 2021, 19, 27.	1.5	2
3	Response Mapping Methods to Estimate the EQ-5D-5L From the Western Ontario McMaster Universities Osteoarthritis in Patients With Hip or Knee Osteoarthritis. Value in Health, 2021, 24, 874-883.	0.3	2
4	Mapping WOMAC Onto the EQ-5D-5L Utility Index in Patients With Hip or Knee Osteoarthritis. Value in Health, 2020, 23, 379-387.	0.3	10
5	Oral versus intramuscular administration of vitamin B12 for vitamin B12 deficiency in primary care: a pragmatic, randomised, non-inferiority clinical trial (OB12). BMJ Open, 2020, 10, e033687.	1.9	21
6	Mapping analysis to predict EQ-5D-5 L utility values based on the Oxford Hip Score (OHS) and Oxford Knee Score (OKS) questionnaires in the Spanish population suffering from lower limb osteoarthritis. Health and Quality of Life Outcomes, 2020, 18, 184.	2.4	12
7	Impact of lower limb osteoarthritis on health-related quality of life: A cross-sectional study to estimate the expressed loss of utility in the Spanish population. PLoS ONE, 2020, 15, e0228398.	2.5	8
8	Title is missing!. , 2020, 15, e0228398.		0
9	Title is missing!. , 2020, 15, e0228398.		0
10	Title is missing!. , 2020, 15, e0228398.		0
11	Title is missing!. , 2020, 15, e0228398.		0
12	An analysis of primary nurse consultation in the Community of Madrid. EnfermerÃa ClÃnica (English) Tj ETQq0 0 (	0 rgBT /0\	verlock 10 Tf
13	EQ-5D-5L utilities per health states in Spanish population with knee or hip osteoarthritis. Health and Quality of Life Outcomes, 2019, 17, 164.	2.4	8
14	Análisis de la consulta enfermera de Atención Primaria en la Comunidad de Madrid (España). EnfermerÃa ClÃnica, 2019, 29, 170-177.	0.3	3

18 Validation Of The EQ-5D-5L In Patients With Hip Or Knee Osteoarthritis. Value in Health, 2017, 20, A760. 0.3 4

Health condition and risk attitude in the Dutch population: an exploratory approach. Health, Risk and Society, 2018, 20, 126-146.

Psychometric properties of the EQ-5D-5L in patients with hip or knee osteoarthritis: reliability, validity and responsiveness. Quality of Life Research, 2018, 27, 2897-2908.

Explaining differences in perceived health-related quality of life: a study within the Spanish population. Gaceta Sanitaria, 2018, 32, 447-453.

16

#	Article	IF	CITATIONS
19	Psychometric Properties Of The EQ-5D-5L In Patients With Major Depression Disorder. Value in Health, 2017, 20, A758.	0.3	2
20	Cross-cultural adaptation and validation of the Spanish version of the Oxford Hip Score in patients with hip osteoarthritis. BMC Musculoskeletal Disorders, 2017, 18, 205.	1.9	15
21	Effectiveness of an intervention for improving drug prescription in primary care patients with multimorbidity and polypharmacy: study protocol of a cluster randomized clinical trial (Multi-PAP) Tj ETQq1 1	0.78 <b>4</b> 3914 rg	gBT\$@verlock
22	Mapping From The Womac To The EQ-5D-5L Questionnaire: Comparison Of Different Methodologies. Value in Health, 2017, 20, A755.	0.3	0
23	Validation of the Spanish version of the Oxford knee score and assessment of its utility to characterize quality of life of patients suffering from knee osteoarthritis: a multicentric study. Health and Quality of Life Outcomes, 2017, 15, 186.	2.4	23
24	Mapping From The Bdi-li To The EQ-5D-5L Questionnaire In Patients With Major Depression Disorder. Value in Health, 2017, 20, A755-A756.	0.3	0
25	"Gaining or losingâ€! The importance of the perspective in primary care health services valuation. PLoS ONE, 2017, 12, e0188969.	2.5	4
26	Risk-Taking Attitudes of Patients who Seek Health Care: An Exploratory Approach through Lottery Games. Revista Espanola De Salud Publica, 2016, 90, e1-e14.	0.3	2
27	Effectiveness of a strategy that uses educational games to implement clinical practice guidelines among Spanish residents of family and community medicine (e-EDUCAGUIA project): a clinical trial by clusters. Implementation Science, 2015, 11, 71.	6.9	10
28	Willingness to pay for a quality-adjusted life year: an evaluation of attitudes towards risk and preferences. BMC Health Services Research, 2014, 14, 287.	2.2	41
29	Effectiveness of an intervention for prevention and treatment of burnout in primary health care professionals. BMC Family Practice, 2013, 14, 173.	2.9	33
30	Economic Valuation of Health Care Services in Public Health Systems: A Study about Willingness to Pay (WTP) for Nursing Consultations. PLoS ONE, 2013, 8, e62840.	2.5	17
31	Oral versus intramuscular administration of vitamin B12 for the treatment of patients with vitamin B12 deficiency: a pragmatic, randomised, multicentre, non-inferiority clinical trial undertaken in the primary healthcare setting (Project OB12). BMC Public Health, 2012, 12, 394.	2.9	25
32	A study of the user's perception of economic value in nursing visits to primary care by the method of contingent valuation. BMC Family Practice, 2011, 12, 109.	2.9	2
33	Differences between willingness to pay and willingness to accept for visits by a family physician: A contingent valuation study. BMC Public Health, 2010, 10, 236.	2.9	28
34	Perception of the economic value of primary care services: A willingness to pay study. Health Policy, 2010, 94, 266-272.	3.0	15
35	Professional quality of life and organizational changes: a five-year observational study in Primary Care. BMC Health Services Research, 2007, 7, 101.	2.2	7
36	CaracterÃsticas métricas del Cuestionario de Calidad de Vida Profesional (CVP-35). Gaceta Sanitaria, 2004, 18, 129-136.	1.5	6

#	Article	IF	CITATIONS
37	Clima laboral en atención primaria: ¿qué hay que mejorar?. Atencion Primaria, 2003, 32, 288-295.	1.4	4