

Chin-Hsiao Tseng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2177062/publications.pdf>

Version: 2024-02-01

218
papers

9,589
citations

38742

50
h-index

51608

86
g-index

220
all docs

220
docs citations

220
times ranked

9502
citing authors

#	ARTICLE	IF	CITATIONS
1	Incidence of Transitional Cell Carcinoma and Arsenic in Drinking Water: A Follow-up Study of 8,102 Residents in an Arseniasis-endemic Area in Northeastern Taiwan. <i>American Journal of Epidemiology</i> , 2001, 153, 411-418.	3.4	371
2	Long-term arsenic exposure and incidence of non-insulin-dependent diabetes mellitus: a cohort study in arseniasis-hyperendemic villages in Taiwan. <i>Environmental Health Perspectives</i> , 2000, 108, 847-851.	6.0	302
3	Evaluation of the Association between Arsenic and Diabetes: A National Toxicology Program Workshop Review. <i>Environmental Health Perspectives</i> , 2012, 120, 1658-1670.	6.0	299
4	The potential biological mechanisms of arsenic-induced diabetes mellitus. <i>Toxicology and Applied Pharmacology</i> , 2004, 197, 67-83.	2.8	267
5	Arsenic exposure, urinary arsenic speciation, and peripheral vascular disease in blackfoot disease-hyperendemic villages in Taiwan. <i>Toxicology and Applied Pharmacology</i> , 2005, 206, 299-308.	2.8	260
6	A review on environmental factors regulating arsenic methylation in humans. <i>Toxicology and Applied Pharmacology</i> , 2009, 235, 338-350.	2.8	252
7	Mortality and Causes of Death in a National Sample of Diabetic Patients in Taiwan. <i>Diabetes Care</i> , 2004, 27, 1605-1609.	8.6	225
8	Long-term arsenic exposure and ischemic heart disease in arseniasis-hyperendemic villages in Taiwan. <i>Toxicology Letters</i> , 2003, 137, 15-21.	0.8	215
9	Dose-response relationship between peripheral vascular disease and ingested inorganic arsenic among residents in blackfoot disease endemic villages in Taiwan. <i>Atherosclerosis</i> , 1996, 120, 125-133.	0.8	166
10	Arsenic Methylation, Urinary Arsenic Metabolites and Human Diseases: Current Perspective. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 2007, 25, 1-22.	2.9	156
11	Epidemiologic evidence of diabetogenic effect of arsenic. <i>Toxicology Letters</i> , 2002, 133, 69-76.	0.8	153
12	Arsenic and diabetes and hypertension in human populations: A review. <i>Toxicology and Applied Pharmacology</i> , 2007, 222, 298-304.	2.8	146
13	Low serum carotene level and increased risk of ischemic heart disease related to long-term arsenic exposure. <i>Atherosclerosis</i> , 1998, 141, 249-257.	0.8	143
14	Arsenic: An Overview of Applications, Health, and Environmental Concerns and Removal Processes. <i>Critical Reviews in Environmental Science and Technology</i> , 2011, 41, 435-519.	12.8	141
15	The Influence of Type 2 Diabetes and Glucose-Lowering Therapies on Cancer Risk in the Taiwanese. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-6.	3.8	136
16	Prevalence of non-insulin-dependent diabetes mellitus and related vascular diseases in southwestern arseniasis-endemic and nonendemic areas in Taiwan. <i>Environmental Health Perspectives</i> , 2003, 111, 155-159.	6.0	131
17	Continuity of Care, Medication Adherence, and Health Care Outcomes Among Patients With Newly Diagnosed Type 2 Diabetes. <i>Medical Care</i> , 2013, 51, 231-237.	2.4	131
18	Arsenic methylation capability and hypertension risk in subjects living in arseniasis-hyperendemic areas in southwestern Taiwan. <i>Toxicology and Applied Pharmacology</i> , 2007, 218, 135-142.	2.8	128

#	ARTICLE	IF	CITATIONS
19	Pioglitazone and Bladder Cancer. <i>Diabetes Care</i> , 2012, 35, 278-280.	8.6	119
20	Uric acid level as a risk marker for metabolic syndrome: A Chinese cohort study. <i>Atherosclerosis</i> , 2012, 220, 525-531.	0.8	119
21	Diabetes and risk of bladder cancer: a study using the National Health Insurance database in Taiwan. <i>Diabetologia</i> , 2011, 54, 2009-2015.	6.3	118
22	Diabetes and Risk of Prostate Cancer. <i>Diabetes Care</i> , 2011, 34, 616-621.	8.6	112
23	Diabetes, metformin use, and colon cancer: a population-based cohort study in Taiwan. <i>European Journal of Endocrinology</i> , 2012, 167, 409-416.	3.7	112
24	Increasing incidence of diagnosed type 2 diabetes in Taiwan: analysis of data from a national cohort. <i>Diabetologia</i> , 2006, 49, 1755-1760.	6.3	111
25	Blackfoot Disease and Arsenic: A Never-Ending Story. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 2005, 23, 55-74.	2.9	103
26	Thyroid Segmentation and Volume Estimation in Ultrasound Images. <i>IEEE Transactions on Biomedical Engineering</i> , 2010, 57, 1348-1357.	4.2	91
27	Metformin and risk of hepatocellular carcinoma in patients with type 2 diabetes. <i>Liver International</i> , 2018, 38, 2018-2027.	3.9	90
28	Dyslipidemia, Kidney Disease, and Cardiovascular Disease in Diabetic Patients. <i>Review of Diabetic Studies</i> , 2013, 10, 88-100.	1.3	89
29	Cardiovascular disease in arsenic-exposed subjects living in the arseniasis-hyperendemic areas in Taiwan. <i>Atherosclerosis</i> , 2008, 199, 12-18.	0.8	87
30	Evidence for improved control of hypertension in Taiwan: 1993-2002. <i>Journal of Hypertension</i> , 2008, 26, 600-606.	0.5	87
31	Diabetes and gastric cancer: The potential links. <i>World Journal of Gastroenterology</i> , 2014, 20, 1701.	3.3	82
32	Metformin significantly reduces incident prostate cancer risk in Taiwanese men with type 2 diabetes mellitus. <i>European Journal of Cancer</i> , 2014, 50, 2831-2837.	2.8	80
33	Correlation of uric acid and urinary albumin excretion rate in patients with type 2 diabetes mellitus in Taiwan. <i>Kidney International</i> , 2005, 68, 796-801.	5.2	78
34	A Review on the Relationship between SGLT2 Inhibitors and Cancer. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-6.	1.5	76
35	Metabolic Syndrome Components Worsen Lower Urinary Tract Symptoms in Women with Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1143-1150.	3.6	75
36	Prevalence and Risk Factors of Peripheral Arterial Obstructive Disease in Taiwanese Type 2 Diabetic Patients. <i>Angiology</i> , 2003, 54, 331-338.	1.8	72

#	ARTICLE	IF	CITATIONS
37	Obesity paradox: Differential effects on cancer and noncancer mortality in patients with type 2 diabetes mellitus. <i>Atherosclerosis</i> , 2013, 226, 186-192.	0.8	69
38	An Overview on Peripheral Vascular Disease in Blackfoot Disease-Hyperendemic Villages in Taiwan. <i>Angiology</i> , 2002, 53, 529-537.	1.8	68
39	Metformin and endometrial cancer risk in Chinese women with type 2 diabetes mellitus in Taiwan. <i>Gynecologic Oncology</i> , 2015, 138, 147-153.	1.4	68
40	Optimal anthropometric factor cutoffs for hyperglycemia, hypertension and dyslipidemia for the Taiwanese population. <i>Atherosclerosis</i> , 2010, 210, 585-589.	0.8	64
41	Metformin Reduces Thyroid Cancer Risk in Taiwanese Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2014, 9, e109852.	2.5	63
42	Disabled-2 small interfering RNA modulates cellular adhesive function and MAPK activity during megakaryocytic differentiation of K562 cells. <i>FEBS Letters</i> , 2003, 541, 21-27.	2.8	62
43	Independent association of uric acid levels with peripheral arterial disease in Taiwanese patients with Type 2 diabetes. <i>Diabetic Medicine</i> , 2004, 21, 724-729.	2.3	60
44	Diabetes conveys a higher risk of gastric cancer mortality despite an age-standardised decreasing trend in the general population in Taiwan. <i>Gut</i> , 2011, 60, 774-779.	12.1	58
45	Lipid Profile and Peripheral Vascular Disease in Arseniasis-Hyperendemic Villages in Taiwan. <i>Angiology</i> , 1997, 48, 321-335.	1.8	57
46	Diabetes and Thyroid Cancer Risk: Literature Review. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-7.	3.8	56
47	Metformin reduces gastric cancer risk in patients with type 2 diabetes mellitus. <i>Aging</i> , 2016, 8, 1636-1649.	3.1	55
48	Thyroid Cancer Risk Is Not Increased in Diabetic Patients. <i>PLoS ONE</i> , 2012, 7, e53096.	2.5	54
49	Metformin reduces ovarian cancer risk in Taiwanese women with type 2 diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 619-626.	4.0	53
50	Lipoprotein(a) Is an Independent Risk Factor for Peripheral Arterial Disease in Chinese Type 2 Diabetic Patients in Taiwan. <i>Diabetes Care</i> , 2004, 27, 517-521.	8.6	52
51	Uric acid concentration as a risk marker for blood pressure progression and incident hypertension: A Chinese cohort study. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 1747-1755.	3.4	52
52	Secular trend for mortality from breast cancer and the association between diabetes and breast cancer in Taiwan between 1995 and 2006. <i>Diabetologia</i> , 2009, 52, 240-246.	6.3	51
53	Abnormal Peripheral Microcirculation in Seemingly Normal Subjects Living in Blackfoot-Disease-Hyperendemic Villages in Taiwan. <i>International Journal of Microcirculation, Clinical and Experimental</i> , 1995, 15, 21-27.	0.5	49
54	Use of metformin and risk of kidney cancer in patients with type 2 diabetes. <i>European Journal of Cancer</i> , 2016, 52, 19-25.	2.8	48

#	ARTICLE	IF	CITATIONS
55	Metformin is associated with a lower risk of colorectal cancer in Taiwanese patients with type 2 diabetes: A retrospective cohort analysis. <i>Diabetes and Metabolism</i> , 2017, 43, 438-445.	2.9	48
56	Prevalence of lower-extremity amputation among patients with diabetes mellitus: Is height a factor?. <i>Cmaj</i> , 2006, 174, 319-323.	2.0	46
57	Metformin may reduce breast cancer risk in Taiwanese women with type 2 diabetes. <i>Breast Cancer Research and Treatment</i> , 2014, 145, 785-790.	2.5	46
58	Age-related risk of mortality from bladder cancer in diabetic patients: A 12-year follow-up of a national cohort in Taiwan. <i>Annals of Medicine</i> , 2009, 41, 371-379.	3.8	45
59	Metformin Use Is Associated with a Lower Risk of Inflammatory Bowel Disease in Patients with Type 2 Diabetes Mellitus. <i>Journal of Crohn's and Colitis</i> , 2021, 15, 64-73.	1.3	45
60	The incidence of type 2 diabetes mellitus in Taiwan. <i>Diabetes Research and Clinical Practice</i> , 2000, 50, S61-S64.	2.8	44
61	Global Impacts Of Geogenic Arsenic: A Medical Geology Research Case. <i>Ambio</i> , 2007, 36, 78-81.	5.5	44
62	Betel Nut Chewing Is Associated with Hypertension in Taiwanese Type 2 Diabetic Patients. <i>Hypertension Research</i> , 2008, 31, 417-423.	2.7	44
63	Resistance Training Improves Muscle Function and Cardiometabolic Risks But Not Quality of Life in Older People With Type 2 Diabetes Mellitus: A Randomized Controlled Trial. <i>Journal of Geriatric Physical Therapy</i> , 2018, 41, 65-76.	1.1	44
64	Metformin may reduce bladder cancer risk in Taiwanese patients with type 2 diabetes. <i>Acta Diabetologica</i> , 2014, 51, 295-303.	2.5	43
65	An Updated Review on Cancer Risk Associated with Incretin Mimetics and Enhancers. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 2015, 33, 67-124.	2.9	43
66	Induction of Disabled-2 Gene during Megakaryocyte Differentiation of K562 Cells. <i>Biochemical and Biophysical Research Communications</i> , 2001, 285, 129-135.	2.1	42
67	A Review on the Association between Glucagon-Like Peptide-1 Receptor Agonists and Thyroid Cancer. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-7.	3.8	42
68	Peroxisome Proliferator-Activated Receptor Agonists and Bladder Cancer: Lessons from Animal Studies. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 2012, 30, 368-402.	2.9	42
69	Postprandial blood glucose is associated with generalized pruritus in patients with type 2 diabetes. <i>European Journal of Dermatology</i> , 2013, 23, 688-693.	0.6	42
70	Metformin Decreases Risk of Tuberculosis Infection in Type 2 Diabetes Patients. <i>Journal of Clinical Medicine</i> , 2018, 7, 264.	2.4	42
71	Metformin may reduce oral cancer risk in patients with type 2 diabetes. <i>Oncotarget</i> , 2016, 7, 2000-2008.	1.8	41
72	Real-time PCR for rapid genotyping of angiotensin-converting enzyme insertion/deletion polymorphism. <i>Clinical Biochemistry</i> , 2001, 34, 661-666.	1.9	39

#	ARTICLE	IF	CITATIONS
73	Metformin and lung cancer risk in patients with type 2 diabetes mellitus. <i>Oncotarget</i> , 2017, 8, 41132-41142.	1.8	39
74	Sex Difference in the Distribution of Atherosclerotic Risk Factors and Their Association With Peripheral Arterial Disease in Taiwanese Type 2 Diabetic Patients. <i>Circulation Journal</i> , 2007, 71, 1131-1136.	1.6	38
75	Diabetes and non-Hodgkin's lymphoma: analyses of prevalence and annual incidence in 2005 using the National Health Insurance database in Taiwan. <i>Annals of Oncology</i> , 2012, 23, 153-158.	1.2	38
76	Diabetes, insulin use and Helicobacter pylori eradication: a retrospective cohort study. <i>BMC Gastroenterology</i> , 2012, 12, 46.	2.0	38
77	Waist-to-Height Ratio Is Independently and Better Associated With Urinary Albumin Excretion Rate Than Waist Circumference or Waist-to-Hip Ratio in Chinese Adult Type 2 Diabetic Women but Not Men. <i>Diabetes Care</i> , 2005, 28, 2249-2251.	8.6	37
78	Exogenous Insulin Use and Hypertension in Adult Patients With Type 2 Diabetes Mellitus. <i>Archives of Internal Medicine</i> , 2006, 166, 1184.	3.8	37
79	Bioactivity-guided screening identifies pheophytin a as a potent anti-hepatitis C virus compound from <i>Lonicera hypoglauca</i> Miq.. <i>Biochemical and Biophysical Research Communications</i> , 2009, 385, 230-235.	2.1	37
80	Gender differences in trends in diabetes prevalence from 1993 to 2008 in Taiwan. <i>Diabetes Research and Clinical Practice</i> , 2010, 90, 358-364.	2.8	37
81	Body Mass Index and Blood Pressure in Adult Type 2 Diabetic Patients in Taiwan. <i>Circulation Journal</i> , 2007, 71, 1749-1754.	1.6	35
82	Diabetes but Not Insulin Increases the Risk of Lung Cancer: A Taiwanese Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e101553.	2.5	35
83	A Review on Thiazolidinediones and Bladder Cancer in Human Studies. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 2014, 32, 1-45.	2.9	35
84	Metformin Use Is Associated With a Lower Risk of Hospitalization for Heart Failure in Patients With Type 2 Diabetes Mellitus: a Retrospective Cohort Analysis. <i>Journal of the American Heart Association</i> , 2019, 8, e011640.	3.7	35
85	Prostate cancer mortality in Taiwanese men: Increasing age-standardized trend in general population and increased risk in diabetic men. <i>Annals of Medicine</i> , 2011, 43, 142-150.	3.8	34
86	Pioglitazone and bladder cancer in human studies: Is it diabetes itself, diabetes drugs, flawed analyses or different ethnicities?. <i>Journal of the Formosan Medical Association</i> , 2012, 111, 123-131.	1.7	34
87	Development of Macrovascular Diseases in NIDDM Patients in Northern Taiwan: A 4-yr follow-up study. <i>Diabetes Care</i> , 1993, 16, 137-143.	8.6	33
88	Body Composition as a Risk Factor for Coronary Artery Disease in Chinese Type 2 Diabetic Patients in Taiwan. <i>Circulation Journal</i> , 2003, 67, 479-484.	1.6	33
89	Clinical features of heart failure hospitalization in younger and elderly patients in Taiwan. <i>European Journal of Clinical Investigation</i> , 2011, 41, 597-604.	3.4	33
90	A Neural Network for Thyroid Segmentation and Volume Estimation in CT Images. <i>IEEE Computational Intelligence Magazine</i> , 2011, 6, 43-55.	3.2	33

#	ARTICLE	IF	CITATIONS
91	Mortality, causes of death and associated risk factors in a cohort of diabetic patients after lower-extremity amputation: A 6.5-year follow-up study in Taiwan. <i>Atherosclerosis</i> , 2008, 197, 111-117.	0.8	32
92	Benign prostatic hyperplasia is a significant risk factor for bladder cancer in diabetic patients: a population-based cohort study using the National Health Insurance in Taiwan. <i>BMC Cancer</i> , 2013, 13, 7.	2.6	32
93	Waist-to-height Ratio and Coronary Artery Disease in Taiwanese Type 2 Diabetic Patients. <i>Obesity</i> , 2008, 16, 2754-2759.	3.0	31
94	Betel nut chewing and incidence of newly diagnosed type 2 diabetes mellitus in Taiwan.. <i>BMC Research Notes</i> , 2010, 3, 228.	1.4	31
95	Metformin use and cervical cancer risk in female patients with type 2 diabetes. <i>Oncotarget</i> , 2016, 7, 59548-59555.	1.8	31
96	Pioglitazone Reduces Dementia Risk in Patients with Type 2 Diabetes Mellitus: A Retrospective Cohort Analysis. <i>Journal of Clinical Medicine</i> , 2018, 7, 306.	2.4	31
97	Differential dyslipidemia associated with albuminuria in type 2 diabetic patients in Taiwan. <i>Clinical Biochemistry</i> , 2009, 42, 1019-1024.	1.9	30
98	Oral cancer in Taiwan: is diabetes a risk factor?. <i>Clinical Oral Investigations</i> , 2013, 17, 1357-1364.	3.0	30
99	Sitagliptin and pancreatic cancer risk in patients with type 2 diabetes. <i>European Journal of Clinical Investigation</i> , 2016, 46, 70-79.	3.4	30
100	Metformin use is associated with a lower risk of osteoporosis/vertebral fracture in Taiwanese patients with type 2 diabetes mellitus. <i>European Journal of Endocrinology</i> , 2021, 184, 299-310.	3.7	30
101	Metabolism of inorganic arsenic and non-cancerous health hazards associated with chronic exposure in humans. <i>Journal of Environmental Biology</i> , 2007, 28, 349-57.	0.5	30
102	Prevalence and Risk Factors of Diabetic Foot Problems in Taiwan: A cross-sectional survey of non-type 1 diabetic patients from a nationally representative sample. <i>Diabetes Care</i> , 2003, 26, 3351-3351.	8.6	29
103	Metformin and esophageal cancer risk in Taiwanese patients with type 2 diabetes mellitus. <i>Oncotarget</i> , 2017, 8, 18802-18810.	1.8	28
104	The Role of Triglyceride in Cardiovascular Disease in Asian Patients with Type 2 Diabetes - A Systematic Review. <i>Review of Diabetic Studies</i> , 2013, 10, 101-109.	1.3	28
105	Abnormal current perception thresholds measured by neurometer among residents in blackfoot disease-hyperendemic villages in Taiwan. <i>Toxicology Letters</i> , 2003, 146, 27-36.	0.8	27
106	Prevalence and risk factors for stroke in Type 2 diabetic patients in Taiwan: a cross-sectional survey of a national sample by telephone interview. <i>Diabetic Medicine</i> , 2005, 22, 477-482.	2.3	27
107	Body mass index and waist circumference as determinants of coronary artery disease in Taiwanese adults with type 2 diabetes mellitus. <i>International Journal of Obesity</i> , 2006, 30, 816-821.	3.4	27
108	Rosiglitazone may reduce thyroid cancer risk in patients with type 2 diabetes. <i>Annals of Medicine</i> , 2013, 45, 539-544.	3.8	27

#	ARTICLE	IF	CITATIONS
109	Type 2 Diabetes Mellitus and Kidney Cancer Risk: A Retrospective Cohort Analysis of the National Health Insurance. PLoS ONE, 2015, 10, e0142480.	2.5	27
110	Metformin is associated with decreased skin cancer risk in Taiwanese patients with type 2 diabetes. Journal of the American Academy of Dermatology, 2018, 78, 694-700.	1.2	27
111	Lipid abnormalities associated with urinary albumin excretion rate in Taiwanese type 2 diabetic patients. Kidney International, 2005, 67, 1547-1553.	5.2	25
112	Blackfoot Disease in Taiwan: Its Link with Inorganic Arsenic Exposure from Drinking Water. Ambio, 2007, 36, 82-84.	5.5	25
113	Association of C-reactive protein and hyperuricemia with diabetic nephropathy in Chinese type 2 diabetic patients. Acta Diabetologica, 2009, 46, 127-134.	2.5	25
114	New-Onset Diabetes With a History of Dyslipidemia Predicts Pancreatic Cancer. Pancreas, 2013, 42, 42-48.	1.1	24
115	Prolonged use of human insulin increases breast cancer risk in Taiwanese women with type 2 diabetes. BMC Cancer, 2015, 15, 846.	2.6	24
116	Rosiglitazone reduces breast cancer risk in Taiwanese female patients with type 2 diabetes mellitus. Oncotarget, 2017, 8, 3042-3048.	1.8	24
117	Sitagliptin use and thyroid cancer risk in patients with type 2 diabetes. Oncotarget, 2016, 7, 24871-24879.	1.8	24
118	Dementia Risk in Type 2 Diabetes Patients: Acarbose Use and Its Joint Effects with Metformin and Pioglitazone. , 2020, 11, 658.		23
119	The Relationship between Diabetes Mellitus and Gastric Cancer and the Potential Benefits of Metformin: An Extensive Review of the Literature. Biomolecules, 2021, 11, 1022.	4.0	23
120	Diabetes, insulin use, and non-Hodgkin lymphoma mortality in Taiwan. Metabolism: Clinical and Experimental, 2012, 61, 1003-1009.	3.4	22
121	Diabetes, insulin use, smoking, and pancreatic cancer mortality in Taiwan. Acta Diabetologica, 2013, 50, 879-886.	2.5	22
122	Pulse Pressure as a Risk Factor for Peripheral Vascular Disease in Type 2 Diabetic Patients. Clinical and Experimental Hypertension, 2003, 25, 475-485.	1.3	21
123	Metformin and risk of chronic obstructive pulmonary disease in diabetes patients. Diabetes and Metabolism, 2019, 45, 184-190.	2.9	21
124	Sitagliptin May Reduce Breast Cancer Risk in Women With Type 2 Diabetes. Clinical Breast Cancer, 2017, 17, 211-218.	2.4	20
125	Systemic non-carcinogenic effects and developmental toxicity of inorganic arsenic. , 1997, , 124-134.		20
126	Rosiglitazone has a neutral effect on the risk of dementia in type 2 diabetes patients. Aging, 2019, 11, 2724-2734.	3.1	20

#	ARTICLE	IF	CITATIONS
127	Independent association between triglycerides and coronary artery disease in Taiwanese type 2 diabetic patients. <i>International Journal of Cardiology</i> , 2006, 111, 80-85.	1.7	19
128	Diabetes, Insulin Use, and Gastric Cancer. <i>Journal of Clinical Gastroenterology</i> , 2013, 47, e60-e64.	2.2	19
129	Diabetes and breast cancer in Taiwanese women: a detection bias?. <i>European Journal of Clinical Investigation</i> , 2014, 44, 910-917.	3.4	19
130	Use of Insulin and Mortality from Breast Cancer among Taiwanese Women with Diabetes. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-8.	2.3	19
131	Metformin is associated with a lower risk of non-Hodgkin lymphoma in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2019, 45, 458-464.	2.9	19
132	Higher risk of hypertension in indigenous type 2 diabetic patients in Taiwan. <i>Journal of Hypertension</i> , 2006, 24, 1817-1821.	0.5	18
133	Type 2 diabetes, smoking, insulin use, and mortality from hepatocellular carcinoma: a 12-year follow-up of a national cohort in Taiwan. <i>Hepatology International</i> , 2013, 7, 693-702.	4.2	18
134	Higher risk of mortality from lung cancer in Taiwanese people with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2013, 102, 193-201.	2.8	18
135	Rosiglitazone is not associated with an increased risk of bladder cancer. <i>Cancer Epidemiology</i> , 2013, 37, 385-389.	1.9	18
136	Emerging Epidemics of Arseniasis in Asia. , 1999, , 113-121.		17
137	Lack of Association Between Angiotensin-Converting Enzyme Gene Polymorphism and Peripheral Vascular Disease in Type 2 Diabetic Patients in Taiwan.. <i>Circulation Journal</i> , 2002, 66, 1014-1018.	1.6	17
138	The association between urinary albumin excretion and ankle-brachial index in elderly Taiwanese patients with type 2 diabetes mellitus. <i>Age and Ageing</i> , 2007, 37, 77-82.	1.6	17
139	Angiotensin-converting enzyme gene polymorphism and stroke in type 2 diabetic patients in Taiwan. <i>European Journal of Clinical Investigation</i> , 2007, 37, 483-491.	3.4	17
140	Metformin and <i>Helicobacter pylori</i> Infection in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2018, 41, e42-e43.	8.6	17
141	Abnormal Response of Ankle Pressure After Exercise in Seemingly Normal Subjects Living in Blackfoot Disease-Hyperendemic Villages in Taiwan. <i>Vascular Surgery</i> , 1994, 28, 607-617.	0.3	16
142	Treatment with human insulin does not increase thyroid cancer risk in patients with type 2 diabetes. <i>European Journal of Clinical Investigation</i> , 2014, 44, 736-742.	3.4	16
143	Pioglitazone with sulfonylurea: glycemic and lipid effects in Taiwanese type 2 diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2005, 70, 193-194.	2.8	15
144	Betel Nut Chewing Is Independently Associated With Urinary Albumin Excretion Rate in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2006, 29, 462-463.	8.6	15

#	ARTICLE	IF	CITATIONS
145	Sitagliptin increases acute pancreatitis risk within 2 years of its initiation: A retrospective cohort analysis of the National Health Insurance database in Taiwan. <i>Annals of Medicine</i> , 2015, 47, 561-569.	3.8	15
146	Sitagliptin may reduce prostate cancer risk in male patients with type 2 diabetes. <i>Oncotarget</i> , 2017, 8, 19057-19064.	1.8	15
147	Hypertension is the Most Important Component of Metabolic Syndrome in the Association With Ischemic Heart Disease in Taiwanese Type 2 Diabetic Patients. <i>Circulation Journal</i> , 2008, 72, 1419-1424.	1.6	14
148	Insulin Use and Smoking Jointly Increase the Risk of Bladder Cancer Mortality in Patients With Type 2 Diabetes. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 508-514.	1.9	14
149	Metformin and risk of developing nasopharyngeal cancer in patients with type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2018, 85, 223-226.	3.4	14
150	The Effect of Metformin on Male Reproductive Function and Prostate: An Updated Review. <i>World Journal of Men's Health</i> , 2022, 40, 11.	3.3	14
151	Effect of Angiotensin Blockade on the Association Between Albuminuria and Peripheral Arterial Disease in Elderly Taiwanese Patients With Type 2 Diabetes Mellitus. <i>Circulation Journal</i> , 2005, 69, 965-970.	1.6	13
152	Incidence of type 1 diabetes mellitus in children aged 0-14 years during 1992-1996 in Taiwan. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008, 97, 392-392.	1.5	13
153	THE AGE- AND SEX-SPECIFIC INCIDENCE AND MEDICAL EXPENSES OF HEART FAILURE HOSPITALIZATION IN 2005 IN TAIWAN: A STUDY USING DATA FROM THE NATIONAL HEALTH INSURANCE. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 611-613.	2.6	13
154	Pioglitazone and oral cancer risk in patients with type 2 diabetes. <i>Oral Oncology</i> , 2014, 50, 98-103.	1.5	13
155	Metformin and Pancreatic Cancer Risk in Patients With Type 2 Diabetes. <i>Pancreas</i> , 2018, 47, e57-e59.	1.1	13
156	The Epidemiologic Transition of Diabetes Mellitus in Taiwan: Implications for Reversal of Female Preponderance from a National Cohort. <i>The Open Diabetes Journal</i> , 2009, 2, 18-23.	0.4	13
157	Quantitative Analysis of Multidrug-resistance mdr1 Gene Expression in Head and Neck Cancer by Real-time RT-PCR. <i>Japanese Journal of Cancer Research</i> , 2002, 93, 1230-1236.	1.7	12
158	Metformin use is associated with a lower risk of uterine leiomyoma in female type 2 diabetes patients. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2019, 10, 204201881989515.	3.2	12
159	Effect of parental hypertension and/or parental diabetes on hypertension in Taiwanese diabetic patients. <i>European Journal of Clinical Investigation</i> , 2007, 37, 870-877.	3.4	11
160	Joint effects of hypertension, smoking, dyslipidemia and obesity and angiotensin-converting enzyme DD genotype on albuminuria in Taiwanese patients with type 2 diabetes mellitus. <i>Clinical Biochemistry</i> , 2010, 43, 629-634.	1.9	11
161	Insulin use is not significantly predictive for prostate cancer mortality in diabetic patients: a 12-year follow-up study. <i>BJU International</i> , 2012, 110, 668-673.	2.5	11
162	Pioglitazone and thyroid cancer risk in Taiwanese patients with type 2 diabetes. <i>Journal of Diabetes</i> , 2014, 6, 448-450.	1.8	11

#	ARTICLE	IF	CITATIONS
163	Factors Associated with Cancer- and Non-Cancer-Related Deaths among Taiwanese Patients with Diabetes after 17 Years of Follow-Up. PLoS ONE, 2016, 11, e0147916.	2.5	11
164	Metformin and Risk of Hypertension in Taiwanese Patients With Type 2 Diabetes Mellitus. Journal of the American Heart Association, 2018, 7, .	3.7	11
165	Metformin Use Is Associated With a Lower Incidence of Hospitalization for Atrial Fibrillation in Patients With Type 2 Diabetes Mellitus. Frontiers in Medicine, 2020, 7, 592901.	2.6	11
166	Metformin reduces risk of benign nodular goiter in patients with type 2 diabetes mellitus. European Journal of Endocrinology, 2019, 180, 365-372.	3.7	11
167	Diabetes but not insulin is associated with higher colon cancer mortality. World Journal of Gastroenterology, 2012, 18, 4182.	3.3	11
168	A population study on the association between leisure time physical activity and self-rated health among diabetics in Taiwan. BMC Public Health, 2010, 10, 277.	2.9	10
169	Metformin reduces risk of varicose veins in patients with type 2 diabetes. Diabetes/Metabolism Research and Reviews, 2020, 36, e3206.	4.0	10
170	Sitagliptin and heart failure hospitalization in patients with type 2 diabetes. Oncotarget, 2016, 7, 62687-62696.	1.8	10
171	Arsenic Exposure and Diabetes Mellitus in the United States. JAMA - Journal of the American Medical Association, 2008, 300, 2728.	7.4	9
172	Diabetes and Cancer: Epidemiological, Clinical, and Experimental Perspectives. Experimental Diabetes Research, 2012, 2012, 1-2.	3.8	9
173	Pioglitazone does not affect the risk of ovarian cancer: Analysis of a nationwide reimbursement database in Taiwan. Gynecologic Oncology, 2013, 131, 135-139.	1.4	9
174	Diabetes and thyroid cancer mortality: a 12-year prospective follow-up of Taiwanese. European Journal of Clinical Investigation, 2013, 43, 595-601.	3.4	9
175	Human Insulin Does Not Increase Bladder Cancer Risk. PLoS ONE, 2014, 9, e86517.	2.5	9
176	Metformin and Biliary Tract Cancer in Patients With Type 2 Diabetes. Frontiers in Oncology, 2020, 10, 587666.	2.8	9
177	Chronic Metformin Therapy is Associated with a Lower Risk of Hemorrhoid in Patients with Type 2 Diabetes Mellitus. Frontiers in Pharmacology, 2020, 11, 578831.	3.5	9
178	Microalbuminuria and diabetic complications in Chinese non-insulin-dependent diabetic patients: a prospective study. Diabetes Research and Clinical Practice, 1990, 9, 59-63.	2.8	8
179	Pioglitazone does not affect the risk of kidney cancer in patients with type 2 diabetes. Metabolism: Clinical and Experimental, 2014, 63, 1049-1055.	3.4	8
180	Rosiglitazone may reduce non-melanoma skin cancer risk in Taiwanese. BMC Cancer, 2015, 15, 41.	2.6	8

#	ARTICLE	IF	CITATIONS
181	Pioglitazone and Risk of Chronic Obstructive Pulmonary Disease in Patients with Type 2 Diabetes Mellitus: A Retrospective Cohort Study. <i>International Journal of COPD</i> , 2022, Volume 17, 285-295.	2.3	8
182	Betel Nut Chewing and Subclinical Ischemic Heart Disease in Diabetic Patients. <i>Cardiology Research and Practice</i> , 2011, 2011, 1-5.	1.1	7
183	Human Insulin Does Not Increase Prostate Cancer Risk in Taiwanese. <i>Clinical Genitourinary Cancer</i> , 2014, 12, e7-e12.	1.9	7
184	Human Insulin Therapy Is Associated With an Increased Risk of Lung Cancer: A Population-Based Retrospective Cohort Study. <i>Frontiers in Endocrinology</i> , 2019, 10, 443.	3.5	7
185	Aging and Current Perception Threshold Measured by Neurometer in Normal Taiwanese Adults. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 2094-2095.	2.6	6
186	Apolipoprotein B Is an Independent Risk Factor for Microalbuminuria in Taiwanese Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2003, 26, 2965-2966.	8.6	6
187	Diabetes is not an independent risk factor for hepatocellular carcinoma. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, n/a-n/a.	4.0	6
188	Metformin use is associated with a reduced risk of acute appendicitis in Taiwanese patients with type 2 diabetes mellitus. <i>Scientific Reports</i> , 2021, 11, 12400.	3.3	6
189	Metformin and Risk of Malignant Brain Tumors in Patients with Type 2 Diabetes Mellitus. <i>Biomolecules</i> , 2021, 11, 1226.	4.0	6
190	Metformin and primary bone cancer risk in Taiwanese patients with type 2 diabetes mellitus. <i>Bone</i> , 2021, 151, 116037.	2.9	6
191	Plasma-transforming growth factor-alpha expression in residents of an arseniasis area in Taiwan. <i>Biomarkers</i> , 2006, 11, 538-546.	1.9	5
192	Parental diabetes in Taiwanese diabetic women with and without previous gestational diabetes. <i>European Journal of Clinical Investigation</i> , 2008, 38, 555-561.	3.4	5
193	COMPUTER-AIDED DIAGNOSIS FOR THYROID GRAVES' DISEASE IN ULTRASOUND IMAGES. <i>Biomedical Engineering - Applications, Basis and Communications</i> , 2010, 22, 91-99.	0.6	5
194	Angiotensin-Converting Enzyme Genotype and Peripheral Arterial Disease in Diabetic Patients. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-7.	3.8	5
195	Pioglitazone and lung cancer risk in Taiwanese patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2018, 44, 77-79.	2.9	5
196	Metformin Reduces the Risk of Diverticula of Intestine in Taiwanese Patients with Type 2 Diabetes Mellitus. <i>Frontiers in Pharmacology</i> , 2021, 12, 739141.	3.5	5
197	Use and effectiveness of dapagliflozin in patients with type 2 diabetes mellitus: a multicenter retrospective study in Taiwan. <i>PeerJ</i> , 2020, 8, e9998.	2.0	5
198	Pioglitazone and Prostate Cancer Risk in Taiwanese Male Patients with Type 2 Diabetes: A Retrospective Cohort Study. <i>World Journal of Men's Health</i> , 2023, 41, 119.	3.3	5

#	ARTICLE	IF	CITATIONS
199	Thyroid segmentation and volume estimation in ultrasound images. Conference Proceedings IEEE International Conference on Systems, Man, and Cybernetics, 2008, ,	0.0	4
200	The association of diabetes mellitus with subsequent internal cancers in the arsenic-exposed area of Taiwan. Journal of Asian Earth Sciences, 2013, 73, 452-459.	2.3	4
201	Metformin Use and Leukemia Risk in Patients With Type 2 Diabetes Mellitus. Frontiers in Endocrinology, 2020, 11, 541090.	3.5	4
202	Mortality and Causes of Death in a National Sample of Diabetic Patients in Taiwan: Response to Lu et al.. Diabetes Care, 2005, 28, 1267-1268.	8.6	3
203	Metformin Is Associated with a Lower Incidence of Benign Brain Tumors: A Retrospective Cohort Study in Patients with Type 2 Diabetes Mellitus. Biomolecules, 2021, 11, 1405.	4.0	3
204	Sitagliptin and oral cancer risk in type 2 diabetes patients. Oncotarget, 2017, 8, 96753-96760.	1.8	3
205	The ethnicity of Hakka is associated with a higher risk of hypertension than Fukienese in Taiwanese type 2 diabetic patients. Journal of Human Hypertension, 2008, 22, 370-372.	2.2	2
206	Ileal obstruction in a 73-year-old woman. Gut, 2009, 58, 741-741.	12.1	2
207	Response to Letter to the Editor on comments on Use of metformin and risk of kidney cancer in patients with type 2 diabetes Chin-Hsiao Tseng, Eur J Cancer, 2016, No. 52, pp.19-25. European Journal of Cancer, 2016, 61, 159-160.	2.8	2
208	Response to comment on: Tseng C-H, Tseng C-P, Chong C-K et al (2006) Increasing incidence of diagnosed type 2 diabetes in Taiwan: analysis of data from a national cohort. Diabetologia 49:1755-1760. Diabetologia, 2006, 50, 242-243.	6.3	1
209	Lifestyle modification to manage type 2 diabetes. Tzu Chi Medical Journal, 2013, 25, 254-255.	1.1	1
210	Prevalence and Risk Factors of Sensory Symptoms in Diabetes Patients in Taiwan. Frontiers in Endocrinology, 2020, 11, 580426.	3.5	1
211	Pioglitazone and breast cancer risk in female patients with type 2 diabetes mellitus: a retrospective cohort analysis. BMC Cancer, 2022, 22, 559.	2.6	1
212	The effect of oral buflomedil on microalbuminuria in non-insulin-dependent diabetic patients. Diabetes Research and Clinical Practice, 1992, 16, 117-122.	2.8	0
213	Pitfalls in the Study Using Death Certificates to Demonstrate the Reversibility of Mortality From Diabetes in the Blackfoot Disease Endemic Areas in Taiwan. Journal of Occupational and Environmental Medicine, 2006, 48, 755.	1.7	0
214	Abdominal distension in a patient with Crohn's disease. Gut, 2009, 58, 346-346.	12.1	0
215	Automatic Diagnosis of Thyroid Graves' Disease in Ultrasound Images. , 2009, ,		0
216	Environmental Medicine. , 2013, , 549-567.		0

#	ARTICLE	IF	CITATIONS
217	Blackfoot Disease and Microcirculation Abnormality. , 2011, , 95-108.		0
218	The Behavior of Self-Monitoring of Blood Glucose and Glycemic Control in Taiwanese Population. Endocrines, 2022, 3, 214-222.	1.0	0