

Chin-Hsiao Tseng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2177062/publications.pdf>

Version: 2024-02-01

218
papers

9,589
citations

38742

50
h-index

51608

86
g-index

220
all docs

220
docs citations

220
times ranked

9502
citing authors

#	ARTICLE	IF	CITATIONS
1	Pioglitazone and Prostate Cancer Risk in Taiwanese Male Patients with Type 2 Diabetes: A Retrospective Cohort Study. <i>World Journal of Men's Health</i> , 2023, 41, 119.	3.3	5
2	The Effect of Metformin on Male Reproductive Function and Prostate: An Updated Review. <i>World Journal of Men's Health</i> , 2022, 40, 11.	3.3	14
3	Pioglitazone and Risk of Chronic Obstructive Pulmonary Disease in Patients with Type 2 Diabetes Mellitus: A Retrospective Cohort Study. <i>International Journal of COPD</i> , 2022, Volume 17, 285-295.	2.3	8
4	The Behavior of Self-Monitoring of Blood Glucose and Glycemic Control in Taiwanese Population. <i>Endocrines</i> , 2022, 3, 214-222.	1.0	0
5	Pioglitazone and breast cancer risk in female patients with type 2 diabetes mellitus: a retrospective cohort analysis. <i>BMC Cancer</i> , 2022, 22, 559.	2.6	1
6	Metformin Use Is Associated with a Lower Risk of Inflammatory Bowel Disease in Patients with Type 2 Diabetes Mellitus. <i>Journal of Crohn's and Colitis</i> , 2021, 15, 64-73.	1.3	45
7	Metformin use is associated with a lower risk of osteoporosis/vertebral fracture in Taiwanese patients with type 2 diabetes mellitus. <i>European Journal of Endocrinology</i> , 2021, 184, 299-310.	3.7	30
8	Metformin use is associated with a reduced risk of acute appendicitis in Taiwanese patients with type 2 diabetes mellitus. <i>Scientific Reports</i> , 2021, 11, 12400.	3.3	6
9	The Relationship between Diabetes Mellitus and Gastric Cancer and the Potential Benefits of Metformin: An Extensive Review of the Literature. <i>Biomolecules</i> , 2021, 11, 1022.	4.0	23
10	Metformin and Risk of Malignant Brain Tumors in Patients with Type 2 Diabetes Mellitus. <i>Biomolecules</i> , 2021, 11, 1226.	4.0	6
11	Metformin Is Associated with a Lower Incidence of Benign Brain Tumors: A Retrospective Cohort Study in Patients with Type 2 Diabetes Mellitus. <i>Biomolecules</i> , 2021, 11, 1405.	4.0	3
12	Metformin Reduces the Risk of Diverticula of Intestine in Taiwanese Patients with Type 2 Diabetes Mellitus. <i>Frontiers in Pharmacology</i> , 2021, 12, 739141.	3.5	5
13	Metformin and primary bone cancer risk in Taiwanese patients with type 2 diabetes mellitus. <i>Bone</i> , 2021, 151, 116037.	2.9	6
14	Metformin reduces risk of varicose veins in patients with type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3206.	4.0	10
15	Metformin and Biliary Tract Cancer in Patients With Type 2 Diabetes. <i>Frontiers in Oncology</i> , 2020, 10, 587666.	2.8	9
16	Metformin Use and Leukemia Risk in Patients With Type 2 Diabetes Mellitus. <i>Frontiers in Endocrinology</i> , 2020, 11, 541090.	3.5	4
17	Dementia Risk in Type 2 Diabetes Patients: Acarbose Use and Its Joint Effects with Metformin and Pioglitazone. , 2020, 11, 658.		23
18	Metformin Use Is Associated With a Lower Incidence of Hospitalization for Atrial Fibrillation in Patients With Type 2 Diabetes Mellitus. <i>Frontiers in Medicine</i> , 2020, 7, 592901.	2.6	11

#	ARTICLE	IF	CITATIONS
19	Chronic Metformin Therapy is Associated with a Lower Risk of Hemorrhoid in Patients with Type 2 Diabetes Mellitus. <i>Frontiers in Pharmacology</i> , 2020, 11, 578831.	3.5	9
20	Prevalence and Risk Factors of Sensory Symptoms in Diabetes Patients in Taiwan. <i>Frontiers in Endocrinology</i> , 2020, 11, 580426.	3.5	1
21	Use and effectiveness of dapagliflozin in patients with type 2 diabetes mellitus: a multicenter retrospective study in Taiwan. <i>PeerJ</i> , 2020, 8, e9998.	2.0	5
22	Metformin and risk of chronic obstructive pulmonary disease in diabetes patients. <i>Diabetes and Metabolism</i> , 2019, 45, 184-190.	2.9	21
23	Human Insulin Therapy Is Associated With an Increased Risk of Lung Cancer: A Population-Based Retrospective Cohort Study. <i>Frontiers in Endocrinology</i> , 2019, 10, 443.	3.5	7
24	Metformin Use Is Associated With a Lower Risk of Hospitalization for Heart Failure in Patients With Type 2 Diabetes Mellitus: a Retrospective Cohort Analysis. <i>Journal of the American Heart Association</i> , 2019, 8, e011640.	3.7	35
25	Metformin is associated with a lower risk of non-Hodgkin lymphoma in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2019, 45, 458-464.	2.9	19
26	Metformin use is associated with a lower risk of uterine leiomyoma in female type 2 diabetes patients. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2019, 10, 204201881989515.	3.2	12
27	Metformin reduces risk of benign nodular goiter in patients with type 2 diabetes mellitus. <i>European Journal of Endocrinology</i> , 2019, 180, 365-372.	3.7	11
28	Rosiglitazone has a neutral effect on the risk of dementia in type 2 diabetes patients. <i>Aging</i> , 2019, 11, 2724-2734.	3.1	20
29	Metformin and <i>Helicobacter pylori</i> Infection in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2018, 41, e42-e43.	8.6	17
30	Metformin is associated with decreased skin cancer risk in Taiwanese patients with type 2 diabetes. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 694-700.	1.2	27
31	Metformin and risk of developing nasopharyngeal cancer in patients with type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2018, 85, 223-226.	3.4	14
32	Resistance Training Improves Muscle Function and Cardiometabolic Risks But Not Quality of Life in Older People With Type 2 Diabetes Mellitus: A Randomized Controlled Trial. <i>Journal of Geriatric Physical Therapy</i> , 2018, 41, 65-76.	1.1	44
33	Pioglitazone and lung cancer risk in Taiwanese patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2018, 44, 77-79.	2.9	5
34	Pioglitazone Reduces Dementia Risk in Patients with Type 2 Diabetes Mellitus: A Retrospective Cohort Analysis. <i>Journal of Clinical Medicine</i> , 2018, 7, 306.	2.4	31
35	Metformin and Pancreatic Cancer Risk in Patients With Type 2 Diabetes. <i>Pancreas</i> , 2018, 47, e57-e59.	1.1	13
36	Metformin Decreases Risk of Tuberculosis Infection in Type 2 Diabetes Patients. <i>Journal of Clinical Medicine</i> , 2018, 7, 264.	2.4	42

#	ARTICLE	IF	CITATIONS
37	Metformin and Risk of Hypertension in Taiwanese Patients With Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	11
38	Metformin and risk of hepatocellular carcinoma in patients with type 2 diabetes. <i>Liver International</i> , 2018, 38, 2018-2027.	3.9	90
39	Metformin is associated with a lower risk of colorectal cancer in Taiwanese patients with type 2 diabetes: A retrospective cohort analysis. <i>Diabetes and Metabolism</i> , 2017, 43, 438-445.	2.9	48
40	Sitagliptin May Reduce Breast Cancer Risk in Women With Type 2 Diabetes. <i>Clinical Breast Cancer</i> , 2017, 17, 211-218.	2.4	20
41	Sitagliptin may reduce prostate cancer risk in male patients with type 2 diabetes. <i>Oncotarget</i> , 2017, 8, 19057-19064.	1.8	15
42	Metformin and esophageal cancer risk in Taiwanese patients with type 2 diabetes mellitus. <i>Oncotarget</i> , 2017, 8, 18802-18810.	1.8	28
43	Rosiglitazone reduces breast cancer risk in Taiwanese female patients with type 2 diabetes mellitus. <i>Oncotarget</i> , 2017, 8, 3042-3048.	1.8	24
44	Metformin and lung cancer risk in patients with type 2 diabetes mellitus. <i>Oncotarget</i> , 2017, 8, 41132-41142.	1.8	39
45	Sitagliptin and oral cancer risk in type 2 diabetes patients. <i>Oncotarget</i> , 2017, 8, 96753-96760.	1.8	3
46	Metformin may reduce oral cancer risk in patients with type 2 diabetes. <i>Oncotarget</i> , 2016, 7, 2000-2008.	1.8	41
47	Metformin use and cervical cancer risk in female patients with type 2 diabetes. <i>Oncotarget</i> , 2016, 7, 59548-59555.	1.8	31
48	Factors Associated with Cancer- and Non-Cancer-Related Deaths among Taiwanese Patients with Diabetes after 17 Years of Follow-Up. <i>PLoS ONE</i> , 2016, 11, e0147916.	2.5	11
49	Response to Letter to the Editor on comments on Use of metformin and risk of kidney cancer in patients with type 2 diabetes Chin-Hsiao Tseng, <i>Eur J Cancer</i> , 2016, No. 52, pp.19-25. <i>European Journal of Cancer</i> , 2016, 61, 159-160.	2.8	2
50	Sitagliptin and pancreatic cancer risk in patients with type 2 diabetes. <i>European Journal of Clinical Investigation</i> , 2016, 46, 70-79.	3.4	30
51	Use of metformin and risk of kidney cancer in patients with type 2 diabetes. <i>European Journal of Cancer</i> , 2016, 52, 19-25.	2.8	48
52	Metformin reduces gastric cancer risk in patients with type 2 diabetes mellitus. <i>Aging</i> , 2016, 8, 1636-1649.	3.1	55
53	Sitagliptin and heart failure hospitalization in patients with type 2 diabetes. <i>Oncotarget</i> , 2016, 7, 62687-62696.	1.8	10
54	Sitagliptin use and thyroid cancer risk in patients with type 2 diabetes. <i>Oncotarget</i> , 2016, 7, 24871-24879.	1.8	24

#	ARTICLE	IF	CITATIONS
55	Prolonged use of human insulin increases breast cancer risk in Taiwanese women with type 2 diabetes. <i>BMC Cancer</i> , 2015, 15, 846.	2.6	24
56	Type 2 Diabetes Mellitus and Kidney Cancer Risk: A Retrospective Cohort Analysis of the National Health Insurance. <i>PLoS ONE</i> , 2015, 10, e0142480.	2.5	27
57	Use of Insulin and Mortality from Breast Cancer among Taiwanese Women with Diabetes. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-8.	2.3	19
58	Metformin reduces ovarian cancer risk in Taiwanese women with type 2 diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 619-626.	4.0	53
59	Rosiglitazone may reduce non-melanoma skin cancer risk in Taiwanese. <i>BMC Cancer</i> , 2015, 15, 41.	2.6	8
60	Metformin and endometrial cancer risk in Chinese women with type 2 diabetes mellitus in Taiwan. <i>Gynecologic Oncology</i> , 2015, 138, 147-153.	1.4	68
61	An Updated Review on Cancer Risk Associated with Incretin Mimetics and Enhancers. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 2015, 33, 67-124.	2.9	43
62	Sitagliptin increases acute pancreatitis risk within 2 years of its initiation: A retrospective cohort analysis of the National Health Insurance database in Taiwan. <i>Annals of Medicine</i> , 2015, 47, 561-569.	3.8	15
63	Human Insulin Does Not Increase Bladder Cancer Risk. <i>PLoS ONE</i> , 2014, 9, e86517.	2.5	9
64	Diabetes but Not Insulin Increases the Risk of Lung Cancer: A Taiwanese Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e101553.	2.5	35
65	A Review on the Relationship between SGLT2 Inhibitors and Cancer. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-6.	1.5	76
66	Diabetes and breast cancer in Taiwanese women: a detection bias?. <i>European Journal of Clinical Investigation</i> , 2014, 44, 910-917.	3.4	19
67	Pioglitazone and thyroid cancer risk in Taiwanese patients with type 2 diabetes. <i>Journal of Diabetes</i> , 2014, 6, 448-450.	1.8	11
68	A Review on Thiazolidinediones and Bladder Cancer in Human Studies. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 2014, 32, 1-45.	2.9	35
69	Pioglitazone does not affect the risk of kidney cancer in patients with type 2 diabetes. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 1049-1055.	3.4	8
70	Metformin may reduce bladder cancer risk in Taiwanese patients with type 2 diabetes. <i>Acta Diabetologica</i> , 2014, 51, 295-303.	2.5	43
71	Treatment with human insulin does not increase thyroid cancer risk in patients with type 2 diabetes. <i>European Journal of Clinical Investigation</i> , 2014, 44, 736-742.	3.4	16
72	Metformin significantly reduces incident prostate cancer risk in Taiwanese men with type 2 diabetes mellitus. <i>European Journal of Cancer</i> , 2014, 50, 2831-2837.	2.8	80

#	ARTICLE	IF	CITATIONS
73	Metformin may reduce breast cancer risk in Taiwanese women with type 2 diabetes. <i>Breast Cancer Research and Treatment</i> , 2014, 145, 785-790.	2.5	46
74	Human Insulin Does Not Increase Prostate Cancer Risk in Taiwanese. <i>Clinical Genitourinary Cancer</i> , 2014, 12, e7-e12.	1.9	7
75	Pioglitazone and oral cancer risk in patients with type 2 diabetes. <i>Oral Oncology</i> , 2014, 50, 98-103.	1.5	13
76	Metformin Reduces Thyroid Cancer Risk in Taiwanese Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2014, 9, e109852.	2.5	63
77	Diabetes and gastric cancer: The potential links. <i>World Journal of Gastroenterology</i> , 2014, 20, 1701.	3.3	82
78	<i>Environmental Medicine.</i> , 2013, , 549-567.		0
79	Type 2 diabetes, smoking, insulin use, and mortality from hepatocellular carcinoma: a 12-year follow-up of a national cohort in Taiwan. <i>Hepatology International</i> , 2013, 7, 693-702.	4.2	18
80	Diabetes, insulin use, smoking, and pancreatic cancer mortality in Taiwan. <i>Acta Diabetologica</i> , 2013, 50, 879-886.	2.5	22
81	Oral cancer in Taiwan: is diabetes a risk factor?. <i>Clinical Oral Investigations</i> , 2013, 17, 1357-1364.	3.0	30
82	Higher risk of mortality from lung cancer in Taiwanese people with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2013, 102, 193-201.	2.8	18
83	Pioglitazone does not affect the risk of ovarian cancer: Analysis of a nationwide reimbursement database in Taiwan. <i>Gynecologic Oncology</i> , 2013, 131, 135-139.	1.4	9
84	The association of diabetes mellitus with subsequent internal cancers in the arsenic-exposed area of Taiwan. <i>Journal of Asian Earth Sciences</i> , 2013, 73, 452-459.	2.3	4
85	Insulin Use and Smoking Jointly Increase the Risk of Bladder Cancer Mortality in Patients With Type 2 Diabetes. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 508-514.	1.9	14
86	Obesity paradox: Differential effects on cancer and noncancer mortality in patients with type 2 diabetes mellitus. <i>Atherosclerosis</i> , 2013, 226, 186-192.	0.8	69
87	Lifestyle modification to manage type 2 diabetes. <i>Tzu Chi Medical Journal</i> , 2013, 25, 254-255.	1.1	1
88	Benign prostatic hyperplasia is a significant risk factor for bladder cancer in diabetic patients: a population-based cohort study using the National Health Insurance in Taiwan. <i>BMC Cancer</i> , 2013, 13, 7.	2.6	32
89	Rosiglitazone is not associated with an increased risk of bladder cancer. <i>Cancer Epidemiology</i> , 2013, 37, 385-389.	1.9	18
90	Diabetes, Insulin Use, and Gastric Cancer. <i>Journal of Clinical Gastroenterology</i> , 2013, 47, e60-e64.	2.2	19

#	ARTICLE	IF	CITATIONS
91	New-Onset Diabetes With a History of Dyslipidemia Predicts Pancreatic Cancer. <i>Pancreas</i> , 2013, 42, 42-48.	1.1	24
92	Rosiglitazone may reduce thyroid cancer risk in patients with type 2 diabetes. <i>Annals of Medicine</i> , 2013, 45, 539-544.	3.8	27
93	Diabetes and thyroid cancer mortality: a 12-year prospective follow-up of Taiwanese. <i>European Journal of Clinical Investigation</i> , 2013, 43, 595-601.	3.4	9
94	Diabetes is not an independent risk factor for hepatocellular carcinoma. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, n/a-n/a.	4.0	6
95	Continuity of Care, Medication Adherence, and Health Care Outcomes Among Patients With Newly Diagnosed Type 2 Diabetes. <i>Medical Care</i> , 2013, 51, 231-237.	2.4	131
96	Dyslipidemia, Kidney Disease, and Cardiovascular Disease in Diabetic Patients. <i>Review of Diabetic Studies</i> , 2013, 10, 88-100.	1.3	89
97	Postprandial blood glucose is associated with generalized pruritus in patients with type 2 diabetes. <i>European Journal of Dermatology</i> , 2013, 23, 688-693.	0.6	42
98	The Role of Triglyceride in Cardiovascular Disease in Asian Patients with Type 2 Diabetes - A Systematic Review. <i>Review of Diabetic Studies</i> , 2013, 10, 101-109.	1.3	28
99	Diabetes and Cancer: Epidemiological, Clinical, and Experimental Perspectives. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-2.	3.8	9
100	Angiotensin-Converting Enzyme Genotype and Peripheral Arterial Disease in Diabetic Patients. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-7.	3.8	5
101	Diabetes and non-Hodgkin's lymphoma: analyses of prevalence and annual incidence in 2005 using the National Health Insurance database in Taiwan. <i>Annals of Oncology</i> , 2012, 23, 153-158.	1.2	38
102	Evaluation of the Association between Arsenic and Diabetes: A National Toxicology Program Workshop Review. <i>Environmental Health Perspectives</i> , 2012, 120, 1658-1670.	6.0	299
103	Pioglitazone and Bladder Cancer. <i>Diabetes Care</i> , 2012, 35, 278-280.	8.6	119
104	The Influence of Type 2 Diabetes and Glucose-Lowering Therapies on Cancer Risk in the Taiwanese. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-6.	3.8	136
105	Diabetes and Thyroid Cancer Risk: Literature Review. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-7.	3.8	56
106	A Review on the Association between Glucagon-Like Peptide-1 Receptor Agonists and Thyroid Cancer. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-7.	3.8	42
107	Peroxisome Proliferator-Activated Receptor Agonists and Bladder Cancer: Lessons from Animal Studies. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 2012, 30, 368-402.	2.9	42
108	Uric acid level as a risk marker for metabolic syndrome: A Chinese cohort study. <i>Atherosclerosis</i> , 2012, 220, 525-531.	0.8	119

#	ARTICLE	IF	CITATIONS
109	Pioglitazone and bladder cancer in human studies: Is it diabetes itself, diabetes drugs, flawed analyses or different ethnicities?. <i>Journal of the Formosan Medical Association</i> , 2012, 111, 123-131.	1.7	34
110	Diabetes, insulin use and <i>Helicobacter pylori</i> eradication: a retrospective cohort study. <i>BMC Gastroenterology</i> , 2012, 12, 46.	2.0	38
111	Diabetes, metformin use, and colon cancer: a population-based cohort study in Taiwan. <i>European Journal of Endocrinology</i> , 2012, 167, 409-416.	3.7	112
112	Uric acid concentration as a risk marker for blood pressure progression and incident hypertension: A Chinese cohort study. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 1747-1755.	3.4	52
113	Diabetes, insulin use, and non-Hodgkin lymphoma mortality in Taiwan. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 1003-1009.	3.4	22
114	Insulin use is not significantly predictive for prostate cancer mortality in diabetic patients: a 12-year follow-up study. <i>BJU International</i> , 2012, 110, 668-673.	2.5	11
115	Thyroid Cancer Risk Is Not Increased in Diabetic Patients. <i>PLoS ONE</i> , 2012, 7, e53096.	2.5	54
116	Diabetes but not insulin is associated with higher colon cancer mortality. <i>World Journal of Gastroenterology</i> , 2012, 18, 4182.	3.3	11
117	Prostate cancer mortality in Taiwanese men: Increasing age-standardized trend in general population and increased risk in diabetic men. <i>Annals of Medicine</i> , 2011, 43, 142-150.	3.8	34
118	Arsenic: An Overview of Applications, Health, and Environmental Concerns and Removal Processes. <i>Critical Reviews in Environmental Science and Technology</i> , 2011, 41, 435-519.	12.8	141
119	Clinical features of heart failure hospitalization in younger and elderly patients in Taiwan. <i>European Journal of Clinical Investigation</i> , 2011, 41, 597-604.	3.4	33
120	A Neural Network for Thyroid Segmentation and Volume Estimation in CT Images. <i>IEEE Computational Intelligence Magazine</i> , 2011, 6, 43-55.	3.2	33
121	Diabetes and risk of bladder cancer: a study using the National Health Insurance database in Taiwan. <i>Diabetologia</i> , 2011, 54, 2009-2015.	6.3	118
122	Diabetes conveys a higher risk of gastric cancer mortality despite an age-standardised decreasing trend in the general population in Taiwan. <i>Gut</i> , 2011, 60, 774-779.	12.1	58
123	Diabetes and Risk of Prostate Cancer. <i>Diabetes Care</i> , 2011, 34, 616-621.	8.6	112
124	Betel Nut Chewing and Subclinical Ischemic Heart Disease in Diabetic Patients. <i>Cardiology Research and Practice</i> , 2011, 2011, 1-5.	1.1	7
125	Blackfoot Disease and Microcirculation Abnormality. , 2011, , 95-108.		0
126	Thyroid Segmentation and Volume Estimation in Ultrasound Images. <i>IEEE Transactions on Biomedical Engineering</i> , 2010, 57, 1348-1357.	4.2	91

#	ARTICLE	IF	CITATIONS
127	A population study on the association between leisure time physical activity and self-rated health among diabetics in Taiwan. BMC Public Health, 2010, 10, 277.	2.9	10
128	Betel nut chewing and incidence of newly diagnosed type 2 diabetes mellitus in Taiwan.. BMC Research Notes, 2010, 3, 228.	1.4	31
129	Joint effects of hypertension, smoking, dyslipidemia and obesity and angiotensin-converting enzyme DD genotype on albuminuria in Taiwanese patients with type 2 diabetes mellitus. Clinical Biochemistry, 2010, 43, 629-634.	1.9	11
130	THE AGE- AND SEX-SPECIFIC INCIDENCE AND MEDICAL EXPENSES OF HEART FAILURE HOSPITALIZATION IN 2005 IN TAIWAN: A STUDY USING DATA FROM THE NATIONAL HEALTH INSURANCE. Journal of the American Geriatrics Society, 2010, 58, 611-613.	2.6	13
131	COMPUTER-AIDED DIAGNOSIS FOR THYROID GRAVES' DISEASE IN ULTRASOUND IMAGES. Biomedical Engineering - Applications, Basis and Communications, 2010, 22, 91-99.	0.6	5
132	Metabolic Syndrome Components Worsen Lower Urinary Tract Symptoms in Women with Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 1143-1150.	3.6	75
133	Gender differences in trends in diabetes prevalence from 1993 to 2008 in Taiwan. Diabetes Research and Clinical Practice, 2010, 90, 358-364.	2.8	37
134	Optimal anthropometric factor cutoffs for hyperglycemia, hypertension and dyslipidemia for the Taiwanese population. Atherosclerosis, 2010, 210, 585-589.	0.8	64
135	Abdominal distension in a patient with Crohn's disease. Gut, 2009, 58, 346-346.	12.1	0
136	Ileal obstruction in a 73-year-old woman. Gut, 2009, 58, 741-741.	12.1	2
137	A review on environmental factors regulating arsenic methylation in humans. Toxicology and Applied Pharmacology, 2009, 235, 338-350.	2.8	252
138	Association of C-reactive protein and hyperuricemia with diabetic nephropathy in Chinese type 2 diabetic patients. Acta Diabetologica, 2009, 46, 127-134.	2.5	25
139	Secular trend for mortality from breast cancer and the association between diabetes and breast cancer in Taiwan between 1995 and 2006. Diabetologia, 2009, 52, 240-246.	6.3	51
140	Differential dyslipidemia associated with albuminuria in type 2 diabetic patients in Taiwan. Clinical Biochemistry, 2009, 42, 1019-1024.	1.9	30
141	Bioactivity-guided screening identifies pheophytin a as a potent anti-hepatitis C virus compound from Lonicera hypoglauca Miq.. Biochemical and Biophysical Research Communications, 2009, 385, 230-235.	2.1	37
142	Automatic Diagnosis of Thyroid Graves' Disease in Ultrasound Images. , 2009, , .		0
143	Age-related risk of mortality from bladder cancer in diabetic patients: A 12-year follow-up of a national cohort in Taiwan. Annals of Medicine, 2009, 41, 371-379.	3.8	45
144	The Epidemiologic Transition of Diabetes Mellitus in Taiwan: Implications for Reversal of Female Preponderance from a National Cohort. The Open Diabetes Journal, 2009, 2, 18-23.	0.4	13

#	ARTICLE	IF	CITATIONS
145	Waist-to-height Ratio and Coronary Artery Disease in Taiwanese Type 2 Diabetic Patients. <i>Obesity</i> , 2008, 16, 2754-2759.	3.0	31
146	Parental diabetes in Taiwanese diabetic women with and without previous gestational diabetes. <i>European Journal of Clinical Investigation</i> , 2008, 38, 555-561.	3.4	5
147	Incidence of type 1 diabetes mellitus in children aged 0-14 years during 1992-1996 in Taiwan. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008, 97, 392-392.	1.5	13
148	Mortality, causes of death and associated risk factors in a cohort of diabetic patients after lower-extremity amputation: A 6.5-year follow-up study in Taiwan. <i>Atherosclerosis</i> , 2008, 197, 111-117.	0.8	32
149	Cardiovascular disease in arsenic-exposed subjects living in the arseniasis-hyperendemic areas in Taiwan. <i>Atherosclerosis</i> , 2008, 199, 12-18.	0.8	87
150	Thyroid segmentation and volume estimation in ultrasound images. <i>Conference Proceedings IEEE International Conference on Systems, Man, and Cybernetics</i> , 2008, , .	0.0	4
151	The ethnicity of Hakka is associated with a higher risk of hypertension than Fukienese in Taiwanese type 2 diabetic patients. <i>Journal of Human Hypertension</i> , 2008, 22, 370-372.	2.2	2
152	Arsenic Exposure and Diabetes Mellitus in the United States. <i>JAMA - Journal of the American Medical Association</i> , 2008, 300, 2728.	7.4	9
153	Betel Nut Chewing Is Associated with Hypertension in Taiwanese Type 2 Diabetic Patients. <i>Hypertension Research</i> , 2008, 31, 417-423.	2.7	44
154	Hypertension is the Most Important Component of Metabolic Syndrome in the Association With Ischemic Heart Disease in Taiwanese Type 2 Diabetic Patients. <i>Circulation Journal</i> , 2008, 72, 1419-1424.	1.6	14
155	Evidence for improved control of hypertension in Taiwan: 1993-2002. <i>Journal of Hypertension</i> , 2008, 26, 600-606.	0.5	87
156	The association between urinary albumin excretion and ankle-brachial index in elderly Taiwanese patients with type 2 diabetes mellitus. <i>Age and Ageing</i> , 2007, 37, 77-82.	1.6	17
157	Global Impacts Of Geogenic Arsenic: A Medical Geology Research Case. <i>Ambio</i> , 2007, 36, 78-81.	5.5	44
158	Sex Difference in the Distribution of Atherosclerotic Risk Factors and Their Association With Peripheral Arterial Disease in Taiwanese Type 2 Diabetic Patients. <i>Circulation Journal</i> , 2007, 71, 1131-1136.	1.6	38
159	Body Mass Index and Blood Pressure in Adult Type 2 Diabetic Patients in Taiwan. <i>Circulation Journal</i> , 2007, 71, 1749-1754.	1.6	35
160	Blackfoot Disease in Taiwan: Its Link with Inorganic Arsenic Exposure from Drinking Water. <i>Ambio</i> , 2007, 36, 82-84.	5.5	25
161	Arsenic Methylation, Urinary Arsenic Metabolites and Human Diseases: Current Perspective. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 2007, 25, 1-22.	2.9	156
162	Angiotensin-converting enzyme gene polymorphism and stroke in type 2 diabetic patients in Taiwan. <i>European Journal of Clinical Investigation</i> , 2007, 37, 483-491.	3.4	17

#	ARTICLE	IF	CITATIONS
163	Effect of parental hypertension and/or parental diabetes on hypertension in Taiwanese diabetic patients. <i>European Journal of Clinical Investigation</i> , 2007, 37, 870-877.	3.4	11
164	Arsenic methylation capability and hypertension risk in subjects living in arseniasis-hyperendemic areas in southwestern Taiwan. <i>Toxicology and Applied Pharmacology</i> , 2007, 218, 135-142.	2.8	128
165	Arsenic and diabetes and hypertension in human populations: A review. <i>Toxicology and Applied Pharmacology</i> , 2007, 222, 298-304.	2.8	146
166	Metabolism of inorganic arsenic and non-cancerous health hazards associated with chronic exposure in humans. <i>Journal of Environmental Biology</i> , 2007, 28, 349-57.	0.5	30
167	Independent association between triglycerides and coronary artery disease in Taiwanese type 2 diabetic patients. <i>International Journal of Cardiology</i> , 2006, 111, 80-85.	1.7	19
168	Higher risk of hypertension in indigenous type 2 diabetic patients in Taiwan. <i>Journal of Hypertension</i> , 2006, 24, 1817-1821.	0.5	18
169	Pitfalls in the Study Using Death Certificates to Demonstrate the Reversibility of Mortality From Diabetes in the Blackfoot Disease Endemic Areas in Taiwan. <i>Journal of Occupational and Environmental Medicine</i> , 2006, 48, 755.	1.7	0
170	Exogenous Insulin Use and Hypertension in Adult Patients With Type 2 Diabetes Mellitus. <i>Archives of Internal Medicine</i> , 2006, 166, 1184.	3.8	37
171	Increasing incidence of diagnosed type 2 diabetes in Taiwan: analysis of data from a national cohort. <i>Diabetologia</i> , 2006, 49, 1755-1760.	6.3	111
172	Response to comment on: Tseng C-H, Tseng C-P, Chong C-K et al (2006) Increasing incidence of diagnosed type 2 diabetes in Taiwan: analysis of data from a national cohort. <i>Diabetologia</i> 49:1755-1760. <i>Diabetologia</i> , 2006, 50, 242-243.	6.3	1
173	Plasma-transforming growth factor-alpha expression in residents of an arseniasis area in Taiwan. <i>Biomarkers</i> , 2006, 11, 538-546.	1.9	5
174	Prevalence of lower-extremity amputation among patients with diabetes mellitus: Is height a factor?. <i>Cmaj</i> , 2006, 174, 319-323.	2.0	46
175	Body mass index and waist circumference as determinants of coronary artery disease in Taiwanese adults with type 2 diabetes mellitus. <i>International Journal of Obesity</i> , 2006, 30, 816-821.	3.4	27
176	Betel Nut Chewing Is Independently Associated With Urinary Albumin Excretion Rate in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2006, 29, 462-463.	8.6	15
177	Mortality and Causes of Death in a National Sample of Diabetic Patients in Taiwan: Response to Lu et al.. <i>Diabetes Care</i> , 2005, 28, 1267-1268.	8.6	3
178	Effect of Angiotensin Blockade on the Association Between Albuminuria and Peripheral Arterial Disease in Elderly Taiwanese Patients With Type 2 Diabetes Mellitus. <i>Circulation Journal</i> , 2005, 69, 965-970.	1.6	13
179	Blackfoot Disease and Arsenic: A Never-Ending Story. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 2005, 23, 55-74.	2.9	103
180	Lipid abnormalities associated with urinary albumin excretion rate in Taiwanese type 2 diabetic patients. <i>Kidney International</i> , 2005, 67, 1547-1553.	5.2	25

#	ARTICLE	IF	CITATIONS
181	Correlation of uric acid and urinary albumin excretion rate in patients with type 2 diabetes mellitus in Taiwan. <i>Kidney International</i> , 2005, 68, 796-801.	5.2	78
182	Prevalence and risk factors for stroke in Type 2 diabetic patients in Taiwan: a cross-sectional survey of a national sample by telephone interview. <i>Diabetic Medicine</i> , 2005, 22, 477-482.	2.3	27
183	Arsenic exposure, urinary arsenic speciation, and peripheral vascular disease in blackfoot disease-hyperendemic villages in Taiwan. <i>Toxicology and Applied Pharmacology</i> , 2005, 206, 299-308.	2.8	260
184	Waist-to-Height Ratio Is Independently and Better Associated With Urinary Albumin Excretion Rate Than Waist Circumference or Waist-to-Hip Ratio in Chinese Adult Type 2 Diabetic Women but Not Men. <i>Diabetes Care</i> , 2005, 28, 2249-2251.	8.6	37
185	Pioglitazone with sulfonylurea: glycemic and lipid effects in Taiwanese type 2 diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2005, 70, 193-194.	2.8	15
186	Lipoprotein(a) Is an Independent Risk Factor for Peripheral Arterial Disease in Chinese Type 2 Diabetic Patients in Taiwan. <i>Diabetes Care</i> , 2004, 27, 517-521.	8.6	52
187	Mortality and Causes of Death in a National Sample of Diabetic Patients in Taiwan. <i>Diabetes Care</i> , 2004, 27, 1605-1609.	8.6	225
188	Independent association of uric acid levels with peripheral arterial disease in Taiwanese patients with Type 2 diabetes. <i>Diabetic Medicine</i> , 2004, 21, 724-729.	2.3	60
189	The potential biological mechanisms of arsenic-induced diabetes mellitus. <i>Toxicology and Applied Pharmacology</i> , 2004, 197, 67-83.	2.8	267
190	Long-term arsenic exposure and ischemic heart disease in arseniasis-hyperendemic villages in Taiwan. <i>Toxicology Letters</i> , 2003, 137, 15-21.	0.8	215
191	Abnormal current perception thresholds measured by neurometer among residents in blackfoot disease-hyperendemic villages in Taiwan. <i>Toxicology Letters</i> , 2003, 146, 27-36.	0.8	27
192	Disabled-2 small interfering RNA modulates cellular adhesive function and MAPK activity during megakaryocytic differentiation of K562 cells. <i>FEBS Letters</i> , 2003, 541, 21-27.	2.8	62
193	Prevalence and Risk Factors of Peripheral Arterial Obstructive Disease in Taiwanese Type 2 Diabetic Patients. <i>Angiology</i> , 2003, 54, 331-338.	1.8	72
194	Apolipoprotein B Is an Independent Risk Factor for Microalbuminuria in Taiwanese Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2003, 26, 2965-2966.	8.6	6
195	Prevalence and Risk Factors of Diabetic Foot Problems in Taiwan: A cross-sectional survey of non-type 1 diabetic patients from a nationally representative sample. <i>Diabetes Care</i> , 2003, 26, 3351-3351.	8.6	29
196	Pulse Pressure as a Risk Factor for Peripheral Vascular Disease in Type 2 Diabetic Patients. <i>Clinical and Experimental Hypertension</i> , 2003, 25, 475-485.	1.3	21
197	Body Composition as a Risk Factor for Coronary Artery Disease in Chinese Type 2 Diabetic Patients in Taiwan. <i>Circulation Journal</i> , 2003, 67, 479-484.	1.6	33
198	Prevalence of non-insulin-dependent diabetes mellitus and related vascular diseases in southwestern arseniasis-endemic and nonendemic areas in Taiwan. <i>Environmental Health Perspectives</i> , 2003, 111, 155-159.	6.0	131

#	ARTICLE	IF	CITATIONS
199	An Overview on Peripheral Vascular Disease in Blackfoot Disease-Hyperendemic Villages in Taiwan. <i>Angiology</i> , 2002, 53, 529-537.	1.8	68
200	Lack of Association Between Angiotensin-Converting Enzyme Gene Polymorphism and Peripheral Vascular Disease in Type 2 Diabetic Patients in Taiwan.. <i>Circulation Journal</i> , 2002, 66, 1014-1018.	1.6	17
201	Epidemiologic evidence of diabetogenic effect of arsenic. <i>Toxicology Letters</i> , 2002, 133, 69-76.	0.8	153
202	Aging and Current Perception Threshold Measured by Neurometer in Normal Taiwanese Adults. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 2094-2095.	2.6	6
203	Quantitative Analysis of Multidrug-resistance mdr1 Gene Expression in Head and Neck Cancer by Real-time RT-PCR. <i>Japanese Journal of Cancer Research</i> , 2002, 93, 1230-1236.	1.7	12
204	Induction of Disabled-2 Gene during Megakaryocyte Differentiation of K562 Cells. <i>Biochemical and Biophysical Research Communications</i> , 2001, 285, 129-135.	2.1	42
205	Incidence of Transitional Cell Carcinoma and Arsenic in Drinking Water: A Follow-up Study of 8,102 Residents in an Arseniasis-endemic Area in Northeastern Taiwan. <i>American Journal of Epidemiology</i> , 2001, 153, 411-418.	3.4	371
206	Real-time PCR for rapid genotyping of angiotensin-converting enzyme insertion/deletion polymorphism. <i>Clinical Biochemistry</i> , 2001, 34, 661-666.	1.9	39
207	Long-term arsenic exposure and incidence of non-insulin-dependent diabetes mellitus: a cohort study in arseniasis-hyperendemic villages in Taiwan.. <i>Environmental Health Perspectives</i> , 2000, 108, 847-851.	6.0	302
208	The incidence of type 2 diabetes mellitus in Taiwan. <i>Diabetes Research and Clinical Practice</i> , 2000, 50, S61-S64.	2.8	44
209	Emerging Epidemics of Arseniasis in Asia. , 1999, , 113-121.		17
210	Low serum carotene level and increased risk of ischemic heart disease related to long-term arsenic exposure. <i>Atherosclerosis</i> , 1998, 141, 249-257.	0.8	143
211	Lipid Profile and Peripheral Vascular Disease in Arseniasis-Hyperendemic Villages in Taiwan. <i>Angiology</i> , 1997, 48, 321-335.	1.8	57
212	Systemic non-carcinogenic effects and developmental toxicity of inorganic arsenic. , 1997, , 124-134.		20
213	Dose-response relationship between peripheral vascular disease and ingested inorganic arsenic among residents in blackfoot disease endemic villages in Taiwan. <i>Atherosclerosis</i> , 1996, 120, 125-133.	0.8	166
214	Abnormal Peripheral Microcirculation in Seemingly Normal Subjects Living in Blackfoot-Disease-Hyperendemic Villages in Taiwan. <i>International Journal of Microcirculation, Clinical and Experimental</i> , 1995, 15, 21-27.	0.5	49
215	Abnormal Response of Ankle Pressure After Exercise in Seemingly Normal Subjects Living in Blackfoot Disease-Hyperendemic Villages in Taiwan. <i>Vascular Surgery</i> , 1994, 28, 607-617.	0.3	16
216	Development of Macrovascular Diseases in NIDDM Patients in Northern Taiwan: A 4-yr follow-up study. <i>Diabetes Care</i> , 1993, 16, 137-143.	8.6	33

#	ARTICLE	IF	CITATIONS
217	The effect of oral buflomedil on microalbuminuria in non-insulin-dependent diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 1992, 16, 117-122.	2.8	0
218	Microalbuminuria and diabetic complications in Chinese non-insulin-dependent diabetic patients: a prospective study. <i>Diabetes Research and Clinical Practice</i> , 1990, 9, 59-63.	2.8	8