

# Matthew Colless

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2180483/publications.pdf>

Version: 2024-02-01

267  
papers

32,827  
citations

3919  
88  
h-index

3815  
178  
g-index

273  
all docs

273  
docs citations

273  
times ranked

9287  
citing authors

#	ARTICLE	IF	CITATIONS
1	The 6dF Galaxy Survey: baryon acoustic oscillations and the local Hubble constant. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 416, 3017-3032.	1.6	1,915
2	The 2dF Galaxy Redshift Survey: spectra and redshifts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 328, 1039-1063.	1.6	1,833
3	The 2dF Galaxy Redshift Survey: power-spectrum analysis of the final data set and cosmological implications. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 362, 505-534.	1.6	1,599
4	Galaxy and Mass Assembly (GAMA): survey diagnostics and core data release. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 413, 971-995.	1.6	826
5	The 2dF galaxy redshift survey: near-infrared galaxy luminosity functions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 326, 255-273.	1.6	794
6	The WiggleZ Dark Energy Survey: mapping the distance-redshift relation with baryon acoustic oscillations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 418, 1707-1724.	1.6	782
7	The 6dF Galaxy Survey: final redshift release (DR3) and southern large-scale structures. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 399, 683-698.	1.6	766
8	The WiggleZ Dark Energy Survey: joint measurements of the expansion and growth history at $z < 1$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 425, 405-414.	1.6	704
9	The 2dF Galaxy Redshift Survey: the power spectrum and the matter content of the Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 327, 1297-1306.	1.6	672
10	The 2dF Galaxy Redshift Survey: correlation functions, peculiar velocities and the matter density of the Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 346, 78-96.	1.6	664
11	The 2dF Galaxy Redshift Survey: the environmental dependence of galaxy star formation rates near clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 334, 673-683.	1.6	622
12	A measurement of the cosmological mass density from clustering in the 2dF Galaxy Redshift Survey. <i>Nature</i> , 2001, 410, 169-173.	13.7	545
13	The 2dF Galaxy Redshift Survey: the bias of galaxies and the density of the Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 335, 432-440.	1.6	504
14	Galaxy And Mass Assembly (GAMA): stellar mass estimates. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 418, 1587-1620.	1.6	502
15	Galaxy ecology: groups and low-density environments in the SDSS and 2dFGRS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 348, 1355-1372.	1.6	443
16	Galaxy And Mass Assembly (GAMA): end of survey report and data release 2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 452, 2087-2126.	1.6	436
17	The 6dF Galaxy Survey: samples, observational techniques and the first data release. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 355, 747-763.	1.6	425
18	The WiggleZ Dark Energy Survey: the growth rate of cosmic structure since redshift $z=0.9$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 415, 2876-2891.	1.6	419

#	ARTICLE	IF	CITATIONS
19	The 2dF Galaxy Redshift Survey: the dependence of galaxy clustering on luminosity and spectral type. Monthly Notices of the Royal Astronomical Society, 2002, 332, 827-838.	1.6	411
20	The WiggleZ Dark Energy Survey: survey design and first data release. Monthly Notices of the Royal Astronomical Society, 2010, 401, 1429-1452.	1.6	400
21	The 6dF Galaxy Survey: $z \approx 0$ measurements of the growth rate and $f\sigma_8$ . Monthly Notices of the Royal Astronomical Society, 2012, 423, 3430-3444.	1.6	390
22	The 2dF Galaxy Redshift Survey: the $bJ$ -band galaxy luminosity function and survey selection function. Monthly Notices of the Royal Astronomical Society, 2002, 336, 907-931.	1.6	371
23	The SAMI Galaxy Survey: instrument specification and target selection. Monthly Notices of the Royal Astronomical Society, 2015, 447, 2857-2879.	1.6	370
24	The 2dF Galaxy Redshift Survey: luminosity dependence of galaxy clustering. Monthly Notices of the Royal Astronomical Society, 2001, 328, 64-70.	1.6	362
25	Galaxy groups in the 2dFGRS: the group-finding algorithm and the 2PIGG catalogue. Monthly Notices of the Royal Astronomical Society, 2004, 348, 866-878.	1.6	307
26	Structure and Dynamics of the Coma Cluster. Astrophysical Journal, 1996, 458, 435.	1.6	307
27	Hubble Space Telescope imaging of the CFRS and LDSS redshift surveys--IV. Influence of mergers in the evolution of faint field galaxies from $z \approx 1$ . Monthly Notices of the Royal Astronomical Society, 2000, 311, 565-575.	1.6	297
28	Autofib Redshift Survey -- I. Evolution of the galaxy luminosity function. Monthly Notices of the Royal Astronomical Society, 1996, 280, 235-251.	1.6	282
29	The 2dF Galaxy Redshift Survey: galaxy luminosity functions per spectral type. Monthly Notices of the Royal Astronomical Society, 2002, 333, 133-144.	1.6	280
30	Parameter constraints for flat cosmologies from cosmic microwave background and 2dFGRS power spectra. Monthly Notices of the Royal Astronomical Society, 2002, 337, 1068-1080.	1.6	275
31	The Sydney-AAO Multi-object Integral field spectrograph. Monthly Notices of the Royal Astronomical Society, 2012, , no-no.	1.6	275
32	The WiggleZ Dark Energy Survey: improved distance measurements to $z \approx 1$ with reconstruction of the baryonic acoustic feature. Monthly Notices of the Royal Astronomical Society, 2014, 441, 3524-3542.	1.6	263
33	The 2dF Galaxy Redshift Survey: spectral types and luminosity functions. Monthly Notices of the Royal Astronomical Society, 1999, 308, 459-472.	1.6	248
34	Evidence for a non-zero and a low matter density from a combined analysis of the 2dF Galaxy Redshift Survey and cosmic microwave background anisotropies. Monthly Notices of the Royal Astronomical Society, 2002, 330, L29-L35.	1.6	227
35	The 2dF Galaxy Redshift Survey: luminosity functions by density environment and galaxy type. Monthly Notices of the Royal Astronomical Society, 2005, 356, 1155-1167.	1.6	216
36	Hubble Space TelescopelImaging of the CFRS and LDSS Redshift Surveys. II. Structural Parameters and the Evolution of Disk Galaxies to $z \approx 1$ . Astrophysical Journal, 1998, 500, 75-94.	1.6	212

#	ARTICLE		IF	CITATIONS
37	Radio sources in the 2dF Galaxy Redshift Survey - II. Local radio luminosity functions for AGN and star-forming galaxies at 1.4 GHz. Monthly Notices of the Royal Astronomical Society, 2002, 329, 227-245.	1.6	209	
38	The WiggleZ Dark Energy Survey: Final data release and cosmological results. Physical Review D, 2012, 86, .	1.6	205	
39	The 2dF Galaxy Redshift Survey: spherical harmonics analysis of fluctuations in the final catalogue. Monthly Notices of the Royal Astronomical Society, 2004, 353, 1201-1218.	1.6	198	
40	The WiggleZ Dark Energy Survey: testing the cosmological model with baryon acoustic oscillations at $z=0.6$ . Monthly Notices of the Royal Astronomical Society, 2011, 415, 2892-2909.	1.6	190	
41	Hubble Space TelescopelImaging of the CFRS and LDSS Redshift Surveys. I. Morphological Properties. Astrophysical Journal, 1998, 499, 112-133.	1.6	187	
42	Substructure and Dynamics of the Fornax Cluster. Astrophysical Journal, 2001, 548, L139-L142.	1.6	180	
43	GALAXY AND MASS ASSEMBLY (GAMA): MID-INFRARED PROPERTIES AND EMPIRICAL RELATIONS FROM <i>WISE</i> . Astrophysical Journal, 2014, 782, 90.	1.6	180	
44	Galaxy And Mass Assembly: the G02 field, Herschelâ€“ATLAS target selection and data release 3. Monthly Notices of the Royal Astronomical Society, 2018, 474, 3875-3888.	1.6	176	
45	The 2dF Galaxy Redshift Survey: the amplitudes of fluctuations in the 2dFGRS and the CMB, and implications for galaxy biasing. Monthly Notices of the Royal Astronomical Society, 2002, 333, 961-968.	1.6	174	
46	The 2dF Galaxy Redshift Survey: galaxy clustering per spectral type. Monthly Notices of the Royal Astronomical Society, 2003, 344, 847-856.	1.6	170	
47	The 2dF-SDSS LRG and QSO Survey: the LRG 2-point correlation function and redshift-space distortions. Monthly Notices of the Royal Astronomical Society, 2007, 381, 573-588.	1.6	170	
48	Galaxy And Mass Assembly (GAMA): improved cosmic growth measurements using multiple tracers of large-scale structure. Monthly Notices of the Royal Astronomical Society, 2013, 436, 3089-3105.	1.6	165	
49	Galaxy And Mass Assembly (GAMA): spectroscopic analysis. Monthly Notices of the Royal Astronomical Society, 2013, 430, 2047-2066.	1.6	163	
50	Brightest Cluster Galaxy Profile Shapes. Astrophysical Journal, 1996, 465, 534.	1.6	160	
51	The WiggleZ Dark Energy Survey: the transition to large-scale cosmic homogeneity. Monthly Notices of the Royal Astronomical Society, 2012, 425, 116-134.	1.6	159	
52	Measurement of the star formation rate from H $\alpha$ in field galaxies at $z=1$ . Monthly Notices of the Royal Astronomical Society, 1999, 306, 843-856.	1.6	154	
53	The 2dF-SDSS LRG and QSO (2SLAQ) Luminous Red Galaxy Survey. Monthly Notices of the Royal Astronomical Society, 2006, 372, 425-442.	1.6	153	
54	Some effects of galaxy structure and dynamics on the Fundamental Plane. Monthly Notices of the Royal Astronomical Society, 1997, 287, 221-239.	1.6	151	

#	ARTICLE	IF	CITATIONS
55	The 2dF Galaxy Redshift Survey: the luminosity function of cluster galaxies. Monthly Notices of the Royal Astronomical Society, 2003, 342, 725-737.	1.6	151
56	GAMA/G10-COSMOS/3D-HST: the $0 < z < 5$ cosmic star formation history, stellar-mass, and dust-mass densities. Monthly Notices of the Royal Astronomical Society, 2018, 475, 2891-2935.	1.6	150
57	New Upper Limit on the Total Neutrino Mass from the 2 Degree Field Galaxy Redshift Survey. Physical Review Letters, 2002, 89, 061301.	2.9	146
58	Reconstructed density and velocity fields from the 2MASS Redshift Survey. Monthly Notices of the Royal Astronomical Society, 2006, 373, 45-64.	1.6	143
59	The 2df SDSS LRG and QSO survey: evolution of the luminosity function of luminous red galaxies to $z=0.6$ . Monthly Notices of the Royal Astronomical Society, 2006, 372, 537-550.	1.6	141
60	The H I content of star-forming galaxies at $z=0.24$ . Monthly Notices of the Royal Astronomical Society, 2007, 376, 1357-1366.	1.6	140
61	Galaxy And Mass Assembly (GAMA): Panchromatic Data Release (far-UVâ€“far-IR) and the low- $< z <$ energy budget. Monthly Notices of the Royal Astronomical Society, 2016, 455, 3911-3942.	1.6	140
62	The SAMI Galaxy Survey: Early Data Release. Monthly Notices of the Royal Astronomical Society, 2015, 446, 1567-1583.	1.6	132
63	The SAMI Galaxy Survey: the link between angular momentum and optical morphology. Monthly Notices of the Royal Astronomical Society, 2016, 463, 170-184.	1.6	128
64	The 6dF Galaxy Survey: peculiar velocity field and cosmography. Monthly Notices of the Royal Astronomical Society, 2014, 445, 2677-2697.	1.6	127
65	Galaxy groups in the Two-degree Field Galaxy Redshift Survey: the luminous content of the groups. Monthly Notices of the Royal Astronomical Society, 2004, 355, 769-784.	1.6	125
66	Near-infrared and optical luminosity functions from the 6dF Galaxy Survey. Monthly Notices of the Royal Astronomical Society, 2006, 369, 25-42.	1.6	124
67	The WiggleZ Dark Energy Survey: measuring the cosmic expansion history using the Alcock-Paczynski test and distant supernovae. Monthly Notices of the Royal Astronomical Society, 2011, 418, 1725-1735.	1.6	124
68	Early-type galaxies in low-density environments. Monthly Notices of the Royal Astronomical Society, 2002, 337, 172-198.	1.6	122
69	The WiggleZ Dark Energy Survey: direct constraints on blue galaxy intrinsic alignments at intermediate redshifts. Monthly Notices of the Royal Astronomical Society, 2011, 410, 844-859.	1.6	120
70	THE SAMI GALAXY SURVEY: REVISITING GALAXY CLASSIFICATION THROUGH HIGH-ORDER STELLAR KINEMATICS. Astrophysical Journal, 2017, 835, 104.	1.6	115
71	Galaxy And Mass Assembly (GAMA): deconstructing bimodality â€“ I. Red ones and blue ones. Monthly Notices of the Royal Astronomical Society, 2015, 446, 2144-2185.	1.6	113
72	The 2dF-SDSS LRG and QSO Survey: evolution of the clustering of luminous red galaxies since $< z <$ = 0.6. Monthly Notices of the Royal Astronomical Society, 2008, 387, 1045-1062.	1.6	112

#	ARTICLE	IF	CITATIONS
73	The 2dF Galaxy Redshift Survey: the local E+A galaxy population. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 355, 713-727.	1.6	111
74	DYNAMO – I. A sample of H $\beta$ -luminous galaxies with resolved kinematics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 437, 1070-1095.	1.6	111
75	The dipole anisotropy of the 2 Micron All-Sky Redshift Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006, 368, 1515-1526.	1.6	109
76	The 2dF-SDSS LRG and QSO Survey: the spectroscopic QSO catalogue. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 392, 19-44.	1.6	109
77	Internal kinematics of distant field galaxies – I. Emission linewidths for a complete sample of faint blue galaxies at $z < 0.25$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 1997, 285, 779-792.	1.6	107
78	[ITAL] Hubble Space Telescope[/ITAL] Imaging of the CFRS and LDSS Redshift Surveys. III. Field Elliptical Galaxies at $0.2 < z < 1.0$ . <i>Astrophysical Journal</i> , 1999, 525, 31-46.	1.6	106
79	The 2dF Galaxy Redshift Survey: the number and luminosity density of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 324, 825-841.	1.6	105
80	The peculiar motions of early-type galaxies in two distant regions – VII. Peculiar velocities and bulk motions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 321, 277-305.	1.6	102
81	Galaxy And Mass Assembly (GAMA): stellar mass functions by Hubble type. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 444, 1647-1659.	1.6	102
82	Galaxy And Mass Assembly: evolution of the H $\beta$ luminosity function and star formation rate density up to $z = 0.35$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 433, 2764-2789.	1.6	99
83	High star formation rates as the origin of turbulence in early and modern disk galaxies. <i>Nature</i> , 2010, 467, 684-686.	13.7	98
84	Second Data Release of the 6dF Galaxy Survey. <i>Publications of the Astronomical Society of Australia</i> , 2005, 22, 277-286.	1.3	96
85	The SAMI Galaxy Survey: cubism and covariance, putting round pegs into square holes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 446, 1551-1566.	1.6	95
86	Galaxy And Mass Assembly (GAMA): the galaxy stellar mass function to $z = 0.1$ from the r-band selected equatorial regions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 470, 283-302.	1.6	93
87	Galaxy And Mass Assembly (GAMA): the 0.013 $< z < 0.1$ cosmic spectral energy distribution from 0.1 Åm to 1 mm. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 427, 3244-3264.	1.6	91
88	Three Ly Emitters at $z \approx 6$ : Early GMOS/Gemini Data from the GLARE Project. <i>Astrophysical Journal</i> , 2004, 604, L13-L16.	1.6	90
89	The dynamics of rich clusters - II. Luminosity functions. <i>Monthly Notices of the Royal Astronomical Society</i> , 1989, 237, 799-826.	1.6	89
90	A faint galaxy redshift survey to $B=24$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 1995, 273, 157-168.	1.6	89

#	ARTICLE	IF	CITATIONS
91	The SAMI Galaxy Survey: spatially resolving the main sequence of star formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 475, 5194-5214.	1.6	89
92	The 6dF Galaxy Survey: the near-infrared Fundamental Plane of early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 427, 245-273.	1.6	88
93	The WiggleZ Dark Energy Survey: high-resolution kinematics of luminous star-forming galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 417, 2601-2623.	1.6	86
94	Galaxy And Mass Assembly (GAMA): trends in galaxy colours, morphology, and stellar populations with large-scale structure, group, and pair environments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 451, 3249-3268.	1.6	85
95	Galaxy And Mass Assembly (GAMA): $M_{\text{star}} - R_{\text{[m e]}}$ relations of $z < 0$ bulges, discs and spheroids. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 462, 1470-1500.	1.6	85
96	The 6dF Galaxy Survey: cosmological constraints from the velocity power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 444, 3926-3947.	1.6	84
97	The peculiar motions of early-type galaxies in two distant regions – II. The spectroscopic data. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999, 305, 259-296.	1.6	83
98	The WiggleZ Dark Energy Survey: constraining galaxy bias and cosmic growth with three-point correlation functions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 432, 2654-2668.	1.6	83
99	Galaxy And Mass Assembly (GAMA): a deeper view of the mass, metallicity and SFR relationships. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 434, 451-470.	1.6	83
100	Galaxy And Mass Assembly (GAMA): linking star formation histories and stellar mass growth. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 434, 209-221.	1.6	81
101	The 2dF Galaxy Redshift Survey: the blue galaxy fraction and implications for the Butcher-Oemler effect. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 351, 125-132.	1.6	80
102	Galaxy And Mass Assembly (GAMA): the large-scale structure of galaxies and comparison to mock universes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 438, 177-194.	1.6	80
103	The SAMI Galaxy Survey: the cluster redshift survey, target selection and cluster properties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 468, 1824-1849.	1.6	79
104	The Puzzlingly Small C[CLC]a/[CLC] [CSC]ii/[CSC] Triplet Absorption in Elliptical Galaxies. <i>Astrophysical Journal</i> , 2002, 579, L13-L16.	1.6	77
105	Autofib Redshift Survey – II. Evolution of the galaxy luminosity function by spectral type. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997, 285, 613-634.	1.6	76
106	The H $\alpha$ gas content of galaxies around Abell 370, a galaxy cluster at $z = 0.37$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 399, 1447-1470.	1.6	76
107	Galaxy And Mass Assembly: resolving the role of environment in galaxy evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 435, 2903-2917.	1.6	76
108	Galaxy And Mass Assembly (GAMA): ugrizYJHK S $\ddot{\text{o}}$ rsic luminosity functions and the cosmic spectral energy distribution by Hubble type. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 439, 1245-1269.	1.6	76

#	ARTICLE	IF	CITATIONS
109	The 2dF Galaxy Redshift Survey: a targeted study of catalogued clusters of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 329, 87-101.	1.6	75
110	The SAMI Galaxy Survey: Data Release Two with absorption-line physics value-added products. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 481, 2299-2319.	1.6	73
111	THE SAMI GALAXY SURVEY: TOWARD A UNIFIED DYNAMICAL SCALING RELATION FOR GALAXIES OF ALL TYPES. <i>Astrophysical Journal Letters</i> , 2014, 795, L37.	3.0	70
112	The SAMI Galaxy Survey: the third and final data release. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 505, 991-1016.	1.6	70
113	The peculiar motions of early-type galaxies in two distant regions – V. The Mg–Å relation, age and metallicity. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999, 303, 813-825.	1.6	69
114	First results from the 2dF Galaxy Redshift Survey. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 1999, 357, 105-116.	1.6	69
115	The 2dF Galaxy Redshift Survey: higher-order galaxy correlation functions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 352, 1232-1244.	1.6	68
116	The 2dF Galaxy Redshift Survey: stochastic relative biasing between galaxy populations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 356, 247-269.	1.6	68
117	The 6dF Galaxy Survey: bulk flows on 50-70 <i>h</i> <sup>-1</sup> Mpc scales. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 455, 386-401.	1.6	68
118	The GLARE Survey II. Faint z≈6 Lyman- $\alpha$ line emitters in the HUDF. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007, 376, 727-738.	1.6	66
119	Spectroscopic needs for imaging dark energy experiments. <i>Astroparticle Physics</i> , 2015, 63, 81-100.	1.9	66
120	Extended stellar kinematics of elliptical galaxies in the Fornax cluster. <i>Astronomy and Astrophysics</i> , 1998, 133, 325-336.	2.1	66
121	The SAMI Galaxy Survey: Data Release One with emission-line physics value-added products. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 475, 716-734.	1.6	65
122	Faint blue galaxies: high or low redshift?. <i>Monthly Notices of the Royal Astronomical Society</i> , 1993, 261, 19-38.	1.6	64
123	The 2dF Galaxy Redshift Survey: Wiener reconstruction of the cosmic web. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 352, 939-960.	1.6	64
124	GNOSIS: THE FIRST INSTRUMENT TO USE FIBER BRAGG GRATINGS FOR OH SUPPRESSION. <i>Astronomical Journal</i> , 2013, 145, 51.	1.9	64
125	The SAMI Pilot Survey: the kinematic morphology-density relation in Abell 85, Abell 168 and Abell 2399. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 443, 485-503.	1.6	64
126	A Photometric and Spectroscopic Study of Dwarf and Giant Galaxies in the Coma Cluster. IV. The Luminosity Function. <i>Astrophysical Journal</i> , 2003, 587, 605-618.	1.6	63

#	ARTICLE	IF	CITATIONS
127	The 2dF Galaxy Redshift Survey: hierarchical galaxy clustering. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 351, L44-L48.	1.6	62
128	Neutral hydrogen ( $\mathrm{H}_{\alpha}$ ) gas content of galaxies at $z \approx 0.32$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 1879-1894.	1.6	62
129	The 2dF Galaxy Redshift Survey: voids and hierarchical scaling models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 352, 828-836.	1.6	59
130	The effects of seeing on the photometric properties of elliptical galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 1993, 264, 961-974.	1.6	57
131	Eridanus - a supergroup in the local Universe?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006, 369, 1351-1374.	1.6	55
132	Joint analysis of 6dFGS and SDSS peculiar velocities for the growth rate of cosmic structure and tests of gravity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 497, 1275-1293.	1.6	55
133	The 2dF galaxy redshift survey: clustering properties of radio galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 350, 1485-1494.	1.6	54
134	The 2dF Galaxy Redshift Survey: the clustering of galaxy groups. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 352, 211-225.	1.6	53
135	4MOST: 4-metre Multi-Object Spectroscopic Telescope. <i>Proceedings of SPIE</i> , 2014, , .	0.8	53
136	The 2dF Galaxy Redshift Survey: Constraints on Cosmic Star Formation History from the Cosmic Spectrum. <i>Astrophysical Journal</i> , 2002, 569, 582-594.	1.6	51
137	Galaxy And Mass Assembly (GAMA): The mechanisms for quiescent galaxy formation at $z < 1$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 1168-1185.	1.6	51
138	The Peculiar Motions of Early-type Galaxies in Two Distant Regions. IV. The Photometric Fitting Procedure. <i>Astrophysical Journal, Supplement Series</i> , 1997, 109, 79-102.	3.0	50
139	The 6dF Galaxy Survey: Fundamental Plane data. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 443, 1231-1251.	1.6	49
140	Galaxy and Mass Assembly (GAMA): the stellar mass budget of galaxy spheroids and discs. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 462, 4336-4348.	1.6	49
141	A relation between the characteristic stellar ages of galaxies and their intrinsic shapes. <i>Nature Astronomy</i> , 2018, 2, 483-488.	4.2	49
142	The WiggleZ Dark Energy Survey: the selection function and $z=0.6$ galaxy power spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, , no-no.	1.6	48
143	WiggleZ Dark Energy Survey: Cosmological neutrino mass constraint from blue high-redshift galaxies. <i>Physical Review D</i> , 2012, 85, .	1.6	46
144	A high Eddington-ratio, true Seyfert 2 galaxy candidate: implications for broad-line region models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 433, 1764-1777.	1.6	45

#	ARTICLE	IF	CITATIONS
145	Galaxy And Mass Assembly (GAMA): testing galaxy formation models through the most massive galaxies in the Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 440, 762-775.	1.6	45
146	The 2dF Galaxy Redshift Survey: the population of nearby radio galaxies at the 1-mJy level. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 333, 100-120.	1.6	44
147	Substructure analysis of selected low-richness 2dFGRS clusters of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 352, 605-654.	1.6	44
148	Giant Metrewave Radio Telescope observations of neutral atomic hydrogen gas in the COSMOS field at $z < 1/4$ 0.37. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 460, 2675-2686.	1.6	44
149	Galaxy And Mass Assembly (GAMA): the connection between metals, specific SFR and H <sub>2</sub> gas in galaxies: the ZSSFR relation. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 433, L35-L39.	1.2	42
150	Galaxy And Mass Assembly (GAMA): the life and times of L... galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 431, 167-193.	1.6	42
151	The SAMI Pilot Survey: stellar kinematics of galaxies in Abell 85, 168 and 2399. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 454, 2050-2066.	1.6	42
152	Galaxy And Mass Assembly (GAMA): the mass-metallicity relationship. <i>Astronomy and Astrophysics</i> , 2012, 547, A79.	2.1	42
153	Central stellar populations of early-type galaxies in low-density environments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006, 370, 1213-1222.	1.6	41
154	The Peculiar Motions of Early-Type Galaxies in Two Distant Regions. I. Cluster and Galaxy Selection. <i>Astrophysical Journal, Supplement Series</i> , 1996, 106, 1.	3.0	41
155	ACCRETION OF THE MAGELLANIC SYSTEM ONTO THE GALAXY. <i>Astrophysical Journal</i> , 2011, 742, 110.	1.6	40
156	The WiggleZ Dark Energy Survey: measuring the cosmic growth rate with the two-point galaxy correlation function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 430, 924-933.	1.6	40
157	FIRST SCIENCE WITH SAMI: A SERENDIPITOUSLY DISCOVERED GALACTIC WIND IN ESO 185-G031. <i>Astrophysical Journal</i> , 2012, 761, 169.	1.6	39
158	Structural properties of discs and bulges of early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 355, 1155-1170.	1.6	38
159	The 2dF-SDSS LRG and QSO Survey: the star formation histories of luminous red galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006, 373, 349-360.	1.6	37
160	Suppression of the near-infrared OH night-sky lines with fibre Bragg gratings - first results. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 425, 1682-1695.	1.6	37
161	The SAMI Galaxy Survey: Gravitational Potential and Surface Density Drive Stellar Populations. I. Early-type Galaxies. <i>Astrophysical Journal</i> , 2018, 856, 64.	1.6	37
162	Spatially resolved spectroscopy of the E+A galaxies in the $z=0.32$ cluster AC 114. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 359, 1421-1432.	1.6	36

#	ARTICLE	IF	CITATIONS
163	Discovery of a supercluster in the Zone of Avoidance in Vela. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 466, L29-L33.	1.2	35
164	The SAMI galaxy survey: stellar population radial gradients in early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 489, 608-622.	1.6	34
165	FLASH redshift survey – I. Observations and catalogue. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 339, 652-662.	1.6	32
166	The SAMI Galaxy Survey: decomposed stellar kinematics of galaxy bulges and disks. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 495, 4638-4658.	1.6	32
167	Stellar populations in early-type Coma cluster galaxies “ I. The data. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002, 336, 382-408.	1.6	30
168	The WiggleZ Dark Energy Survey: final data release and the metallicity of UV-luminous galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 474, 4151-4168.	1.6	30
169	The SAMI Galaxy Survey: stellar population and structural trends across the Fundamental Plane. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 504, 5098-5130.	1.6	30
170	The peculiar motions of early-type galaxies in two distant regions - VI. The maximum-likelihood Gaussian algorithm. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 324, 389-419.	1.6	28
171	The peculiar motions of early-type galaxies in two distant regions – III. The photometric data. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997, 292, 499-572.	1.6	26
172	AN UPPER LIMIT TO THE DRY MERGER RATE AT $z < 0.55$ . <i>Astronomical Journal</i> , 2010, 139, 794-802.	2.9	26
173	The 6dF Galaxy Survey: dependence of halo occupation on stellar mass. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 429, 3604-3618.	1.6	26
174	Galaxy And Mass Assembly (GAMA): the environments of high- and low-excitation radio galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 469, 4584-4599.	1.6	26
175	The dynamics of rich clusters - I. Velocity data. <i>Monthly Notices of the Royal Astronomical Society</i> , 1987, 224, 453-472.	1.6	25
176	Substructure in the Coma Cluster: Giants versus Dwarfs. <i>Astrophysical Journal</i> , 2002, 567, 178-187.	1.6	25
177	Constraining the quasar population with the broad-line width distribution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, , .	1.6	24
178	The WiggleZ Dark Energy Survey: small-scale clustering of Lyman-break galaxies at $z < 1$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 395, 240-254.	1.6	24
179	The 6dF Galaxy Survey: stellar population trends across and through the Fundamental Plane. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 420, 2773-2784.	1.6	23
180	An X-ray and UV flare from the galaxy XMMSL1 J061927.1-655311. <i>Astronomy and Astrophysics</i> , 2014, 572, A1.	2.1	23

#	ARTICLE	IF	CITATIONS
181	The Gigaparsec WiggleZ simulations: characterizing scale-dependant bias and associated systematics in growth of structure measurements. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 449, 1454-1469.	1.6	23
182	Measuring the 2D baryon acoustic oscillation signal of galaxies in WiggleZ: cosmological constraints. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 464, 4807-4822.	1.6	23
183	The SAMI Galaxy Survey: mass-kinematics scaling relations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 487, 2924-2936.	1.6	23
184	The SAMI Pilot Survey: the fundamental and mass planes in three low-redshift clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 451, 2723-2734.	1.6	20
185	Galaxy And Mass Assembly (GAMA): bivariate functions of H $\dagger$ ± star-forming galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 447, 875-901.	1.6	20
186	A SAMI and MaNGA view on the stellar kinematics of galaxies on the star-forming main sequence. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 503, 4992-5005.	1.6	20
187	The stellar populations of early-type galaxies - II. The effects of environment and mass. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 413, 1036-1053.	1.6	19
188	Galaxy and Mass Assembly (GAMA): formation and growth of elliptical galaxies in the group environment. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 467, 3934-3943.	1.6	19
189	The gas-phase metallicities of star-forming galaxies in aperture-matched SDSS samples follow potential rather than mass or average surface density. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 479, 1807-1821.	1.6	19
190	High-resolution imaging of faint blue galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 1994, 267, 1108-1120.	1.6	18
191	The 2dF Galaxy Redshift Survey: the nature of the relative bias between galaxies of different spectral type. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 356, 456-474.	1.6	18
192	MANIFEST instrument concept and related technologies. <i>Proceedings of SPIE</i> , 2012, , .	0.8	18
193	Gravitational Potential and Surface Density Drive Stellar Populations. II. Star-forming Galaxies. <i>Astrophysical Journal</i> , 2020, 898, 62.	1.6	18
194	The spatial clustering of faint galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 1994, 267, 541-547.	1.6	17
195	The 2dF Galaxy Redshift Survey: correlation with the ROSAT-ESO flux-limited X-ray galaxy cluster survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 363, 661-674.	1.6	16
196	Topology of large-scale structure in the 2dF Galaxy Redshift Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007, 375, 128-136.	1.6	16
197	Topology of non-linear structure in the 2dF Galaxy Redshift Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 394, 454-466.	1.6	16
198	The WiggleZ Dark Energy Survey: probing the epoch of radiation domination using large-scale structure. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 429, 1902-1912.	1.6	16

#	ARTICLE		IF	CITATIONS
199	THE SAMI GALAXY SURVEY: GALAXY INTERACTIONS AND KINEMATIC ANOMALIES IN ABELL 119. <i>Astrophysical Journal</i> , 2016, 832, 69.		1.6	16
200	The effects of stellar populations on galaxy scaling relations in the 6dF Galaxy Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, 386, 1781-1796.		1.6	15
201	GALAXY AND MASS ASSEMBLY (GAMA): WITNESSING THE ASSEMBLY OF THE CLUSTER ABELL 1882. <i>Astrophysical Journal</i> , 2013, 772, 104.		1.6	15
202	Self-consistent Bulge/Disk/Halo Galaxy Dynamical Modeling Using Integral Field Kinematics. <i>Astrophysical Journal</i> , 2017, 850, 70.		1.6	15
203	The LEGA-C and SAMI galaxy surveys: quiescent stellar populations and the mass–size plane across 6–10 Gyr. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 512, 3828-3845.		1.6	15
204	The tiling algorithm for the 6dF Galaxy Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 350, 1467-1476.		1.6	14
205	A STUDY OF CENTRAL GALAXY ROTATION WITH STELLAR MASS AND ENVIRONMENT. <i>Astronomical Journal</i> , 2017, 153, 89.		1.9	14
206	A spectroscopic survey of faint compact objects. <i>Monthly Notices of the Royal Astronomical Society</i> , 1991, 253, 686-702.		1.6	13
207	Internal colour gradients for E/SO galaxies in Abell 2218. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 357, 590-598.		1.6	13
208	MANIFEST: a many-instrument fiber-positioning system for GMT. <i>Proceedings of SPIE</i> , 2010, , .		0.8	13
209	Galaxy and Mass Assembly (GAMA): small-scale anisotropic galaxy clustering and the pairwise velocity dispersion of galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 474, 3435-3450.		1.6	13
210	The Abell Cluster Inertial Frame. <i>Astronomical Journal</i> , 1995, 109, 1937.		1.9	12
211	The WiggleZ Dark Energy Survey. <i>Astronomy and Geophysics</i> , 2008, 49, 5.19-5.24.		0.1	11
212	Hector: a high-multiplex survey instrument for spatially resolved galaxy spectroscopy. <i>Proceedings of SPIE</i> , 2012, , .		0.8	11
213	The stellar masses of $\sim 40,000$ UV selected Galaxies from the WiggleZ survey at $0.3 < z < 1.0$ : analogues of Lyman break galaxies?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 431, 2209-2229.		1.6	11
214	SH $\pm$ DE: survey description and mass–kinematics scaling relations for dwarf galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 498, 5885-5903.		1.6	11
215	Photoelectric and CCD photometry of E and S0 galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 1993, 262, 475-490.		1.6	10
216	Predicting structures in the Zone of Avoidance. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 471, 3087-3097.		1.6	10

#	ARTICLE	IF	CITATIONS
217	Stellar Populations of Spectroscopically Decomposed Bulge-Disk for S0 Galaxies from the CALIFA Survey. <i>Astrophysical Journal</i> , 2021, 921, 49.	1.6	10
218	The stellar populations of early-type galaxies - I. Observations, line strengths and stellar population parameters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 409, 1455-1469.	1.6	8
219	Integrating the HERMES spectrograph for the AAT. <i>Proceedings of SPIE</i> , 2012, , .	0.8	8
220	'MOHAWK: a 4000-fiber positioner for DESpec. , 2012, , .		8
221	TAIPAN: optical spectroscopy with StarBugs. <i>Proceedings of SPIE</i> , 2014, , .	0.8	8
222	The AAO's Gemini High-Resolution Optical SpecTrograph (GHOST) concept. <i>Proceedings of SPIE</i> , 2012, , .	0.8	7
223	KOALA: a wide-field 1000 element integral-field unit for the Anglo-Australian Telescope. <i>Proceedings of SPIE</i> , 2012, , .	0.8	7
224	SAMI: a new multi-object IFS for the Anglo-Australian Telescope. , 2012, , .		7
225	Dynamics of Abell 3266 – I. An optical view of a complex merging cluster. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 468, 2645-2654.	1.6	7
226	The SAMI Galaxy Survey: the difference between ionized gas and stellar velocity dispersions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 512, 1765-1780.	1.6	7
227	The Southern 2MASS Active Galactic Nuclei Survey: Spectroscopic Follow-up with Six Degree Field. <i>Publications of the Astronomical Society of Australia</i> , 2010, 27, 302-320.	1.3	6
228	The WiggleZ Dark Energy Survey: star formation in UV-luminous galaxies from their luminosity functions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 434, 257-281.	1.6	5
229	The Near-Infrared Surface Brightness Distribution of NGC 4696. <i>Publications of the Astronomical Society of Australia</i> , 2006, 23, 33-37.	1.3	4
230	THE WiggleZ DARK ENERGY SURVEY: GALAXY EVOLUTION AT $0.25 \leq z \leq 0.75$ USING THE SECOND RED-SEQUENCE CLUSTER SURVEY. <i>Astrophysical Journal</i> , 2012, 747, 91.	1.6	4
231	The instrument development and selection process for the Giant Magellan Telescope. <i>Proceedings of SPIE</i> , 2012, , .	0.8	4
232	GNOSIS: a novel near-infrared OH suppression unit at the AAT. , 2012, , .		4
233	Galaxy And Mass Assembly (GAMA): The $\langle i \rangle M_{\star} - Z$ relation for galaxy groups. <i>Astronomische Nachrichten</i> , 2013, 334, 466-469.	0.6	4
234	Measuring the cosmic bulk flow with 6dFCSv. <i>Proceedings of the International Astronomical Union</i> , 2014, 11, 336-339.	0.0	4

#	ARTICLE	IF	CITATIONS
235	The SAMI Galaxy Survey: rules of behaviour for spin-ellipticity radial tracks in galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 491, 324-343.	1.6	4
236	The fundamental properties of early-type galaxies in the Coma Cluster. <i>Astrophysics and Space Science</i> , 2001, 277, 429-432.	0.5	3
237	ERASMUS-F: pathfinder for an E-ELT 3D instrumentation. <i>Proceedings of SPIE</i> , 2010, , .	0.8	3
238	The MANIFEST prototyping design study. <i>Proceedings of SPIE</i> , 2016, , .	0.8	3
239	Instrumentation progress at the Giant Magellan Telescope project. , 2016, , .		3
240	The FLAIRâ€“DENIS Redshift Survey. <i>Publications of the Astronomical Society of Australia</i> , 1997, 14, 125-126.	1.3	2
241	Redshift Surveys and Cosmology: A Summary of the Dunk Island Conference. <i>Publications of the Astronomical Society of Australia</i> , 2000, 17, 215-226.	1.3	2
242	Measuring Large-Scale Structure with the 2dF Galaxy Redshift Survey. , 0, , 221-230.		2
243	Maximum-likelihood fitting of the 6dFGS peculiar velocities. <i>Proceedings of the International Astronomical Union</i> , 2012, 8, 402-405.	0.0	2
244	Measuring H <sub>0</sub> from the 6dF Galaxy Survey and future low-redshift surveys. <i>Proceedings of the International Astronomical Union</i> , 2012, 8, 319-322.	0.0	2
245	Status of the instrumentation program for the Giant Magellan Telescope. , 2014, , .		2
246	Modified gravity and large scale flows. <i>Astrophysics and Space Science</i> , 2015, 357, 1.	0.5	2
247	The Australian Space Eye: studying the history of galaxy formation with a CubeSat. <i>Proceedings of SPIE</i> , 2016, , .	0.8	2
248	<title>AUSTRALIS: a multifiber near-IR spectrograph for the VLT</title>., 1998, , .		1
249	Operational performance of OzPoz: the multifiber positioner on the VLT. , 2004, , .		1
250	Luminosity Functions from the 2dF Galaxy Redshift Survey. <i>Publications of the Astronomical Society of Australia</i> , 2004, 21, 352-355.	1.3	1
251	Neutral Hydrogen Gas in Star Forming Galaxies at z=0.24. <i>Proceedings of the International Astronomical Union</i> , 2007, 3, 366-367.	0.0	1
252	Maximum likelihood method for fitting the Fundamental Plane of the 6dF Galaxy Survey. <i>Proceedings of the International Astronomical Union</i> , 2009, 5, 376-378.	0.0	1

#	ARTICLE	IF	CITATIONS
253	The AAO is dead: long live the AAO!. <i>Astronomy and Geophysics</i> , 2010, 51, 3.16-3.22.	0.1	1
254	The Dark Energy Spectrometer: a potential multi-fiber instrument for the Blanco 4-meter Telescope. <i>Proceedings of SPIE</i> , 2012, , .	0.8	1
255	The MANIFEST fibre positioning system for the Giant Magellan Telescope. , 2014, , .		1
256	Study of the Shapley Concentration. <i>Astrophysics and Space Science Library</i> , 1997, , 305-309.	1.0	1
257	MAXIMUS: Exploiting the Full Power of OzPoz. , 0, , 93-98.		0
258	The stellar populations of low-redshift clusters. <i>Proceedings of the International Astronomical Union</i> , 2004, 2004, .	0.0	0
259	Wide-field spectroscopy and ELT science. <i>Proceedings of the International Astronomical Union</i> , 2005, 1, 204-208.	0.0	0
260	The 6dF Galaxy Survey: a low-redshift benchmark for bulge-dominated galaxies. <i>Proceedings of the International Astronomical Union</i> , 2007, 3, 399-402.	0.0	0
261	Scaling relations of early-type galaxies in the 6dF Galaxy Survey. <i>Proceedings of the International Astronomical Union</i> , 2009, 5, 84-84.	0.0	0
262	The 6dFGS peculiar velocity field. <i>Proceedings of the International Astronomical Union</i> , 2012, 8, 269-273.	0.0	0
263	Variations in the Fundamental Plane of massive galaxies with stellar population, morphology and local density. <i>Proceedings of the International Astronomical Union</i> , 2012, 8, 233-233.	0.0	0
264	Cosmological surveys with multi-object spectrographs. , 2016, , .		0
265	Halo detection via large-scale Bayesian inference. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 460, 1340-1355.	1.6	0
266	THE LARGE-SCALE STRUCTURE OF THE UNIVERSE. , 2005, , .		0
267	The Context of the Local Volume: Structures and Motions in the Nearby Universe. <i>Thirty Years of Astronomical Discovery With UKIRT</i> , 2008, , 17-20.	0.3	0