Peter Bower

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2183138/publications.pdf

Version: 2024-02-01

385 papers 25,957 citations

7672 79 h-index 144 g-index

399 all docs 399 docs citations

times ranked

399

26964 citing authors

#	Article	IF	CITATIONS
1	Patient-centredness: a conceptual framework and review of the empirical literature. Social Science and Medicine, 2000, 51, 1087-1110.	1.8	2,234
2	Collaborative Care for Depression. Archives of Internal Medicine, 2006, 166, 2314.	4.3	1,141
3	Controlled Interventions to Reduce Burnout in Physicians. JAMA Internal Medicine, 2017, 177, 195.	2.6	898
4	Stepped care in psychological therapies: access, effectiveness and efficiency. British Journal of Psychiatry, 2005, 186, 11-17.	1.7	818
5	Collaborative care for depression and anxiety problems. The Cochrane Library, 2012, 10, CD006525.	1.5	624
6	Patient-centred consultations and outcomes in primary care: a review of the literature. Patient Education and Counseling, 2002, 48, 51-61.	1.0	532
7	What makes self-help interventions effective in the management of depressive symptoms? Meta-analysis and meta-regression. Psychological Medicine, 2007, 37, 1217-1228.	2.7	387
8	Exploring barriers to participation and adoption of telehealth and telecare within the Whole System Demonstrator trial: a qualitative study. BMC Health Services Research, 2012, 12, 220.	0.9	358
9	Collaborative care for depression in primary care. British Journal of Psychiatry, 2006, 189, 484-493.	1.7	343
10	Computerised cognitive behaviour therapy (cCBT) as treatment for depression in primary care (REEACT) Tj ETQq	0 0 0 rgBT 3.0	Overlock 10
11	Prevalence, severity, and nature of preventable patient harm across medical care settings: systematic review and meta-analysis. BMJ: British Medical Journal, 2019, 366, l4185.	2.4	304
12	The effectiveness and cost effectiveness of a national lay-led self care support programme for patients with long-term conditions: a pragmatic randomised controlled trial. Journal of Epidemiology and Community Health, 2007, 61, 254-261.	2.0	287
13	Interventions for common perinatal mental disorders in women in low- and middle-income countries: a systematic review and meta-analysis. Bulletin of the World Health Organization, 2013, 91, 593-6011.	1.5	285
14	Interventions to improve recruitment and retention in clinical trials: a survey and workshop to assess current practice and future priorities. Trials, 2014, 15, 399.	0.7	279
15	Cost effectiveness of telehealth for patients with long term conditions (Whole Systems) Tj ETQq1 1 0.784314 rg randomised controlled trial. BMJ, The, 2013, 346, f1035-f1035.	gBT /Overl 3.0	ock 10 Tf 5 <mark>0 1</mark> 270
16	Management of multimorbidity using a patient-centred care model: a pragmatic cluster-randomised trial of the 3D approach. Lancet, The, 2018, 392, 41-50.	6.3	254
17	Support for self care for patients with chronic disease. BMJ: British Medical Journal, 2007, 335, 968-970.	2.4	252
18	Influence of initial severity of depression on effectiveness of low intensity interventions: meta-analysis of individual patient data. BMJ, The, 2013, 346, f540-f540.	3.0	251

#	Article	IF	Citations
19	Impact of Participant and Physician Intervention Preferences on Randomized Trials. JAMA - Journal of the American Medical Association, 2005, 293, 1089.	3.8	234
20	Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy, and usual general practitioner care for patients with depression. I: Clinical effectiveness. BMJ: British Medical Journal, 2000, 321, 1383-1388.	2.4	229
21	The impact of general practitioners' patient-centredness on patients' post-consultation satisfaction and enablement. Social Science and Medicine, 2002, 55, 283-299.	1.8	225
22	What Patients Want From Primary Care Consultations: A Discrete Choice Experiment to Identify Patients' Priorities. Annals of Family Medicine, 2008, 6, 107-115.	0.9	213
23	Self-management support interventions to reduce health care utilisation without compromising outcomes: a systematic review and meta-analysis. BMC Health Services Research, 2014, 14, 356.	0.9	211
24	Instruments for Exploring Organizational Culture: A Review of the Literature. Public Administration Review, 2009, 69, 1087-1096.	2.9	200
25	Integrated primary care for patients with mental and physical multimorbidity: cluster randomised controlled trial of collaborative care for patients with depression comorbid with diabetes or cardiovascular disease. BMJ, The, 2015, 350, h638-h638.	3.0	200
26	Team structure, team climate and the quality of care in primary care: an observational study. Quality and Safety in Health Care, 2003, 12, 273-279.	2.5	199
27	Measuring patient-centredness: a comparison of three observation-based instruments. Patient Education and Counseling, 2000, 39, 71-80.	1.0	197
28	Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy and usual general practitioner care in the management of depression as well as mixed anxiety and depression in primary care Health Technology Assessment, 2000, 4, .	1.3	196
29	Implementation of self management support for long term conditions in routine primary care settings: cluster randomised controlled trial. BMJ, The, 2013, 346, f2882-f2882.	3.0	195
30	Systematic meta-review of supported self-management for asthma: a healthcare perspective. BMC Medicine, 2017, 15, 64.	2.3	195
31	Effect of telehealth on quality of life and psychological outcomes over 12 months (Whole Systems) Tj ETQq1 1 (pragmatic, cluster randomised controlled trial. BMJ, The, 2013, 346, f653-f653.	0.784314 3.0	rgBT /Overlo
32	Managing common mental health disorders in primary care: conceptual models and evidence base. BMJ: British Medical Journal, 2005, 330, 839-842.	2.4	184
33	Effectiveness of Case Management for 'At Risk' Patients in Primary Care: A Systematic Review and Meta-Analysis. PLoS ONE, 2015, 10, e0132340.	1.1	178
34	Clinical effectiveness of collaborative care for depression in UK primary care (CADET): cluster randomised controlled trial. BMJ, The, 2013, 347, f4913-f4913.	3.0	173
35	Trial Forge Guidance 1: what is a Study Within A Trial (SWAT)?. Trials, 2018, 19, 139.	0.7	168
36	Identifying Psychosocial Interventions That Improve Both Physical and Mental Health in Patients With Diabetes. Diabetes Care, 2010, 33, 926-930.	4.3	167

#	Article	IF	CITATIONS
37	Social networks, social capital and chronic illness self-management: a realist review. Chronic Illness, 2011, 7, 60-86.	0.6	167
38	The European General Practice Research Network Presents a Comprehensive Definition of Multimorbidity in Family Medicine and Long Term Care, Following a Systematic Review of Relevant Literature. Journal of the American Medical Directors Association, 2013, 14, 319-325.	1.2	167
39	Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy, and usual general practitioner care for patients with depression. II: Cost effectiveness. BMJ: British Medical Journal, 2000, 321, 1389-1392.	2.4	160
40	Characteristics of Effective Collaborative Care for Treatment of Depression: A Systematic Review and Meta-Regression of 74 Randomised Controlled Trials. PLoS ONE, 2014, 9, e108114.	1.1	158
41	Patient empowerment in long-term conditions: development and preliminary testing of a new measure. BMC Health Services Research, 2013, 13, 263.	0.9	153
42	Psychotherapy mediated by remote communication technologies: a meta-analytic review. BMC Psychiatry, 2008, 8, 60.	1.1	151
43	Costs and consequences of enhanced primary care for depression. British Journal of Psychiatry, 2006, 189, 297-308.	1.7	150
44	Qualitative Meta-Synthesis of User Experience of Computerised Therapy for Depression and Anxiety. PLoS ONE, 2014, 9, e84323.	1.1	148
45	Effects of befriending on depressive symptoms and distress: systematic review and meta-analysis. British Journal of Psychiatry, 2010, 196, 96-101.	1.7	145
46	Multimorbidity, service organization and clinical decision making in primary care: a qualitative study. Family Practice, 2011, 28, 579-587.	0.8	145
47	Exercise in the treatment of clinical anxiety in general practice $\hat{a} \in \hat{a}$ a systematic review and meta-analysis. BMC Health Services Research, 2018, 18, 559.	0.9	139
48	A Comparison of Academic and Lay Theories of Schizophrenia. British Journal of Psychiatry, 1992, 161, 201-210.	1.7	138
49	Collaborative care for depression in UK primary care: a randomized controlled trial. Psychological Medicine, 2008, 38, 279-287.	2.7	135
50	Reliability of patient responses in pay for performance schemes: analysis of national General Practitioner Patient Survey data in England. BMJ: British Medical Journal, 2009, 339, b3851-b3851.	2.4	129
51	A systematic review of predictors and moderators of response to psychological therapies in OCD: Do we have enough empirical evidence to target treatment?. Clinical Psychology Review, 2013, 33, 1067-1081.	6.0	126
52	The GP Patient Survey for use in primary care in the National Health Service in the UK – development and psychometric characteristics. BMC Family Practice, 2009, 10, 57.	2.9	124
53	Depression and anxiety predict health-related quality of life in chronic obstructive pulmonary disease: systematic review and meta-analysis. International Journal of COPD, 2014, 9, 501.	0.9	122
54	Managing patients with mental and physical multimorbidity. BMJ, The, 2012, 345, e5559-e5559.	3.0	121

#	Article	IF	CITATIONS
55	A qualitative study of GPs' attitudes to self-management of chronic disease. British Journal of General Practice, 2006, 56, 407-14.	0.7	121
56	Delivering stepped care: an analysis of implementation in routine practice. Implementation Science, 2012, 7, 3.	2.5	120
57	Are there interactional differences between telephone and face-to-face psychological therapy? A systematic review of comparative studies. Journal of Affective Disorders, 2020, 265, 120-131.	2.0	118
58	Improving recruitment to health research in primary care. Family Practice, 2009, 26, 391-397.	0.8	117
59	Factors Associated With Burnout and Stress in Trainee Physicians. JAMA Network Open, 2020, 3, e2013761.	2.8	116
60	The Effect of Complex Interventions on Depression and Anxiety in Chronic Obstructive Pulmonary Disease: Systematic Review and Meta-Analysis. PLoS ONE, 2013, 8, e60532.	1.1	116
61	Conceptual framework and systematic review of the effects of participants' and professionals' preferences in randomised controlled trials. Health Technology Assessment, 2005, 9, 1-186, iii-iv.	1.3	112
62	Characteristics of Psychological Interventions That Improve Depression in People With Coronary Heart Disease. Psychosomatic Medicine, 2013, 75, 211-221.	1.3	110
63	The clinical and cost-effectiveness of self-help treatments for anxiety and depressive disorders in primary care: a systematic review. British Journal of General Practice, 2001, 51, 838-45.	0.7	107
64	Practice nurses and the facilitation of self-management in primary care. Journal of Advanced Nursing, 2008, 62, 191-199.	1.5	106
65	Social networks, work and network-based resources for the management of long-term conditions: a framework and study protocol for developing self-care support. Implementation Science, 2011, 6, 56.	2.5	106
66	A comprehensive evaluation of the impact of telemonitoring in patients with long-term conditions and social care needs: protocol for the whole systems demonstrator cluster randomised trial. BMC Health Services Research, 2011, 11, 184.	0.9	105
67	An organisational analysis of the implementation of telecare and telehealth: the whole systems demonstrator. BMC Health Services Research, 2012, 12, 403.	0.9	104
68	Barriers to recruiting ethnic minorities to mental health research: a systematic review. International Journal of Methods in Psychiatric Research, 2014, 23, 36-48.	1.1	101
69	The treatment of child and adolescent mental health problems in primary care: a systematic review. Family Practice, 2001, 18, 373-382.	0.8	100
70	Short report: How often do UK primary care trials face recruitment delays?. Family Practice, 2007, 24, 601-603.	0.8	100
71	The clinical effectiveness, cost-effectiveness and acceptability of community-based interventions aimed at improving or maintaining quality of life in children of parents with serious mental illness: a systematic review. Health Technology Assessment, 2014, 18, 1-250.	1.3	99
72	The clinical effectiveness of counselling in primary care: a systematic review and meta-analysis. Psychological Medicine, 2003, 33, 203-215.	2.7	98

#	Article	IF	Citations
73	The Effectiveness of Electronic Differential Diagnoses (DDX) Generators: A Systematic Review and Meta-Analysis. PLoS ONE, 2016, 11, e0148991.	1.1	95
74	Telephone-supported computerised cognitiveâ€"behavioural therapy: REEACT-2 large-scale pragmatic randomised controlled trial. British Journal of Psychiatry, 2017, 210, 362-367.	1.7	94
75	Capacity, responsibility, and motivation: a critical qualitative evaluation of patient and practitioner views about barriers to self-management in people with multimorbidity. BMC Health Services Research, 2014, 14, 536.	0.9	93
76	The General Practice Assessment Questionnaire (GPAQ) $\hat{a} \in$ Development and psychometric characteristics. BMC Family Practice, 2008, 9, 13.	2.9	91
77	Factors affecting recruitment into depression trials: Systematic review, meta-synthesis and conceptual framework. Journal of Affective Disorders, 2015, 172, 274-290.	2.0	91
78	Brazilian multicentre study of common mental disorders in primary care: rates and related social and demographic factors. Cadernos De Saude Publica, 2014, 30, 623-632.	0.4	90
79	Guided self-help in primary care mental health. British Journal of Psychiatry, 2007, 191, 206-211.	1.7	88
80	Associations between Extending Access to Primary Care and Emergency Department Visits: A Difference-In-Differences Analysis. PLoS Medicine, 2016, 13, e1002113.	3.9	87
81	Challenges, solutions and future directions in the evaluation of service innovations in health care and public health. Health Services and Delivery Research, 2016, 4, 1-136.	1.4	83
82	The Contradictions of Telehealth User Experience in Chronic Obstructive Pulmonary Disease (COPD): A Qualitative Meta-Synthesis. PLoS ONE, 2015, 10, e0139561.	1.1	82
83	The United Kingdom Expert Patients Programme: results and implications from a national evaluation. Medical Journal of Australia, 2008, 189, S21-4.	0.8	81
84	Setting standards based on patients' views on access and continuity: secondary analysis of data from the general practice assessment survey. BMJ: British Medical Journal, 2003, 326, 258-258.	2.4	79
85	Multimorbidity and Patient Safety Incidents in Primary Care: A Systematic Review and Meta-Analysis. PLoS ONE, 2015, 10, e0135947.	1.1	79
86	Patient activation in older people with long-term conditions and multimorbidity: correlates and change in a cohort study in the United Kingdom. BMC Health Services Research, 2016, 16, 582.	0.9	79
87	The clinical effectiveness of guided self-help versus waiting-list control in the management of anxiety and depression: a randomized controlled trial. Psychological Medicine, 2005, 35, 1633-1643.	2.7	76
88	Association Between Chronic Physical Conditions and the Effectiveness of Collaborative Care for Depression. JAMA Psychiatry, 2016, 73, 978.	6.0	76
89	The association between culture, climate and quality of care in primary health care teams. Family Practice, 2007, 24, 323-329.	0.8	73
90	Access to mental health in primary care: A qualitative meta-synthesis of evidence from the experience of people from †hard to reach†groups. Health (United Kingdom), 2012, 16, 76-104.	0.9	72

#	Article	IF	CITATIONS
91	Illness representations in patients with multimorbid long-term conditions: Qualitative study. Psychology and Health, 2012, 27, 1211-1226.	1.2	71
92	Why do patients take part in research? An overview of systematic reviews of psychosocial barriers and facilitators. Trials, 2020, 21, 259.	0.7	71
93	Patient preferences in randomised controlled trials: Conceptual framework and implications for research. Social Science and Medicine, 2005, 61, 685-695.	1.8	70
94	Cost effectiveness of the Expert Patients Programme (EPP) for patients with chronic conditions. Journal of Epidemiology and Community Health, 2008, 62, 361-367.	2.0	67
95	Overcoming barriers to recruiting ethnic minorities to mental health research: a typology of recruitment strategies. BMC Psychiatry, 2015, 15, 101.	1.1	67
96	Development of a Multimorbidity Illness Perceptions Scale (MULTIPleS). PLoS ONE, 2013, 8, e81852.	1.1	65
97	Behaviour change and social blinkers? The role of sociology in trials of selfâ€management behaviour in chronic conditions. Sociology of Health and Illness, 2014, 36, 226-238.	1.1	65
98	Patient experience of computerised therapy for depression in primary care. BMJ Open, 2015, 5, e008581.	0.8	65
99	What are the key attributes of primary care for patients? Building a conceptual 'map' of patient preferences. Health Expectations, 2006, 9, 275-284.	1.1	64
100	Experiences of care planning in England: interviews with patients with long term conditions. BMC Family Practice, 2012, 13, 71.	2.9	64
101	The accessibility and acceptability of self-management support interventions for men with long term conditions: a systematic review and meta-synthesis of qualitative studies. BMC Public Health, 2014, 14, 1230.	1.2	61
102	Systematic techniques for assisting recruitment to trials (START): study protocol for embedded, randomized controlled trials. Trials, 2014, 15, 407.	0.7	61
103	Effect of health literacy on the quality of life of older patients with long-term conditions: a large cohort study in UK general practice. Quality of Life Research, 2018, 27, 1257-1268.	1.5	61
104	Developing a U.K. protocol for collaborative care: a qualitative study. General Hospital Psychiatry, 2006, 28, 296-305.	1.2	60
105	Can the feedback of patient assessments, brief training, or their combination, improve the interpersonal skills of primary care physicians? A systematic review. BMC Health Services Research, 2008, 8, 179.	0.9	58
106	The effect of telecare on the quality of life and psychological well-being of elderly recipients of social care over a 12-month period: the Whole Systems Demonstrator cluster randomised trial. Age and Ageing, 2014, 43, 334-341.	0.7	58
107	Developing guided self-help for depression using the Medical Research Council complex interventions framework: a description of the modelling phase and results of an exploratory randomised controlled trial. BMC Psychiatry, 2008, 8, 91.	1.1	56
108	What is the relationship between diabetes and depression? A qualitative meta-synthesis of patient experience of co-morbidity. Chronic Illness, 2011, 7, 239-252.	0.6	56

#	Article	IF	Citations
109	Bringing self-management into clinical view: a qualitative study of long-term condition management in primary care consultations. Chronic Illness, 2010, 6, 136-150.	0.6	55
110	Preventable medication harm across health care settings: a systematic review and meta-analysis. BMC Medicine, 2020, 18, 313.	2.3	55
111	A randomised controlled trial of computerised cognitive behaviour therapy for the treatment of depression in primary care: the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. Health Technology Assessment, 2015, 19, 1-174.	1.3	55
112	Effect of Information and Telephone-Guided Access to Community Support for People with Chronic Kidney Disease: Randomised Controlled Trial. PLoS ONE, 2014, 9, e109135.	1.1	54
113	Predicting who will benefit from an Expert Patients Programme self-management course. British Journal of General Practice, 2008, 58, 198-203.	0.7	53
114	What work has to be done to implement collaborative care for depression? Process evaluation of a trial utilizing the Normalization Process Model. Implementation Science, 2010, 5, 15.	2.5	53
115	Effects of psychological therapies in randomized trials and practiceâ€based studies. British Journal of Clinical Psychology, 2008, 47, 397-415.	1.7	52
116	Governing the ethical consumer: identity, choice and the primary care medical encounter. Sociology of Health and Illness, 2007, 29, 430-456.	1.1	51
117	A cluster randomised controlled trial of the clinical and cost-effectiveness of a 'whole systems' model of self-management support for the management of long-term conditions in primary care: trial protocol. Implementation Science, 2012, 7, 7.	2.5	51
118	A secondary analysis of the moderating effects of depression and multimorbidity on the effectiveness of a chronic disease self-management programme. Patient Education and Counseling, 2012, 87, 67-73.	1.0	51
119	The changing nature of consultation-liaison in primary care: bridging the gap between research and practice. General Hospital Psychiatry, 2002, 24, 63-70.	1.2	50
120	Psychometric properties of the patient assessment of chronic illness care measure: acceptability, reliability and validity in United Kingdom patients with long-term conditions. BMC Health Services Research, 2012, 12, 293.	0.9	50
121	Self-management interventions to reduce healthcare use and improve quality of life among patients with asthma: systematic review and network meta-analysis. BMJ, The, 2020, 370, m2521.	3.0	50
122	Factors associated with enablement in general practice: cross-sectional study using routinely-collected data. British Journal of General Practice, 2008, 58, 346-352.	0.7	49
123	Health Technologies 'In the Wild'. , 2016, , .		49
124	A BEME systematic review of UK undergraduate medical education in the general practice setting: BEME Guide No. 32. Medical Teacher, 2015, 37, 611-630.	1.0	48
125	Interventions Using Wearable Physical Activity Trackers Among Adults With Cardiometabolic Conditions. JAMA Network Open, 2021, 4, e2116382.	2.8	48
126	Electronic Quality of Life Assessment Using Computer-Adaptive Testing. Journal of Medical Internet Research, 2016, 18, e240.	2.1	48

#	Article	IF	CITATIONS
127	Effectiveness of a Computerized Decision Aid in Primary Care on Decision Making and Quality of Life in Menorrhagia: Results of the MENTIP Randomized Controlled Trial. Medical Decision Making, 2007, 27, 575-584.	1.2	47
128	Cost-effectiveness of telecare for people with social care needs: the Whole Systems Demonstrator cluster randomised trial. Age and Ageing, 2014, 43, 794-800.	0.7	47
129	Patient–practitioner agreement: does it matter?. Psychological Medicine, 2003, 33, 241-251.	2.7	46
130	On-site mental health workers delivering psychological therapy and psychosocial interventions to patients in primary care: effects on the professional practice of primary care providers. The Cochrane Library, 2009, , CD000532.	1.5	46
131	Designing and using incentives to support recruitment and retention in clinical trials: a scoping review and a checklist for design. Trials, 2019, 20, 624.	0.7	46
132	Counselling for mental health and psychosocial problems in primary care. The Cochrane Library, 2011, , CD001025.	1.5	45
133	Routine provision of feedback from patient-reported outcome measurements to healthcare providers and patients in clinical practice. The Cochrane Library, 2021, 2021, CD011589.	1.5	45
134	Long-term clinical and cost-effectiveness of collaborative care (versus usual care) for people with mental–physical multimorbidity: cluster-randomised trial. British Journal of Psychiatry, 2018, 213, 456-463.	1.7	44
135	Evaluation of a mental health training intervention for multidisciplinary teams in primary care in Brazil: a pre- and posttest study. General Hospital Psychiatry, 2013, 35, 304-308.	1.2	43
136	Care plans and care planning in long-term conditions: a conceptual model. Primary Health Care Research and Development, 2014, 15, 342-354.	0.5	43
137	The effectiveness of self-management support interventions for men with long-term conditions: a systematic review and meta-analysis. BMJ Open, 2015, 5, e006620-e006620.	0.8	43
138	Primary care practitioner and patient understanding of the concepts of multimorbidity and self-management: A qualitative study. SAGE Open Medicine, 2013, 1, 205031211351000.	0.7	42
139	Researching the mental health needs of hard-to-reach groups: managing multiple sources of evidence. BMC Health Services Research, 2009, 9, 226.	0.9	41
140	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. Health Technology Assessment, 2016, 20, 1-192.	1.3	41
141	Clinical effectiveness, cost-effectiveness and acceptability of low-intensity interventions in the management of obsessive–compulsive disorder: the Obsessive–Compulsive Treatment Efficacy randomised controlled Trial (OCTET). Health Technology Assessment, 2017, 21, 1-132.	1.3	41
142	Measuring frailty in younger populations: a rapid review of evidence. BMJ Open, 2021, 11, e047051.	0.8	40
143	Systematic review of the effect of on-site mental health professionals on the clinical behaviour of general practitioners. BMJ: British Medical Journal, 2000, 320, 614-617.	2.4	39
144	Improving access to psychosocial interventions for common mental health problems in the United Kingdom: narrative review and development of a conceptual model for complex interventions. BMC Health Services Research, 2012, 12, 249.	0.9	39

#	Article	IF	CITATIONS
145	Developing the INCLUDE Ethnicity Framework—a tool to help trialists design trials that better reflect the communities they serve. Trials, 2021, 22, 337.	0.7	39
146	Emotional problems in primary care: what is the potential for increasing the role of nurses?. Journal of Advanced Nursing, 1997, 26, 879-890.	1.5	38
147	Meta-analysis of data on costs from trials of counselling in primary care: using individual patient data to overcome sample size limitations in economic analyses. BMJ: British Medical Journal, 2003, 326, 1247-1250.	2.4	38
148	Effectiveness and cost effectiveness of counselling in primary care., 2006,, CD001025.		38
149	Prevalence and Benefits of Care Plans and Care Planning for People with Long-Term Conditions in England. Journal of Health Services Research and Policy, 2012, 17, 64-71.	0.8	38
150	Empowering people to help speak up about safety in primary care: Using codesign to involve patients and professionals in developing new interventions for patients with multimorbidity. Health Expectations, 2018, 21, 539-548.	1.1	38
151	Cost-Effectiveness of Collaborative Care for Depression in UK Primary Care: Economic Evaluation of a Randomised Controlled Trial (CADET). PLoS ONE, 2014, 9, e104225.	1.1	38
152	What is the role of consultation–liaison psychiatry in the management of depression in primary care? A systematic review and meta-analysis. General Hospital Psychiatry, 2010, 32, 246-254.	1.2	37
153	Telephone based self-management support by †lay health workers†and †peer support workers†to prevent and manage vascular diseases: a systematic review and meta-analysis. BMC Health Services Research, 2013, 13, 533.	0.9	37
154	Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy and usual general practitioner care in the management of depression as well as mixed anxiety and depression in primary care. Health Technology Assessment, 2000, 4, 1-83.	1.3	37
155	A Qualitative Study of Patients' Perceptions of a â€~Minimal' Psychological Therapy. International Journal of Social Psychiatry, 2007, 53, 23-35.	1.6	36
156	A review and critical appraisal of measures of therapist-patient interactions in mental health settings. Health Technology Assessment, 2008, 12, iii, ix-47.	1.3	36
157	Peoples' understandings of a primary care-based mental health self-help clinic. Patient Education and Counseling, 2004, 53, 41-46.	1.0	35
158	The use of mixed methodology in evaluating complex interventions: identifying patient factors that moderate the effects of a decision aid. Family Practice, 2007, 24, 594-600.	0.8	35
159	Patient Priorities in Osteoarthritis and Comorbid Conditions: A Secondary Analysis of Qualitative Data. Arthritis Care and Research, 2013, 65, 920-927.	1.5	35
160	Improving recruitment to a study of telehealth management for long-term conditions in primary care: two embedded, randomised controlled trials of optimised patient information materials. Trials, 2015, 16, 309.	0.7	35
161	Going the distance': an independent cohort study of engagement and dropout among the first 100 000 referrals into a large-scale diabetes prevention program. BMJ Open Diabetes Research and Care, 2020, 8, e001835.	1.2	35
162	Development of an online resource for recruitment research in clinical trials to organise and map current literature. Clinical Trials, 2018, 15, 533-542.	0.7	34

#	Article	IF	Citations
163	Effectiveness and cost effectiveness of counselling in primary care., 2002, , CD001025.		33
164	Antenatal interventions for reducing weight in obese women for improving pregnancy outcome. The Cochrane Library, 2013, , CD009334.	1.5	33
165	The Foundations Framework for Developing and Reporting New Models of Care for Multimorbidity. Annals of Family Medicine, 2017, 15, 570-577.	0.9	33
166	What is Asset-Based Community Development and How Might It Improve the Health of People With Long-Term Conditions? A Realist Synthesis. SAGE Open, 2018, 8, 215824401878722.	0.8	33
167	Embedding shared decision-making in the care of patients with severe and enduring mental health problems: The EQUIP pragmatic cluster randomised trial. PLoS ONE, 2018, 13, e0201533.	1.1	33
168	Does patient experience of multimorbidity predict self-management and health outcomes in a prospective study in primary care?. Family Practice, 2015, 32, 311-316.	0.8	32
169	Effectiveness of multidisciplinary team case management: difference-in-differences analysis. BMJ Open, 2016, 6, e010468.	0.8	32
170	Making sense of patient priorities: applying discrete choice methods in primary care using 'think aloud' technique. Family Practice, 2007, 24, 276-282.	0.8	31
171	The second Randomised Evaluation of the Effectiveness, cost-effectiveness and Acceptability of Computerised Therapy (REEACT-2) trial: does the provision of telephone support enhance the effectiveness of computer-delivered cognitive behaviour therapy? A randomised controlled trial. Health Technology Assessment, 2016, 20, 1-64.	1.3	31
172	Primary care mental health workers: models of working and evidence of effectiveness. British Journal of General Practice, 2002, 52, 926-33.	0.7	31
173	Counselling in primary care: A systematic review of the research evidence. British Journal of Guidance and Counselling, 2000, 28, 215-231.	0.6	30
174	Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depression - study protocol. BMC Health Services Research, 2009, 9, 188.	0.9	30
175	Preventing Acute Kidney Injury: a qualitative study exploring â€̃sick day rules' implementation in primary care. BMC Family Practice, 2016, 17, 91.	2.9	30
176	An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: an embedded randomised recruitment trial. Trials, 2017, 18, 144.	0.7	30
177	Accelerometer- and Pedometer-Based Physical Activity Interventions Among Adults With Cardiometabolic Conditions. JAMA Network Open, 2019, 2, e1912895.	2.8	30
178	The NHS Diabetes Prevention Programme: an observational study of service delivery and patient experience. BMC Health Services Research, 2020, 20, 1098.	0.9	30
179	multi-centre, prospective, randomised, open, blinded end-point, 36-month study of 2,616 patients within primary care with stage 3b chronic kidney disease to compare the efficacy of spironolactone 25Âmg once daily in addition to routine care on mortality and cardiovascular outcomes versus routine care alone; study protocol for a randomized controlled trial. Trials, 2014, 15, 160.	0.7	29
180	What are the core predictors of †hassles†among patients with multimorbidity in primary care? A cross sectional study. BMC Health Services Research, 2015, 15, 255.	0.9	29

#	Article	IF	CITATIONS
181	Improving the management of multimorbidity in general practice: protocol of a cluster randomised controlled trial (The 3D Study). BMJ Open, 2016, 6, e011261.	0.8	29
182	Is telephone health coaching a useful population health strategy for supporting older people with multimorbidity? An evaluation of reach, effectiveness and cost-effectiveness using a †trial within a cohort'. BMC Medicine, 2018, 16, 80.	2.3	29
183	Trial Forge Guidance 2: how to decide if a further Study Within A Trial (SWAT) is needed. Trials, 2020, 21, 33.	0.7	29
184	Efficacy in evidence-based practice. Clinical Psychology and Psychotherapy, 2003, 10, 328-336.	1.4	28
185	Primary mental health workers in child and adolescent mental health services. Journal of Advanced Nursing, 2004, 46, 78-87.	1.5	28
186	Training health professionals to recruit into challenging randomized controlled trials improved confidence: the development of the QuinteT randomized controlled trial recruitment training intervention. Journal of Clinical Epidemiology, 2018, 95, 34-44.	2.4	28
187	What dimensions underlie patient responses to the General Practice Assessment Survey? A factor analytic study. Family Practice, 2002, 19, 489-495.	0.8	27
188	Improving health and productivity of depressed workers: a pilot randomized controlled trial of telephone cognitive behavioral therapy delivery in workplace settings. General Hospital Psychiatry, 2010, 32, 337-340.	1.2	27
189	Exploring patient priorities among long-term conditions in multimorbidity: A qualitative secondary analysis. SAGE Open Medicine, 2013, 1, 205031211350395.	0.7	27
190	Protocol for a process evaluation of a cluster randomised controlled trial to improve management of multimorbidity in general practice: the 3D study. BMJ Open, 2016, 6, e011260.	0.8	27
191	An intervention to promote patient participation and self-management in long term conditions: development and feasibility testing. BMC Health Services Research, 2010, 10, 206.	0.9	26
192	Does the design of the NHS Diabetes Prevention Programme intervention have fidelity to the programme specification? A document analysis. Diabetic Medicine, 2020, 37, 1357-1366.	1.2	26
193	Symptom attribution and the recognition of psychiatric morbidity. Journal of Psychosomatic Research, 2000, 48, 157-160.	1.2	25
194	Domains of consultation research in primary care. Patient Education and Counseling, 2001, 45, 3-11.	1.0	25
195	Long-term cost-effectiveness of collaborative care (vs usual care) for people with depression and comorbid diabetes or cardiovascular disease: a Markov model informed by the COINCIDE randomised controlled trial. BMJ Open, 2016, 6, e012514.	0.8	25
196	Low-intensity cognitive-behaviour therapy interventions for obsessive-compulsive disorder compared to waiting list for therapist-led cognitive-behaviour therapy: 3-arm randomised controlled trial of clinical effectiveness. PLoS Medicine, 2017, 14, e1002337.	3.9	25
197	Trials need participants but not their feedback? A scoping review of published papers on the measurement of participant experience of taking part in clinical trials. Trials, 2019, 20, 381.	0.7	25
198	Effects of Digital Technologies on Older People's Access to Health and Social Care: Umbrella Review. Journal of Medical Internet Research, 2021, 23, e25887.	2.1	25

#	Article	IF	Citations
199	Process and Outcome of a Non-Guided Self-Help Manual for Anxiety and Depression in Primary Care: A Pilot Study. Behavioural and Cognitive Psychotherapy, 2005, 33, 319-331.	0.9	24
200	Cluster randomized trials produced similar results to individually randomized trials in a meta-analysis of enhanced care for depression. Journal of Clinical Epidemiology, 2008, 61, 160-168.e2.	2.4	24
201	Trials within trials? Researcher, funder and ethical perspectives on the practicality and acceptability of nesting trials of recruitment methods in existing primary care trials. BMC Medical Research Methodology, 2010, 10, 38.	1.4	24
202	The role of information in supporting self-care in vascular conditions: a conceptual and empirical review. Health and Social Care in the Community, 2011, 19, 449-459.	0.7	24
203	Collaborative Interventions for Circulation and Depression (COINCIDE): study protocol for a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. Trials, 2012, 13, 139.	0.7	24
204	Increasing heartâ€health lifestyles in deprived communities: economic evaluation of lay health trainers. Journal of Evaluation in Clinical Practice, 2012, 18, 835-840.	0.9	24
205	Threats to patient safety in primary care reported by older people with multimorbidity: baseline findings from a longitudinal qualitative study and implications for intervention. BMC Health Services Research, 2017, 17, 754.	0.9	24
206	Implementing a national diabetes prevention programme in England: lessons learned. BMC Health Services Research, 2019, 19, 991.	0.9	24
207	Do consultation–liaison services change the behavior of primary care providers? A review. General Hospital Psychiatry, 2000, 22, 84-96.	1.2	23
208	Developing and evaluating multimedia information resources to improve engagement of children, adolescents, and their parents with trials (TRECA study): Study protocol for a series of linked randomised controlled trials. Trials, 2017, 18, 265.	0.7	23
209	The cohort multiple randomized controlled trial design was found to be highly susceptible to low statistical power and internal validity biases. Journal of Clinical Epidemiology, 2018, 95, 111-119.	2.4	23
210	Chronic morbidity, deprivation and primary medical care spending in England in 2015-16: a cross-sectional spatial analysis. BMC Medicine, 2018, 16, 19.	2.3	23
211	Reducing Care Utilisation through Self-management Interventions (RECURSIVE): a systematic review and meta-analysis. Health Services and Delivery Research, 2014, 2, 1-200.	1.4	23
212	Exploring the mechanisms of change in the chronic disease self-management programme: Secondary analysis of data from a randomised controlled trial. Patient Education and Counseling, 2011, 85, e39-e47.	1.0	22
213	Community asset participation and social medicine increases qualities of life. Social Science and Medicine, 2020, 259, 113149.	1.8	22
214	Is the NHS Diabetes Prevention Programme Intervention Delivered as Planned? An Observational Study of Fidelity of Intervention Delivery. Annals of Behavioral Medicine, 2021, 55, 1104-1115.	1.7	22
215	Care plans and care planning in the management of long-term conditions in the UK: a controlled prospective cohort study. British Journal of General Practice, 2014, 64, e568-e575.	0.7	21
216	Synthesis of researcher reported strategies to recruit adults of ethnic minorities to clinical trials in the United Kingdom: A systematic review. Contemporary Clinical Trials, 2019, 78, 1-10.	0.8	21

#	Article	IF	CITATIONS
217	Is health research undertaken where the burden of disease is greatest? Observational study of geographical inequalities in recruitment to research in England 2013–2018. BMC Medicine, 2020, 18, 133.	2.3	21
218	Increasing equity of access to high-quality mental health services in primary care: a mixed-methods study. Programme Grants for Applied Research, 2013, 1, XXXX-XXXX.	0.4	21
219	†Finishing the race†M†a cohort study of weight and blood glucose change among the first 36,000 patients in a large-scale diabetes prevention programme. International Journal of Behavioral Nutrition and Physical Activity, 2022, 19, 7.	2.0	21
220	Understanding patients: Implicit personality theory and the general practitioner. The British Journal of Medical Psychology, 1998, 71, 153-163.	0.6	20
221	Capturing users' experience of UK out-of-hours primary medical care: piloting and psychometric properties of the Out-of-hours Patient Questionnaire. Quality and Safety in Health Care, 2007, 16, 462-468.	2.5	20
222	A cluster randomised controlled trial and process evaluation of a training programme for mental health professionals to enhance user involvement in care planning in service users with severe mental health issues (EQUIP): study protocol for a randomised controlled trial. Trials, 2015, 16, 348.	0.7	20
223	Knowledge Transfer and Improvement of Primary and Ambulatory Care for Patients with Anxiety. Canadian Journal of Psychiatry, 2008, 53, 277-293.	0.9	19
224	What makes a successful volunteer Expert Patients Programme tutor? Factors predicting satisfaction, productivity and intention to continue tutoring of a new public health workforce in the United Kingdom. Patient Education and Counseling, 2009, 75, 128-134.	1.0	19
225	The Quality and Outcomes Framework and self-management dialogue in primary care consultations: a qualitative study. British Journal of General Practice, 2011, 61, e666-e673.	0.7	19
226	Self-Management Interventions in Patients with Long-Term Conditions: A Structured Review of Approaches to Reporting Inclusion, Assessment, and Outcomes in Multimorbidity. Journal of Comorbidity, 2014, 4, 37-45.	3.9	19
227	What can we learn from trial decliners about improving recruitment? Qualitative study. Trials, 2016, 17, 494.	0.7	19
228	Supporting children and young people when making decisions about joining clinical trials: qualitative study to inform multimedia website development. BMJ Open, 2019, 9, e023984.	0.8	19
229	â€Îl didn't know what to expect': Exploring patient perspectives to identify targets for change to improve telephone-delivered psychological interventions. BMC Psychiatry, 2020, 20, 156.	1.1	19
230	Primary care mental health workers: role expectations, conflict and ambiguity. Health and Social Care in the Community, 2004, 12, 336-345.	0.7	18
231	Users' reports and evaluations of out-of-hours health care and the UK national quality requirements: a cross sectional study. British Journal of General Practice, 2009, 59, e8-e15.	0.7	18
232	What Outcomes Are Important to Patients with Long Term Conditions? A Discrete Choice Experiment. Value in Health, 2009, 12, 331-339.	0.1	18
233	Attitudes to participating in a birth cohort study, views from a multiethnic population: a qualitative study using focus groups. Health Expectations, 2017, 20, 146-158.	1.1	18
234	The effect of optimised patient information materials on recruitment in a lung cancer screening trial: an embedded randomised recruitment trial. Trials, 2018, 19, 503.	0.7	18

#	Article	IF	Citations
235	Improving access to primary mental health care: uncontrolled evaluation of a pilot self-help clinic. British Journal of General Practice, 2003, 53, 133-5.	0.7	18
236	On-site mental health workers in primary care: effects on professional practice., 1999,, CD000532.		17
237	Comparison of non-directive counselling and cognitive behaviour therapy for patients presenting in general practice with an ICD-10 depressive episode: a randomized control trial. Psychological Medicine, 2014, 44, 1835-1844.	2.7	17
238	Interventions for involving older patients with multi-morbidity in decision-making during primary care consultations. The Cochrane Library, 2019, 2019, .	1.5	17
239	Child and Adolescent Mental Health Interface Work with Primary Services: A Survey of NHS Provider Trusts. Child and Adolescent Mental Health, 2003, 8, 170-176.	1.8	16
240	Better management of multimorbidity: a critical look at the â€~Ariadne principles'. BMC Medicine, 2014, 12, 222.	2.3	16
241	Routine provision of information on patient-reported outcome measures to healthcare providers and patients in clinical practice. The Cochrane Library, 0, , .	1.5	16
242	What influences practitioners' readiness to deliver psychological interventions by telephone? A qualitative study of behaviour change using the Theoretical Domains Framework. BMC Psychiatry, 2020, 20, 371.	1.1	16
243	<i>On the borderline of diabetes</i> : understanding how individuals resist and reframe diabetes risk. Health, Risk and Society, 2021, 23, 34-51.	0.9	16
244	Humanistic counselling plus pastoral care as usual versus pastoral care as usual for the treatment of psychological distress in adolescents in UK state schools (ETHOS): a randomised controlled trial. The Lancet Child and Adolescent Health, 2021, 5, 178-189.	2.7	16
245	Why trials lose participants: A multitrial investigation of participants' perspectives using the theoretical domains framework. Journal of Clinical Epidemiology, 2021, 137, 1-13.	2.4	16
246	Depression and diabetes: The role and impact of models of health care systems. Journal of Affective Disorders, 2012, 142, S80-S88.	2.0	15
247	Systematic review of patients' views on the quality of primary health care in sub-Saharan Africa. SAGE Open Medicine, 2015, 3, 205031211560833.	0.7	15
248	Associations of participation in community assets with health-related quality of life and healthcare usage: a cross-sectional study of older people in the community. BMJ Open, 2017, 7, e012374.	0.8	15
249	Understanding usual care for patients with multimorbidity: baseline data from a cluster-randomised trial of the 3D intervention in primary care. BMJ Open, 2018, 8, e019845.	0.8	15
250	Impact of telephone delivered case-management on the effectiveness of collaborative care for depression and anti-depressant use: A systematic review and meta-regression. PLoS ONE, 2019, 14, e0217948.	1.1	15
251	The role of relapse prevention for depression in collaborative care: A systematic review. Journal of Affective Disorders, 2020, 265, 618-644.	2.0	15
252	A patient-centred intervention to improve the management of multimorbidity in general practice: the 3D RCT. Health Services and Delivery Research, 2019, 7, 1-238.	1.4	15

#	Article	IF	CITATIONS
253	The clinical and cost-effectiveness of the BRinging Information and Guided Help Together (BRIGHT) intervention for the self-management support of people with stage 3 chronic kidney disease in primary care: study protocol for a randomized controlled trial. Trials, 2013, 14, 28.	0.7	14
254	Multimorbidity and delivery of care for long-term conditions in the English National Health Service: baseline data from a cohort study. Journal of Health Services Research and Policy, 2013, 18, 29-37.	0.8	14
255	Systematic Techniques to Enhance rEtention in Randomised controlled trials: the STEER study protocol. Trials, 2018, 19, 197.	0.7	14
256	Improving recruitment to a study of telehealth management for COPD: a cluster randomised controlled â€~study within a trial' (SWAT) of a multimedia information resource. Trials, 2019, 20, 453.	0.7	14
257	Better care for depression in the workplace: Integrating occupational and mental health services. British Journal of Psychiatry, 2012, 200, 442-443.	1.7	13
258	The impact of advertising patient and public involvement on trial recruitment: embedded cluster randomised recruitment trial. Trials, 2016, 17, 586.	0.7	13
259	Evaluating a complex model designed to increase access to high quality primary mental health care for under-served groups: a multi-method study. BMC Health Services Research, 2016, 16, 58.	0.9	13
260	Effects of participating in community assets on quality of life and costs of care: longitudinal cohort study of older people in England. BMJ Open, 2020, 10, e033186.	0.8	13
261	Reducing bias in trials due to reactions to measurement: experts produced recommendations informed by evidence. Journal of Clinical Epidemiology, 2021, 139, 130-139.	2.4	13
262	Cross-sectional study exploring the association between stressors and burnout in junior doctors during the COVID-19 pandemic in the United Kingdom. Journal of Occupational Health, 2022, 64, e12311.	1.0	13
263	The effectiveness of self help technologies for emotional problems in adolescents: a systematic review. Child and Adolescent Psychiatry and Mental Health, 2008, 2, 20.	1.2	12
264	Does collaborative care improve social functioning in adults with depression? The application of the WHO ICF framework and meta-analysis of outcomes. Journal of Affective Disorders, 2016, 189, 379-391.	2.0	12
265	A pragmatic randomised controlled trial assessing the non-inferiority of counselling for depression versus cognitive-behaviour therapy for patients in primary care meeting a diagnosis of moderate or severe depression (PRaCTICED): Study protocol for a randomised controlled trial. Trials, 2017, 18, 93.	0.7	12
266	Effectiveness and cost-effectiveness of humanistic counselling in schools for young people with emotional distress (ETHOS): study protocol for a randomised controlled trial. Trials, 2018, 19, 175.	0.7	12
267	Understanding the diagnosis of pre-diabetes in patients aged over 85 in English primary care: a qualitative study. BMC Family Practice, 2019, 20, 90.	2.9	12
268	SWATted away: the challenging experience of setting up a programme of SWATs in paediatric trials. Trials, 2019, 20, 141.	0.7	12
269	Person-centred experiential therapy versus cognitive behavioural therapy delivered in the English Improving Access to Psychological Therapies service for the treatment of moderate or severe depression (PRaCTICED): a pragmatic, randomised, non-inferiority trial. Lancet Psychiatry, the, 2021, 8, 487-499.	3.7	12
270	Can we achieve better recruitment by providing better information? Meta-analysis of †studies within a trial' (SWATs) of optimised participant information sheets. BMC Medicine, 2021, 19, 218.	2.3	12

#	Article	IF	Citations
271	Assessing and ensuring fidelity of the nationally implemented English NHS diabetes prevention programme: lessons learned for the implementation of large-scale behaviour change programmes. Health Psychology and Behavioral Medicine, 2022, 10, 498-513.	0.8	12
272	Randomized trials with concurrent economic evaluations reported unrepresentatively large clinical effect sizes. Journal of Clinical Epidemiology, 2007, 60, 781.e1-781.e10.	2.4	11
273	MAXimising Involvement in MUltiMorbidity (MAXIMUM) in primary care: protocol for an observation and interview study of patients, GPs and other care providers to identify ways of reducing patient safety failures. BMJ Open, 2014, 4, e005493-e005493.	0.8	11
274	The potential for using a Universal Medication Schedule (UMS) to improve adherence in patients taking multiple medications in the UK: a qualitative evaluation. BMC Health Services Research, 2015, 15, 94.	0.9	11
275	â€ [*] One manâ€ [™] s medicine is another manâ€ [™] s poisonâ€ [™] : a qualitative study of user perspectives on low inteninterventions for Obsessive-Compulsive Disorder (OCD). BMC Health Services Research, 2016, 16, 188.	sity 0:9	11
276	Epidemiology and determinants of non-diabetic hyperglycaemia and its conversion to type 2 diabetes mellitus, 2000–2015: cohort population study using UK electronic health records. BMJ Open, 2020, 10, e040201.	0.8	11
277	Sociodemographic disparities in nonâ€diabetic hyperglycaemia and the transition to type 2 diabetes: evidence from the English Longitudinal Study of Ageing. Diabetic Medicine, 2020, 37, 1536-1544.	1.2	11
278	Developing a model of mental health self-care support for children and young people through an integrated evaluation of available types of provision involving systematic review, meta-analysis and case study. Health Services and Delivery Research, 2014, 2, 1-212.	1.4	11
279	Bias in patient assessments of general practice: general practice assessment survey scores in surgery and postal responders. British Journal of General Practice, 2003, 53, 126-8.	0.7	11
280	Standardized assessment for elderly people (SAFE) $\hat{a} \in$ a feasibility study in district nursing. Journal of Clinical Nursing, 1995, 4, 303-310.	1.4	10
281	Equity of access to psychological therapies. British Journal of Psychiatry, 2011, 198, 91-92.	1.7	10
282	Surrogates, metaâ€analysis and costâ€effectiveness modelling: a combined analytic approach. Health Economics (United Kingdom), 2012, 21, 742-756.	0.8	10
283	Obsessive Compulsive Treatment Efficacy Trial (OCTET) comparing the clinical and cost effectiveness of self-managed therapies: study protocol for a randomised controlled trial. Trials, 2014, 15, 278.	0.7	10
284	Patient-reported safety incidents in older patients with long-term conditions: a large cross-sectional study. BMJ Open, 2017, 7, e013524.	0.8	10
285	Safety work and risk management as burdens of treatment in primary care: insights from a focused ethnographic study of patients with multimorbidity. BMC Family Practice, 2018, 19, 155.	2.9	10
286	Enacting personâ€eentredness in integrated care: A qualitative study of practice and perspectives within multidisciplinary groups in the care of older people. Health Expectations, 2018, 21, 1066-1074.	1.1	10
287	A Qualitative Study Exploring the Determinants, Coping, and Effects of Stress in United Kingdom Trainee Doctors. Academic Psychiatry, 2019, 43, 560-569.	0.4	10
288	Supporting people with type 2 diabetes in effective use of their medicine through mobile health technology integrated with clinical care (SuMMiT-D Feasibility): a randomised feasibility trial protocol. BMJ Open, 2019, 9, e033504.	0.8	10

#	Article	IF	CITATIONS
289	Identifying older adults with frailty approaching end-of-life: A systematic review. Palliative Medicine, 2021, 35, 1832-1843.	1.3	10
290	Child and adolescent mental health and primary health care: current status and future directions. Current Opinion in Psychiatry, 2000, 13, 369-373.	3.1	9
291	Perseverative negative cognitive processes are associated with depression in people with long-term conditions. Chronic Illness, 2012, 8, 102-111.	0.6	9
292	Predictors of patient self-report of chronic kidney disease: baseline analysis of a randomised controlled trial. BMC Family Practice, 2014, 15, 196.	2.9	9
293	Can a  consent to contact' community help research teams overcome barriers to recruitment? The development and impact of the  Research for the Future' community. BMC Medical Research Methodology, 2019, 19, 195.	1.4	9
294	A case of misalignment: the perspectives of local and national decision-makers on the implementation of psychological treatment by telephone in the Improving Access to Psychological Therapies Service. BMC Health Services Research, 2019, 19, 997.	0.9	9
295	Improving care for older people with long-term conditions and social care needs in Salford: the CLASSIC mixed-methods study, including RCT. Health Services and Delivery Research, 2018, 6, 1-188.	1.4	9
296	Enhancing the multi-dimensional assessment of quality of life: introducing the WHOQOL-Combi. Quality of Life Research, 2021, 30, 891-903.	1.5	9
297	Cost-effectiveness of cognitive–behavioral therapy for depression: current evidence and future research priorities. Expert Review of Pharmacoeconomics and Outcomes Research, 2002, 2, 457-465.	0.7	8
298	Recruitment to a trial of self-care skills training in long-term health conditions: Analysis of the impact of patient attitudes and preferences. Contemporary Clinical Trials, 2006, 27, 49-56.	0.8	8
299	Psychiatric morbidity and quality of life of primary care attenders in two cities in Brazil. Jornal Brasileiro De Psiquiatria, 2014, 63, 23-32.	0.2	8
300	Cost-effectiveness of a patient-centred approach to managing multimorbidity in primary care: a pragmatic cluster randomised controlled trial. BMJ Open, 2020, 10, e030110.	0.8	8
301	Supporting patients with longâ€term conditions in the community: Evaluation of the Greater Manchester Community Pharmacy Care Plan Service. Health and Social Care in the Community, 2020, 28, 1671-1687.	0.7	8
302	Effectiveness of collaborative care in reducing suicidal ideation: An individual participant data meta-analysis General Hospital Psychiatry, 2021, 71, 27-35.	1.2	8
303	Rates of turnover among general practitioners: a retrospective study of all English general practices between 2007 and 2019. BMJ Open, 2021, 11, e049827.	0.8	8
304	Training to enhance user and carer involvement in mental health-care planning: the EQUIP research programme including a cluster RCT. Programme Grants for Applied Research, 2019, 7, 1-140.	0.4	8
305	Measuring patients' assessments of primary care quality: the use of self-report questionnaires. Expert Review of Pharmacoeconomics and Outcomes Research, 2003, 3, 551-560.	0.7	7
306	Contrasting approaches to recruitment in primary care research. Primary Health Care Research and Development, 2009, 10, 368.	0.5	7

#	Article	IF	Citations
307	Food for thought: pilot randomized controlled trial of lay health trainers supporting dietary change to reduce cardiovascular disease in deprived communities. Journal of Public Health, 2014, 36, 635-643.	1.0	7
308	Recruitment strategies for British South Asians in 5 depression trials: A mixed method study. Journal of Affective Disorders, 2015, 185, 195-203.	2.0	7
309	The Patient Assessment of Chronic Illness Care produces measurements along a single dimension: results from a Mokken analysis. Health and Quality of Life Outcomes, 2017, 15, 61.	1.0	7
310	Recruitment and methodological issues in conducting dementia research in British ethnic minorities: A qualitative systematic review. International Journal of Methods in Psychiatric Research, 2020, 29, e1806.	1.1	7
311	Normative Estimates and Agreement Between 2 Measures of Health-Related Quality of Life in Older People With Frailty: Findings From the Community Ageing Research 75+ Cohort. Value in Health, 2020, 23, 1056-1062.	0.1	7
312	Primary care treatment of insomnia: study protocol for a pragmatic, multicentre, randomised controlled trial comparing nurse-delivered sleep restriction therapy to sleep hygiene (the HABIT) Tj ETQq0 0 0 rg&	BT (D verlo	ck 1 10 Tf 50 5
313	Study protocol for a cluster randomised controlled feasibility trial evaluating personalised care planning for older people with frailty: PROSPER V2 27/11/18. Pilot and Feasibility Studies, 2020, 6, 56.	0.5	7
314	Article missed published papers on GPAQ validity. British Journal of General Practice, 2007, 57, 918-918.	0.7	7
315	The PROMoting the USE of SWATs (PROMETHEUS) programme: Lessons learnt and future developments for SWATs. Research Methods in Medicine & Health Sciences, 2022, 3, 100-106.	0.7	7
316	Patients' perceptions of the role of the general practitioner in the management of emotional problems. British Journal of Health Psychology, 1999, 4, 41-52.	1.9	6
317	Choosing, deciding, or participating: what do patients want in primary care?. British Journal of General Practice, 2008, 58, 603-604.	0.7	6
318	Update on the collaborative interventions for circulation and depression (COINCIDE) trial: changes to planned methodology of a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. Trials, 2013, 14, 136.	0.7	6
319	Social support network, mental health and quality of life: a cross-sectional study in primary care. Cadernos De Saude Publica, 2016, 32, e00165115.	0.4	6
320	Development and validation of the patient evaluation scale (PES) for primary health care in Nigeria. Primary Health Care Research and Development, 2017, 18, 161-182.	0.5	6
321	Exploring the career choices of White and Black, Asian and Minority Ethnic women pharmacists: a qualitative study. International Journal of Pharmacy Practice, 2018, 26, 507-514.	0.3	6
322	Doing trials within trials: a qualitative study of stakeholder views on barriers and facilitators to the routine adoption of methodology research in clinical trials. Trials, 2018, 19, 481.	0.7	6
323	The impact of a combinatorial digital and organisational intervention on the management of long-term conditions in UK primary care: a non-randomised evaluation. BMC Health Services Research, 2019, 19, 159.	0.9	6
324	Satisfaction with a digitally-enabled telephone health coaching intervention for people with non-diabetic hyperglycaemia. Npj Digital Medicine, 2019, 2, 5.	5.7	6

#	Article	IF	Citations
325	Involving older people with multimorbidity in decision-making about their primary healthcare: A Cochrane systematic review of interventions (abridged). Patient Education and Counseling, 2020, 103, 2078-2094.	1.0	6
326	Telephone delivery of psychological interventions: Balancing protocol with patient-centred care. Social Science and Medicine, 2021, 277, 113818.	1.8	6
327	The individual contribution and relative importance of self-management and quality of care on glycaemic control in type 2 diabetes. Salud Publica De Mexico, 2016, 58, 404-411.	0.1	6
328	A systematic review and metaethnography to identify how effective, cost-effective, accessible and acceptable self-management support interventions are for men with long-term conditions (SELF-MAN). Health Services and Delivery Research, 2015, 3, 1-302.	1.4	6
329	An intervention to improve the quality of life in children of parents with serious mental illness: the Young SMILES feasibility RCT. Health Technology Assessment, 2020, 24, 1-136.	1.3	6
330	Patient Preference and Validity of Randomized Controlled Trialsâ€"Reply. JAMA - Journal of the American Medical Association, 2005, 294, 41.	3.8	5
331	Retention and future job intentions of graduate primary care mental health workers: A newly developed role in England. Journal of Health Services Research and Policy, 2007, 12, 18-22.	0.8	5
332	Findings and Predictors of Patient-Reported Experience of Primary Health Care in Nigeria. Journal of Patient Experience, 2016, 3, 69-80.	0.4	5
333	Comparison of active treatments for impaired glucose regulation: a Salford Royal Foundation Trust and Hitachi collaboration (CATFISH): study protocol for a randomized controlled trial. Trials, 2016, 17, 424.	0.7	5
334	The effect of using social pressure in cover letters to improve retention in a longitudinal health study: an embedded randomised controlled retention trial. Trials, 2017, 18, 341.	0.7	5
335	â€~So just to go through the options…': patient choice in the telephone delivery of the NHS Improving Access to Psychological Therapies services. Sociology of Health and Illness, 2021, 43, 3-19.	1.1	5
336	People's preferences for selfâ€management support. Health Services Research, 2022, 57, 91-101.	1.0	5
337	Co-designing new tools for collecting, analysing and presenting patient experience data in NHS services: working in partnership with patients and carers. Research Involvement and Engagement, 2021, 7, 85.	1.1	5
338	A multimedia intervention to enhance recruitment to clinical trials in primary care and community settings: process of development and evaluation. Trials, 2013, 14, .	0.7	4
339	Does the impact of case management vary in different subgroups of multimorbidity? Secondary analysis of a quasi-experiment. BMC Health Services Research, 2017, 17, 521.	0.9	4
340	A feasibility study for NOn-Traditional providers to support the management of Elderly People with Anxiety and Depression: The NOTEPAD study Protocol. Trials, 2018, 19, 172.	0.7	4
341	A community-based intervention (Young SMILES) to improve the health-related quality of life of children and young people of parents with serious mental illness: randomised feasibility protocol. Trials, 2018, 19, 550.	0.7	4
342	Preventing depression in the community by voluntary sector providers (PERSUADE): intervention development and protocol for a parallel randomised controlled feasibility trial. BMJ Open, 2019, 9, e023791.	0.8	4

#	Article	IF	CITATIONS
343	Can support workers from AgeUK deliver an intervention to support older people with anxiety and depression? A qualitative evaluation. BMC Family Practice, 2019, 20, 16.	2.9	4
344	Notice of Retraction. Hodkinson et al. Accelerometer- and Pedometer-Based Physical Activity Interventions Among Adults With Cardiometabolic Conditions: A Systematic Review and Meta-analysis. JAMA Netw Open. 2019;2(10):e1912895 JAMA Network Open, 2020, 3, e2032700.	2.8	4
345	Self-care support for children and adolescents with long-term conditions: the REFOCUS evidence synthesis. Health Services and Delivery Research, 2018, 6, 1-192.	1.4	4
346	Collaborative case management to aid return to work after long-term sickness absence: a pilot randomised controlled trial. Public Health Research, 2018, 6, 1-76.	0.5	4
347	A randomised controlled trial, cost-effectiveness and process evaluation of the implementation of self-management for chronic gastrointestinal disorders in primary care, and linked projects on identification and risk assessment. Programme Grants for Applied Research, 2018, 6, 1-154.	0.4	4
348	Engagement with consumer smartwatches for tracking symptoms of individuals living with multiple long-term conditions (multimorbidity): A longitudinal observational study. Journal of Multimorbidity and Comorbidity, 2021, 11, 263355652110627.	0.8	4
349	Exploring Associations between Stressors and Burnout in Trainee Doctors During the COVID-19 Pandemic in the UK. Academic Psychiatry, 0, , .	0.4	4
350	Measuring general practitioner psychology: the personal construct perspective. Family Practice, 1997, 14, 142-147.	0.8	3
351	Collaborative care for depression in UK primary care: a randomized controlled trial – Corrigendum. Psychological Medicine, 2009, 39, 701-701.	2.7	3
352	Antenatal interventions for reducing weight in obese women for improving pregnancy outcome. , 2011, 2011, .		3
353	Systematic techniques for assisting recruitment to trials (START): developing the science of recruitment. Trials, 2013, 14, .	0.7	3
354	Patient recruitment to a diabetic retinopathy screening trial through optimised patient information materials: an embedded study within a trial (SWAT). F1000Research, 0, 9, 779.	0.8	3
355	Digital methods to enhance the usefulness of patient experience data in services for long-term conditions: the DEPEND mixed-methods study. Health Services and Delivery Research, 2020, 8, 1-128.	1.4	3
356	Multicentre randomised controlled trial of a group psychological intervention for postnatal depression in British mothers of South Asian origin (ROSHNI-2): study protocol. BJPsych Open, 2022, 8, .	0.3	3
357	The development of theory-informed participant-centred interventions to maximise participant retention in randomised controlled trials. Trials, 2022, 23, 268.	0.7	3
358	Staff training to improve participant recruitment into surgical randomised controlled trials: A feasibility study within a trial (SWAT) across four host trials simultaneously. Research Methods in Medicine & Health Sciences, 0, , 263208432211069.	0.7	3
359	The reform patient information sheet sub study - an embedded trial evaluating the enhancement of patient information sheets to improve recruitment. Trials, $2015, 16, .$	0.7	2
360	Depression in primary care. , 2010, , 1-16.		2

#	Article	IF	CITATIONS
361	United Kingdom perspective., 0,, 127-136.		2
362	Balancing quality and equity of access in specialist neonatal surgery: implications of the GIRFT report. British Journal of Surgery, 2022, 109, 1017-1018.	0.1	2
363	Patient-centred healthcare. , 2001, , 468-472.		1
364	Rapid recruitment of large cohort to support trials in general practice: the role of FARSITE. Trials, 2015, 16, .	0.7	1
365	Interventions for involving older patients with multimorbidity in decision-making during primary care consultations. The Cochrane Library, 0, , .	1.5	1
366	Factors that predict patient outcome in primary care psychological therapies: current evidence and methodological issues. Primary Care and Community Psychiatry, 2000, 6, 15-21.	0.4	1
367	Non-traditional support workers delivering a brief psychosocial intervention for older people with anxiety and depression: the NOTEPAD feasibility study. Health Services and Delivery Research, 2019, 7, 1-120.	1.4	1
368	Supporting People With Type 2 Diabetes in the Effective Use of Their Medicine Through Mobile Health Technology Integrated With Clinical Care to Reduce Cardiovascular Risk: Protocol for an Effectiveness and Cost-effectiveness Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e32918.	0.5	1
369	A pragmatic randomized controlled trial of a group self-management support program versus treatment-as-usual for anxiety disorders: study protocol. BMC Psychiatry, 2022, 22, 135.	1.1	1
370	Performance related pay for general practitioners. BMJ: British Medical Journal, 1990, 300, 682-682.	2.4	0
371	Linking evidence to practice. , 0, , 31-54.		0
372	New Insights on the Pathogenesis and Treatment of Crystal Arthritis. Rheumatology, 2013, 52, i1-i7.	0.9	0
373	Testing the effectiveness of user-tested patient information on recruitment rates across multiple trials: meta-analysis of data from the start programme. Trials, 2015, 16, .	0.7	0
374	Multimorbidity and patient-centred care in the 3D trial – Authors' reply. Lancet, The, 2019, 393, 129.	6.3	0
375	Out of pocket expenses in obsessive compulsive disorder. Journal of Mental Health, 2020, , 1 -6.	1.0	0
376	Effectiveness of multidisciplinary team case management: Direct and spill-over effects. International Journal of Integrated Care, 2016, 16, 83.	0.1	0
377	Variation in appropriate diabetes care and treatment targets in urban and rural areas in England: an observational study of the †rule of halves'. BMJ Open, 2022, 12, e057244.	0.8	0
378	Models of care for depression. , 0, , 17-30.		О

#	Article	IF	CITATIONS
379	Anatomy of a review., 0,, 55-72.		O
380	Consultation-liaison., 0,, 81-86.		0
381	Collaborative care., 0,, 87-102.		0
382	Referral., 0,, 103-110.		0
383	Summary of the evidence. , 0, , 111-116.		O
384	Making it happen. , 0, , 117-126.		0
385	United States perspective. , 0, , 137-144.		O