

Nigel Roulet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2189241/publications.pdf>

Version: 2024-02-01

195
papers

18,211
citations

10351

72
h-index

14702

127
g-index

214
all docs

214
docs citations

214
times ranked

11701
citing authors

#	ARTICLE	IF	CITATIONS
1	Sensitivity of the carbon cycle in the Arctic to climate change. <i>Ecological Monographs</i> , 2009, 79, 523-555.	2.4	814
2	Peatlands and the carbon cycle: from local processes to global implications – a synthesis. <i>Biogeosciences</i> , 2008, 5, 1475-1491.	1.3	630
3	Contemporary carbon balance and late Holocene carbon accumulation in a northern peatland. <i>Global Change Biology</i> , 2007, 13, 397-411.	4.2	521
4	Arctic and boreal ecosystems of western North America as components of the climate system. <i>Global Change Biology</i> , 2000, 6, 211-223.	4.2	488
5	Browning the waters. <i>Nature</i> , 2006, 444, 283-284.	13.7	356
6	Uncertainty in Predicting the Effect of Climatic Change on the Carbon Cycling of Canadian Peatlands. <i>Climatic Change</i> , 1998, 40, 229-245.	1.7	337
7	EFFECTS OF CLIMATE CHANGE ON THE FRESHWATERS OF ARCTIC AND SUBARCTIC NORTH AMERICA. <i>Hydrological Processes</i> , 1997, 11, 873-902.	1.1	329
8	Peatlands in the Earth's 21st century climate system. <i>Environmental Reviews</i> , 2011, 19, 371-396.	2.1	323
9	Plant biomass and production and CO ₂ exchange in an ombrotrophic bog. <i>Journal of Ecology</i> , 2002, 90, 25-36.	1.9	315
10	Remote sensing of the land surface for studies of global change: Models – algorithms – experiments. <i>Remote Sensing of Environment</i> , 1995, 51, 3-26.	4.6	309
11	Interannual variability in the peatland-atmosphere carbon dioxide exchange at an ombrotrophic bog. <i>Global Biogeochemical Cycles</i> , 2003, 17, n/a-n/a.	1.9	307
12	Increases in Fluxes of Greenhouse Gases and Methyl Mercury following Flooding of an Experimental Reservoir. <i>Environmental Science & Technology</i> , 1997, 31, 1334-1344.	4.6	305
13	Production and Loss of Methylmercury and Loss of Total Mercury from Boreal Forest Catchments Containing Different Types of Wetlands. <i>Environmental Science & Technology</i> , 1996, 30, 2719-2729.	4.6	287
14	Holocene radiative forcing impact of northern peatland carbon accumulation and methane emissions. <i>Global Change Biology</i> , 2007, 13, 1079-1088.	4.2	283
15	A model-data comparison of gross primary productivity: Results from the North American Carbon Program site synthesis. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	274
16	Parametrization of peatland hydraulic properties for the Canadian land surface scheme. <i>Atmosphere - Ocean</i> , 2000, 38, 141-160.	0.6	271
17	Methane flux: Water table relations in northern wetlands. <i>Geophysical Research Letters</i> , 1993, 20, 587-590.	1.5	263
18	Modeling Northern Peatland Decomposition and Peat Accumulation. <i>Ecosystems</i> , 2001, 4, 479-498.	1.6	250

#	ARTICLE	IF	CITATIONS
19	Ecosystem Respiration in a Cool Temperate Bog Depends on Peat Temperature But Not Water Table. <i>Ecosystems</i> , 2005, 8, 619-629.	1.6	247
20	Peatlands, carbon storage, greenhouse gases, and the Kyoto Protocol: Prospects and significance for Canada. <i>Wetlands</i> , 2000, 20, 605-615.	0.7	239
21	Wetlands In a Changing Climate: Science, Policy and Management. <i>Wetlands</i> , 2018, 38, 183-205.	0.7	234
22	Atmosphere-wetland carbon exchanges: Scale dependency of CO ₂ and CH ₄ exchange on the developmental topography of a peatland. <i>Global Biogeochemical Cycles</i> , 1996, 10, 233-245.	1.9	211
23	Modelling and analysis of peatlands as dynamical systems. <i>Journal of Ecology</i> , 2000, 88, 230-242.	1.9	210
24	Spatial and temporal variations of methane flux from subarctic/northern boreal fens. <i>Global Biogeochemical Cycles</i> , 1990, 4, 29-46.	1.9	201
25	How northern peatlands influence the Earth's radiative budget: Sustained methane emission versus sustained carbon sequestration. <i>Journal of Geophysical Research</i> , 2006, 111, .	3.3	196
26	Low boreal wetlands as a source of atmospheric methane. <i>Journal of Geophysical Research</i> , 1992, 97, 3739-3749.	3.3	195
27	Carbon balance of a boreal patterned peatland. <i>Global Change Biology</i> , 2000, 6, 87-97.	4.2	184
28	Annual and seasonal variability in evapotranspiration and water table at a shrub-covered bog in southern Ontario, Canada. <i>Hydrological Processes</i> , 2005, 19, 3533-3550.	1.1	182
29	A new model of Holocene peatland net primary production, decomposition, water balance, and peat accumulation. <i>Earth System Dynamics</i> , 2010, 1, 1-21.	2.7	182
30	Northern fens: methane flux and climatic change. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 1992, 44, 100-105.	0.8	179
31	Methane Emissions from Wetlands in the Midboreal Region of Northern Ontario, Canada. <i>Ecology</i> , 1993, 74, 2240-2254.	1.5	179
32	Groundwater-surface water interactions in headwater forested wetlands of the Canadian Shield. <i>Journal of Hydrology</i> , 1996, 181, 127-147.	2.3	172
33	The uncertain climate footprint of wetlands under human pressure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 4594-4599.	3.3	171
34	Water table control of CH ₄ emission enhancement by vascular plants in boreal peatlands. <i>Journal of Geophysical Research</i> , 1996, 101, 22775-22785.	3.3	165
35	Relationship between ecosystem productivity and photosynthetically active radiation for northern peatlands. <i>Global Biogeochemical Cycles</i> , 1998, 12, 115-126.	1.9	165
36	Plant Species Numbers Predicted by a Topography-based Groundwater Flow Index. <i>Ecosystems</i> , 2005, 8, 430-441.	1.6	160

#	ARTICLE	IF	CITATIONS
37	In situ sulphate stimulation of mercury methylation in a boreal peatland: Toward a link between acid rain and methylmercury contamination in remote environments. <i>Global Biogeochemical Cycles</i> , 1999, 13, 743-750.	1.9	158
38	Annual cycle of CO ₂ exchange at a bog peatland. <i>Journal of Geophysical Research</i> , 2001, 106, 3071-3081.	3.3	158
39	Peatlands and Their Role in the Global Carbon Cycle. <i>Eos</i> , 2011, 92, 97-98.	0.1	153
40	Flux to the atmosphere of CH ₄ and CO ₂ from wetland ponds on the Hudson Bay lowlands (HBLs). <i>Journal of Geophysical Research</i> , 1994, 99, 1495.	3.3	150
41	Hydrology and dissolved organic carbon biogeochemistry in an ombrotrophic bog. <i>Hydrological Processes</i> , 2001, 15, 3151-3166.	1.1	148
42	Nitrogen deposition and increased carbon accumulation in ombrotrophic peatlands in eastern Canada. <i>Global Biogeochemical Cycles</i> , 2004, 18, n/a-n/a.	1.9	147
43	Northern fens: methane flux and climatic change. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 44, 100.	0.8	145
44	Variability in exchange of CO ₂ across 12 northern peatland and tundra sites. <i>Global Change Biology</i> , 2010, 16, 2436-2448.	4.2	144
45	Methane flux from drained northern peatlands: Effect of a persistent water table lowering on flux. <i>Global Biogeochemical Cycles</i> , 1993, 7, 749-769.	1.9	141
46	Groundwater flow and dissolved carbon movement in a boreal peatland. <i>Journal of Hydrology</i> , 1997, 191, 122-138.	2.3	140
47	Modeling seasonal to annual carbon balance of Mer Bleue Bog, Ontario, Canada. <i>Global Biogeochemical Cycles</i> , 2002, 16, 4-14-21.	1.9	138
48	Climate control of terrestrial carbon exchange across biomes and continents. <i>Environmental Research Letters</i> , 2010, 5, 034007.	2.2	137
49	Groundwater flow patterns in a large peatland. <i>Journal of Hydrology</i> , 2001, 246, 142-154.	2.3	136
50	The hydrology and methylmercury dynamics of a Precambrian shield headwater peatland. <i>Water Resources Research</i> , 1996, 32, 1785-1794.	1.7	134
51	Role of the Hudson Bay lowland as a source of atmospheric methane. <i>Journal of Geophysical Research</i> , 1994, 99, 1439.	3.3	128
52	Investigating hydrologic connectivity and its association with threshold change in runoff response in a temperate forested watershed. <i>Hydrological Processes</i> , 2007, 21, 3391-3408.	1.1	128
53	Effects of permafrost and hydrology on the composition and transport of dissolved organic carbon in a subarctic peatland complex. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	125
54	A Multi-Year Record of Methane Flux at the Mer Bleue Bog, Southern Canada. <i>Ecosystems</i> , 2011, 14, 646-657.	1.6	123

#	ARTICLE	IF	CITATIONS
55	Microtopography and methane flux in boreal peatlands, northern Ontario, Canada. Canadian Journal of Botany, 1993, 71, 1056-1063.	1.2	118
56	The net carbon footprint of a newly created boreal hydroelectric reservoir. Global Biogeochemical Cycles, 2012, 26, .	1.9	117
57	Methane emissions from wetlands, southern Hudson Bay lowland. Journal of Geophysical Research, 1994, 99, 1455.	3.3	108
58	Increasing contribution of peatlands to boreal evapotranspiration in a warming climate. Nature Climate Change, 2020, 10, 555-560.	8.1	106
59	Antecedent moisture conditions and catchment morphology as controls on spatial patterns of runoff generation in small forest catchments. Journal of Hydrology, 2009, 377, 351-366.	2.3	105
60	Episodic fluxes of methane from subarctic fens. Canadian Journal of Soil Science, 1992, 72, 441-452.	0.5	97
61	Climate change reduces the capacity of northern peatlands to absorb the atmospheric carbon dioxide: The different responses of bogs and fens. Global Biogeochemical Cycles, 2014, 28, 1005-1024.	1.9	95
62	Greenhouse Gas Emissions from Canadian Peat Extraction, 1990â€“2000: A Life-cycle Analysis. Ambio, 2005, 34, 456-461.	2.8	93
63	Methane fluxes from three peatlands in the La Grande RivierÃ© watershed, James Bay lowland, Canada. Journal of Geophysical Research, 2007, 112, .	3.3	93
64	CO2and CH4flux between a boreal beaver pond and the atmosphere. Journal of Geophysical Research, 1997, 102, 29313-29319.	3.3	92
65	Late-summer carbon fluxes from Canadian forests and peatlands along an eastâ€“west continental transect. Canadian Journal of Forest Research, 2006, 36, 783-800.	0.8	91
66	Investigating the applicability of end-member mixing analysis (EMMA) across scale: A study of eight small, nested catchments in a temperate forested watershed. Water Resources Research, 2006, 42, .	1.7	90
67	McGill wetland model: evaluation of a peatland carbon simulator developed for global assessments. Biogeosciences, 2010, 7, 3517-3530.	1.3	86
68	Runoff generation in zero-order precambrian shield catchments: The stormflow response of a heterogeneous landscape. Hydrological Processes, 1994, 8, 369-388.	1.1	84
69	Net ecosystem CO2 exchange in a temperate cattail marsh in relation to biophysical properties. Agricultural and Forest Meteorology, 2008, 148, 69-81.	1.9	83
70	Assessing long-term hydrological and ecological responses to drainage in a raised bog using paleoecology and a hydrosequence. Journal of Vegetation Science, 2010, 21, 143-156.	1.1	83
71	Runoff mechanisms in a forested groundwater discharge wetland. Journal of Hydrology, 1993, 147, 37-60.	2.3	81
72	Hydrology of a wetland in the continuous permafrost region. Journal of Hydrology, 1986, 89, 73-91.	2.3	80

#	ARTICLE	IF	CITATIONS
73	Patterns of nitrogen and sulfur accumulation and retention in ombrotrophic bogs, eastern Canada. <i>Global Change Biology</i> , 2005, 11, 356-367.	4.2	79
74	Spring and Summer Runoff Hydrology of a Subarctic Patterned Wetland. <i>Arctic and Alpine Research</i> , 1998, 30, 285.	1.3	78
75	Net carbon accumulation of a high-latitude permafrost palsamire similar to permafrost-free peatlands. <i>Geophysical Research Letters</i> , 2012, 39, .	1.5	76
76	The baseflow and storm flow hydrology of a precambrian shield headwater peatland. <i>Hydrological Processes</i> , 1998, 12, 57-72.	1.1	72
77	The effect of atmospheric turbulence and chamber deployment period on autochamber CO ₂ and CH ₄ flux measurements in an ombrotrophic peatland. <i>Biogeosciences</i> , 2012, 9, 3305-3322.	1.3	71
78	Multi-year net ecosystem carbon balance of a restored peatland reveals a return to carbon sink. <i>Global Change Biology</i> , 2018, 24, 5751-5768.	4.2	71
79	Tropical pasture carbon cycling: relationships between C source/sink strength, above-ground biomass and grazing. <i>Ecology Letters</i> , 2002, 5, 367-376.	3.0	70
80	Maintaining the role of Canada's forests and peatlands in climate regulation. <i>Forestry Chronicle</i> , 2010, 86, 434-443.	0.5	69
81	The effect of forestry drainage practices on the emission of methane from northern peatlands. <i>Canadian Journal of Forest Research</i> , 1995, 25, 491-499.	0.8	68
82	A comparison of evaporation rates from two fens of the Hudson Bay Lowland. <i>Aquatic Botany</i> , 1992, 44, 59-69.	0.8	67
83	Belowground carbon turnover in a temperate ombrotrophic bog. <i>Global Biogeochemical Cycles</i> , 2007, 21, .	1.9	67
84	Do Root Exudates Enhance Peat Decomposition?. <i>Geomicrobiology Journal</i> , 2012, 29, 374-378.	1.0	67
85	Hydrology of a headwater basin wetland: Groundwater discharge and wetland maintenance. <i>Hydrological Processes</i> , 1990, 4, 387-400.	1.1	66
86	Methane efflux from boreal wetlands: Theory and testing of the ecosystem model Ecosys with chamber and tower flux measurements. <i>Global Biogeochemical Cycles</i> , 2002, 16, 2-1-2-16.	1.9	66
87	The global carbon cycle in the Canadian Earth system model (CanESM1): Preindustrial control simulation. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	66
88	Total waterborne carbon export and DOC composition from ten nested subarctic peatland catchments—importance of peatland cover, groundwater influence, and inter-annual variability of precipitation patterns. <i>Hydrological Processes</i> , 2013, 27, 2280-2294.	1.1	64
89	Surface Level and Water Table Fluctuations in a Subarctic Fen. <i>Arctic and Alpine Research</i> , 1991, 23, 303.	1.3	62
90	Ecohydrological feedbacks in peatlands: an empirical test of the relationship among vegetation, microtopography and water table. <i>Ecohydrology</i> , 2016, 9, 1346-1357.	1.1	62

#	ARTICLE	IF	CITATIONS
91	Evidence for a nonmonotonic relationship between ecosystem-scale peatland methane emissions and water table depth. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 826-835.	1.3	61
92	Using direct and indirect measurements of leaf area index to characterize the shrub canopy in an ombrotrophic peatland. <i>Agricultural and Forest Meteorology</i> , 2007, 144, 200-212.	1.9	60
93	A test of the Canadian land surface scheme (class) for a variety of wetland types. <i>Atmosphere - Ocean</i> , 2000, 38, 161-179.	0.6	59
94	Spring photosynthesis in a cool temperate bog. <i>Global Change Biology</i> , 2006, 12, 2323-2335.	4.2	58
95	Nutrient Flux and Retention in a Tropical Sand-Dune Succession. <i>Journal of Ecology</i> , 1990, 78, 664.	1.9	57
96	Controls on latent heat flux and energy partitioning at a peat bog in eastern Canada. <i>Agricultural and Forest Meteorology</i> , 2006, 140, 308-321.	1.9	57
97	Spatially explicit simulation of peatland hydrology and carbon dioxide exchange: Influence of mesoscale topography. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	53
98	The biogeochemistry of pristine, headwater Precambrian shield watersheds: an analysis of material transport within a heterogeneous landscape. <i>Biogeochemistry</i> , 1993, 22, 37-79.	1.7	52
99	Mercury cycling in boreal ecosystems: The long-term effect of acid rain constituents on peatland pore water methylmercury concentrations. <i>Geophysical Research Letters</i> , 2001, 28, 1227-1230.	1.5	51
100	On the relationship between cloudiness and net ecosystem carbon dioxide exchange in a peatland ecosystem. <i>Ecoscience</i> , 2005, 12, 53-69.	0.6	51
101	The direct and indirect effects of inter-annual meteorological variability on ecosystem carbon dioxide exchange at a temperate ombrotrophic bog. <i>Agricultural and Forest Meteorology</i> , 2010, 150, 1402-1411.	1.9	51
102	A comparison of dynamic and static chambers for methane emission measurements from subarctic fens. <i>Atmosphere - Ocean</i> , 1991, 29, 102-109.	0.6	50
103	Controls on the fate and transport of methylmercury in a boreal headwater catchment, northwestern Ontario, Canada. <i>Hydrology and Earth System Sciences</i> , 2002, 6, 785-794.	1.9	48
104	Permafrost conditions in peatlands regulate magnitude, timing, and chemical composition of catchment dissolved organic carbon export. <i>Global Change Biology</i> , 2014, 20, 3122-3136.	4.2	47
105	The spatial and temporal relationships between CO ₂ and CH ₄ exchange in a temperate ombrotrophic bog. <i>Atmospheric Environment</i> , 2014, 89, 249-259.	1.9	47
106	Wetland and Lake Evaporation in the Low Arctic. <i>Arctic and Alpine Research</i> , 1986, 18, 195.	1.3	46
107	Hydrological effects on carbon cycles of Canada's forests and wetlands. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2006, 58, 16-30.	0.8	45
108	Overriding control of methane flux temporal variability by water table dynamics in a Southern Hemisphere, raised bog. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2015, 120, 819-831.	1.3	44

#	ARTICLE	IF	CITATIONS
109	Runoff generation in a low Arctic drainage basin. <i>Journal of Hydrology</i> , 1988, 101, 213-226.	2.3	43
110	Effects of long-term fertilization on peat stoichiometry and associated microbial enzyme activity in an ombrotrophic bog. <i>Biogeochemistry</i> , 2016, 129, 149-164.	1.7	42
111	Sinks and sources of methylmercury in a boreal catchment. <i>Biogeochemistry</i> , 1998, 41, 277-291.	1.7	40
112	Temperature the dominant control on the enzyme-latch across a range of temperate peatland types. <i>Soil Biology and Biochemistry</i> , 2016, 97, 121-130.	4.2	40
113	Biodegradability of Vegetation-Derived Dissolved Organic Carbon in a Cool Temperate Ombrotrophic Bog. <i>Ecosystems</i> , 2016, 19, 1023-1036.	1.6	40
114	Methane dynamics of a northern boreal beaver pond. <i>Ecoscience</i> , 1999, 6, 577-586.	0.6	38
115	Do pool surface area and depth control CO ₂ and CH ₄ fluxes from an ombrotrophic raised bog, James Bay, Canada?. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	38
116	Spatial and temporal variations of methane flux measured by autochambers in a temperate ombrotrophic peatland. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 864-880.	1.3	37
117	Prompt active restoration of peatlands substantially reduces climate impact. <i>Environmental Research Letters</i> , 2019, 14, 124030.	2.2	37
118	The Northern Wetlands Study (NOWES): An overview. <i>Journal of Geophysical Research</i> , 1994, 99, 1423.	3.3	36
119	Continuous measurement of the depth of water table (inundation) in wetlands with fluctuating surfaces. <i>Hydrological Processes</i> , 1991, 5, 399-403.	1.1	35
120	Dynamics and chemistry of dissolved organic carbon in Precambrian Shield catchments and an impounded wetland. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2003, 60, 612-623.	0.7	35
121	Carbon release from boreal peatland open water pools: Implication for the contemporary C exchange. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 207-222.	1.3	34
122	Estimating Peatland Water Table Depth and Net Ecosystem Exchange: A Comparison between Satellite and Airborne Imagery. <i>Remote Sensing</i> , 2018, 10, 687.	1.8	33
123	Scaling relationships for event water contributions and transit times in small forested catchments in Eastern Quebec. <i>Water Resources Research</i> , 2012, 48, .	1.7	32
124	Dissolved organic carbon and total dissolved nitrogen production by boreal soils and litter: the role of flooding, oxygen concentration, and temperature. <i>Biogeochemistry</i> , 2014, 118, 35-48.	1.7	32
125	Spatial and temporal dynamics of mercury in Precambrian Shield upland runoff. <i>Biogeochemistry</i> , 2001, 52, 13-40.	1.7	31
126	Seasonal contribution of CO ₂ fluxes in the annual C budget of a northern bog. <i>Global Biogeochemical Cycles</i> , 2003, 17, .	1.9	31

#	ARTICLE	IF	CITATIONS
127	Simulation of six years of carbon fluxes for a sedge-dominated oligotrophic minerogenic peatland in Northern Sweden using the McGill Wetland Model (MWM). <i>Journal of Geophysical Research G: Biogeosciences</i> , 2013, 118, 795-807.	1.3	31
128	The biophysical climate mitigation potential of boreal peatlands during the growing season. <i>Environmental Research Letters</i> , 2020, 15, 104004.	2.2	31
129	Issues Related to Incorporating Northern Peatlands into Global Climate Models. <i>Geophysical Monograph Series</i> , 0, , 19-35.	0.1	30
130	Corrigendum to "Peatlands and the carbon cycle: from local processes to global implications a synthesis" published in <i>Biogeosciences</i> , 5, 1475-1491, 2008. <i>Biogeosciences</i> , 2008, 5, 1739-1739.	1.3	29
131	Predicting peatland carbon fluxes from non-destructive plant traits. <i>Functional Ecology</i> , 2017, 31, 1824-1833.	1.7	28
132	Environmental correlates of peatland carbon fluxes in a thawing landscape: do transitional thaw stages matter?. <i>Biogeosciences</i> , 2015, 12, 3119-3130.	1.3	27
133	Focus on the impact of climate change on wetland ecosystems and carbon dynamics. <i>Environmental Research Letters</i> , 2016, 11, 100201.	2.2	27
134	Soil nitrogen determines greenhouse gas emissions from northern peatlands under concurrent warming and vegetation shifting. <i>Communications Biology</i> , 2019, 2, 132.	2.0	27
135	The essential carbon service provided by northern peatlands. <i>Frontiers in Ecology and the Environment</i> , 2022, 20, 222-230.	1.9	27
136	Dealing with microtopography of an ombrotrophic bog for simulating ecosystem-level CO ₂ exchanges. <i>Ecological Modelling</i> , 2011, 222, 1038-1047.	1.2	26
137	Using MODIS derived ρ_{PAR} with ground based flux tower measurements to derive the light use efficiency for two Canadian peatlands. <i>Biogeosciences</i> , 2009, 6, 225-234.	1.3	25
138	SEASONAL AND INTER-ANNUAL DECOMPOSITION, MICROBIAL BIOMASS, AND NITROGEN DYNAMICS IN A CANADIAN BOG. <i>Soil Science</i> , 2005, 170, 902-912.	0.9	24
139	Estimating carbon dioxide exchange rates at contrasting northern peatlands using MODIS satellite data. <i>Remote Sensing of Environment</i> , 2013, 137, 234-243.	4.6	24
140	Phenology and its role in carbon dioxide exchange processes in northern peatlands. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 1370-1384.	1.3	24
141	Errors in greenhouse forcing and soil carbon sequestration estimates in freshwater wetlands: a comment on Mitsch et al. (2013). <i>Landscape Ecology</i> , 2014, 29, 1481-1485.	1.9	23
142	Airborne Hyperspectral Evaluation of Maximum Gross Photosynthesis, Gravimetric Water Content, and CO ₂ Uptake Efficiency of the Mer Bleue Ombrotrophic Peatland. <i>Remote Sensing</i> , 2018, 10, 565.	1.8	23
143	Drainage reduces the resilience of a boreal peatland. <i>Environmental Research Communications</i> , 2020, 2, 065001.	0.9	23
144	A stochastic appraisal of the annual carbon budget of a large circumboreal peatland, Rapid River Watershed, northern Minnesota. <i>Global Biogeochemical Cycles</i> , 1998, 12, 715-727.	1.9	21

#	ARTICLE	IF	CITATIONS
145	Holocene climate and carbon cycle dynamics: Experiments with the "œgreen" McGill Paleoclimate Model. <i>Global Biogeochemical Cycles</i> , 2005, 19, .	1.9	19
146	Light use efficiency of peatlands: Variability and suitability for modeling ecosystem production. <i>Remote Sensing of Environment</i> , 2016, 183, 239-249.	4.6	19
147	Stormflow Production in a Headwater Basin Swamp. <i>Hydrology Research</i> , 1991, 22, 161-174.	1.1	19
148	Stemflow and throughfall in a tropical dry forest. <i>Earth Surface Processes and Landforms</i> , 1990, 15, 55-61.	1.2	18
149	Simulating the Carbon Cycling of Northern Peatlands Using a Land Surface Scheme Coupled to a Wetland Carbon Model (CLASS3W-MWM). <i>Atmosphere - Ocean</i> , 2012, 50, 487-506.	0.6	17
150	Can boreal peatlands with pools be net sinks for CO ₂ ? <i>Environmental Research Letters</i> , 2015, 10, 035002.	2.2	17
151	Sea breezes and advective effects in southwest James Bay. <i>Journal of Geophysical Research</i> , 1994, 99, 1623.	3.3	16
152	Effect of inundation, oxygen and temperature on carbon mineralization in boreal ecosystems. <i>Science of the Total Environment</i> , 2015, 511, 381-392.	3.9	16
153	Lichens: A limit to peat growth?. <i>Journal of Ecology</i> , 2018, 106, 2301-2319.	1.9	16
154	The importance of Northern Peatlands in global carbon systems during the Holocene. <i>Climate of the Past</i> , 2009, 5, 683-693.	1.3	16
155	Illustration of the spatial variability of light entering a lake using an empirical model. <i>Hydrobiologia</i> , 1984, 109, 67-74.	1.0	15
156	Peatland Microbial Community Composition Is Driven by a Natural Climate Gradient. <i>Microbial Ecology</i> , 2020, 80, 593-602.	1.4	15
157	Terrestrial Biosphere-Atmosphere Exchange in High Latitudes. , 1994, , 165-178.		15
158	THE HYDROLOGICAL ROLE OF PEAT-COVERED WETLANDS. <i>Canadian Geographer / Géographie Canadien</i> , 1990, 34, 82-83.	1.0	14
159	Modelling groundwater-surface water mixing in a headwater wetland: implications for hydrograph separation. <i>Hydrological Processes</i> , 2000, 14, 2697-2710.	1.1	14
160	The Spatial Heterogeneity of Vegetation, Hydrology and Water Chemistry in a Peatland with Open-Water Pools. <i>Ecosystems</i> , 2019, 22, 1352-1367.	1.6	14
161	Increases in aboveground biomass and leaf area 85 years after drainage in a bog. <i>Botany</i> , 2014, 92, 713-721.	0.5	13
162	Effect of open water pools on ecosystem scale surface-atmosphere carbon dioxide exchange in a boreal peatland. <i>Biogeochemistry</i> , 2015, 124, 291-304.	1.7	12

#	ARTICLE	IF	CITATIONS
163	Low Arctic Wetland Hydrology. Canadian Water Resources Journal, 1986, 11, 69-75.	0.5	11
164	Spectral distribution of light under a subarctic winter lake cover. Hydrobiologia, 1986, 134, 89-95.	1.0	11
165	Simulating carbon dioxide exchange in boreal ecosystems flooded by reservoirs. Ecological Modelling, 2016, 327, 1-17.	1.2	11
166	Latitude, Elevation, and Mean Annual Temperature Predict Peat Organic Matter Chemistry at a Global Scale. Global Biogeochemical Cycles, 2022, 36, .	1.9	11
167	Impact of long-term drainage on summer groundwater flow patterns in the Mer Bleue peatland, Ontario, Canada. Hydrology and Earth System Sciences, 2013, 17, 3485-3498.	1.9	10
168	Modeling surface energy fluxes and thermal dynamics of a seasonally ice-covered hydroelectric reservoir. Science of the Total Environment, 2016, 550, 793-805.	3.9	10
169	Sampling of Snow and Ice on Lakes. Arctic, 1984, 37, .	0.2	10
170	Solid phase controls of dissolved aluminum within upland Precambrian shield catchments. Biogeochemistry, 1994, 26, 85-114.	1.7	9
171	Title is missing!. Water, Air and Soil Pollution, 2001, 1, 447-454.	0.8	9
172	Academic Performance Indicators for Departments of Geography in the United States and Canada. Professional Geographer, 2013, 65, 433-450.	1.0	9
173	Post-thaw variability in litter decomposition best explained by microtopography at an ice-rich permafrost peatland. Arctic, Antarctic, and Alpine Research, 2018, 50, .	0.4	9
174	Mechanisms for the Development of Microform Patterns in Peatlands of the Hudson Bay Lowland. Ecosystems, 2020, 23, 741-767.	1.6	9
175	Boreal forests' carbon stores need better management. Nature, 2009, 462, 276-276.	13.7	8
176	Comparison of plant litter and peat decomposition changes with permafrost thaw in a subarctic peatland. Plant and Soil, 2017, 417, 197-216.	1.8	8
177	Modelling CO2 emissions from water surface of a boreal hydroelectric reservoir. Science of the Total Environment, 2018, 612, 392-404.	3.9	8
178	Dissolved organic carbon in streams within a subarctic catchment analysed using a GIS/remote sensing approach. PLoS ONE, 2018, 13, e0199608.	1.1	8
179	Modelling the habitat preference of two key <i>Sphagnum</i> species in a poor fen as controlled by capitulum water content. Biogeosciences, 2020, 17, 5693-5719.	1.3	8
180	Controls on autotrophic and heterotrophic respiration in an ombrotrophic bog. Biogeosciences, 2022, 19, 3285-3303.	1.3	8

#	ARTICLE	IF	CITATIONS
181	Limited effect of drainage on peat properties, porewater chemistry, and peat decomposition proxies in a boreal peatland. <i>Biogeochemistry</i> , 2020, 151, 43-62.	1.7	7
182	Peatlands and the carbon cycle: From local processes to global implications. <i>Eos</i> , 2007, 88, 295-295.	0.1	6
183	Integrating McGill Wetland Model (MWM) with peat cohort tracking and microbial controls. <i>Science of the Total Environment</i> , 2022, 806, 151223.	3.9	5
184	Cutover Peat Limits Methane Production Causing Low Emission at a Restored Peatland. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021, 126, .	1.3	4
185	Beyond the usual suspects: methanogenic communities in eastern North American peatlands are also influenced by nickel and copper concentrations. <i>FEMS Microbiology Letters</i> , 2021, , .	0.7	4
186	FOCUS: ASPECTS OF THE PHYSICAL GEOGRAPHY OF WETLANDS. <i>Canadian Geographer / Geographie Canadien</i> , 1990, 34, 79-89.	1.0	3
187	Peatlands as a model ecosystem of soil carbon dynamics: Reply to Comment on "Peatlands and their role in the global carbon cycle", <i>Eos</i> , 2012, 93, 31-31.	0.1	3
188	Methane Fluxes from a Wetland using the Flux-Gradient Technique. , 2001, , 447-454.		3
189	Variability of light beneath a modified portion of the snow and ice cover of a lake. <i>Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology</i> , 1984, 22, 65-71.	0.1	2
190	Morphometric Control on Dissolved Organic Carbon in Subarctic Streams. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2020, 125, e2019JG005348.	1.3	2
191	The first-order effect of Holocene Northern Peatlands on global carbon cycle dynamics. <i>IOP Conference Series: Earth and Environmental Science</i> , 2010, 9, 012004.	0.2	1
192	Validating Surface Heat Fluxes and Soil Moisture Simulated by the Land Surface Scheme CLASS under Subarctic Tundra Conditions. , 2008, , 435-444.		1
193	Peatlands and Global Carbon Cycle Modeling: Peatland Ecosystem Analysis and Training Network (PeatNet) Workshop; Durham, New Hampshire, 14-15 May 2009. <i>Eos</i> , 2009, 90, 251-251.	0.1	0
194	Corrigendum to "The importance of Northern Peatlands in global carbon systems during the Holocene"; published in <i>Clim. Past</i> , 5, 683-693, 2009. <i>Climate of the Past</i> , 2009, 5, 721-722.	1.3	0
195	Formation and Consumption of Methane. , 1993, , 128-137.		0