

Zhongyukun Xu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2189294/publications.pdf>

Version: 2024-02-01

421
papers

13,609
citations

31976
h-index

46799
g-index

445
all docs

445
docs citations

445
times ranked

9088
citing authors

#	ARTICLE	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
3	Test of lepton universality with $B_0 \rightarrow K^* \ell^+ \ell^-$ decays. Journal of High Energy Physics, 2017, 2017, 1.	4.7	425
4	Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 421.	3.9	355
5	Observation of constraints on the spin-parity and anomalous couplings of the Higgs boson in proton collisions at 7 and 8 TeV. Physical Review D, 2015, 92, 032001.	7.8	209
6	Evidence for Collective Multiparticle Correlations in proton collisions at 7 and 8 TeV. Physical Review D, 2015, 92, 032001.	4.7	185
7	Search for Heavy Neutral Leptons in Events with Three Charged Leptons in Proton-Proton Collisions. Physical Review Letters, 2015, 115, 012301.	7.8	177
8	Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at $\sqrt{s} = 13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 752, 320-331.	7.8	160
9	Measurement of Long-Range Near-Side Two-Particle-Angular Correlations in proton-proton collisions at $\sqrt{s} = 13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 752, 320-331.	7.8	146
10	ATLAS b-jet identification performance and efficiency measurement with $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	7.8	139
11	Observation of the Higgs boson decay to a pair of τ leptons with the CMS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 283-316.	4.1	125
12	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	124
13	Search for Narrow Resonances Decaying to Dijets in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2016, 116, 071801.	7.8	114
14	Observation of Charge-Dependent Azimuthal Correlations in proton-proton Collisions and Its Implication for the Search for the Chiral Magnetic Effect. Physical Review Letters, 2017, 119, 122301.	7.8	110
15	Charged-particle nuclear modification factors in PbPb and pPb collisions at $s_NN = 5.02$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	103
16	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
17	Search for new phenomena with the M_{T2} variable in the all-hadronic final state produced in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 710.	3.9	98

#	ARTICLE	IF	CITATIONS
19	Searches for invisible decays of the Higgs boson in pp collisions at $s = 7, 8,$ and 13 TeV . Journal of High Energy Physics, 2017, 2017, 1.	4.7	95
20	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
21	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	4.7	92
22	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at $s = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 147. <i>Observation of Electro-weak Production of Same-Sign Lepton Final State in Proton-Proton Collisions at $s = 8 \text{ TeV}$.</i> xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>W</mml:mi></mml:math> Boson Pairs in the Two Jet and Two Same-Sign Lepton Final State in Proton-Proton Collisions at <mml:math>x</mml:math>	3.9	88
23	Boson Pairs in the Two Jet and Two Same-Sign Lepton Final State in Proton-Proton Collisions at <mml:math>x</mml:math> xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:msqrt><mml:mrow><mml:mi>s</mml:mi></mml:mrow></mml:msqrt><mml:mo>=</mml:mo><mml:mi>W</mml:mi></mml:math></mml:mrow>	7.8	86
24	Search for high-mass resonances in dilepton final states in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
25	Measurement of the differential cross section and charge asymmetry for inclusive $\mathrm{pp} \rightarrow W \pm X$ production at $s = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 469.	3.9	83
26	Measurement of prompt and nonprompt charmonium suppression in PbPb collisions at $s = 5.02 \text{ TeV}$. European Physical Journal C, 2018, 78, 509.	3.9	83
27	Suppression and azimuthal anisotropy of prompt and nonprompt $\psi(2S)$ production in PbPb collisions at $s = 2.76 \text{ TeV}$. European Physical Journal C, 2017, 77, 252.	3.9	82
28	Search for narrow and broad dijet resonances in proton-proton collisions at $s = 13 \text{ TeV}$ and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	4.7	82
29	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $s = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 1.	3.9	82
30	Search for a charged Higgs boson in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	81
31	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $s = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	77
32	Measurement of the $W + W$ cross section in pp collisions at $s = 8 \text{ TeV}$ and limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	3.9	74
33	Search for Narrow Resonances in Dijet Final States at <mml:math>x</mml:math> xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:msqrt><mml:mrow><mml:mi>s</mml:mi></mml:mrow></mml:msqrt><mml:mo>=</mml:mo><mml:mi>W</mml:mi></mml:math></mml:mrow>	7.8	74
34	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	3.9	73
35	Search for Resonant Production of High-Mass Photon Pairs in Proton-Proton Collisions at <mml:math>x</mml:math> xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msqrt><mml:mi>s</mml:mi></mml:msqrt><mml:mo>=</mml:mo><mml:mn>8</mml:mn></mml:math>	7.8	73
36	Search for additional neutral MSSM Higgs bosons in the $t\bar{t}$, $b\bar{b}$ final state in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	73

#	ARTICLE	IF	CITATIONS
37	Measurement of the Splitting Function in protonâ€“proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 451.	7.8	70
38	Measurement of Prompt π^{\pm} Production in Pb-Pb Collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. Physical Review Letters, 2018, 120, 202301.	7.8	70
39	Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	68
40	Search for new physics in same-sign dilepton events in protonâ€“proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 439.	3.9	64
41	Jet energy scale and resolution measured in protonâ€“proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
42	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
43	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 13.	3.9	62
44	Measurement of the Meson Nuclear Modification Factor in Pb-Pb Collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. Physical Review Letters, 2017, 119, 152301.	7.8	62
45	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62
46	Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
47	Measurement of the weak mixing angle using the forwardâ€“backward asymmetry of Drellâ€“Yan events in p p collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2018, 78, 701.	7.8	60
48	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in protonâ€“proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 578.	3.9	58
49	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
50	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
51	Measurement of the double-differential inclusive jet cross section in protonâ€“proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 451.	3.9	55
52	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $\sqrt{s} = 8$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
53	Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2017, 119, 141802.	7.8	54

#	ARTICLE	IF	CITATIONS
55	Measurement of prompt and nonprompt ψ production in $p\bar{p}$ collisions at $\sqrt{s} = 5.02$ TeV. European Physical Journal C, 2017, 77, 269.	3.9	53
56	Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s} = 8$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	3.9	52
57	Measurements of the p_T distributions of $Z \rightarrow e^+e^-$, $Z \rightarrow \mu^+\mu^-$, and $Z \rightarrow \tau^+\tau^-$ production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
58	Measurement of the W boson mass. Journal of High Energy Physics, 2022, 2022, 1.	4.7	52
59	Search for Leptoquarks Coupled to Third-Generation Quarks in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2018, 121, 241802.	5.0	50
60	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50
61	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
62	Observation of Y(1S) pair production in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
63	Elliptic Flow of Charm and Strange Hadrons in High-Multiplicity Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2018, 121, 242301.	7.8	48
64	Search for the $t\bar{t}$ production cross section at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	7.8	47
65	Search for disappearing tracks in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46
66	Search for third-generation scalar leptoquarks decaying to a top quark and a τ lepton at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 707.	3.9	46
67	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
68	Search for a light charged Higgs boson decaying to $c\bar{s}$ in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	4.7	44
69	Search for decays of stopped long-lived particles produced in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 151.	3.9	44
70	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 140.	3.9	44
71	Measurement of properties of the Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 791, 85-128.	4.1	44
72	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 325.	3.9	43

#	ARTICLE	IF	CITATIONS
73	Search for natural and split supersymmetry in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	4.7	43
74	Evidence for exclusive $t\bar{t} \rightarrow W + W$ production and constraints on anomalous quartic gauge couplings in pp collisions at $s = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	42
75	Search for vector-like T and B quark pairs in final states with leptons at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
76	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
77	Study of the $t\bar{t}(3823)$ and $t\bar{t}c(3872)$ states in $B^+ \rightarrow (\ell^+\ell^-)K^+$ decays. Journal of High Energy Physics, 2020, 2020, 1.	4.7	42
78	Measurement of the $t\bar{t} \rightarrow t\bar{t}$ production cross section in the $e^{\pm}\nu_e$ channel in proton-proton collisions at $s = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
79	Measurement of the $t\bar{t} \rightarrow t\bar{t}$ production cross section in the all-jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 128.	3.9	41
80	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
81	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
82	Measurement of the $t\bar{t} \rightarrow t\bar{t}$ production cross section using events in the $e^+\mu^-$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 172.	3.9	40
83	Brilliant petawatt gamma-ray pulse generation in quantum electrodynamic laser-plasma interaction. Scientific Reports, 2017, 7, 45031.	3.3	40
84	Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 1-24.	4.1	40
85	Search for Evidence of the Type-III Seesaw Mechanism in Multilepton Final States in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review Letters, 2017, 119, 221802.	4.0	40
86	Inclusive Search for a Highly Boosted Higgs Boson Decaying to a Bottom Quark-Antiquark Pair. Physical Review Letters, 2018, 120, 071802.	7.8	40
87	Search for new physics in dijet angular distributions using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	3.9	40
88	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	40
89	Search for heavy resonances decaying into a pair of Z bosons in the 4ℓ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
90	Observation of Correlated Azimuthal Anisotropy Fourier Harmonics in proton-proton collisions at the LHC. Physical Review Letters, 2018, 120, 092301.	7.8	39

#	ARTICLE	IF	CITATIONS
91	Measurement of differential cross sections for $\text{ext}\{Z\}$ Z boson production in association with jets in proton-proton collisions at $\text{sqrt}\{s\} = 13$, $s = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 965.	3.9	39
92	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\text{sqrt}\{s\} = 13$, $s = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 845.	3.9	38
93	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\text{sqrt}\{s\} = 13$, $s = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 636.	3.9	38
94	Suppression of Excited States Relative to the Ground State in Pb-Pb Collisions at $\text{sqrt}\{s\} = 13 \text{ TeV}$. Physical Review Letters, 2018, 120, 142301.	7.8	38
95	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying \tilde{l} , leptons at $\text{sqrt}\{s\} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
96	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\text{sqrt}\{s\} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
97	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $\text{sqrt}\{s\} = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37
98	Combined search for anomalous pseudoscalar HV couplings in $\text{sqrt}\{s\} = 8 \text{ TeV}$.		

#	ARTICLE	IF	CITATIONS
109	Generation of overdense and high-energy electron-positron-pair plasmas by irradiation of a thin foil with two ultraintense lasers. <i>Physical Review E</i> , 2015, 92, 053107.	2.1	35
110	Search for heavy Majorana neutrinos in $e^{\pm}e^{\pm}$ jets and $e^{\pm}\bar{e}^{\pm}$ jets events in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	35
111	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review Letters</i> , 2017, 119, 111802.	7.8	35
112	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s = 7 \text{ TeV}$ and 8 TeV . <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	35
113	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	35
114	Measurement of exclusive $\gamma p \rightarrow \gamma p$ photoproduction from protons in $p\text{-Pb}$ collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 277.	3.9	35
115	Measurement of associated production of a W boson and a charm quark in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 269.	3.9	35
116	Searches for supersymmetry using the M_{T2} variable in hadronic events produced in pp collisions at 8 TeV . <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	34
117	Measurement of the Top Quark Pair Production Cross Section in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review Letters</i> , 2016, 116, 052002.	7.8	34
118	Measurement of $t\bar{t}$ production with additional jet activity, including b quark jets, in the dilepton decay channel using pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 379.	3.9	34
119	Measurements of the $t\bar{t}$ production cross section in lepton+jets final states in pp collisions at 8 TeV and ratio of 8 to 7 $t\bar{t}$ cross sections. <i>European Physical Journal C</i> , 2017, 77, 15.	3.9	34
120	Measurement of the cross section for electroweak production of Z' in association with two jets and constraints on anomalous quartic gauge couplings in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 770, 380-402.	4.1	34
121	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two τ leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	34
122	Measurement of the top quark mass with lepton+jets final states using p_T distributions in $p\text{-Pb}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 891.	3.9	34
123	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	34
124	Measurements of top-quark pair differential and double-differential cross-sections in the $\ell\ell + \text{jets}$ channel with pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	34
125	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	34
126	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016, 76, 371.	3.9	33

#	ARTICLE	IF	CITATIONS
127	Measurement of exclusive $\rho \gamma$ photoproduction in ultraperipheral pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. European Physical Journal C, 2019, 79, 702.	3.9	33
128	Measurements of the $Z Z$ production cross sections in the $Z Z$ channel in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV. European Physical Journal C, 2015, 75, 511.	3.9	32
129	Correlations in Pb-Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. Physical Review C, 2016, 93, 034907.	7.8	32
130	Searches for pair production of third-generation squarks in $\sqrt{s} = 13$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32
131	Observation of Medium-Induced Modifications of Jet Fragmentation in Pb-Pb Collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. Physical Review Letters, 2018, 121, 242301.	7.8	32
132	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $H \rightarrow \ell^+ \ell^-$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
133	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
134	Search for top squark pair production in pp collisions at $\sqrt{s} = 13$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
135	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
136	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
137	Search for massive WH resonances decaying into the $W \rightarrow \ell^+ \nu$ final state at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 237.	3.9	30
138	Measurements of the associated production of a Z boson and b jets in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 751.	3.9	30
139	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
140	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. European Physical Journal C, 2016, 76, 372.	3.9	29
141	Correlations between jets and charged particles in PbPb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	29
142	A search for new phenomena in pp collisions at $\sqrt{s} = 13$ TeV in final states with missing transverse momentum and at least one jet using the α_T variable. European Physical Journal C, 2017, 77, 294.	3.9	29
143	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
144	Search for lepton flavour violating decays of the Higgs boson to $\ell^+ \ell^-$, and $e^+ e^-$, in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29

#	ARTICLE	IF	CITATIONS
145	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
146	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	29
147	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
148	Measurements of differential cross sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ using events containing two leptons. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	28
149	Search for $t\bar{t}$ production in the $t\bar{b}$ decay channel with leptonic $t\bar{t}$ decays in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	28
150	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	28
151	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	28
152	Angular analysis of the rare decay $B_s^0 \rightarrow l^+ l^- \nu \bar{\nu}$. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	28
153	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	28
154	Search for anomalous single top quark production in association with a photon in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	27
155	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	27
156	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 291.	3.9	27
157	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	27
158	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a \tilde{l} -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	27
159	Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 1. Combination of searches for heavy resonances decaying to WW, WZ, ZZ, WH, and ZH boson pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 774, 533-558.	3.9	26
160	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.1	26
161	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $b\bar{b}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	4.7	26
162	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $b\bar{b}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	26

#	ARTICLE	IF	CITATIONS
163	Forwardâ€“backward asymmetry of Drellâ€“Yan lepton pairs in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 325.	3.9	25
164	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	25
165	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
166	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
167	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
168	Search for Dark Matter and Supersymmetry with a Compressed Mass Spectrum in the Vector Boson Fusion Topology in Proton-Proton Collisions at $\sqrt{s} = 8 \text{ TeV}$. Physical Review Letters, 2017, 118, 021802.	7.8	24
169	Yields from $\sqrt{s} = 13 \text{ TeV}$ ATLAS. Physical Review Letters, 2017, 118, 021803.	7.8	24
170	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	4.7	24
171	Measurement of the cross-section and charge asymmetry of W bosons produced in protonâ€“proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
172	Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and $\sqrt{s} = 8 \text{ TeV}$ ATLAS. Physical Review Letters, 2019, 122, 152001.	7.8	24
173	Measurement of fiducial and differential $\text{W}^+ + \text{W}^-$ production cross-sections at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
174	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
175	Observation of a new baryon state in the Λ_b^0 mass spectrum. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
176	Searches for low-mass dimuon resonances. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
177	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	23
178	Measurement of the jet mass in highly boosted $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 467.	3.9	23
179	Observation of Top Quark Production in Proton-Nucleus Collisions. Physical Review Letters, 2017, 119, 242001.	7.8	23
180	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23

#	ARTICLE	IF	CITATIONS
181	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
182	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 354.	3.9	23
183	Measurement of the triple-differential dijet cross section in proton-proton collisions at $s = 8 \text{ TeV}$ and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	3.9	23
184	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
185	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
186	Search for resonant $t\bar{t}$ production in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	23
187	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
188	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
189	AtLFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
190	Search for $t\bar{t}$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
191	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
192	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
193	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying ℓ , leptons and two jets in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
194	Constraining Gluon Distributions in Nuclei Using Dijets in Proton-Proton and Proton-Lead Collisions at $\sqrt{s} = 7.8 \text{ TeV}$. Physical Review Letters, 2018, 121, 062002.	2.2	22
195	Measurements of top-quark pair spin correlations in the $t\bar{t}$ channel at $s = 13 \text{ TeV}$ using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
196	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
197	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21
198	Search for supersymmetry in events with a $\tilde{\ell}$, lepton pair and missing transverse momentum in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21

#	ARTICLE	IF	CITATIONS
199	Search for beyond the standard model Higgs bosons decaying into a $\mathbf{t\bar{t}}$ pair in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
200	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13 TeV . European Physical Journal C, 2019, 79, .	3.9	21
201	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	21
202	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
203	Study of $t\bar{t}$ production in $\sqrt{s} = 13 \text{ TeV}$ collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 20.	3.9	20
204	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s = 7 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
205	Search for $t\bar{t}$ production in the all-jet final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
206	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
207	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	20
208	Search for rare decays of Z and Higgs bosons to J/ψ and a photon in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 94.	3.9	20
209	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
210	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into ℓ_\pm leptons in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
211	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	19
212	Observation of the $t\bar{t}b_1(3P)$ and $t\bar{t}b_2(3P)$ and Measurement of their Masses. Physical Review Letters, 2018, 121, 092002.	7.8	19
213	Search for Physics Beyond the Standard Model in Events with High-Momentum Higgs Bosons and Missing Transverse Momentum in Proton-Proton Collisions at 13 TeV . Physical Review Letters, 2018, 120, 241801.	7.8	19
214	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
215	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
216	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $s = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	18

#	ARTICLE	IF	CITATIONS
217	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 460.	3.9	18
218	Measurement of normalized differential $\overline{t}\overline{t}$ cross sections in the dilepton channel from pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
219	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
220	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
221	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 20.	3.9	18
222	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
223	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
224	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
225	Search for new phenomena in final states with b-jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
226	Simultaneous determination of CKM angle $\hat{\beta}$ and charm mixing parameters. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
227	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
228	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
229	Search for new physics in the monophoton final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
230	Measurement of electroweak-induced production of $W\hat{\beta}$ with two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
231	Measurements of jet charge with dijet events in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
232	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
233	Charged-particle nuclear modification factors in XeXe collisions at $\sqrt{s_{NN}} = 5.44 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
234	Search for $Z\hat{\beta}$ resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
235	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
236	Search for the decay of a Higgs boson in the a_1^0 channel in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
237	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 697.	3.9	17
238	Electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 1.	3.9	17
239	Measurement of the associated production of a single top quark and a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Studies of Beauty Suppression via Nonprompt</i> . <i>Physics Letters, Section B: Nuclear, Hadronic and Elementary Particle Physics</i> , 2019, 784, 117384.	3.9	17
240	Mesons in Pb-Pb Collisions at $\sqrt{s} = 2.76 \text{ TeV}$. <i>Physical Review Letters</i> , 2019, 123, 022001.	3.8	17
241	Measurement of W^\pm boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
242	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
243	Search for the $H\bar{H}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
244	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	17
245	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $e^- \mu^- e^+ \nu$ pair in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 317.	3.9	16
246	Measurement of dijet azimuthal decorrelation in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 536.	3.9	16
247	Search for excited leptons in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
248	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
249	Measurement of the production cross section of a $W\bar{b}$ boson in association with two b jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 92.	3.9	16
250	Measurement of associated Z + charm production in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 287.	3.9	16
251	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
252	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15

#	ARTICLE	IF	CITATIONS
253	Search for Supersymmetry in $t\bar{t}$ Collisions at $\sqrt{s} = 13$ TeV in the Single-Lepton Final State Using the Sum of Masses of Large-Radius Jets. <i>Physical Review Letters</i> , 2017, 119, 151802.	7.8	15
254	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	15
255	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	15
256	Measurement of the $t\bar{t}$ production cross section using events with one lepton and at least one jet in pp collisions at $s = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	15
257	Search for new physics with dijet angular distributions in proton-proton collisions at $s = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	15
258	Search for a singly produced third-generation scalar leptoquark decaying to a \tilde{l} , lepton and a bottom quark in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	15
259	Measurement of b hadron lifetimes in pp collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2018, 78, 457.	3.9	15
260	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
261	Search for s channel single top quark production in pp collisions at $s = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
262	Search for supersymmetry in pp collisions at $s = 13$ TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
263	Search for associated production of dark matter with a Higgs boson decaying to $b\bar{b}$ or $\tilde{\chi}_1^0$ at $s = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
264	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
265	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
266	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
267	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	14
268	Evidence for the Associated Production of a Single Top Quark and a Photon in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review Letters</i> , 2018, 121, 221802.	7.8	14
269	Studies of B^{\pm} and B^0 decays to π^\pm and π^0 . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	14

#	ARTICLE	IF	CITATIONS
271	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
272	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
273	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
274	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
275	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
276	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
277	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
278	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	3.9	14
279	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
280	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
281	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
282	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	13
283	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	13
284	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	13
285	Search for R-parity-violating supersymmetry in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 783, 114-139.	4.1	13
286	Jet properties in PbPb and pp collisions at $\sqrt{s} = 5.02 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	13
287	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	13
288	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	13

#	ARTICLE	IF	CITATIONS
289	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
290	Search for the lepton flavour violating decay $B \rightarrow K^+ \ell^- \bar{\nu}_\ell$ using $B_{s2}^{(\ast)}$ decays. Journal of High Energy Physics, 2020, 2020, 1.	4.7	13
291	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s = 8\text{TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	12
292	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s = 7\text{TeV}$ and 8TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	12
293	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\sqrt{s_{NN}} = 5.02\text{TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
294	Measurement of the groomed jet mass in PbPb and pp collisions at $\sqrt{s_{NN}} = 5.02\text{TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
295	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
296	Search for dark matter produced in association with a Higgs boson decaying to $\tilde{\chi}_1^0$ or $\tilde{\chi}_1^0 \rightarrow \tilde{\chi}_1^0 + \tilde{\chi}_1^0$ at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
297	Search for Dark Matter Particles Produced in Association with a Top Quark Pair at $\sqrt{s} = 13\text{TeV}$. Physical Review Letters, 2019, 122, 011803.		
298	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
299	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
300	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13\text{TeV}$ proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
301	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s_{NN}} = 8.16\text{TeV}$ p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	12
302	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
303	Search for supersymmetry in events with four or more charged leptons in 139fb^{-1} of $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
304	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
305	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
306	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12

#	ARTICLE	IF	CITATIONS
307	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV . European Physical Journal C, 2022, 82, 1.	3.9	12
308	Measurement of the $Z\bar{l}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
309	Ultraintense laser absorption and γ^3 -ray synchrotron radiation in near critical density plasmas. Physics of Plasmas, 2017, 24, 043111.	1.9	11
310	Search for electroweak production of charginos in final states with two \tilde{l}_μ , leptons in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
311	Measurement of the semileptonic $t\bar{t} \rightarrow \text{leptons} + \gamma^3$ production cross section in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
312	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $s = 8 \text{ TeV}$ using $H \rightarrow WW$ decays. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
313	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
314	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
315	Study of the underlying event in top quark pair production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 123.	3.9	11
316	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
317	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
318	Measurement of the $\Lambda_b^0 \rightarrow J/\psi \pi^-$ angular distribution and the Λ_b^0 polarization in pp collisions. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
319	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	10
320	Characterization of magnetic reconnection in the high-energy-density regime. Physical Review E, 2016, 93, 033206.	2.1	10
321	Measurements of the $pp \rightarrow W\gamma^3$ and $pp \rightarrow Z\gamma^3$ cross sections and limits on anomalous quartic gauge couplings at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
322	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
323	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
324	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2018, 78, 242.	3.9	10

#	ARTICLE	IF	CITATIONS
325	Measurement of the Z/γ^* ightarrow au au $Z/\tilde{l}^3 \rightarrow \tilde{t}\bar{t}, \tilde{b}\bar{b}$, cross section in pp collisions at $\sqrt{s} = 13$ TeV and validation of $\tilde{t}\bar{t}$. European Physical Journal C, 2018, 78, 708.	3.9	10
326	Search for a heavy resonance decaying into a Z boson and a vector boson in the $u\overline{u}q\overline{q}$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
327	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\pm$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
328	Search for the doubly charmed baryon $\Lambda_c^0 + cc$. Science China: Physics, Mechanics and Astronomy, 2021, 64, 1.	5.1	10
329	Measurement of the $t\overline{t} + b\overline{b}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
330	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
331	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b -quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
332	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
333	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e^{\pm} \gamma$ final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
334	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	9
335	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1. Studies of Charm Quark Diffusion inside Jets Using Pb-Pb and $\text{p}_{\text{T}} > 10$ GeV jets. European Physical Journal C, 2019, 79, 1.	3.9	9
336	Collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 1.	7.8	9
337	Measurement of the $Z(\tilde{t}\bar{t}, \tilde{b}\bar{b})$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	9
338	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
339	Measurement of prompt charged-particle production in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	9
340	Searches for $W\ell^2$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
341	Pseudorapidity distributions of charged hadrons in proton-lead collisions at $s_{\text{NN}} = 5.02$ and 8.16 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
342	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\ell, 2q$ final states at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
343	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 773.	3.9	8
344	Measurement of W -boson and Z -boson production cross-sections in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
345	Measurement of differential cross sections for single diffractive dissociation in pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
346	Precision measurement of the B_c^+ meson mass. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
347	Measurements of $W + W \rightarrow l^\pm l^\mp$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
348	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
349	Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
350	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
351	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
352	Search for the doubly charmed baryon $\varXi_c^+ \rightarrow cc\pi^+$ in the $\varXi_c^+ \rightarrow cc\pi^+$ final state. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
353	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
354	Search for high-mass Z' resonances in $e^- e^- \rightarrow l^+ l^-$ and $l^+ l^- \rightarrow \tau^+ \tau^-$ final states in proton-proton collisions at $s = 8 \text{ TeV}$ and 13 TeV . Journal of High Energy Physics, 2017, 2017, 1.	4.7	7
355	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ via Higgs boson decays to τ leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	7
356	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	7
357	Measurement of the shape of the $B_s \rightarrow D_s^{*-} \mu^+ \mu^-$ differential decay rate. Journal of High Energy Physics, 2020, 2020, 1.	4.7	7
358	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
359	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
360	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	7

#	ARTICLE	IF	CITATIONS
361	Comparison of the $Z/\hat{t}^3 \rightarrow +$ jets to $\hat{t}^3 +$ jets cross sections in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	6
362	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $s = 7 \text{ TeV}$. European Physical Journal C, 2015, 75, 302.	3.9	6
363	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	6
364	Gamma-ray generation from laser-driven electron resonant acceleration: In the non-QED and the QED regimes. Physics of Plasmas, 2017, 24, 123101.	1.9	6
365	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6
366	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
367	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $s = 13 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
368	Measurement of ZZ production in the $\ell^+\ell^-\ell^+\ell^-$ final state with the ATLAS detector in pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
369	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
370	Study of $B_c \rightarrow D_s^+ D_s^-$ decays to charmonia and three light hadrons. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
371	Performance of the ATLAS Level-1 topological trigger in RunA2. European Physical Journal C, 2022, 82, 1.	3.9	6
372	Measurement of $t\bar{t}c\bar{c}$ production in proton-proton collisions at $s = 8 \text{ and } 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
373	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
374	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
375	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5
376	Measurement of the inclusive $t\bar{t}$ cross section in pp collisions at $s = 5.02 \text{ TeV}$ using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
377	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
378	Observation of the $Z \rightarrow e^+ e^-$ Decay in pp Collisions at $s=13 \text{ TeV}$. Physical Review Letters, 2018, 121, 418015		

#	ARTICLE	IF	CITATIONS
379	Search for CP violation in $D \rightarrow (s) \pi^+ \rightarrow h^+ \pi^0$ and $D \rightarrow (s) \pi^+ \rightarrow \eta \pi^0$ decays. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
380	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
381	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
382	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb $^{-1}$ of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
383	Measurement of J/ψ production cross-sections in pp collisions at $\sqrt{s} = 5$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
384	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
385	Search for dark matter particles in proton-proton collisions at $s = 8$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
386	Search for CP violation in $t\bar{t}$ production and decay in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	4
387	Measurement of differential cross sections in the kinematic angular variable $\tilde{\ell}^*$ for inclusive Z boson production in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
388	Search for ZZ resonances in the $2\ell\ell$ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
389	Event shape variables measured using multijet final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
390	Search for Pair-Produced Resonances Each Decaying into at Least Four Quarks in Proton-Proton Collisions at $s=13$ TeV. Physical Review Letters, 2018, 121, 141802.	7.8	4
391	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 305.	3.9	4
392	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
393	Measurement of CP observables in $B \pm \bar{B}' D K \pm \bar{D}' \bar{K}'$ with $D \rightarrow \pi^+ \pi^-$ decays. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
394	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
395	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
396	Observation of a $b \bar{b}$ production asymmetry in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4

#	ARTICLE	IF	CITATIONS
397	Measurement of K^-S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	4
398	Search for the radiative $\Xi_b^- \rightarrow \Xi_c^- \gamma$ decay. Journal of High Energy Physics, 2022, 2022, 1.	4.7	4
399	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \pi^{\pm} \nu_{\mu}$ events in Run2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
400	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
401	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
402	Search for $W^{\pm} \rightarrow tb$ in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	3
403	Search for top quark partners with charge 5/3 in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
404	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	3
405	Search for Narrow H^\pm Resonances in Proton-Proton Collisions at $s=13$ TeV. Physical Review Letters, 2019, 122, 081804.	7.8	3
406	Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and tW^\pm production in the $e\ell\gamma$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
407	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
408	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
409	Measurements of the (p_T) ($Z \rightarrow e\ell$) production cross section and the ($Z \rightarrow 4e$) branching fraction, and constraints on anomalous triple gauge couplings at $(\sqrt{s} = 13, 14)$. European Physical Journal C, 2018, 78, 1.	3	
410	Measurement of b-quark fragmentation properties in jets using the decay $B^\pm \rightarrow J/\psi K^\pm$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
411	Search for new phenomena with multiple charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 1.	3.9	2
412	First measurement of the CP-violating phase in $t\bar{t}$ production at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	2
413	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
414	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s} = 13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, 1.	3.9	2

#	ARTICLE	IF	CITATIONS
415	Search for massive long-lived particles decaying semileptonically at $\sqrt{s}=13$ TeV. European Physical Journal C, 2022, 82, .	3.9	2
416	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s = 8$ $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	1
417	Observation of the decay $\Lambda_b^0 \rightarrow \Lambda_c^+ \eta'$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	1
418	Angular analysis of $B^0 \rightarrow D^{*-} D_s^{*+}$ with $D_s^{*+} \rightarrow \rho^+ \eta'$ decays. Journal of High Energy Physics, 2021, 2021, 1.	4.7	1
419	Measurement of b hadron lifetimes in pp collisions at $(\sqrt{s} = 8) \text{ TeV}$. , 2018, 78, 1.		1
420	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	0
421	Updated search for $B_c^+ \rightarrow D_s^+ D_s^0$ decays to two charm mesons. Journal of High Energy Physics, 2021, 2021, 1.	4.7	0