
## Risa M Hoffman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2191264/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association of antiretroviral therapy with high-risk human papillomavirus, cervical intraepithelial neoplasia, and invasive cervical cancer in women living with HIV: a systematic review and meta-analysis. Lancet HIV,the, 2018, 5, e45-e58.	4.7	170
2	Effects of Highly Active Antiretroviral Therapy Duration and Regimen on Risk for Mother-to-Child Transmission of HIV in Johannesburg, South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 54, 35-41.	2.1	112
3	Efficacy and safety of dolutegravir with emtricitabine and tenofovir alafenamide fumarate or tenofovir disoproxil fumarate, and efavirenz, emtricitabine, and tenofovir disoproxil fumarate HIV antiretroviral therapy regimens started in pregnancy (IMPAACT 2010/VESTED): a multicentre, open-label, randomised, controlled, phase 3 trial, Lancet, The, 2021, 397, 1276-1292.	13.7	82
4	Hydroxychloroquine as Postexposure Prophylaxis to Prevent Severe Acute Respiratory Syndrome Coronavirus 2 Infection. Annals of Internal Medicine, 2021, 174, 344-352.	3.9	73
5	Birth outcomes in South African women receiving highly active antiretroviral therapy: a retrospective observational study. Journal of the International AIDS Society, 2011, 14, 42-42.	3.0	65
6	Trajectory of Viral RNA Load Among Persons With Incident SARS-CoV-2 G614 Infection (Wuhan Strain) in Association With COVID-19 Symptom Onset and Severity. JAMA Network Open, 2022, 5, e2142796.	5.9	57
7	Outcomes of Three- Versus Six-Monthly Dispensing of Antiretroviral Treatment (ART) for Stable HIV Patients in Community ART Refill Groups: A Cluster-Randomized Trial in Zimbabwe. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 84, 162-172.	2.1	50
8	Multimonth dispensing of up to 6 months of antiretroviral therapy in Malawi and Zambia (INTERVAL): a cluster-randomised, non-blinded, non-inferiority trial. The Lancet Global Health, 2021, 9, e628-e638.	6.3	47
9	Factors associated with desire for children among HIV-infected women and men: A quantitative and qualitative analysis from Malawi and implications for the delivery of safer conception counseling. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2014, 26, 769-776.	1.2	45
10	Safety and Efficacy of Initiating Highly Active Antiretroviral Therapy in an Integrated Antenatal and HIV Clinic in Johannesburg, South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 49, 276-281.	2.1	44
11	Barriers and facilitators to the uptake of Test and Treat in Mozambique: A qualitative study on patient and provider perceptions. PLoS ONE, 2018, 13, e0205919.	2.5	44
12	Vitamin D3 supplementation in HIV infection: effectiveness and associations with antiretroviral therapy. Nutrition Journal, 2015, 14, 81.	3.4	39
13	Burkholderia pseudomallei: Challenges for the Clinical Microbiology Laboratory. Journal of Clinical Microbiology, 2016, 54, 2866-2873.	3.9	39
14	Provider attitudes about childbearing and knowledge of safer conception at two HIV clinics in Malawi. Reproductive Health, 2015, 12, 17.	3.1	38
15	Factors associated with retention in Option B+ in Malawi: a case control study. Journal of the International AIDS Society, 2017, 20, 21464.	3.0	33
16	One-Year Outcomes of Women Started on Antiretroviral Therapy during Pregnancy before and after the Implementation of Option B+ in Malawi: A Retrospective Chart Review from Three Facilities. World Journal of AIDS, 2014, 04, 332-337.	0.3	32
17	A qualitative analysis of the barriers and facilitators to receiving care in a prevention of mother-to-child program in Nkhoma, Malawi. African Journal of Reproductive Health, 2013, 17, 118-29.	1.1	31
18	A Qualitative Assessment of Provider and Client Experiences With 3- and 6-Month Dispensing Intervals of Antiretroviral Therapy in Malawi, Global Health, Science and Practice, 2020, 8, 18-27	1.7	29

1.6

14

#	Article	IF	CITATIONS
19	You can treat my HIV – But can you treat my blood pressure? Availability of integrated HIV and non-communicable disease care in northern Malawi. African Journal of Primary Health Care and Family Medicine, 2017, 9, e1-e8.	0.8	25
20	â€~Blood pressure can kill you tomorrow, but HIV gives you time': illness perceptions and treatment experiences among Malawian individuals living with HIV and hypertension. Health Policy and Planning, 2019, 34, ii36-ii44.	2.7	24
21	Who Provides Primary Care? An Assessment of HIV Patient and Provider Practices and Preferences. Journal of AIDS & Clinical Research, 2014, 05, .	0.5	23
22	Randomized trial of stopping or continuing ART among postpartum women with pre-ART CD4 ≥ 400 cells/mm3. PLoS ONE, 2017, 12, e0176009.	2.5	23
23	Benefits of PrEP as an Adjunctive Method of HIV Prevention During Attempted Conception Between HIV-uninfected Women and HIV-infected Male Partners. Journal of Infectious Diseases, 2015, 212, 1534-1543.	4.0	22
24	â€~Only twice a year': a qualitative exploration of 6-month antiretroviral treatment refills in adherence clubs for people living with HIV in Khayelitsha, South Africa. BMJ Open, 2020, 10, e037545.	1.9	22
25	Uptake of the COVID-19 vaccine among healthcare workers in Malawi. International Health, 2023, 15, 77-84.	2.0	21
26	Optimizing Test and Treat in Malawi: health care worker perspectives on barriers and facilitators to ART initiation among HIV-infected clients who feel healthy. Global Health Action, 2020, 13, 1728830.	1.9	20
27	High-risk human papillomavirus in HIV-infected women undergoing cervical cancer screening in Lilongwe, Malawi: a pilot study. International Journal of STD and AIDS, 2015, 26, 379-387.	1.1	19
28	Evaluation of a Structured Predeparture Orientation at the David Geffen School of Medicine's Global Health Education Programs. American Journal of Tropical Medicine and Hygiene, 2016, 94, 563-567.	1.4	18
29	Simple Screening Tool to Help Identify High-Risk Children for Targeted HIV Testing in Malawian Inpatient Wards. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79, 352-357.	2.1	18
30	Pregnancy Outcomes of Women Conceiving on Antiretroviral Therapy (ART) Compared to Those Commenced on ART During Pregnancy. Clinical Infectious Diseases, 2021, 73, e312-e320.	5.8	18
31	Management of Antiretroviral Treatment–Related Complications. Infectious Disease Clinics of North America, 2007, 21, 103-132.	5.1	16
32	Provider experiences with three- and six-month antiretroviral therapy dispensing for stable clients in Zambia. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, 33, 541-547.	1.2	16
33	Dolutegravir Resistance in Malawi's National HIV Treatment Program. Open Forum Infectious Diseases, 2022, 9, ofac148.	0.9	16
34	Varying intervals of antiretroviral medication dispensing to improve outcomes for HIV patients (The) Tj ETQq0 0	0 rgBT /Ov	verlock 10 Tf
35	Evaluation of Sex Differences of Fosamprenavir (With and Without Ritonavir) in HIV-Infected Men and Women. HIV Clinical Trials, 2007, 8, 371-380.	2.0	14

The effectiveness and cost-effectiveness of 3- vs. 6-monthly dispensing of antiretroviral treatment (ART) for stable HIV patients in community ART-refill groups in Zimbabwe: study protocol for a pragmatic, cluster-randomized trial. Trials, 2018, 19, 79.

#	Article	IF	CITATIONS
37	Evaluating the integration of HIV self-testing into low-resource health systems: study protocol for a cluster-randomized control trial from EQUIP Innovations. Trials, 2018, 19, 498.	1.6	13
38	"lt is big because it's ruining the lives of many people in Malawi― Women's attitudes and beliefs abo cervical cancer. Preventive Medicine Reports, 2020, 18, 101093.	ut 1.8	13
39	Non-communicable Diseases in Pregnant and Postpartum Women Living with HIV: Implications for Health Throughout the Life Course. Current HIV/AIDS Reports, 2021, 18, 73-86.	3.1	13
40	Evaluation of the UCLA Department of Medicine Malawi Global Health Clinical Elective: Lessons from the First Five Years. American Journal of Tropical Medicine and Hygiene, 2014, 91, 876-880.	1.4	12
41	Supporting Treatment Adherence Readiness through Training (START) for patients with HIV on antiretroviral therapy: study protocol for a randomized controlled trial. Trials, 2016, 17, 162.	1.6	12
42	Translating Predictions of Zoonotic Viruses for Policymakers. EcoHealth, 2018, 15, 52-62.	2.0	11
43	Tenofovir concentrations in hair strongly predict virologic suppression in breastfeeding women. Aids, 2019, 33, 1657-1662.	2.2	11
44	Eligibility for differentiated models of HIV treatment service delivery: an estimate from Malawi and Zambia. Aids, 2020, 34, 475-479.	2.2	11
45	Prenatal chlamydial, gonococcal, and trichomonal screening in the Democratic Republic of Congo for case detection and management. International Journal of STD and AIDS, 2020, 31, 221-229.	1.1	11
46	Maternal health outcomes among HIV-infected breastfeeding women with high CD4 counts: results of a treatment strategy trial. HIV Clinical Trials, 2018, 19, 209-224.	2.0	10
47	â€~Good health' as a barrier and facilitator to ART initiation: a qualitative study in the era of test-and-treat in Mozambique. Culture, Health and Sexuality, 2019, 21, 1059-1073.	1.8	10
48	Acceptability of index partnerÂHIV self-testing among HIV-positive clients in Malawi: A mixed methods analysis. PLoS ONE, 2020, 15, e0235008.	2.5	10
49	Successes and Challenges of HIV Mentoring in Malawi: The Mentee Perspective. PLoS ONE, 2016, 11, e0158258.	2.5	10
50	Bartonella Endocarditis in Complex Congenital Heart Disease. Congenital Heart Disease, 2007, 2, 79-84.	0.2	9
51	Vitamin D Levels and Markers of Inflammation and Metabolism in HIV-Infected Individuals on Suppressive Antiretroviral Therapy. AIDS Research and Human Retroviruses, 2016, 32, 247-254.	1.1	9
52	Maternal Outcomes after Haart for the Prevention of Mother-To-Child Transmission in HIV-Infected Women in Brazil. Antiviral Therapy, 2011, 16, 349-356.	1.0	8
53	Diagnostic Utility and Impact on Clinical Decision Making of Focused Assessment With Sonography for HIV-Associated Tuberculosis in Malawi: A Prospective Cohort Study. Global Health, Science and Practice, 2020, 8, 28-37.	1.7	7
54	Integrated care experiences and out-of-pocket expenditures: a cross-sectional survey of adults receiving treatment for HIV and hypertension in Malawi. BMJ Open, 2020, 10, e032652.	1.9	7

#	Article	IF	CITATIONS
55	Baseline Immune Phenotypes and CD4+ T Lymphocyte Responses to Antiretroviral Therapy in Younger versus Older HIV-infected Individuals. Journal of Clinical Immunology, 2011, 31, 873-881.	3.8	6
56	Barriers and facilitators to facility HIV self-testing in outpatient settings in Malawi: a qualitative study. BMC Public Health, 2021, 21, 2200.	2.9	6
57	High Rates of Uncontrolled Blood Pressure in Malawian Adults Living with HIV and Hypertension. Global Heart, 2021, 16, 81.	2.3	6
58	Immune Activation Markers in Peripartum Women in Botswana: Association with Feeding Strategy and Maternal Morbidity. PLoS ONE, 2014, 9, e89928.	2.5	5
59	Predictors of Viremia in Postpartum Women on Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 72-80.	2.1	5
60	Accelerating drug discovery for pregnant and lactating women living with HIV. Journal of the International AIDS Society, 2021, 24, e25680.	3.0	5
61	Supporting Quality Data Systems: Lessons Learned From Early Implementation Of Routine Viral Load Monitoring At A Large Clinic In Lilongwe, Malawi. Journal of Clinical Research in HIV AIDS and Prevention, 2017, 3, 1-7.	0.1	5
62	Provider perspectives on barriers to reproductive health services for HIV-infected clients in Central Malawi. Clinical Obstetrics, Gynecology and Reproductive Medicine, 2018, 4, .	0.2	5
63	Activated learning; providing structure in global health education at the David Geffen School of Medicine at the University of California, Los Angeles (UCLA)– a pilot study. BMC Medical Education, 2016, 16, 63.	2.4	4
64	"When You Have Gotten Help, That Means You Were Strong― A Qualitative Study of Experiences in a "Screen and Treat―Program for Cervical Cancer Prevention in Malawi. Journal of Cancer Education, 2022, 37, 405-413.	1.3	4
65	Health care workers' experiences with implementation of "screen and treat―for cervical cancer prevention in Malawi: A qualitative study. Implementation Science Communications, 2020, 1, 112.	2.2	4
66	Examining Correlates of Pre-ART and Early ART Adherence to Identify Key Factors Influencing Adherence Readiness. AIDS and Behavior, 2021, 25, 113-123.	2.7	4
67	A Multi-Dimensional Characterization of Aging and Wellbeing Among HIV-Positive Adults in Malawi. AIDS and Behavior, 2021, 25, 571-581.	2.7	4
68	Detection and kinetics of subgenomic SARS-CoV-2 RNA viral load in longitudinal diagnostic RNA positive samples. Journal of Infectious Diseases, 2022, , .	4.0	4
69	Improving ART initiation among men who use HIV selfâ€ŧesting in Malawi: a qualitative study. Journal of the International AIDS Society, 2022, 25, .	3.0	4
70	Biomarkers From Late Pregnancy to 6 Weeks Postpartum in HIV-Infected Women Who Continue Versus Discontinue Antiretroviral Therapy After Delivery. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 63, 593-601.	2.1	3
71	Towards the third 90: improving viral load testing with a simple quality improvement program in health facilities in Malawi. International Health, 2019, 11, 215-220.	2.0	3
72	Optimizing Global Health Electives Through Partnerships: A Pilot Study of Pediatric Residents. Academic Pediatrics, 2015, 15, 565-567.	2.0	2

#	Article	IF	CITATIONS
73	CD4 Variability in Malawi: Implications for Use of a CD4 Threshold of 500 Cells/mm3 Versus Universal Eligibility for Antiretroviral Therapy. Open Forum Infectious Diseases, 2016, 3, ofw180.	0.9	2
74	Brief Report: Markers of Spontaneous Preterm Delivery in Women Living With HIV: Relationship With Protease Inhibitors and Vitamin D. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, 181-187.	2.1	2
75	Perceived Acceptability of a Facility-Based HIV Self-Test Intervention in Outpatient Waiting Spaces Among Adult Outpatients in Malawi: A Formative Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, e92-e94.	2.1	2
76	Screening Adults for HIV Testing in the Outpatient Department: An Assessment of Tool Performance in Malawi. AIDS and Behavior, 2021, , 1.	2.7	2
77	Gendered differences in perceptions and reports of wellbeing: A cross-sectional survey of adults on ART in Malawi. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2022, 34, 1602-1609.	1.2	2
78	Evaluating Measures of Pre-ART Adherence Readiness Through Associations with ART Adherence in the Early Months of Treatment. AIDS and Behavior, 2020, 24, 648-654.	2.7	1
79	Taking a stand against the politicization of medical research: how â€~swinging the pendulum' poses a hazard to clinical trials, study participants, and the progress of science. Expert Review of Clinical Immunology, 2021, 17, 101-103.	3.0	1
80	Health behaviours and beliefs among Malawian adults taking antihypertensive medication and antiretroviral therapy: A qualitative study. Global Public Health, 2022, 17, 688-699.	2.0	1
81	START (Supporting Treatment Adherence Readiness through Training) Improves Both HIV Antiretroviral Adherence and Viral Reduction, and is Cost Effective: Results of a Multi-site Randomized Controlled Trial. AIDS and Behavior, 2021, 25, 3159-3171.	2.7	1
82	Mediators and moderators of ART adherence effects of supporting treatment adherence readiness through training (START): evidence that START helps vulnerable clients achieve better adherence. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, , 1-8.	1.2	0
83	Self-Assessed Severity as a Determinant of COVID-19 Symptom Specificity: A Longitudinal Cohort Study. Clinical Infectious Diseases, 2022, , .	5.8	0
84	Using Prompted Reflective Writing to Demonstrate Learning of Physician Competencies during Global Clinical Rotations. American Journal of Tropical Medicine and Hygiene, 2022, , .	1.4	0
85	High rate of left ventricular hypertrophy on screening echocardiography among adults living with HIV in Malawi. Open Heart, 2022, 9, e002026.	2.3	0