

Tatsuya Yasuda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2197051/publications.pdf>

Version: 2024-02-01

46
papers

692
citations

567281

15
h-index

580821

25
g-index

47
all docs

47
docs citations

47
times ranked

715
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk Factors for Cervical Deformity After Posterior Cervical Decompression Surgery: A Multicenter Study. <i>Global Spine Journal</i> , 2023, 13, 1457-1466.	2.3	2
2	Selective Angiography to Detect Anterior Spinal Artery Stenosis in Thoracic Ossification of the Posterior Longitudinal Ligament. <i>Asian Spine Journal</i> , 2022, 16, 334-342.	2.0	2
3	Characteristics affecting cervical sagittal alignment in patients with chronic low back pain. <i>Journal of Orthopaedic Science</i> , 2021, 26, 577-583.	1.1	2
4	Clinical outcome of condoliase injection treatment for lumbar disc herniation: Indications for condoliase therapy. <i>Journal of Orthopaedic Science</i> , 2021, 26, 79-85.	1.1	22
5	Spinal shortening osteotomy for adult tethered cord syndrome evaluated by intraoperative ultrasonography. <i>Journal of Orthopaedic Science</i> , 2021, 26, 363-368.	1.1	5
6	Preoperative prognostic nutritional index as a predictive factor for medical complication after cervical posterior decompression surgery: A multicenter study. <i>Journal of Orthopaedic Surgery</i> , 2021, 29, 230949902110068.	1.0	10
7	Epidural Hemangioma: A Clinical Series of Five Patients and Review of Literature for the Decade. <i>Spine Surgery and Related Research</i> , 2021, 5, 133-143.	0.7	0
8	Impact of Spinal Correction Surgeries with Osteotomy and Pelvic Fixation in Patients with Kyphosis Due to Osteoporotic Vertebral Fractures. <i>Asian Spine Journal</i> , 2021, 15, 523-532.	2.0	7
9	Impact of Habitual Exercise on Locomotive Function of Middle-aged and Elderly Volunteers: A Longitudinal Study. <i>Progress in Rehabilitation Medicine</i> , 2021, 6, n/a.	0.9	4
10	Impact of shift to the concave side of the C7-center sacral vertical line on de novo degenerative lumbar scoliosis progression in elderly volunteers. <i>Journal of Orthopaedic Science</i> , 2020, 25, 82-88.	1.1	5
11	Extensive Spinal Fusion Surgery in Patients With Parkinson Disease or Atypical Parkinsonism. <i>Spine</i> , 2020, 45, E217-E226.	2.0	3
12	Differences in the geometrical spinal shape in the sagittal plane according to age and magnitude of pelvic incidence in healthy elderly individuals. <i>Journal of Orthopaedic Science</i> , 2020, 25, 557-564.	1.1	18
13	Preoperative and Postoperative Sitting Radiographs for Adult Spinal Deformity Surgery. <i>Spine</i> , 2020, 45, E950-E958.	2.0	20
14	The Impact of Geometrical Spinal Shape on Fresh Vertebral Fractures in Elderly Volunteers. <i>Spine</i> , 2020, 45, E1232-E1238.	2.0	0
15	Combination therapy with preoperative embolization and en block laminectomy using thread saw for spinous process solitary fibrous tumor: A case report. <i>Radiology Case Reports</i> , 2020, 15, 2607-2612.	0.6	0
16	Impact of pelvic obliquity on coronal alignment in patients with adolescent idiopathic scoliosis. <i>Spine Deformity</i> , 2020, 8, 1269-1278.	1.5	10
17	Effect of sagittal shape on proximal junctional kyphosis following thoracopelvic corrective fusion for adult spinal deformity: postoperative inflection vertebra cranial to T12 is a significant risk factor. <i>Spine Deformity</i> , 2020, 8, 1313-1323.	1.5	5
18	Retroperitoneal Neurofibroma and a Malignant Peripheral Nerve Sheath Tumor with Neurofibromatosis Type 1: A Report of Two Cases. <i>Spine Surgery and Related Research</i> , 2020, 4, 369-373.	0.7	3

#	ARTICLE	IF	CITATIONS
19	Low occupancy rate of the pedicle screw in the vertebral body leads to upper instrumented vertebral fracture. <i>Scientific Reports</i> , 2020, 10, 10270.	3.3	5
20	Long additional rod constructs can reduce the incidence of rod fractures following 3-column osteotomy with pelvic fixation in short term. <i>Spine Deformity</i> , 2020, 8, 481-490.	1.5	27
21	Impact of adult spinal deformity corrective surgery in patients with the symptoms of gastroesophageal reflux disease: a 5-year follow-up report. <i>European Spine Journal</i> , 2020, 29, 860-869.	2.2	12
22	Deterioration of sagittal spinal alignment with age originates from the pelvis not the lumbar spine: a 4-year longitudinal cohort study. <i>European Spine Journal</i> , 2020, 29, 2329-2339.	2.2	10
23	Spinal Sagittal Alignment, Hospital Anxiety and Depression Scale Scores, and Patient-Reported Outcome among People with Sporting Activity. <i>Asian Spine Journal</i> , 2020, 14, 341-349.	2.0	3
24	Association between a prognostic nutritional index less than 50 and the risk of medical complications after adult spinal deformity surgery. <i>Journal of Neurosurgery: Spine</i> , 2020, 33, 219-224.	1.7	13
25	Observable Recurrence of Cervicothoracic Neurenteric Cyst after Subtotal Resection: A Case Report. <i>Spine Surgery and Related Research</i> , 2020, 4, 81-83.	0.7	0
26	Influence of the Sagittal Vertical Axis on the Risk of Falls in Community-Dwelling Elderly People: A Retrospective Longitudinal Study. <i>Spine Surgery and Related Research</i> , 2020, 4, 237-241.	0.7	3
27	The Risk of Proximal Junctional Kyphosis Decreases in Patients With Optimal Thoracic Kyphosis. <i>Spine Deformity</i> , 2019, 7, 759-770.	1.5	17
28	Lumbar Retrolisthesis Compensates Spinal Kyphosis. <i>Spine Deformity</i> , 2019, 7, 602-609.	1.5	4
29	Preoperative Age and Prognostic Nutritional Index Are Useful Factors for Evaluating Postoperative Delirium Among Patients With Adult Spinal Deformity. <i>Spine</i> , 2019, 44, 472-478.	2.0	44
30	Comparison of Postoperative Outcomes According to Compensatory Changes of the Thoracic Spine Among Patients With a T1 Slope More Than 40°. <i>Spine</i> , 2019, 44, 579-587.	2.0	4
31	Multi-Rod Constructs Can Increase the Incidence of Iliac Screw Loosening after Surgery for Adult Spinal Deformity. <i>Asian Spine Journal</i> , 2019, 13, 500-510.	2.0	21
32	Postoperative Disability After Long Corrective Fusion to the Pelvis in Elderly Patients With Spinal Deformity. <i>Spine</i> , 2018, 43, E804-E812.	2.0	17
33	Cut-off values of and factors associated with a negative influence on Neck Disability Index. <i>European Spine Journal</i> , 2018, 27, 1423-1431.	2.2	8
34	The controlled study of diffuse idiopathic skeletal hyperostosis for the assessment of physical function in elderly populations. <i>Journal of Orthopaedic Science</i> , 2018, 23, 929-934.	1.1	14
35	Discrepancy Between Standing Posture and Sagittal Balance During Walking in Adult Spinal Deformity Patients. <i>Spine</i> , 2017, 42, E25-E30.	2.0	36
36	Repeated posterior dislocation of total hip arthroplasty after spinal corrective long fusion with pelvic fixation. <i>European Spine Journal</i> , 2017, 26, 100-106.	2.2	35

#	ARTICLE	IF	CITATIONS
37	Difference in Spinal Sagittal Alignment and Health-Related Quality of Life between Males and Females with Cervical Deformity. Asian Spine Journal, 2017, 11, 959-967.	2.0	19
38	Lumbosacral Junctional Failures After Long Spinal Fusion for Adult Spinal Deformity—Which Vertebra Is the Preferred Distal Instrumented Vertebra?. Spine Deformity, 2016, 4, 378-384.	1.5	49
39	The cohort study for the determination of reference values for spinopelvic parameters (T1 pelvic) Tj ETQq1 1 0.784314 rgBT /Overlock 63	2.2	63
40	Relationship between Spinal Hemangioblastoma Location and Age. Asian Spine Journal, 2016, 10, 309.	2.0	11
41	The Influence of Age and Sex on Cervical Spinal Alignment Among Volunteers Aged Over 50. Spine, 2015, 40, 1487-1494.	2.0	113
42	Response to: Hypoglossal Nerve Unjury after Cervical Spine Surgery. Asian Spine Journal, 2015, 9, 660.	2.0	0
43	Hypoglossal Nerve Palsy as a Complication of an Anterior Approach for Cervical Spine Surgery. Asian Spine Journal, 2015, 9, 295.	2.0	17
44	Optimal Timing of Preoperative Skin Preparation with Povidone-Iodine for Spine Surgery: A Prospective, Randomized Controlled Study. Asian Spine Journal, 2015, 9, 423.	2.0	13
45	Preoperative and Postoperative Pulmonary Function in Elderly Patients with Thoracolumbar Kyphoscoliosis. Asian Spine Journal, 2015, 9, 923.	2.0	0
46	Arundic acid (ONO-2506) inhibits secondary injury and improves motor function in rats with spinal cord injury. Journal of the Neurological Sciences, 2014, 337, 186-192.	0.6	15