

Ute BÃ¼ltmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2198219/publications.pdf>

Version: 2024-02-01

196
papers

9,782
citations

47006

47
h-index

49909

87
g-index

200
all docs

200
docs citations

200
times ranked

13053
citing authors

#	ARTICLE	IF	CITATIONS
1	Trajectories of cognitive symptoms and associated factors in cancer survivors after return to work: an 18-month longitudinal cohort study. <i>Journal of Cancer Survivorship</i> , 2023, 17, 290-299.	2.9	4
2	Tailoring work participation support for cancer survivors using the stages of change: perspectives of (health care) professionals and survivors. <i>Journal of Cancer Survivorship</i> , 2023, 17, 706-719.	2.9	6
3	Employees Receiving Inpatient Treatment for Common Mental Disorders in Germany: Factors Associated with Time to First and Full Return to Work. <i>Journal of Occupational Rehabilitation</i> , 2022, 32, 114-127.	2.2	5
4	Psychosocial work factors and blood pressure among 63 800 employees from The Netherlands in the Lifelines Cohort Study. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 60-66.	3.7	7
5	The timing and duration of depressive symptoms from adolescence to young adulthood and young adultsâ€™ NEET status: the role of educational attainment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 83-93.	3.1	8
6	Associations of university student life challenges with mental health and self-rated health: A longitudinal study with 6 months follow-up. <i>Journal of Affective Disorders</i> , 2022, 296, 250-257.	4.1	15
7	Physical Activity Advice for Prevention and Rehabilitation of Low Back Pain- Same or Different? A Study on Device-Measured Physical Activity and Register-Based Sickness Absence. <i>Journal of Occupational Rehabilitation</i> , 2022, 32, 284-294.	2.2	9
8	Work functioning among young adults: the role of mental health problems from childhood to young adulthood. <i>Occupational and Environmental Medicine</i> , 2022, 79, 217-223.	2.8	11
9	The association between fast-food outlet proximity and density and Body Mass Index: Findings from 147,027 Lifelines Cohort Study participants. <i>Preventive Medicine</i> , 2022, 155, 106915.	3.4	7
10	Socioeconomic differences in metabolic syndrome development: examining the mediating role of chronic stress using the Lifelines Cohort Study. <i>BMC Public Health</i> , 2022, 22, 261.	2.9	0
11	Proposing network analysis for early life adversity: An application on life event data. <i>Social Science and Medicine</i> , 2022, 296, 114784.	3.8	6
12	Exploring reasons for sick leave due to common mental disorders from the perspective of employees and managers â€“ what has gender got to do with it?. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2022, 17, 2054081.	1.6	8
13	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals. <i>Nature Genetics</i> , 2022, 54, 437-449.	21.4	215
14	Childhood Socioeconomic Status and Depressive Symptom Trajectories in the Transition to Adulthood in the United States and Canada. <i>Journal of Adolescent Health</i> , 2021, 68, 161-168.	2.5	10
15	Airborne occupational exposures and inflammatory biomarkers in the Lifelines cohort study. <i>Occupational and Environmental Medicine</i> , 2021, 78, 82-85.	2.8	8
16	Associations of Genetic Factors, Educational Attainment, and Their Interaction With Kidney Function Outcomes. <i>American Journal of Epidemiology</i> , 2021, 190, 864-874.	3.4	1
17	Do older manual workers benefit in vitality after retirement? Findings from a 3-year follow-up panel study. <i>European Journal of Ageing</i> , 2021, 18, 369-379.	2.8	4
18	Cross-cultural translation and adaptation of the Readiness for Return To Work questionnaire for Dutch cancer survivors. <i>European Journal of Cancer Care</i> , 2021, 30, e13383.	1.5	7

#	ARTICLE	IF	CITATIONS
19	Associations between physical and psychosocial work environment factors and sickness absence incidence depend on the lengths of the sickness absence episodes: a prospective study of 27 678 Danish employees. <i>Occupational and Environmental Medicine</i> , 2021, 78, 46-53.	2.8	12
20	Does the timing and duration of mental health problems during childhood and adolescence matter for labour market participation of young adults?. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 896-902.	3.7	14
21	Validation of the Work Role Functioning Questionnaire 2.0 in cancer patients. <i>European Journal of Cancer Care</i> , 2021, 30, e13420.	1.5	4
22	Lifelines COVID-19 cohort: investigating COVID-19 infection and its health and societal impacts in a Dutch population-based cohort. <i>BMJ Open</i> , 2021, 11, e044474.	1.9	49
23	Geriatric Syndromes and Incident Chronic Health Conditions Among 9094 Older Community-Dwellers: Findings from the Lifelines Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2021, , .	2.5	12
24	Airborne occupational exposures and the risk of developing respiratory symptoms and airway obstruction in the Lifelines Cohort Study. <i>Thorax</i> , 2021, 76, 790-797.	5.6	5
25	Mental health among university students: The associations of effort-reward imbalance and overcommitment with psychological distress. <i>Journal of Affective Disorders</i> , 2021, 282, 953-961.	4.1	25
26	Loneliness, worries, anxiety, and precautionary behaviours in response to the COVID-19 pandemic: A longitudinal analysis of 200,000 Western and Northern Europeans. <i>Lancet Regional Health - Europe</i> , The, 2021, 2, 100020.	5.6	180
27	Depressive Symptom Trajectories and Early Adult Education and Employment: Comparing Longitudinal Cohorts in Canada and the United States. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4279.	2.6	5
28	Barriers and facilitators for work and social participation among individuals with spinal cord injury in Indonesia. <i>Spinal Cord</i> , 2021, 59, 1079-1087.	1.9	10
29	Expected Labor Market Affiliation: A New Method Illustrated by Estimating the Impact of Perceived Stress on Time in Work, Sickness Absence and Unemployment of 37,605 Danish Employees. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4980.	2.6	6
30	Fragmentation in the future of work: A horizon scan examining the impact of the changing nature of work on workers experiencing vulnerability. <i>American Journal of Industrial Medicine</i> , 2021, 64, 649-666.	2.1	22
31	Developing Interpersonal Trust Between Service Users and Professionals in Integrated Services: Compensating for Latent Distrust, Vulnerabilities and Uncertainty Shaped by Organisational Context. <i>International Journal of Integrated Care</i> , 2021, 21, 1.	0.2	2
32	Understanding socioeconomic differences in incident metabolic syndrome among adults: What is the mediating role of health behaviours?. <i>Preventive Medicine</i> , 2021, 148, 106537.	3.4	13
33	Metabolic syndrome incidence in an aging workforce: Occupational differences and the role of health behaviors. <i>SSM - Population Health</i> , 2021, 15, 100881.	2.7	6
34	1370Introducing network analysis to measure early life adversity. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
35	Prevalence and risk factors for anxiety and depression disorders in workers with work-related musculoskeletal strain or sprain in British Columbia, Canada: a comparison of men and women using administrative health data. <i>Occupational and Environmental Medicine</i> , 2021, 78, 500-508.	2.8	1
36	Process evaluation of a complex workplace intervention to prevent musculoskeletal pain in nursing staff: results from INTEVAL_Spain. <i>BMC Nursing</i> , 2021, 20, 189.	2.5	2

#	ARTICLE	IF	CITATIONS
37	Supporting participation in paid work of cancer survivors and their partners in the Netherlands: protocol of the SusTained Employability in cancer Patients and their partnerS (STEPS) multi-centre randomized controlled trial and cohort study. <i>BMC Public Health</i> , 2021, 21, 1844.	2.9	3
38	O-190â€¦The occupational distribution of MetS prevalence and incidence differs by sex and is not explained by age and health behavior: Results from 75,000 Dutch workers from 40 occupational groups. , 2021, , .		0
39	Sustainable employability of teachers with hearing loss. <i>International Journal of Audiology</i> , 2021, , 1-8.	1.7	2
40	Understanding socioeconomic differences in metabolic syndrome remission among adults: what is the mediating role of health behaviors?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 147.	4.6	5
41	Does social support at home moderate the association between social support at work and work functioning among cancer patients?. <i>Journal of Cancer Survivorship</i> , 2021, , 1.	2.9	3
42	Differences in Work Disability Duration for Immigrants and Canadian-Born Workers in British Columbia, Canada. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11794.	2.6	3
43	Suicidal ideation in patients with obstructive sleep apnoea and its relationship with disease severity, sleep-related problems and social support. <i>Journal of Health Psychology</i> , 2020, 25, 1450-1461.	2.3	6
44	Educational level and risk of chronic kidney disease: longitudinal data from the PREVEND study. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1211-1218.	0.7	31
45	Multimorbidity and the Transition Out of Full-Time Paid Employment: A Longitudinal Analysis of the Health and Retirement Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020, 75, 705-715.	3.9	28
46	Health-related Work Limitations Among Older Workersâ€”the Role of Flexible Work Arrangements and Organizational Climate. <i>Gerontologist</i> , The, 2020, 60, 450-459.	3.9	35
47	Psychological distress in patients with obstructive sleep apnoea: The role of hostility and coping self-efficacy. <i>Journal of Health Psychology</i> , 2020, 25, 2244-2259.	2.3	10
48	Quality of life of obstructive sleep apnoea patients receiving continuous positive airway pressure treatment: A systematic review and meta-analysis. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2020, 49, 10-24.	1.6	19
49	Bivariate genome-wide association analyses of the broad depression phenotype combined with major depressive disorder, bipolar disorder or schizophrenia reveal eight novel genetic loci for depression. <i>Molecular Psychiatry</i> , 2020, 25, 1420-1429.	7.9	68
50	Variance constraints strongly influenced model performance in growth mixture modeling: a simulation and empirical study. <i>BMC Medical Research Methodology</i> , 2020, 20, 276.	3.1	13
51	Occupational exposures and genetic susceptibility to occupational exposures are related to sickness absence in the Lifelines cohort study. <i>Scientific Reports</i> , 2020, 10, 12963.	3.3	3
52	Interventions to improve return to work in depressed people. <i>The Cochrane Library</i> , 2020, 2020, CD006237.	2.8	62
53	Personality as a Resource for Labor Market Participation among Individuals with Chronic Health Conditions. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6240.	2.6	3
54	Reciprocal associations between depression, anxiety and work-related injury. <i>Injury Prevention</i> , 2020, 26, 529-535.	2.4	7

#	ARTICLE	IF	CITATIONS
55	Long-term work retention after treatment for cancer: a systematic review and meta-analysis. <i>Journal of Cancer Survivorship</i> , 2020, 14, 135-150.	2.9	71
56	Why do older workers with chronic health conditions prefer to retire early?. <i>Age and Ageing</i> , 2020, 49, 403-410.	1.6	18
57	Occupational distribution of metabolic syndrome prevalence and incidence differs by sex and is not explained by age and health behavior: results from 75 000 Dutch workers from 40 occupational groups. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001436.	2.8	12
58	Type of cancer treatment and cognitive symptoms in working cancer survivors: an 18-month follow-up study. <i>Journal of Cancer Survivorship</i> , 2020, 14, 158-167.	2.9	16
59	Investigating young adults's mental health and early working life trajectories from a life course perspective: the role of transitions. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 179-181.	3.7	24
60	Implementing sensor technology applications for workplace health promotion: a needs assessment among workers with physically demanding work. <i>BMC Public Health</i> , 2019, 19, 1100.	2.9	21
61	Identification of developmental trajectory classes: Comparing three latent class methods using simulated and real data. <i>Advances in Life Course Research</i> , 2019, 42, 100288.	1.4	14
62	Time-of-day and days-on-shift predict increased fatigue over two-week offshore day-shifts. <i>Applied Ergonomics</i> , 2019, 78, 157-163.	3.1	18
63	A systematic review of interventions to retain chronically ill occupationally active employees in work: can findings be transferred to cancer survivors?. <i>Acta Oncologica</i> , 2019, 58, 548-565.	1.8	15
64	Perceived stress and sickness absence: a prospective study of 17,795 employees in Denmark. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 821-828.	2.3	20
65	Two valid and reliable work role functioning questionnaire short versions were developed: WRFQ 5 and WRFQ 10. <i>Journal of Clinical Epidemiology</i> , 2019, 105, 101-111.	5.0	12
66	Effectiveness of a multi-faceted intervention to prevent musculoskeletal pain in nurses and aides: results of a cluster-randomized controlled trial. <i>Occupational and Environmental Medicine</i> , 2019, 76, A65.1-A65.	2.8	1
67	WHY DO OLDER WORKERS WITH CHRONIC HEALTH CONDITIONS PREFER TO RETIRE EARLY?. <i>Innovation in Aging</i> , 2019, 3, S43-S43.	0.1	0
68	Impact of depressive symptoms on worklife expectancy: a longitudinal study on Danish employees. <i>Occupational and Environmental Medicine</i> , 2019, 76, 838-844.	2.8	32
69	Multifaceted intervention for the prevention and management of musculoskeletal pain in nursing staff: Results of a cluster randomized controlled trial. <i>PLoS ONE</i> , 2019, 14, e0225198.	2.5	26
70	Personal and Societal Impact of Low Back Pain. <i>Spine</i> , 2019, 44, E1443-E1451.	2.0	95
71	Are disease severity, sleep-related problems, and anxiety associated with work functioning in patients with obstructive sleep apnoea?. <i>Disability and Rehabilitation</i> , 2019, 41, 2164-2174.	1.8	3
72	Developing Normative Integration among Professionals in an Intersectoral Collaboration: A Multi-Method Investigation of an Integrated Intervention for People on Sick Leave Due to Common Mental Disorders. <i>International Journal of Integrated Care</i> , 2019, 19, 4.	0.2	15

#	ARTICLE	IF	CITATIONS
73	Title is missing!. , 2019, 14, e0225198.		0
74	Title is missing!. , 2019, 14, e0225198.		0
75	Title is missing!. , 2019, 14, e0225198.		0
76	Title is missing!. , 2019, 14, e0225198.		0
77	Presenteeism in a Dutch hand eczema population—a cross-sectional survey. <i>Contact Dermatitis</i> , 2018, 79, 10-19.	1.4	19
78	The Interaction of Genetic Predisposition and Socioeconomic Position With Type 2 Diabetes Mellitus: Cross-Sectional and Longitudinal Analyses From the Lifelines Cohort and Biobank Study. <i>Psychosomatic Medicine</i> , 2018, 80, 252-262.	2.0	6
79	Evaluation of a genetic risk score based on creatinine-estimated glomerular filtration rate and its association with kidney outcomes. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1757-1764.	0.7	11
80	Investigating daily fatigue scores during two-week offshore day shifts. <i>Applied Ergonomics</i> , 2018, 71, 87-94.	3.1	20
81	The Work Role Functioning Questionnaire v2.0 Showed Consistent Factor Structure Across Six Working Samples. <i>Journal of Occupational Rehabilitation</i> , 2018, 28, 465-474.	2.2	24
82	Meaning and components of quality of life among individuals with spinal cord injury in Yogyakarta Province, Indonesia. <i>Disability and Rehabilitation</i> , 2018, 40, 1183-1191.	1.8	18
83	Development and validation of a prediction model for long-term sickness absence based on occupational health survey variables. <i>Disability and Rehabilitation</i> , 2018, 40, 168-175.	1.8	22
84	Combining informal care and paid work: The use of work arrangements by working adult-child caregivers in the Netherlands. <i>Health and Social Care in the Community</i> , 2018, 26, e122-e131.	1.6	19
85	Increasing return-to-work among people on sick leave due to common mental disorders: design of a cluster-randomized controlled trial of a problem-solving intervention versus care-as-usual conducted in the Swedish primary health care system (PROSA). <i>BMC Public Health</i> , 2018, 18, 889.	2.9	18
86	Social support, mastery, sleep-related problems and their association with functional status in untreated obstructive sleep apnoea patients. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2018, 47, 371-379.	1.6	1
87	IGLOO: An integrated framework for sustainable return to work in workers with common mental disorders. <i>Work and Stress</i> , 2018, 32, 400-417.	4.5	74
88	Employment status transitions in employees with and without chronic disease in the Netherlands. <i>International Journal of Public Health</i> , 2018, 63, 713-722.	2.3	36
89	Effect of an eHealth Intervention to Reduce Sickness Absence Frequency Among Employees With Frequent Sickness Absence: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e10821.	4.3	6
90	Self-reported or register-based? A comparison of sickness absence data among 8110 public and private employees in Denmark. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 631-638.	3.4	14

#	ARTICLE	IF	CITATIONS
91	Beyond return to work from sickness absence due to mental disorders: 5-year longitudinal study of employment status among production workers. <i>European Journal of Public Health</i> , 2017, 27, ckw178.	0.3	10
92	The interaction of socioeconomic position and type 2 diabetes mellitus family history: a cross-sectional analysis of the Lifelines Cohort and Biobank Study. <i>BMJ Open</i> , 2017, 7, e015275.	1.9	17
93	The impact of low education and poor health on unemployment varies by work life stage. <i>International Journal of Public Health</i> , 2017, 62, 997-1006.	2.3	39
94	Number of medications and adverse drug events by unintentional poisoning among older adults in consideration of inappropriate drug use: a Swedish population-based matched case-control study. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 743-749.	1.9	14
95	Does obesity along with major depression or anxiety lead to higher use of health care and costs? A 6-year follow-up study. <i>European Journal of Public Health</i> , 2017, 27, 965-971.	0.3	9
96	SES, Chronic Kidney Disease, and Race in the U.S.: A Systematic Review and Meta-analysis. <i>American Journal of Preventive Medicine</i> , 2017, 53, 730-739.	3.0	20
97	Work functioning trajectories in cancer patients: Results from the longitudinal Work Life after Cancer (WOLICA) study. <i>International Journal of Cancer</i> , 2017, 141, 1751-1762.	5.1	29
98	How Do Organizational Policies and Practices Affect Return to Work and Work Role Functioning Following a Musculoskeletal Injury?. <i>Journal of Occupational Rehabilitation</i> , 2017, 27, 393-404.	2.2	13
99	A life course perspective on mental health problems, employment, and work outcomes. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 316-325.	3.4	27
100	Genetic variants associated with subjective well-being, depressive symptoms, and neuroticism identified through genome-wide analyses. <i>Nature Genetics</i> , 2016, 48, 624-633.	21.4	870
101	Associations between shift schedule characteristics with sleep, need for recovery, health and performance measures for regular (semi-)continuous 3-shift systems. <i>Applied Ergonomics</i> , 2016, 56, 203-212.	3.1	8
102	Genome-wide association study identifies 74 loci associated with educational attainment. <i>Nature</i> , 2016, 533, 539-542.	27.8	1,204
103	Workplace Interventions to Prevent Disability from Both the Scientific and Practice Perspectives: A Comparison of Scientific Literature, Grey Literature and Stakeholder Observations. <i>Journal of Occupational Rehabilitation</i> , 2016, 26, 417-433.	2.2	50
104	Functional health decline before and after retirement: A longitudinal analysis of the Health and Retirement Study. <i>Social Science and Medicine</i> , 2016, 170, 26-34.	3.8	21
105	Genetic variants linked to education predict longevity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13366-13371.	7.1	110
106	Early identification in primary health care of people at risk for sick leave due to work-related stress – study protocol of a randomized controlled trial (RCT). <i>BMC Public Health</i> , 2016, 16, 1193.	2.9	14
107	Active recruitment and limited participant-load related to high participation in large population-based biobank studies. <i>Journal of Clinical Epidemiology</i> , 2016, 78, 52-62.	5.0	14
108	Occupational cognitive requirements and late-life cognitive aging. <i>Neurology</i> , 2016, 86, 1386-1392.	1.1	82

#	ARTICLE	IF	CITATIONS
109	Course of Depressive Symptoms Following a Workplace Injury: A 12-Month Follow-Up Update. <i>Journal of Occupational Rehabilitation</i> , 2016, 26, 204-215.	2.2	30
110	Shortened version of the work ability index to identify workers at risk of long-term sickness absence. <i>European Journal of Public Health</i> , 2016, 26, 301-305.	0.3	38
111	Sleep and need for recovery in shift workers: do chronotype and age matter?. <i>Ergonomics</i> , 2016, 59, 310-324.	2.1	45
112	Overweight, obesity and work functioning: The role of working-time arrangements. <i>Applied Ergonomics</i> , 2016, 52, 128-134.	3.1	20
113	The Combined Effects of Obesity, Abdominal Obesity and Major Depression/Anxiety on Health-Related Quality of Life: the LifeLines Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0148871.	2.5	58
114	Labor markets and health: an integrated life course perspective. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 346-353.	3.4	59
115	Work, eat and sleep: towards a healthy ageing at work program offshore. <i>BMC Public Health</i> , 2015, 16, 134.	2.9	22
116	Absolute and Relative Socioeconomic Health Inequalities across Age Groups. <i>PLoS ONE</i> , 2015, 10, e0145947.	2.5	15
117	Mediators of the Association Between Low Socioeconomic Status and Chronic Kidney Disease in the United States. <i>American Journal of Epidemiology</i> , 2015, 181, 385-396.	3.4	48
118	The prospective association between obesity and major depression in the general population: does single or recurrent episode matter?. <i>BMC Public Health</i> , 2015, 15, 350.	2.9	27
119	Recovery and recurrence of mental sickness absence among production and office workers in the industrial sector. <i>European Journal of Public Health</i> , 2015, 25, 419-423.	0.3	19
120	Childhood Adversities and Educational Attainment in Young Adulthood: The Role of Mental Health Problems in Adolescence. <i>Journal of Adolescent Health</i> , 2015, 57, 462-467.	2.5	59
121	Are fatigue, depression and anxiety associated with labour market participation among patients diagnosed with haematological malignancies? A prospective study. <i>Psycho-Oncology</i> , 2015, 24, 408-415.	2.3	28
122	Mental health trajectories from childhood to young adulthood affect the educational and employment status of young adults: results from the TRAILS study. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 588-593.	3.7	104
123	Need for recovery among male technical distal on-call workers. <i>Ergonomics</i> , 2015, 58, 1927-1938.	2.1	9
124	Functional limitations in functional somatic syndromes and well-defined medical diseases. Results from the general population cohort LifeLines. <i>Journal of Psychosomatic Research</i> , 2015, 79, 94-99.	2.6	71
125	Socioeconomic Disparities in Chronic Kidney Disease. <i>American Journal of Preventive Medicine</i> , 2015, 48, 580-592.	3.0	79
126	Risk reclassification analysis investigating the added value of fatigue to sickness absence predictions. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 1069-1075.	2.3	5

#	ARTICLE	IF	CITATIONS
127	Added Value of Screening for CKD among the Elderly or Persons with Low Socioeconomic Status. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 562-570.	4.5	24
128	Predictors of return to work 5 years after discharge for wheelchair-dependent, individuals with spinal cord injury. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 984-990.	1.1	23
129	Prevention of recurrent sickness absence in workers with common mental disorders: results of a cluster-randomised controlled trial. <i>Occupational and Environmental Medicine</i> , 2014, 71, 21-29.	2.8	65
130	Mental health symptoms as prognostic risk markers of all-cause and psychiatric sickness absence in office workers. <i>European Journal of Public Health</i> , 2014, 24, 101-105.	0.3	18
131	Interventions to improve return to work in depressed people. <i>The Cochrane Library</i> , 2014, , CD006237.	2.8	166
132	Responsiveness of the Work Role Functioning Questionnaire (Spanish Version) in a General Working Population. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 189-194.	1.7	11
133	Process evaluation of a problem solving intervention to prevent recurrent sickness absence in workers with common mental disorders. <i>Social Science and Medicine</i> , 2014, 100, 123-132.	3.8	28
134	How to Engage Occupational Physicians in Recruitment of Research Participants: A Mixed-Methods Study of Challenges and Opportunities. <i>Journal of Occupational Rehabilitation</i> , 2014, 24, 68-78.	2.2	5
135	Prolonged fatigue is associated with sickness absence in men but not in women: prospective study with 1-year follow-up of white-collar employees. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 257-263.	2.3	11
136	Reliability and Validity of the Work Role Functioning Questionnaire (Spanish Version). <i>Journal of Occupational Rehabilitation</i> , 2014, 24, 640-649.	2.2	16
137	Differences in predictors for return to work following musculoskeletal injury between workers with and without somatic comorbidities. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 871-879.	2.3	13
138	Cross-national comparisons of sickness absence systems and statistics: towards common indicators. <i>European Journal of Public Health</i> , 2014, 24, 663-666.	0.3	28
139	The presence of a depressive episode predicts lower return to work rate after myocardial infarction. <i>General Hospital Psychiatry</i> , 2014, 36, 363-367.	2.4	34
140	Employment Trajectories After Spinal Cord Injury: Results From a 5-Year Prospective Cohort Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 2040-2046.	0.9	25
141	Mental Health Problems and Educational Attainment in Adolescence: 9-Year Follow-Up of the TRAILS Study. <i>PLoS ONE</i> , 2014, 9, e101751.	2.5	85
142	Predictors of recurrent sickness absence among workers having returned to work after sickness absence due to common mental disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 195-202.	3.4	40
143	Prognostic Factors for Successful Work Functioning in the General Working Population. <i>Journal of Occupational Rehabilitation</i> , 2013, 23, 162-169.	2.2	17
144	Work Adjustments in a Representative Sample of Employees with a Chronic Disease in the Netherlands. <i>Journal of Occupational Rehabilitation</i> , 2013, 23, 200-208.	2.2	37

#	ARTICLE	IF	CITATIONS
145	The Work Role Functioning Questionnaire 2.0 (Dutch Version): Examination of its Reliability, Validity and Responsiveness in the General Working Population. <i>Journal of Occupational Rehabilitation</i> , 2013, 23, 135-147.	2.2	77
146	Implementation of the Participatory Approach to increase supervisors's self-efficacy in supporting employees at risk for sick leave; design of a randomised controlled trial. <i>BMC Public Health</i> , 2013, 13, 750.	2.9	13
147	GWAS of 126,559 Individuals Identifies Genetic Variants Associated with Educational Attainment. <i>Science</i> , 2013, 340, 1467-1471.	12.6	750
148	Workers with health problems: three perspectives on functioning at work. <i>Disability and Rehabilitation</i> , 2013, 35, 20-26.	1.8	25
149	Sleep disturbances and fatigue: independent predictors of sickness absence? A prospective study among 6538 employees. <i>European Journal of Public Health</i> , 2013, 23, 123-128.	0.3	32
150	The development and validation of two prediction models to identify employees at risk of high sickness absence. <i>European Journal of Public Health</i> , 2013, 23, 128-133.	0.3	25
151	Adverse psychosocial working conditions and risk of severe depressive symptoms. Do effects differ by occupational grade?. <i>European Journal of Public Health</i> , 2013, 23, 415-420.	0.3	70
152	Socioeconomic Measures and CKD in the United States and The Netherlands. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 1685-1693.	4.5	55
153	Identifying employees at risk for job loss during sick leave. <i>Disability and Rehabilitation</i> , 2013, 35, 1835-1841.	1.8	11
154	Physical and mental fatigue as predictors of sickness absence among Norwegian nurses. <i>Research in Nursing and Health</i> , 2013, 36, 453-465.	1.6	28
155	Effort-Reward Imbalance at Work and Risk of Long-Term Sickness Absence in the Danish Workforce. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 454-459.	1.7	12
156	Economic Evaluation of a Problem Solving Intervention to Prevent Recurrent Sickness Absence in Workers with Common Mental Disorders. <i>PLoS ONE</i> , 2013, 8, e71937.	2.5	26
157	Long working hours are associated with incident depressive and anxiety symptoms in women. <i>Evidence-Based Mental Health</i> , 2012, 15, 58-58.	4.5	2
158	Factors associated with first return to work and sick leave durations in workers with common mental disorders. <i>European Journal of Public Health</i> , 2012, 22, 440-445.	0.3	39
159	The cross-cultural adaptation of the Work Role Functioning Questionnaire to Dutch. <i>Work</i> , 2012, 43, 203-210.	1.1	24
160	Systematic Review of Intervention Practices for Depression in the Workplace. <i>Journal of Occupational Rehabilitation</i> , 2012, 22, 312-321.	2.2	67
161	Health, work, and personal-related predictors of time to return to work among employees with mental health problems. <i>Disability and Rehabilitation</i> , 2012, 34, 1311-1316.	1.8	56
162	Predictors of Recurrent Sickness Absence Due to Depressive Disorders – A Delphi Approach Involving Scientists and Physicians. <i>PLoS ONE</i> , 2012, 7, e51792.	2.5	15

#	ARTICLE	IF	CITATIONS
163	Sickness benefit claims due to mental disorders in Brazil: associations in a population-based study. <i>Cadernos De Saude Publica</i> , 2012, 28, 1854-1866.	1.0	20
164	Towards a New Definition of Return-to-Work Outcomes in Common Mental Disorders from a Multi-Stakeholder Perspective. <i>PLoS ONE</i> , 2012, 7, e39947.	2.5	49
165	Evaluation of the measurement properties of self-reported health-related work-functioning instruments among workers with common mental disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 5-18.	3.4	36
166	Recurrence of sickness absence due to common mental disorders. <i>International Archives of Occupational and Environmental Health</i> , 2011, 84, 193-201.	2.3	131
167	Predictors of return to work in employees sick-listed with mental health problems: findings from a longitudinal study. <i>European Journal of Public Health</i> , 2011, 21, 806-811.	0.3	72
168	Impact of Burnout and Psychosocial Work Characteristics on Future Long-Term Sickness Absence. Prospective Results of the Danish PUMA Study Among Human Service Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2010, 52, 964-970.	1.7	66
169	A Prospective Study of Return to Work Across Health Conditions: Perceived Work Attitude, Self-efficacy and Perceived Social Support. <i>Journal of Occupational Rehabilitation</i> , 2010, 20, 104-112.	2.2	127
170	Prevention of recurrent sickness absence among employees with common mental disorders: design of a cluster-randomised controlled trial with cost-benefit and effectiveness evaluation. <i>BMC Public Health</i> , 2010, 10, 132.	2.9	28
171	Gender and age differences in the recurrence of sickness absence due to common mental disorders: a longitudinal study. <i>BMC Public Health</i> , 2010, 10, 426.	2.9	38
172	Return to work among employees with common mental disorders: Study design and baseline findings from a mixed-method follow-up study. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 864-872.	2.3	19
173	The incidence of anxiety and depression among employees-the role of psychosocial work characteristics. <i>Depression and Anxiety</i> , 2009, 26, 1040-1048.	4.1	61
174	Coordinated and Tailored Work Rehabilitation: A Randomized Controlled Trial with Economic Evaluation Undertaken with Workers on Sick Leave Due to Musculoskeletal Disorders. <i>Journal of Occupational Rehabilitation</i> , 2009, 19, 81-93.	2.2	128
175	Behavioral Determinants as Predictors of Return to Work After Long-Term Sickness Absence: An Application of the Theory of Planned Behavior. <i>Journal of Occupational Rehabilitation</i> , 2009, 19, 166-174.	2.2	114
176	Course, Diagnosis, and Treatment of Depressive Symptomatology in Workers following a Workplace Injury: A Prospective Cohort Study. <i>Canadian Journal of Psychiatry</i> , 2009, 54, 534-546.	1.9	54
177	Severe depressive symptoms as predictor of disability pension: a 10-year follow-up study in Denmark. <i>European Journal of Public Health</i> , 2008, 18, 232-234.	0.3	72
178	The contribution of the psychosocial work environment to sickness absence in human service workers: Results of a 3-year follow-up study. <i>Work and Stress</i> , 2007, 21, 293-311.	4.5	119
179	The fraction of long-term sickness absence attributable to work environmental factors: prospective results from the Danish Work Environment Cohort Study. <i>Occupational and Environmental Medicine</i> , 2007, 64, 487-489.	2.8	35
180	The Impact of Health Behaviour on Long Term Sickness Absence: Results from DWECs/DREAM. <i>Industrial Health</i> , 2007, 45, 348-351.	1.0	56

#	ARTICLE	IF	CITATIONS
181	Health status, work limitations, and return-to-work trajectories in injured workers with musculoskeletal disorders. <i>Quality of Life Research</i> , 2007, 16, 1167-1178.	3.1	109
182	Return to work among sickness-absent Danish employees: prospective results from the Danish Work Environment Cohort Study/National Register on Social Transfer Payments. <i>International Journal of Rehabilitation Research</i> , 2006, 29, 229-235.	1.3	31
183	Depressive symptoms and the risk of long-term sickness absence. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 875-880.	3.1	141
184	Rugulies et al. Respond to "Tapping the Tip of the Iceberg". <i>American Journal of Epidemiology</i> , 2006, 163, 891-892.	3.4	1
185	Physical work environment risk factors for long term sickness absence: prospective findings among a cohort of 5357 employees in Denmark. <i>BMJ: British Medical Journal</i> , 2006, 332, 449-452.	2.3	183
186	Psychosocial Work Environment and Incidence of Severe Depressive Symptoms: Prospective Findings from a 5-Year Follow-up of the Danish Work Environment Cohort Study. <i>American Journal of Epidemiology</i> , 2006, 163, 877-887.	3.4	236
187	Psychological Distress, Fatigue and Long-Term Sickness Absence: Prospective Results From the Maastricht Cohort Study. <i>Journal of Occupational and Environmental Medicine</i> , 2005, 47, 941-947.	1.7	66
188	Psychosocial Work Environment Exposures as Risk Factors for Long-Term Sickness Absence Among Danish Employees: Results From DWECS/DREAM. <i>Journal of Occupational and Environmental Medicine</i> , 2005, 47, 1141-1147.	1.7	140
189	Effects of Job Insecurity From a Workplace Closure Threat on Fatigue and Psychological Distress. <i>Journal of Occupational and Environmental Medicine</i> , 2004, 46, 443-449.	1.7	36
190	Predicting the Two-Year Course of Unexplained Fatigue and the Onset of Long-Term Sickness Absence in Fatigued Employees: Results From the Maastricht Cohort Study. <i>Journal of Occupational and Environmental Medicine</i> , 2004, 46, 1041-1047.	1.7	35
191	The association between chronic diseases and fatigue in the working population. <i>Journal of Psychosomatic Research</i> , 2003, 54, 339-344.	2.6	62
192	Lifestyle Factors as Risk Factors for Fatigue and Psychological Distress in the Working Population: Prospective Results From the Maastricht Cohort Study. <i>Journal of Occupational and Environmental Medicine</i> , 2002, 44, 116-124.	1.7	57
193	Fatigue and psychological distress in the working population. <i>Journal of Psychosomatic Research</i> , 2002, 52, 445-452.	2.6	239
194	Differences in Fatigue and Psychological Distress Across Occupations: Results From The Maastricht Cohort Study of Fatigue at Work. <i>Journal of Occupational and Environmental Medicine</i> , 2001, 43, 976-983.	1.7	50
195	Measurement of prolonged fatigue in the working population: Determination of a cutoff point for the Checklist Individual Strength.. <i>Journal of Occupational Health Psychology</i> , 2000, 5, 411-416.	3.3	206
196	Pre-existing anxiety and depression disorders and return to work after musculoskeletal strain or sprain: a phased-based approach. <i>Journal of Occupational Rehabilitation</i> , 0, , .	2.2	0