

# Agneta Akesson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2200343/publications.pdf>

Version: 2024-02-01

155  
papers

11,291  
citations

44069

48  
h-index

30922

102  
g-index

169  
all docs

169  
docs citations

169  
times ranked

12386  
citing authors

#	ARTICLE	IF	CITATIONS
1	The DASH diet is associated with a lower risk of heart failure: a cohort study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1114-1123.	1.8	18
2	Long-term cadmium exposure and fractures, cardiovascular disease, and mortality in a prospective cohort of women. <i>Environment International</i> , 2022, 161, 107114.	10.0	11
3	Protein intake in children and growth and risk of overweight or obesity: A systematic review and meta-analysis. <i>Food and Nutrition Research</i> , 2022, 66, .	2.6	18
4	The intake of flavonoids, stilbenes, and tyrosols, mainly consumed through red wine and virgin olive oil, is associated with lower carotid and femoral subclinical atherosclerosis and coronary calcium. <i>European Journal of Nutrition</i> , 2022, 61, 2697-2709.	3.9	11
5	Per- and Polyfluoroalkyl Substances and Risk of Myocardial Infarction and Stroke: A Nested Caseâ€“Control Study in Sweden. <i>Environmental Health Perspectives</i> , 2022, 130, 37007.	6.0	16
6	Anti-Inflammatory Diet and Incident Peripheral Artery Disease: Two Prospective Cohort Studies. <i>Clinical Nutrition</i> , 2022, 41, 1191-1196.	5.0	4
7	A Prospective Evaluation of Modifiable Lifestyle Factors in Relation to Peripheral Artery Disease Risk. <i>European Journal of Vascular and Endovascular Surgery</i> , 2022, 64, 83-91.	1.5	3
8	Chlorination by-products in drinking water and risk of bladder cancer â€“ A population-based cohort study. <i>Water Research</i> , 2022, 214, 118202.	11.3	15
9	Dietary Acrylamide Exposure and Risk of Site-Specific Cancer: A Systematic Review and Dose-Response Meta-Analysis of Epidemiological Studies. <i>Frontiers in Nutrition</i> , 2022, 9, 875607.	3.7	15
10	Enhancing Human Biomonitoring Studies through Linkage to Administrative Registersâ€“Status in Europe. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5678.	2.6	3
11	Calcium and magnesium in drinking water and risk of myocardial infarction and strokeâ€“a population-based cohort study. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 1091-1100.	4.7	5
12	Swedish snuff (snus) dipping, cigarette smoking, and risk of peripheral artery disease: a prospective cohort study. <i>Scientific Reports</i> , 2022, 12, .	3.3	2
13	Overall and abdominal obesity in relation to venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 460-469.	3.8	33
14	Plasma metabolites associated with exposure to perfluoroalkyl substances and risk of type 2 diabetes â€“ A nested case-control study. <i>Environment International</i> , 2021, 146, 106180.	10.0	22
15	Fluoride in Drinking Water, Diet, and Urine in Relation to Bone Mineral Density and Fracture Incidence in Postmenopausal Women. <i>Environmental Health Perspectives</i> , 2021, 129, 47005.	6.0	20
16	High Consumption of Ultra-Processed Food is Associated with Incident Dyslipidemia: A Prospective Study of Older Adults. <i>Journal of Nutrition</i> , 2021, 151, 2390-2398.	2.9	28
17	Lifestyle factors and venous thromboembolism in two cohort studies. <i>Thrombosis Research</i> , 2021, 202, 119-124.	1.7	15
18	Dietary climate impact: Contribution of foods and dietary patterns by gender and age in a Swedish population. <i>Journal of Cleaner Production</i> , 2021, 306, 127189.	9.3	8

#	ARTICLE	IF	CITATIONS
19	Perfluoroalkyl substances and risk of myocardial infarction and stroke. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
20	Associations between exposure to drinking water chlorination by-products and congenital malformationsâ€”a nation-wide register-based prospective study including 600,000 births. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
21	Mediterranean Diet is Associated with Reduced Risk of Abdominal Aortic Aneurysm in Smokers: Results of Two Prospective Cohort Studies. European Journal of Vascular and Endovascular Surgery, 2021, 62, 284-293.	1.5	13
22	Drinking Water Disinfection by-Products and Congenital Malformations: A Nationwide Register-Based Prospective Study. Environmental Health Perspectives, 2021, 129, 97012.	6.0	8
23	Anti-inflammatory diet and venous thromboembolism: Two prospective cohort studies. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 2831-2838.	2.6	10
24	Associations of serum phthalate metabolites with thyroid hormones in GraMo cohort, Southern Spain. Environmental Pollution, 2021, 287, 117606.	7.5	8
25	Cardiovascular and cancer mortality in relation to dietary polychlorinated biphenyls and marine polyunsaturated fatty acids: a nutritionalâ€”toxicological aspect of fish consumption. Journal of Internal Medicine, 2020, 287, 197-209.	6.0	18
26	Endemic gastrointestinal illness and change in raw water source and drinking water production â€” A population-based prospective study. Environment International, 2020, 137, 105575.	10.0	3
27	Towards Harmonized Biobanking for Biomonitoring: A Comparison of Human Biomonitoring-Related and Clinical Biorepositories. Biopreservation and Biobanking, 2020, 18, 122-135.	1.0	13
28	Exposure to Drinking Water Chlorination by-Products and Fetal Growth and Prematurity: A Nationwide Register-Based Prospective Study. Environmental Health Perspectives, 2020, 128, 57006.	6.0	15
29	Associations of serum Phthalate concentrations with levels of Thyroid Hormones in adults from Southern Spain. ISEE Conference Abstracts, 2020, 2020, .	0.0	0
30	Visualization and Interpretation of Multivariate Associations with Disease Risk Markers and Disease Riskâ€”The Triplot. Metabolites, 2019, 9, 133.	2.9	10
31	Assessing Causality in Associations of Serum Calcium and Magnesium Levels With Heart Failure: A Two-Sample Mendelian Randomization Study. Frontiers in Genetics, 2019, 10, 1069.	2.3	11
32	Joint Analysis of Metabolite Markers of Fish Intake and Persistent Organic Pollutants in Relation to Type 2 Diabetes Risk in Swedish Adults. Journal of Nutrition, 2019, 149, 1413-1423.	2.9	13
33	Cadmium Exposure in the Environment: Dietary Exposure, Bioavailability and Renal Effects. , 2019, , 475-484.		7
34	Chlorinated persistent organic pollutants and type 2 diabetes - A population-based study with pre- and post- diagnostic plasma samples. Environmental Research, 2019, 174, 35-45.	7.5	32
35	Dietary exposure to polychlorinated biphenyls and risk of heart failure â€” A population-based prospective cohort study. Environment International, 2019, 126, 1-6.	10.0	23
36	Perfluoroalkyl substances and risk of type II diabetes: A prospective nested case-control study. Environment International, 2019, 123, 390-398.	10.0	54

#	ARTICLE	IF	CITATIONS
37	Associations between repeated measure of plasma perfluoroalkyl substances and cardiometabolic risk factors. <i>Environment International</i> , 2019, 124, 58-65.	10.0	68
38	Cadmium in tobacco smokers: a neglected link to lung disease?. <i>European Respiratory Review</i> , 2018, 27, 170122.	7.1	113
39	Drinking water consumption patterns among adultsâ€”SMS as a novel tool for collection of repeated self-reported water consumption. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2018, 28, 131-139.	3.9	26
40	Climate impact of alcohol consumption in Sweden. <i>Journal of Cleaner Production</i> , 2018, 201, 287-294.	9.3	26
41	Persistent Organochlorine Pollutants in Plasma, Blood Pressure, and Hypertension in a Longitudinal Study. <i>Hypertension</i> , 2018, 71, 1258-1268.	2.7	32
42	Fish consumption and frying of fish in relation to type 2 diabetes incidence: a prospective cohort study of Swedish men. <i>European Journal of Nutrition</i> , 2017, 56, 843-852.	3.9	38
43	End-stage renal disease after occupational lead exposure: 20â€¦years of follow-up. <i>Occupational and Environmental Medicine</i> , 2017, 74, 396-401.	2.8	18
44	Dietary polychlorinated biphenyls, long-chain n-3 polyunsaturated fatty acids and incidence of malignant melanoma. <i>European Journal of Cancer</i> , 2017, 72, 137-143.	2.8	32
45	Perspective: An Extension of the STROBE Statement for Observational Studies in Nutritional Epidemiology (STROBE-nut): Explanation and Elaboration. <i>Advances in Nutrition</i> , 2017, 8, 652-678.	6.4	44
46	Changes in fruit, vegetable and juice consumption after the diagnosis of type 2 diabetes: a prospective study in men. <i>British Journal of Nutrition</i> , 2017, 117, 712-719.	2.3	14
47	Risks and Benefits of Increased Nut Consumption: Cardiovascular Health Benefits Outweigh the Burden of Carcinogenic Effects Attributed to Aflatoxin B1 Exposure. <i>Nutrients</i> , 2017, 9, 1355.	4.1	20
48	Chocolate consumption and risk of myocardial infarction: a prospective study and meta-analysis. <i>Heart</i> , 2016, 102, 1017-1022.	2.9	43
49	Strengthening the Reporting of Observational Studies in Epidemiology â€” nutritional epidemiology (<sc>STROBE</sc>â€”nut): An extension of the <sc>STROBE</sc> statement. <i>Nutrition Bulletin</i> , 2016, 41, 240-251.	1.8	184
50	Modest U-Shaped Association between Dietary Acid Load and Risk of All-Cause and Cardiovascular Mortality in Adults. <i>Journal of Nutrition</i> , 2016, 146, 1580-1585.	2.9	41
51	Associations of dietary polychlorinated biphenyls and long-chain omega-3 fatty acids with stroke risk. <i>Environment International</i> , 2016, 94, 706-711.	10.0	20
52	Dietary exposure to polychlorinated biphenyls and risk of breast, endometrial and ovarian cancer in a prospective cohort. <i>British Journal of Cancer</i> , 2016, 115, 1113-1121.	6.4	20
53	Exposure to polychlorinated biphenyls and prostate cancer: population-based prospective cohort and experimental studies. <i>Carcinogenesis</i> , 2016, 37, bgw105.	2.8	22
54	Healthy Lifestyle and Risk of Heart Failure. <i>Circulation: Heart Failure</i> , 2016, 9, e002855.	3.9	54

#	ARTICLE	IF	CITATIONS
55	Adherence to a Mediterranean diet is associated with reduced risk of heart failure in men. <i>European Journal of Heart Failure</i> , 2016, 18, 253-259.	7.1	79
56	Exposure to lithium through drinking water and calcium homeostasis during pregnancy: A longitudinal study. <i>Environmental Research</i> , 2016, 147, 1-7.	7.5	29
57	Dietary exposure to polychlorinated biphenyls and risk of myocardial infarction in men – A population-based prospective cohort study. <i>Environment International</i> , 2016, 88, 9-14.	10.0	30
58	Strengthening the Reporting of Observational Studies in Epidemiology – Nutritional Epidemiology (STROBE-nut): An Extension of the STROBE Statement. <i>PLoS Medicine</i> , 2016, 13, e1002036.	8.4	274
59	Dietary exposure to polychlorinated biphenyls and risk of myocardial infarction – A population-based prospective cohort study. <i>International Journal of Cardiology</i> , 2015, 183, 242-248.	1.7	43
60	Long-term processed and unprocessed red meat consumption and risk of heart failure: A prospective cohort study of women. <i>International Journal of Cardiology</i> , 2015, 193, 42-46.	1.7	32
61	Primary prevention of stroke by a healthy lifestyle in a high-risk group. <i>Neurology</i> , 2015, 84, 2224-2228.	1.1	61
62	Relationship between age at natural menopause and risk of heart failure. <i>Menopause</i> , 2015, 22, 12-16.	2.0	55
63	Egg consumption and risk of heart failure, myocardial infarction, and stroke: results from 2 prospective cohorts. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1007-1013.	4.7	43
64	A Mediterranean diet and risk of myocardial infarction, heart failure and stroke: A population-based cohort study. <i>Atherosclerosis</i> , 2015, 243, 93-98.	0.8	163
65	Healthy diet and lifestyle and risk of stroke in a prospective cohort of women. <i>Neurology</i> , 2015, 84, 2293-2293.	1.1	1
66	Non-Renal Effects and the Risk Assessment of Environmental Cadmium Exposure. <i>Environmental Health Perspectives</i> , 2014, 122, 431-438.	6.0	242
67	Dietary exposure to polychlorinated biphenyls is associated with increased risk of stroke in women. <i>Journal of Internal Medicine</i> , 2014, 276, 248-259.	6.0	35
68	Overall diet quality and risk of stroke: A prospective cohort study in women. <i>Atherosclerosis</i> , 2014, 233, 27-29.	0.8	19
69	Dietary cadmium exposure and chronic kidney disease: A population-based prospective cohort study of men and women. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 720-725.	4.3	32
70	Processed and Unprocessed Red Meat Consumption and Risk of Heart Failure. <i>Circulation: Heart Failure</i> , 2014, 7, 552-557.	3.9	57
71	Sweetened Beverage Consumption Is Associated with Increased Risk of Stroke in Women and Men. <i>Journal of Nutrition</i> , 2014, 144, 856-860.	2.9	51
72	Associations between cadmium exposure and circulating levels of sex hormones in postmenopausal women. <i>Environmental Research</i> , 2014, 134, 265-269.	7.5	32

#	ARTICLE	IF	CITATIONS
73	Low-Risk Diet and Lifestyle Habits in the Primary Prevention of Myocardial Infarction in Men. <i>Journal of the American College of Cardiology</i> , 2014, 64, 1299-1306.	2.8	194
74	Go Nuts and Go Extra Virgin Olive Oil!. <i>Hypertension</i> , 2014, 64, 26-27.	2.7	7
75	In Utero and Lactational Exposure to a Mixture of Environmental Contaminants Detected in Canadian Arctic Human Populations Alters Retinoid Levels in Rat Offspring with Low Margins of Exposure. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014, 77, 223-245.	2.3	14
76	Healthy diet and lifestyle and risk of stroke in a prospective cohort of women. <i>Neurology</i> , 2014, 83, 1699-1704.	1.1	77
77	Gestational and lactational exposure to the polychlorinated biphenyl mixture Aroclor 1254 modulates retinoid homeostasis in rat offspring. <i>Toxicology Letters</i> , 2014, 229, 41-51.	0.8	13
78	Exposure to cadmium from food and risk of cardiovascular disease in men: a population-based prospective cohort study. <i>European Journal of Epidemiology</i> , 2013, 28, 837-840.	5.7	22
79	Dietary cadmium exposure and kidney stone incidence: A population-based prospective cohort study of men & women. <i>Environment International</i> , 2013, 59, 148-151.	10.0	26
80	Cadmium in Diet and Risk of Cardiovascular Disease in Women. <i>Epidemiology</i> , 2013, 24, 880-885.	2.7	23
81	Ascorbic Acid Supplements and Kidney Stone Risk"Reply. <i>JAMA Internal Medicine</i> , 2013, 173, 1384.	5.1	0
82	Association between Dairy Food Consumption and Risk of Myocardial Infarction in Women Differs by Type of Dairy Food. <i>Journal of Nutrition</i> , 2013, 143, 74-79.	2.9	78
83	Ascorbic Acid Supplements and Kidney Stone Incidence Among Men: A Prospective Study. <i>JAMA Internal Medicine</i> , 2013, 173, 386.	5.1	98
84	Health effects associated with foods characteristic of the Nordic diet: a systematic literature review. <i>Food and Nutrition Research</i> , 2013, 57, 22790.	2.6	38
85	Elevated Manganese Concentrations in Drinking Water May Be Beneficial for Fetal Survival. <i>PLoS ONE</i> , 2013, 8, e74119.	2.5	21
86	Dietary Cadmium Exposure and Risk of Postmenopausal Breast Cancer: A Population-Based Prospective Cohort Study. <i>Cancer Research</i> , 2012, 72, 1459-1466.	0.9	146
87	Dietary cadmium exposure and prostate cancer incidence: a population-based prospective cohort study. <i>British Journal of Cancer</i> , 2012, 107, 895-900.	6.4	105
88	Cadmium-Induced Effects on Cellular Signaling Pathways in the Liver of Transgenic Estrogen Reporter Mice. <i>Toxicological Sciences</i> , 2012, 127, 66-75.	3.1	41
89	Associations between dietary cadmium exposure and bone mineral density and risk of osteoporosis and fractures among women. <i>Bone</i> , 2012, 50, 1372-1378.	2.9	148
90	Validation of questionnaire-based long-term dietary exposure to polychlorinated biphenyls using biomarkers. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 1748-1754.	3.3	26

#	ARTICLE	IF	CITATIONS
91	Total Antioxidant Capacity from Diet and Risk of Myocardial Infarction: A Prospective Cohort of Women. <i>American Journal of Medicine</i> , 2012, 125, 974-980.	1.5	73
92	Thromboxane metabolite excretion during pregnancy – influence of preeclampsia and aspirin treatment. <i>Thrombosis Research</i> , 2011, 127, 605-606.	1.7	19
93	In utero and lactational exposure to Aroclor 1254 affects bone geometry, mineral density and biomechanical properties of rat offspring. <i>Toxicology Letters</i> , 2011, 207, 82-88.	0.8	17
94	Relation between dietary cadmium intake and biomarkers of cadmium exposure in premenopausal women accounting for body iron stores. <i>Environmental Health</i> , 2011, 10, 105.	4.0	50
95	Long-term cadmium exposure and the association with bone mineral density and fractures in a population-based study among women. <i>Journal of Bone and Mineral Research</i> , 2011, 26, 486-495.	2.8	120
96	Dietary cadmium exposure and fracture incidence among men: A population-based prospective cohort study. <i>Journal of Bone and Mineral Research</i> , 2011, 26, 1601-1608.	2.8	55
97	Perinatal Exposure to Environmental Contaminants Detected in Canadian Arctic Human Populations Changes Bone Geometry and Biomechanical Properties in Rat Offspring. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2011, 74, 1304-1318.	2.3	11
98	Retinol May Counteract the Negative Effect of Cadmium on Bone. <i>Journal of Nutrition</i> , 2011, 141, 2198-2203.	2.9	5
99	Dietary cadmium exposure and risk of epithelial ovarian cancer in a prospective cohort of Swedish women. <i>British Journal of Cancer</i> , 2011, 105, 441-444.	6.4	31
100	Cadmium Exposure in the Environment: Renal Effects and the Benchmark Dose. , 2011, , 465-473.		11
101	Abstract 1321: Estrogen-like effects of cadmium in male mice and the involvement of MAPKs pathway. , 2011, , .		0
102	Estrogen-Like Effects of Cadmium <i>in Vivo</i> Do Not Appear to be Mediated via the Classical Estrogen Receptor Transcriptional Pathway. <i>Environmental Health Perspectives</i> , 2010, 118, 1389-1394.	6.0	74
103	Multivitamin use and the risk of myocardial infarction: a population-based cohort of Swedish women. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 1251-1256.	4.7	41
104	Recent applications of benchmark dose method for estimation of reference cadmium exposure for renal effects in man. <i>Toxicology Letters</i> , 2010, 198, 40-43.	0.8	28
105	Benchmark dose for cadmium-induced osteoporosis in women. <i>Toxicology Letters</i> , 2010, 197, 123-127.	0.8	37
106	Multivitamin use and breast cancer incidence in a prospective cohort of Swedish women. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 1268-1272.	4.7	54
107	Dietary Acrylamide Intake and Prostate Cancer Risk in a Prospective Cohort of Swedish Men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1939-1941.	2.5	33
108	Population Toxicokinetic Modeling of Cadmium for Health Risk Assessment. <i>Environmental Health Perspectives</i> , 2009, 117, 1293-1301.	6.0	180



#	ARTICLE	IF	CITATIONS
109	Long-Term Dietary Acrylamide Intake and Risk of Epithelial Ovarian Cancer in a Prospective Cohort of Swedish Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 994-997.	2.5	45
110	Current status of cadmium as an environmental health problem. <i>Toxicology and Applied Pharmacology</i> , 2009, 238, 201-208.	2.8	1,863
111	Long-term dietary acrylamide intake and risk of endometrial cancer in a prospective cohort of Swedish women. <i>International Journal of Cancer</i> , 2009, 124, 1196-1199.	5.1	39
112	25-hydroxyvitamin D accumulation during summer in elderly women at latitude 60°N. <i>Journal of Internal Medicine</i> , 2009, 266, 476-483.	6.0	34
113	Dietary acrylamide intake and risk of colorectal cancer in a prospective cohort of men. <i>European Journal of Cancer</i> , 2009, 45, 513-516.	2.8	43
114	Cadmium-induced bone effect is not mediated via low serum 1,25-dihydroxy vitamin D. <i>Environmental Research</i> , 2009, 109, 188-192.	7.5	38
115	Changes in bone mineral density 10 years after marked reduction of cadmium exposure in a Chinese population. <i>Environmental Research</i> , 2009, 109, 874-879.	7.5	28
116	Exposure to cadmium and persistent organochlorine pollutants and its association with bone mineral density and markers of bone metabolism on postmenopausal women. <i>Environmental Research</i> , 2009, 109, 991-996.	7.5	35
117	Long-term Dietary Cadmium Intake and Postmenopausal Endometrial Cancer Incidence: A Population-Based Prospective Cohort Study. <i>Cancer Research</i> , 2008, 68, 6435-6441.	0.9	238
118	Long-term Dietary Acrylamide Intake and Breast Cancer Risk in a Prospective Cohort of Swedish Women. <i>American Journal of Epidemiology</i> , 2008, 169, 376-381.	3.4	40
119	Dietary supplement use and mortality in a cohort of Swedish men – response from Å...kesson and Wolk. <i>British Journal of Nutrition</i> , 2008, 100, 1346-1346.	2.3	0
120	Dietary supplement use and mortality in a cohort of Swedish men. <i>British Journal of Nutrition</i> , 2008, 99, 626-631.	2.3	39
121	Combined Effect of Low-Risk Dietary and Lifestyle Behaviors in Primary Prevention of Myocardial Infarction in Women. <i>Archives of Internal Medicine</i> , 2007, 167, 2122.	3.8	122
122	Gender differences in the disposition and toxicity of metals. <i>Environmental Research</i> , 2007, 104, 85-95.	7.5	571
123	Associations of diet, supplement use, and ultraviolet B radiation exposure with vitamin D status in Swedish women during winter. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1399-1404.	4.7	132
124	Influence of iron and zinc status on cadmium accumulation in Bangladeshi women. <i>Toxicology and Applied Pharmacology</i> , 2007, 222, 221-226.	2.8	97
125	Erythropoietin and intravenous iron therapy in postpartum anaemia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 957-962.	2.8	30
126	Long-Term Stability of Food Patterns Identified by Use of Factor Analysis among Swedish Women. <i>Journal of Nutrition</i> , 2006, 136, 626-633.	2.9	118



#	ARTICLE	IF	CITATIONS
127	Longitudinal Changes in Food Patterns Predict Changes in Weight and Body Mass Index and the Effects Are Greatest in Obese Women. <i>Journal of Nutrition</i> , 2006, 136, 2580-2587.	2.9	87
128	Benchmark Dose for Cadmium-Induced Renal Effects in Humans. <i>Environmental Health Perspectives</i> , 2006, 114, 1072-1076.	6.0	99
129	Cadmium-Induced Effects on Bone in a Population-Based Study of Women. <i>Environmental Health Perspectives</i> , 2006, 114, 830-834.	6.0	281
130	Coffee Consumption and Risk of Myocardial Infarction among Older Swedish Women. <i>American Journal of Epidemiology</i> , 2006, 165, 288-293.	3.4	38
131	Major Dietary Patterns and Risk of Renal Cell Carcinoma in a Prospective Cohort of Swedish Women. <i>Journal of Nutrition</i> , 2005, 135, 1757-1762.	2.9	45
132	Alcohol consumption and risk of renal cell carcinoma: A prospective study of Swedish women. <i>International Journal of Cancer</i> , 2005, 117, 848-853.	5.1	31
133	Tubular and Glomerular Kidney Effects in Swedish Women with Low Environmental Cadmium Exposure. <i>Environmental Health Perspectives</i> , 2005, 113, 1627-1631.	6.0	372
134	Creatinine versus specific gravity-adjusted urinary cadmium concentrations. <i>Biomarkers</i> , 2005, 10, 117-126.	1.9	161
135	Toxic metals and the menopause. <i>The Journal of the British Menopause Society</i> , 2004, 10, 60-65.	1.3	44
136	Bone turnover from early pregnancy to postweaning. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 1049-1055.	2.8	39
137	Soluble Transferrin Receptor. <i>Obstetrics and Gynecology</i> , 2002, 99, 260-266.	2.4	4
138	Cadmium Exposure in Pregnancy and Lactation in Relation to Iron Status. <i>American Journal of Public Health</i> , 2002, 92, 284-287.	2.7	203
139	Metals and Women's Health. <i>Environmental Research</i> , 2002, 88, 145-155.	7.5	265
140	Soluble transferrin receptor: longitudinal assessment from pregnancy to postlactation. <i>Obstetrics and Gynecology</i> , 2002, 99, 260-266.	2.4	32
141	Inorganic mercury and methylmercury in placentas of Swedish women.. <i>Environmental Health Perspectives</i> , 2002, 110, 523-526.	6.0	138
142	Toxic and essential elements in placentas of swedish women. <i>Clinical Biochemistry</i> , 2000, 33, 131-138.	1.9	248
143	Phlebotomy increases cadmium uptake in hemochromatosis.. <i>Environmental Health Perspectives</i> , 2000, 108, 289-291.	6.0	26
144	Longitudinal Study of Methylmercury and Inorganic Mercury in Blood and Urine of Pregnant and Lactating Women, as Well as in Umbilical Cord Blood. <i>Environmental Research</i> , 2000, 84, 186-194.	7.5	197

#	ARTICLE	IF	CITATIONS
145	Metalâ€‘bone interactions. Toxicology Letters, 2000, 112-113, 219-225.	0.8	142
146	Phlebotomy Increases Cadmium Uptake in Hemochromatosis. Environmental Health Perspectives, 2000, 108, 289-291.	6.0	24
147	Evaluation of kits for measurement of the soluble transferrin receptor. Scandinavian Journal of Clinical and Laboratory Investigation, 1999, 59, 77-81.	1.2	44
148	Validation with biological markers for food intake of a dietary assessment method used by Swedish women with three different with dietary preferences. Public Health Nutrition, 1998, 1, 199-206.	2.2	36
149	Serum transferrin receptor: a specific marker of iron deficiency in pregnancy. American Journal of Clinical Nutrition, 1998, 68, 1241-1246.	4.7	107
150	Bioavailability of Cadmium from Shellfish and Mixed Diet in Women. Toxicology and Applied Pharmacology, 1996, 136, 332-341.	2.8	118
151	Intestinal absorption of dietary cadmium in women depends on body iron stores and fiber intake.. Environmental Health Perspectives, 1994, 102, 1058-1066.	6.0	287
152	Long-term Evaluation of Penicillamine or Cyclofenil in Systemic Sclerosis:Results from a Two-year Randomized Study. Scandinavian Journal of Rheumatology, 1992, 21, 238-244.	1.1	16
153	Faecal elimination of lead and cadmium in subjects on a mixed and a lactovegetarian diet. Food and Chemical Toxicology, 1992, 30, 281-287.	3.6	12
154	ORGAN MANIFESTATIONS IN 100 PATIENTS WITH PROGRESSIVE SYSTEMIC SCLEROSIS: A COMPARISON BETWEEN THE CREST SYNDROME AND DIFFUSE SCLERODERMA. Rheumatology, 1989, 28, 281-286.	1.9	139
155	Visceral Improvement Following Combined Plasmapheresis and Immunosuppressive Drug Therapy in Progressive Systemic Sclerosis. Scandinavian Journal of Rheumatology, 1988, 17, 313-323.	1.1	34