

# Lars Klareskog

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2203753/publications.pdf>

Version: 2024-02-01

340  
papers

31,052  
citations

5248

83  
h-index

4750

169  
g-index

364  
all docs

364  
docs citations

364  
times ranked

26178  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Early prediction of clinical response to anti-TNF treatment using multi-omics and machine learning in rheumatoid arthritis. <i>Rheumatology</i> , 2022, 61, 1680-1689.  | 0.9 | 22        |
| 2  | Sleep problems in rheumatoid arthritis over 12 years from diagnosis: results from the Swedish EIRA study. <i>RMD Open</i> , 2022, 8, e001800.   | 1.8 | 7         |
| 3  | Allergic conditions and risk of rheumatoid arthritis: a Swedish case-control study. <i>RMD Open</i> , 2022, 8, e002018.   | 1.8 | 3         |
| 4  | Prospective Studies on the Risk of Rheumatoid Arthritis: The European Risk RA Registry. <i>Frontiers in Medicine</i> , 2022, 9, 824501.   | 1.2 | 1         |
| 5  | Antibody-induced pain-like behavior and bone erosion: links to subclinical inflammation, osteoclast activity, and acid-sensing ion channel 3-dependent sensitization. <i>Pain</i> , 2022, 163, 1542-1559.   | 2.0 | 21        |
| 6  | Antibodies to a Citrullinated <i>Porphyromonas gingivalis</i> Epitope Are Increased in Early Rheumatoid Arthritis, and Can Be Produced by Gingival Tissue B Cells: Implications for a Bacterial Origin in RA Etiology. <i>Frontiers in Immunology</i> , 2022, 13, 804822. | 2.2 | 11        |
| 7  | Multimiomics analysis of rheumatoid arthritis yields sequence variants that have large effects on risk of the seropositive subset. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 1085-1095.   | 0.5 | 26        |
| 8  | Rheumatic? A Digital Diagnostic Decision Support Tool for Individuals Suspecting Rheumatic Diseases: A Multicenter Pilot Validation Study. <i>Frontiers in Medicine</i> , 2022, 9, 774945.  | 1.2 | 5         |
| 9  | Anti-citrullinated protein antibody specificities and pulmonary fibrosis in relation to genetic loci in early rheumatoid arthritis. <i>Rheumatology</i> , 2022, , .   | 0.9 | 0         |
| 10 | Respiratory Diseases as Risk Factors for Seropositive and Seronegative Rheumatoid Arthritis and in Relation to Smoking. <i>Arthritis and Rheumatology</i> , 2021, 73, 61-68.  | 2.9 | 25        |
| 11 | Social stressors and risk of rheumatoid arthritis and their relationship to known modifiable risk factors: results from the Swedish EIRA study. <i>Scandinavian Journal of Rheumatology</i> , 2021, 50, 178-182.  | 0.6 | 1         |
| 12 | In vitro and ex vivo functional characterization of human HLA-DRB1*04 restricted T cell receptors. <i>Journal of Translational Autoimmunity</i> , 2021, 4, 100087.  | 2.0 | 7         |
| 13 | Impact of the COVID-19 pandemic on morbidity and mortality in patients with inflammatory joint diseases and in the general population: a nationwide Swedish cohort study. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1086-1093.                                  | 0.5 | 79        |
| 14 | Widespread non-joint pain in early rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2021, 50, 271-279.   | 0.6 | 6         |
| 15 | The shared susceptibility epitope of HLA-DR4 binds citrullinated self-antigens and the TCR. <i>Science Immunology</i> , 2021, 6, .  | 5.6 | 14        |
| 16 | Age at menarche, age at natural menopause, and risk of rheumatoid arthritis - a Mendelian randomization study. <i>Arthritis Research and Therapy</i> , 2021, 23, 108.   | 1.6 | 16        |
| 17 | POS0355...ASSOCIATIONS BETWEEN HLA-DRB1 SHARED EPITOPES ALLELES AND ANTI-RA33 ANTIBODIES IN DIFFERENT SUBSETS OF RHEUMATOID ARTHRITIS IN MALAYSIAN POPULATION. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 408.1-408.   | 0.5 | 0         |
| 18 | OPO236...THE EFFECT OF UV-B RADIATION EXPOSURE ON THE RISK OF DEVELOPING RHEUMATOID ARTHRITIS. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 145.1-145.   | 0.5 | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | POS0348â€¦GENETIC SUSCEPTIBILITY VARIANTS FOR RHEUMATOID ARTHRITIS ARE NOT ASSOCIATED WITH EARLY REMISSION; A MULTI-COHORT STUDY. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 403.1-404.   | 0.5 | 0         |
| 20 | POS0457â€¦CHANGES OF RF ISOTYPE PROFILE IN PATIENTS WITH RHEUMATOID ARTHRITIS: DATA FROM 10 YEARS FOLLOW-UP STUDY. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 459-460.  | 0.5 | 0         |
| 21 | POS0392â€¦PRESENCE OF FOUR SERUM AUTOANTIBODIES ASSOCIATES WITH THE ACPA STATUS IN EARLY RHEUMATOID ARTHRITIS. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 425.3-426.  | 0.5 | 0         |
| 22 | OP0096â€¦EXPOSURE TO DENGUE INFECTION DO NOT RAISE RISK OF RHEUMATOID ARTHRITIS: FINDINGS FROM THE MALAYSIAN EPIDEMIOLOGICAL INVESTIGATION OF RHEUMATOID ARTHRITIS (MYEIRA) CASE-CONTROL STUDY. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 53.1-53. | 0.5 | 0         |
| 23 | OP0147â€¦RHEUMATIC? - A DIGITAL DIAGNOSTIC DECISION SUPPORT TOOL FOR INDIVIDUALS SUSPECTING RHEUMATIC DISEASES: A MULTICENTER VALIDATION STUDY. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 87.1-88.   | 0.5 | 0         |
| 24 | A Comprehensive Evaluation of the Relationship Between Different IgG and IgA Anti-Modified Protein Autoantibodies in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2021, 12, 627986.  | 2.2 | 23        |
| 25 | POS0484â€¦THE ASSOCIATION BETWEEN SOCIAL STRESSORS AND DISEASE REMISSION AMONG MEN AND WOMEN WITH EARLY RHEUMATOID ARTHRITIS. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 474-475.   | 0.5 | 0         |
| 26 | AB0054â€¦IS TEA CONSUMPTION ASSOCIATED WITH RISK OF RHEUMATOID ARTHRITIS?. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1059.2-1060.  | 0.5 | 0         |
| 27 | POS1169â€¦IMPACT OF THE COVID-19 PANDEMIC ON MORBIDITY AND MORTALITY AMONG SWEDISH PATIENTS WITH INFLAMMATORY JOINT DISEASES VERSUS THE GENERAL POPULATION. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 864-865.                                     | 0.5 | 1         |
| 28 | Towards prevention of autoimmune diseases: The example of rheumatoid arthritis. <i>European Journal of Immunology</i> , 2021, 51, 1921-1933.   | 1.6 | 14        |
| 29 | Technological readiness and implementation of genomicâ€driven precision medicine for complex diseases. <i>Journal of Internal Medicine</i> , 2021, 290, 602-620.   | 2.7 | 18        |
| 30 | Is tea consumption associated with reduction of risk of rheumatoid arthritis? A Swedish case-control study. <i>Arthritis Research and Therapy</i> , 2021, 23, 209.   | 1.6 | 10        |
| 31 | Reply. <i>Arthritis and Rheumatology</i> , 2021, 73, 1944-1945.  | 2.9 | 0         |
| 32 | Haplotype-Specific Expression Analysis of MHC Class II Genes in Healthy Individuals and Rheumatoid Arthritis Patients. <i>Frontiers in Immunology</i> , 2021, 12, 707217.  | 2.2 | 10        |
| 33 | Passive smoking in childhood accelerates RA risk for smokers. <i>Nature Reviews Rheumatology</i> , 2021, , .   | 3.5 | 0         |
| 34 | Rheumatoid arthritis autoantibodies and their association with age and sex. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 879-882.   | 0.4 | 1         |
| 35 | Biased TCR gene usage in citrullinated Tenascin C specific T-cells in rheumatoid arthritis. <i>Scientific Reports</i> , 2021, 11, 24512.   | 1.6 | 12        |
| 36 | Effects of the COVID-19 pandemic on patients with inflammatory joint diseases in Sweden: from infection severity to impact on care provision. <i>RMD Open</i> , 2021, 7, e001987.  | 1.8 | 13        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Considerations for improving quality of care of patients with rheumatoid arthritis and associated comorbidities. <i>RMD Open</i> , 2020, 6, e001211.  | 1.8  | 17        |
| 38 | How to communicate in science. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, e164-e164.   | 0.5  | 3         |
| 39 | Anti-Citrullinated Protein Antibody Specificities, Rheumatoid Factor Isotypes, and Incident Cardiovascular Events in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2020, 72, 1658-1667.                                   | 2.9  | 20        |
| 40 | FLT3 stop mutation increases FLT3 ligand level and risk of autoimmune thyroid disease. <i>Nature</i> , 2020, 584, 619-623.  | 13.7 | 81        |
| 41 | Different Hierarchies of Anti-Modified Protein Autoantibody Reactivities in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2020, 72, 1643-1657.  | 2.9  | 56        |
| 42 | The importance of differences; On environment and its interactions with genes and immunity in the causation of rheumatoid arthritis. <i>Journal of Internal Medicine</i> , 2020, 287, 514-533.  | 2.7  | 36        |
| 43 | Disruptive innovation in rheumatology: new networks of global public-private partnerships are needed to take advantage of scientific progress. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 553-555.   | 0.5  | 1         |
| 44 | Toward Earlier Diagnosis Using Combined eHealth Tools in Rheumatology: The Joint Pain Assessment Scoring Tool (JPAST) Project. <i>JMIR MHealth and UHealth</i> , 2020, 8, e17507.   | 1.8  | 26        |
| 45 | FRI0005...DIVERSITY OF ANTI-CITRULLINATED PROTEIN ANTIBODY COMPOSITIONS INFLUENCE SYNOVIAL FIBROBLAST REACTIVITY. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 573.2-574.  | 0.5  | 0         |
| 46 | OPO326...ACPA-INDUCED PAIN-BEHAVIOR, BONE LOSS AND TENDON INFLAMMATION IN MICE: A NOVEL MODEL FOR THE PRE-DISEASE PHASES OF ACPA-POSITIVE RHEUMATOID ARTHRITIS. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 200.2-200.                      | 0.5  | 0         |
| 47 | Occupational physical workload and development of anti-collagen type II antibodies in rheumatoid arthritis: results from the Swedish EIRA population-based case-control study. <i>Clinical and Experimental Rheumatology</i> , 2020, 38, 1029-1030. | 0.4  | 0         |
| 48 | Structural Basis of Cross-Reactivity of Anti-Citrullinated Protein Antibodies. <i>Arthritis and Rheumatology</i> , 2019, 71, 210-221.   | 2.9  | 64        |
| 49 | Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019, 51, 1207-1214.  | 9.4  | 641       |
| 50 | Distinct HLA Associations with Rheumatoid Arthritis Subsets Defined by Serological Subphenotype. <i>American Journal of Human Genetics</i> , 2019, 105, 616-624.  | 2.6  | 27        |
| 51 | Differential ACPA Binding to Nuclear Antigens Reveals a PAD-Independent Pathway and a Distinct Subset of Acetylation Cross-Reactive Autoantibodies in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2019, 9, 3033.                         | 2.2  | 43        |
| 52 | Interplay between obesity and smoking with regard to RA risk. <i>RMD Open</i> , 2019, 5, e000856.   | 1.8  | 4         |
| 53 | Interplay between alcohol, smoking and HLA genes in RA aetiology. <i>RMD Open</i> , 2019, 5, e000893.   | 1.8  | 16        |
| 54 | Understanding and Prevention of the Evolution Toward Autoimmune Rheumatoid Arthritis: The New Challenge. <i>Clinical Therapeutics</i> , 2019, 41, 1232-1234.  | 1.1  | 2         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Periodontal Health and Oral Microbiota in Patients with Rheumatoid Arthritis. <i>Journal of Clinical Medicine</i> , 2019, 8, 630.  | 1.0 | 63        |
| 56 | Sequencing of the MHC region defines HLA-DQA1 as the major genetic risk for seropositive rheumatoid arthritis in Han Chinese population. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 773-780.  | 0.5 | 27        |
| 57 | Translating genomic medicine to the clinic: challenges and opportunities. <i>Genome Medicine</i> , 2019, 11, 9.  | 3.6 | 18        |
| 58 | Complex Relationships of Smoking, HLA-DRB1 Genes, and Serologic Profiles in Patients With Early Rheumatoid Arthritis: Update From a Swedish Population-Based Case-Control Study. <i>Arthritis and Rheumatology</i> , 2019, 71, 1504-1511.    | 2.9 | 38        |
| 59 | P021...Differential ACPA binding to nuclear antigens reveals a distinct subset of acetylation cross-reactive autoantibodies in rheumatoid arthritis. , 2019, , .   |     | 0         |
| 60 | SAT0046...ARE SENSE OF SOCIAL SUPPORT AND LOW DECISION LATITUDE AT WORK LINKED TO RISK OF RHEUMATOID ARTHRITIS, AND IF SO, HOW DO THEY RELATE TO OTHER RISK FACTORS? RESULTS FROM THE SWEDISH EIRA STUDY. , 2019, , .                        |     | 0         |
| 61 | P035...Occupational physical workload and development of anti-collagen type II antibodies in rheumatoid arthritis: results from the swedish EIRA population-based case-control study. , 2019, , .  |     | 0         |
| 62 | AB1285...IGA RF IS ASSOCIATED WITH HIGH AGE OF RHEUMATOID ARTHRITIS ONSET. , 2019, , .   |     | 0         |
| 63 | THU0066...IN EARLY RHEUMATOID ARTHRITIS ANTI-CITRULLINATED PEPTIDE ANTIBODIES ASSOCIATE WITH LOWER NUMBER OF AFFECTED JOINTS, AND IGM RHEUMATOID FACTOR WITH SYSTEMIC INFLAMMATION IN AN ANTI-CITRULLINE DEPENDENT MANNER. , 2019, , .       |     | 0         |
| 64 | FRI0519...IDENTIFICATION OF CELLULAR TARGETS FOR ANTI-CITRULLINATED PROTEIN ANTIBODIES (ACPAS). , 2019, , .  |     | 0         |
| 65 | FRI0524...HUMAN MONOCLONAL ACPAS INDUCE MOBILITY OF PRIMED SYNOVIAL FIBROBLAST IN A PAD-DEPENDENT PATHWAY. , 2019, , .   |     | 1         |
| 66 | SAT0016...RHEUMATOID ARTHRITIS PATIENTS DISPLAY B-CELL DYSREGULATION ALREADY IN THE NAIVE REPERTOIRE. , 2019, , .  |     | 0         |
| 67 | SAT0054...INVESTIGATING MECHANISMS OF AUTOANTIBODY INDUCED PAIN, BONE LOSS AND ARTHRITIS DEVELOPMENT. , 2019, , .  |     | 0         |
| 68 | Occupational exposure to asbestos and silica and risk of developing rheumatoid arthritis: findings from a Swedish population-based case-control study. <i>RMD Open</i> , 2019, 5, e000978.   | 1.8 | 28        |
| 69 | Anticitrullinated protein antibodies facilitate migration of synovial tissue-derived fibroblasts. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1621-1631.   | 0.5 | 49        |
| 70 | Antibodies against citrullinated peptides are associated with clinical and radiological outcomes in patients with early rheumatoid arthritis: a prospective longitudinal inception cohort study. <i>RMD Open</i> , 2019, 5, e000946.         | 1.8 | 15        |
| 71 | Rheumatoid arthritis patients display B-cell dysregulation already in the naive repertoire consistent with defects in B-cell tolerance. <i>Scientific Reports</i> , 2019, 9, 19995.  | 1.6 | 44        |
| 72 | Recognition of Amino Acid Motifs, Rather Than Specific Proteins, by Human Plasma Cell-Derived Monoclonal Antibodies to Posttranslationally Modified Proteins in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2019, 71, 196-209. | 2.9 | 99        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Reply. Arthritis and Rheumatology, 2019, 71, 325-327.  | 2.9 | 1         |
| 74 | Generation and Characterization of Anti“Citruinated Protein Antibody“Producing B Cell Clones From Rheumatoid Arthritis Patients. Arthritis and Rheumatology, 2019, 71, 340-350.  | 2.9 | 22        |
| 75 | Amount of smoking, duration of smoking cessation and their interaction with silica exposure in the risk of rheumatoid arthritis among males: results from the Swedish Epidemiological Investigation of Rheumatoid Arthritis (EIRA) study. Annals of the Rheumatic Diseases, 2018, 77, annrheumdis-2017-212145. | 0.5 | 16        |
| 76 | Variable domain N-linked glycosylation and negative surface charge are key features of monoclonal ACPA: Implications for B cell selection. European Journal of Immunology, 2018, 48, 1030-1045.  | 1.6 | 41        |
| 77 | Smoking and susceptibility to rheumatoid arthritis in a Swedish population-based case“control study. European Journal of Epidemiology, 2018, 33, 415-423.  | 2.5 | 72        |
| 78 | Anti-cyclic citrullinated peptide antibodies, other common autoantibodies, and smoking as risk factors for lymphoma in patients with rheumatoid arthritis. Scandinavian Journal of Rheumatology, 2018, 47, 270-275.  | 0.6 | 2         |
| 79 | Exposure to passive smoking and rheumatoid arthritis risk: results from the Swedish EIRA study. Annals of the Rheumatic Diseases, 2018, 77, 970-972.   | 0.5 | 21        |
| 80 | Anticitruinated protein/peptide antibody multiplexing defines an extended group of ACPA-positive rheumatoid arthritis patients with distinct genetic and environmental determinants. Annals of the Rheumatic Diseases, 2018, 77, 203-211.  | 0.5 | 42        |
| 81 | Occupation and Risk of Developing Rheumatoid Arthritis: Results From a Population-Based Case“Control Study. Arthritis Care and Research, 2018, 70, 499-509.  | 1.5 | 35        |
| 82 | AB0118...Oral contraceptives and the risk of developing rheumatoid arthritis: results from the malaysian epidemiological investigation of rheumatoid arthritis case-control study. , 2018, , .   |     | 0         |
| 83 | Fine-mapping and functional studies highlight potential causal variants for rheumatoid arthritis and type 1 diabetes. Nature Genetics, 2018, 50, 1366-1374.  | 9.4 | 122       |
| 84 | Memory T cells specific to citrullinated Î±-enolase are enriched in the rheumatic joint. Journal of Autoimmunity, 2018, 92, 47-56.   | 3.0 | 43        |
| 85 | Pathogenic Citrulline“Multispecific B Cell Receptor Clades in Rheumatoid Arthritis. Arthritis and Rheumatology, 2018, 70, 1933-1945.   | 2.9 | 68        |
| 86 | Systematic approach demonstrates enrichment of multiple interactions between non- <i>HLA</i> risk variants and <i>HLA-DRB1</i> risk alleles in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2018, 77, 1454-1462.  | 0.5 | 19        |
| 87 | Increased citrullination and expression of peptidylarginine deiminases independently of <i>P. gingivalis</i> and <i>A. actinomycetemcomitans</i> in gingival tissue of patients with periodontitis. Journal of Translational Medicine, 2018, 16, 214.  | 1.8 | 52        |
| 88 | A Shared Epitope of Collagen Type XI and Type II Is Recognized by Pathogenic Antibodies in Mice and Humans with Arthritis. Frontiers in Immunology, 2018, 9, 451.  | 2.2 | 10        |
| 89 | Seropositivity combined with smoking is associated with increased prevalence of periodontitis in patients with rheumatoid arthritis. Annals of the Rheumatic Diseases, 2018, 77, annrheumdis-2017-212091.  | 0.5 | 15        |
| 90 | SAT0740-HPR...Parity and the risk of developing rheumatoid arthritis: evidence from the malaysian epidemiological investigation of rheumatoid arthritis case-control study. , 2018, , .  |     | 0         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | AB0125â€¦Anti-dengue igg antibody positivity and risk of developing rheumatoid arthritis: evidence from the malaysian epidemiological investigation of rheumatoid arthritis (MYEIRA) case-control study. , 2018, , .                |      | 0         |
| 92  | SAT0739-HPRâ€¦Occupational exposure to pesticides increases the risk of rheumatoid arthritis: results from the malaysian population-based case-control study. , 2018, , .   |      | 0         |
| 93  | VAV1 regulates experimental autoimmune arthritis and is associated with anti-CCP negative rheumatoid arthritis. Genes and Immunity, 2017, 18, 48-56.  | 2.2  | 15        |
| 94  | The immunopathogenesis of seropositive rheumatoid arthritis: from triggering to targeting. Nature Reviews Immunology, 2017, 17, 60-75.  | 10.6 | 328       |
| 95  | DNA methylation mediates genotype and smoking interaction in the development of anti-citrullinated peptide antibody-positive rheumatoid arthritis. Arthritis Research and Therapy, 2017, 19, 71.                                    | 1.6  | 48        |
| 96  | Anticollagen type II antibodies are associated with an acute onset rheumatoid arthritis phenotype and prognosticate lower degree of inflammation during 5â€¦years follow-up. Annals of the Rheumatic Diseases, 2017, 76, 1529-1536. | 0.5  | 30        |
| 97  | Mechanisms leading from systemic autoimmunity to joint-specific disease in rheumatoid arthritis. Nature Reviews Rheumatology, 2017, 13, 79-86.  | 3.5  | 207       |
| 98  | THU0124â€¦Occupational exposure to asbestos and risk of rheumatoid arthritis. , 2017, , .   |      | 0         |
| 99  | Relationship between shift work and the onset of rheumatoid arthritis. RMD Open, 2017, 3, e000475.  | 1.8  | 25        |
| 100 | Working in cold environment and risk of developing rheumatoid arthritis: results from the Swedish EIRA caseâ€¦control study. RMD Open, 2017, 3, e000488.  | 1.8  | 14        |
| 101 | 08.19â€¦Variable domain n-linked glycosylation is a key feature of monoclonal acpa-igg. , 2017, , .   |      | 1         |
| 102 | SAT0065â€¦Acpa against different citrullinated peptides identify specific phenotypes of rheumatoid arthritis. , 2017, , .   |      | 0         |
| 103 | H1N1 vaccination in SjÃ¶rgrenâ€™s syndrome triggers polyclonal B cell activation and promotes autoantibody production. Annals of the Rheumatic Diseases, 2017, 76, 1755-1763.   | 0.5  | 51        |
| 104 | SAT0721-HPRâ€¦Exposure to passive smoking and ra risk; results from the swedish eira study. , 2017, , .   |      | 0         |
| 105 | Oral contraceptives, breastfeeding and the risk of developing rheumatoid arthritis: results from the Swedish EIRA study. Annals of the Rheumatic Diseases, 2017, 76, 1845-1852.   | 0.5  | 43        |
| 106 | SAT0722-HPRâ€¦Familial risks of rheumatoid arthritis: evidence from the malaysian epidemiological investigation of rheumatoid arthritis case-control study. , 2017, , .   |      | 0         |
| 107 | Autoreactivity to malondialdehyde-modifications in rheumatoid arthritis is linked to disease activity and synovial pathogenesis. Journal of Autoimmunity, 2017, 84, 29-45.  | 3.0  | 48        |
| 108 | Discovery of new candidate genes for rheumatoid arthritis through integration of genetic association data with expression pathway analysis. Arthritis Research and Therapy, 2017, 19, 19.   | 1.6  | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Differences in the Spectrum of Anti-Citrullinated Protein Antibody Fine Specificities Between Malaysian and Swedish Patients With Rheumatoid Arthritis: Implications for Disease Pathogenesis. <i>Arthritis and Rheumatology</i> , 2017, 69, 58-69. | 2.9 | 14        |
| 110 | An in vivo cross-linkable hyaluronan gel with inherent anti-inflammatory properties reduces OA cartilage destruction in female mice subjected to cruciate ligament transection. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 157-165.            | 0.6 | 11        |
| 111 | SAT0692...Predictors and persistence of unacceptable pain during the first year of rheumatoid arthritis in sweden. , 2017, , .  |     | 0         |
| 112 | Physical workload is associated with increased risk of rheumatoid arthritis: results from a Swedish population-based case-control study. <i>RMD Open</i> , 2017, 3, e000324.  | 1.8 | 14        |
| 113 | O297...Occupational exposure to organic dust and risk of developing rheumatoid arthritis. , 2017, , .   |     | 0         |
| 114 | O8.24...Monoclonal acpa antibodies recognising a common citrulline motif are mainly dependent on light chain hypermutations for antigen recognition. , 2017, , .  |     | 0         |
| 115 | THU0077...Anti-collagen type ii antibodies are associated with an acute onset rheumatoid arthritis phenotype and prognosticate lower degree of inflammation. , 2017, , .  |     | 1         |
| 116 | IgG Fc galactosylation predicts response to methotrexate in early rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2017, 19, 182.  | 1.6 | 35        |
| 117 | A Novel HLA-DRB1*10:01-Restricted T Cell Epitope From Citrullinated Type II Collagen Relevant to Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2016, 68, 1124-1135.   | 2.9 | 33        |
| 118 | Integration of Known DNA, RNA and Protein Biomarkers Provides Prediction of Anti-TNF Response in Rheumatoid Arthritis: Results from the COMBINE Study. <i>Molecular Medicine</i> , 2016, 22, 322-328.   | 1.9 | 39        |
| 119 | OP0307...No Long-Term Effect on Disease Activity and Pain of Physical Activity Found in Prospective Observational Study of Early Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 174.1-174.                               | 0.5 | 0         |
| 120 | O18-6...Occupational exposure to textile dust increases the risk of RA: results from a malaysian population-based case-control study. , 2016, , .   |     | 0         |
| 121 | Prevalence of Periodontitis in Patients with Established Rheumatoid Arthritis: A Swedish Population Based Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0155956.   | 1.1 | 64        |
| 122 | Is rheumatoid arthritis an autoimmune disease?. <i>Current Opinion in Rheumatology</i> , 2016, 28, 181-188.   | 2.0 | 15        |
| 123 | THU0605...Omega-3 Fatty Acids Associates with Decreased Pain, Independent of Inflammation, in MTX Treated Early RA Patients. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 411.1-411.   | 0.5 | 0         |
| 124 | Occupational exposure to textile dust increases the risk of rheumatoid arthritis: results from a Malaysian population-based case-control study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 997-1002.                                       | 0.5 | 78        |
| 125 | A method to decipher pleiotropy by detecting underlying heterogeneity driven by hidden subgroups applied to autoimmune and neuropsychiatric diseases. <i>Nature Genetics</i> , 2016, 48, 803-810.   | 9.4 | 62        |
| 126 | Crowdsourced assessment of common genetic contribution to predicting anti-TNF treatment response in rheumatoid arthritis. <i>Nature Communications</i> , 2016, 7, 12460.  | 5.8 | 73        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | A10.13â€¦..IGG FC galactosylation changes and predicts response to methotrexate in early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, A77.2-A78.   | 0.5 | 0         |
| 128 | OPO241â€¦..Repetitive Prolonged Physical Workload Is Associated with Increased Risk of Developing Rheumatoid Arthritis: Results from The Swedish Eira-Study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 149.2-149.                                 | 0.5 | 0         |
| 129 | A2.33â€¦..Citruinated self antigen-specific blood B cells carry cross-reactive immunoglobulins with effector potential. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, A28.2-A29.  | 0.5 | 5         |
| 130 | Rheumatoid factor isotypes in relation to antibodies against citrullinated peptides and carbamylated proteins before the onset of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2016, 18, 43.   | 1.6 | 61        |
| 131 | Mechanisms involved in triggering rheumatoid arthritis. <i>Immunological Reviews</i> , 2016, 269, 162-174.  | 2.8 | 125       |
| 132 | Familial aggregation of arthritis-related diseases in seropositive and seronegative rheumatoid arthritis: a register-based case-control study in Sweden. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 183-189.                                       | 0.5 | 36        |
| 133 | Changes in the anticitrullinated peptide antibody response in relation to therapeutic outcome in early rheumatoid arthritis: results from the SWEFOT trial. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 356-361.                                    | 0.5 | 28        |
| 134 | Predicting and preventing the development of rheumatoid arthritis. <i>Rheumatology</i> , 2016, 55, 1-3.   | 0.9 | 19        |
| 135 | High sodium chloride consumption enhances the effects of smoking but does not interact with SGK1 polymorphisms in the development of ACPA-positive status in patients with RA. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 943-946.                 | 0.5 | 24        |
| 136 | An ImmunoChip-based interaction study of contrasting interaction effects with smoking in ACPA-positive versus ACPA-negative rheumatoid arthritis. <i>Rheumatology</i> , 2016, 55, 149-155.  | 0.9 | 26        |
| 137 | Protective effect of HLA-DRB1*13 alleles during specific phases in the development of ACPA-positive RA. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1891-1898.  | 0.5 | 12        |
| 138 | Identification of a novel chemokine-dependent molecular mechanism underlying rheumatoid arthritis-associated autoantibody-mediated bone loss. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 721-729.  | 0.5 | 289       |
| 139 | Autoantibodies to citrullinated proteins may induce joint pain independent of inflammation. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 730-738.  | 0.5 | 205       |
| 140 | Loci associated with N-glycosylation of human IgG are not associated with rheumatoid arthritis: a Mendelian randomisation study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 317-320.   | 0.5 | 19        |
| 141 | Associations With Smoking and Shared Epitope Differ Between IgAâ€¦and IgGâ€¦Class Antibodies to Cyclic Citruinated Peptides in Early Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 2032-2037.   | 2.9 | 48        |
| 142 | Associations of antibodies against citrullinated peptides with human leukocyte antigen-shared epitope and smoking prior to the development of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2015, 17, 125.                                  | 1.6 | 45        |
| 143 | Higher education is associated with a better rheumatoid arthritis outcome concerning for pain and function but not disease activity: results from the EIRA cohort and Swedish rheumatology register. <i>Arthritis Research and Therapy</i> , 2015, 17, 317. | 1.6 | 42        |
| 144 | Parity influences the severity of ACPA-negative early rheumatoid arthritis: a cohort study based on the Swedish EIRA material. <i>Arthritis Research and Therapy</i> , 2015, 17, 358.   | 1.6 | 3         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 145 | SAT0043â€¦Identification and Characterization of Novel Molecular Mechanisms for ACPA-Driven Osteoclastogenesis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 663.3-664.  | 0.5  | 0         |
| 146 | SAT0335â€¦Breastfeeding is Associated with a Decreased Risk of Acpa-Positive Rheumatoid Arthritis: Results from the Swedish EIRA Study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 780.2-780.  | 0.5  | 0         |
| 147 | A2.22â€¦Influence of TNF on the proteome of rheumatoid arthritis synovial fibroblasts. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, A24.2-A25.   | 0.5  | 0         |
| 148 | Targeting of anti-citrullinated protein/peptide antibodies in rheumatoid arthritis using peptides mimicking endogenously citrullinated fibrinogen antigens. <i>Arthritis Research and Therapy</i> , 2015, 17, 155.  | 1.6  | 34        |
| 149 | Interactions Between Amino Acidâ€“Defined Major Histocompatibility Complex Class II Variants and Smoking in Seropositive Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 2611-2623.   | 2.9  | 58        |
| 150 | A5.13â€¦Antibody responses to common viruses in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, A52.1-A52.  | 0.5  | 0         |
| 151 | Geneâ€“gene interaction and RNA splicing profiles of MAP2K4 gene in rheumatoid arthritis. <i>Clinical Immunology</i> , 2015, 158, 19-28.  | 1.4  | 13        |
| 152 | FRIO068â€¦Remaining Pain Despite Inflammation Control in Rheumatoid Arthritis â€“ Long-Term Strongly Increased Risk for Widespread Pain and Fatigue. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 444.1-444.   | 0.5  | 0         |
| 153 | A4.17â€¦Anti-citrullinated proteins antibodies promotes osteoclastogenesis and bone destruction in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, A43.1-A43.   | 0.5  | 0         |
| 154 | Recent infections are associated with decreased risk of rheumatoid arthritis: a population-based case-control study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 904-907.   | 0.5  | 36        |
| 155 | High-density genotyping of immune loci in Koreans and Europeans identifies eight new rheumatoid arthritis risk loci. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, e13-e13.   | 0.5  | 100       |
| 156 | Preclinical target validation using patient-derived cells. <i>Nature Reviews Drug Discovery</i> , 2015, 14, 149-150.  | 21.5 | 46        |
| 157 | A genome-wide association study of rheumatoid arthritis without antibodies against citrullinated peptides. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, e15-e15.   | 0.5  | 62        |
| 158 | Identification of anticitrullinated protein antibody reactivities in a subset of anti-CCP-negative rheumatoid arthritis: association with cigarette smoking and HLA-DRB1 â€“shared epitopeâ€™ alleles. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 579-586. | 0.5  | 62        |
| 159 | Lungs and citrullination. <i>Nature Reviews Rheumatology</i> , 2015, 11, 261-262.   | 3.5  | 36        |
| 160 | Anti-carbamylated protein antibodies in the pre-symptomatic phase of rheumatoid arthritis, their relationship with multiple anti-citrulline peptide antibodies and association with radiological damage. <i>Arthritis Research and Therapy</i> , 2015, 17, 25.      | 1.6  | 103       |
| 161 | The Genetics of Rheumatoid Arthritis. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1623.  | 3.8  | 7         |
| 162 | Glycosylation of immunoglobulin G determines osteoclast differentiation and bone loss. <i>Nature Communications</i> , 2015, 6, 6651.  | 5.8  | 212       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | AB0323â€¦Patients with Higher Education Present Greater Improvements on Functional Status in Early Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1001.2-1002.  | 0.5 | 0         |
| 164 | Widespread non-additive and interaction effects within HLA loci modulate the risk of autoimmune diseases. <i>Nature Genetics</i> , 2015, 47, 1085-1090.  | 9.4 | 164       |
| 165 | New data and an old puzzle: the negative association between schizophrenia and rheumatoid arthritis. <i>International Journal of Epidemiology</i> , 2015, 44, 1706-1721.   | 0.9 | 53        |
| 166 | Improved performance of epidemiologic and genetic risk models for rheumatoid arthritis serologic phenotypes using family history. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1522-1529.   | 0.5 | 43        |
| 167 | Shared immunological targets in the lungs and joints of patients with rheumatoid arthritis: identification and validation. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1772-1777.  | 0.5 | 112       |
| 168 | Environmental and genetic factors in the development of anticitrullinated protein antibodies (ACPAs) and ACPA-positive rheumatoid arthritis: an epidemiological investigation in twins. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 375-380. | 0.5 | 132       |
| 169 | TYK2 Protein-Coding Variants Protect against Rheumatoid Arthritis and Autoimmunity, with No Evidence of Major Pleiotropic Effects on Non-Autoimmune Complex Traits. <i>PLoS ONE</i> , 2015, 10, e0122271.  | 1.1 | 120       |
| 170 | Integration of Sequence Data from a Consanguineous Family with Genetic Data from an Outbred Population Identifies PLB1 as a Candidate Rheumatoid Arthritis Risk Gene. <i>PLoS ONE</i> , 2014, 9, e87645.   | 1.1 | 34        |
| 171 | FRI0027â€¦Parity and Severity of Acpa-Positive and Acpa-Negative Rheumatoid Arthritis. Results from the Swedish EIRA Study and the Swedish Rheumatology Quality Register. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 391.1-391.             | 0.5 | 0         |
| 172 | FRI0073â€¦Recent, Common Infections Are Associated with Decreased Risk of Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 408.1-408.   | 0.5 | 0         |
| 173 | THU0434â€¦The Association between Postmenopausal Hormone Therapy and the Risk of Rheumatoid Arthritis: Results from the Swedish EIRA Study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 332.3-333.   | 0.5 | 0         |
| 174 | IgG Antibodies to Cyclic Citrullinated Peptides Exhibit Profiles Specific in Terms of IgG Subclasses, Fc-Glycans and a Fab-Peptide Sequence. <i>PLoS ONE</i> , 2014, 9, e113924.   | 1.1 | 31        |
| 175 | THU0417â€¦Occupation and Risk of Developing Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 326.2-326.   | 0.5 | 0         |
| 176 | The influence of polygenic risk scores on heritability of anti-CCP level in RA. <i>Genes and Immunity</i> , 2014, 15, 107-114.   | 2.2 | 12        |
| 177 | A Role for Noncoding Variation in Schizophrenia. <i>Cell Reports</i> , 2014, 9, 1417-1429.   | 2.9 | 225       |
| 178 | Silica exposure is associated with an increased risk of developing ACPA-positive rheumatoid arthritis in an Asian population: evidence from the Malaysian MyEIRA caseâ€“control study. <i>Modern Rheumatology</i> , 2014, 24, 271-274.               | 0.9 | 39        |
| 179 | OPO171â€¦Characterization of Lung Inflammation and Identification of Shared Citrullinated Targets in the Lungs and Joints of Early RA. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 127.1-127.  | 0.5 | 0         |
| 180 | Affinity purified anti-citrullinated protein/peptide antibodies target antigens expressed in the rheumatoid joint. <i>Arthritis Research and Therapy</i> , 2014, 16, R167.   | 1.6 | 41        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 181 | A1.1â€¦ Characterisation of lung inflammation and identification of shared citrullinated targets in the lungs and joints of early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A4.2-A5.   | 0.5  | 2         |
| 182 | Response to: â€œObesity and comorbidity are independently associated with a failure to achieve remission in patients with established rheumatoid arthritisâ€™ by Ellerby<i>et al</i>. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, e79-e79.   | 0.5  | 0         |
| 183 | Overweight decreases the chance of achieving good response and low disease activity in early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 2029-2033.  | 0.5  | 125       |
| 184 | Association Between Life Events and Rheumatoid Arthritis: Results From a Populationâ€Based Caseâ€Control Study. <i>Arthritis Care and Research</i> , 2014, 66, 844-851.  | 1.5  | 8         |
| 185 | Patients with regular physical activity before onset of rheumatoid arthritis present with milder disease. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1541-1544.   | 0.5  | 37        |
| 186 | Adaptive immunity in rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2014, 26, 72-79.   | 2.0  | 46        |
| 187 | Features of the Synovium of Individuals at Risk of Developing Rheumatoid Arthritis: Implications for Understanding Preclinical Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2014, 66, 513-522.  | 2.9  | 140       |
| 188 | Non-HLA genes PTPN22, CDK6 and PADI4 are associated with specific autoantibodies in HLA-defined subgroups of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2014, 16, 414.  | 1.6  | 23        |
| 189 | GeMes, Clusters of DNA Methylation under Genetic Control, Can Inform Genetic and Epigenetic Analysis of Disease. <i>American Journal of Human Genetics</i> , 2014, 94, 485-495.  | 2.6  | 93        |
| 190 | Structural Changes and Antibody Enrichment in the Lungs Are Early Features of Antiâ€Citrullinated Protein Antibodyâ€Positive Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2014, 66, 31-39.  | 2.9  | 190       |
| 191 | Genetics of rheumatoid arthritis contributes to biology and drug discovery. <i>Nature</i> , 2014, 506, 376-381.  | 13.7 | 1,974     |
| 192 | Smokeless Tobacco (Moist Snuff) Use and the Risk of Developing Rheumatoid Arthritis: Results From a Caseâ€Control Study. <i>Arthritis Care and Research</i> , 2014, 66, 1582-1586.   | 1.5  | 22        |
| 193 | Neutralization of AntiCitrullinated Protein Antibodies in Rheumatoid Arthritis â€ A Way to Go?. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 114, 13-17.  | 1.2  | 8         |
| 194 | Lungs, joints and immunity against citrullinated proteins in rheumatoid arthritis. <i>Nature Reviews Rheumatology</i> , 2014, 10, 645-653.   | 3.5  | 128       |
| 195 | The autoantibody repertoire in periodontitis: a role in the induction of autoimmunity to citrullinated proteins in rheumatoid arthritis? Antibodies against uncitrullinated peptides seem to occur prior to the antibodies to the corresponding citrullinated peptides. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, e46-e46. | 0.5  | 13        |
| 196 | Fine Mapping Seronegative and Seropositive Rheumatoid Arthritis to Shared and Distinct HLA Alleles by Adjusting for the Effects of Heterogeneity. <i>American Journal of Human Genetics</i> , 2014, 94, 522-532.   | 2.6  | 156       |
| 197 | Anti-CarP antibodies in two large cohorts of patients with rheumatoid arthritis and their relationship to genetic risk factors, cigarette smoking and other autoantibodies. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1761-1768.   | 0.5  | 111       |
| 198 | Citrullineâ€Specific Th1 Cells Are Increased in Rheumatoid Arthritis and Their Frequency Is Influenced by Disease Duration and Therapy. <i>Arthritis and Rheumatology</i> , 2014, 66, 1712-1722.   | 2.9  | 168       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | A1.34â€¦ACPA fine specificity is associated with increased plasmablast numbers and worse clinical response to rituximab in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A14.2-A15.   | 0.5 | 1         |
| 200 | FRI0046â€¦Anti-Carbamylated Protein Antibodies Precede the Onset of Symptoms of Rheumatoid Arthritis in A Swedish Biobank Cohort. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 397.3-398.  | 0.5 | 2         |
| 201 | FRI0368â€¦To Which Extent May the Familial Risk of Rheumatoid Arthritis BE Explained by Established Risk Factors?. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 520.2-520.   | 0.5 | 0         |
| 202 | AB0253â€¦The Relation between Pain and Inflammation in Early Rheumatoid Arthritis â€“ Long-Term Follow up in the Swedish Population-Based EIRA and SRQ Register. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 887.2-888.                                   | 0.5 | 1         |
| 203 | THU0270â€¦Decreased Risk for Severe Persisting Pain in Elderly Patients with Early Rheumatoid Arthritis â€“ Results from the Swedish Population-Based EIRA and SRQ Register. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 276.3-277.                       | 0.5 | 0         |
| 204 | OPO195â€¦High Sodium Intake among Smokers is A Risk Factor for ACPA Positivity in RA. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 136.1-136.  | 0.5 | 0         |
| 205 | Accelerating Translational Research by Clinically Driven Development of an Informatics Platformâ€“A Case Study. <i>PLoS ONE</i> , 2014, 9, e104382.   | 1.1 | 10        |
| 206 | Familial Risks and Heritability of Rheumatoid Arthritis: Role of Rheumatoid Factor/Antiâ€“Citrullinated Protein Antibody Status, Number and Type of Affected Relatives, Sex, and Age. <i>Arthritis and Rheumatism</i> , 2013, 65, 2773-2782.                      | 6.7 | 153       |
| 207 | Ambient air pollution exposures and risk of rheumatoid arthritis: results from the Swedish EIRA caseâ€“control study. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 888-894.  | 0.5 | 90        |
| 208 | Epigenome-wide association data implicate DNA methylation as an intermediary of genetic risk in rheumatoid arthritis. <i>Nature Biotechnology</i> , 2013, 31, 142-147.  | 9.4 | 874       |
| 209 | Monoclonal IgG antibodies generated from joint-derived B cells of RA patients have a strong bias toward citrullinated autoantigen recognition. <i>Journal of Experimental Medicine</i> , 2013, 210, 445-455.  | 4.2 | 181       |
| 210 | Association of Environmental and Genetic Factors and Geneâ€“Environment Interactions With Risk of Developing Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2013, 65, 1147-1156.  | 1.5 | 41        |
| 211 | Autoimmunity in Rheumatoid Arthritis. <i>Advances in Immunology</i> , 2013, 118, 129-158.   | 1.1 | 39        |
| 212 | A10.14â€¦Identification of Novel ACPA Targets in Rheumatoid Arthritis Synovial Tissues Using 2D Gel Electrophoresis and Mass Spectrometry. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A77.1-A77.   | 0.5 | 1         |
| 213 | Genetic and environmental determinants for disease risk in subsets of rheumatoid arthritis defined by the anticitrullinated protein/peptide antibody fine specificity profile. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 652-658.                       | 0.5 | 137       |
| 214 | Quantifying Missing Heritability at Known GWAS Loci. <i>PLoS Genetics</i> , 2013, 9, e1003993.  | 1.5 | 115       |
| 215 | Multiplex Analyses of Antibodies Against Citrullinated Peptides in Individuals Prior to Development of Rheumatoid Arthritis. <i>Arthritis and Rheumatism</i> , 2013, 65, 899-910.   | 6.7 | 163       |
| 216 | Regional differences regarding risk of developing rheumatoid arthritis in Stockholm County, Sweden: results from the Swedish Epidemiological Investigation of Rheumatoid Arthritis (EIRA) study. <i>Scandinavian Journal of Rheumatology</i> , 2013, 42, 337-343. | 0.6 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | OP0085â€¦Multiplex analysis of antibodies against citrullinated peptides in individuals prior to development of rheumatoid arthritis. Annals of the Rheumatic Diseases, 2013, 71, 82.1-82.  | 0.5 | 0         |
| 218 | OP0208â€¦High density fine mapping in rheumatoid arthritis indentifies 14 new loci. Annals of the Rheumatic Diseases, 2013, 71, 126.1-126.  | 0.5 | 0         |
| 219 | AB0080â€¦Association between life events and rheumatoid arthritis, results from the eira case control study. Annals of the Rheumatic Diseases, 2013, 72, A810.1-A810.   | 0.5 | 0         |
| 220 | SAT0033â€¦Characterization of the Multi-Biomarker Disease Activity (Vectra Daâ„¢ Algorithm) Score in a Subgroup of Patients from the Epidemiological Investigation of Rheumatoid Arthritis (EIRA) Cohort Receiving Methotrexate. Annals of the Rheumatic Diseases, 2013, 72, A591.1-A591. | 0.5 | 1         |
| 221 | OP0171â€¦Screening for Anti-CCP in a Large Population Based Cohort and its Association with Prevalent Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2013, 72, A110.3-A111.  | 0.5 | 0         |
| 222 | THU0030â€¦Neutralization of ACPA in Rheumatoid Arthritis - A Novel Principle of Treatment. Annals of the Rheumatic Diseases, 2013, 72, A174.2-A174.   | 0.5 | 0         |
| 223 | A9.10â€¦Neutralisation of ACPA â€œ A Way to Go?. Annals of the Rheumatic Diseases, 2013, 72, A68.1-A68.   | 0.5 | 1         |
| 224 | OP0052â€¦A Dense Mapping of HLA Region for Study of Interaction with Smoking in the Development of Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2013, 72, A67.2-A67.   | 0.5 | 0         |
| 225 | FRI0014â€¦Generation and characterization of monoclonal antibodies from single RA synovial B cells. Annals of the Rheumatic Diseases, 2013, 71, 315.1-315.  | 0.5 | 0         |
| 226 | OP0149â€¦The Association Between Parity and Rheumatoid Arthritis: Results from the Swedish Eira Study. Annals of the Rheumatic Diseases, 2013, 72, A102.2-A102.   | 0.5 | 1         |
| 227 | THU0078â€¦Interactions of Antibodies Against Citrullinated Peptides with HLA Shared Epitope, PTPN22 1858T Variant, and Smoking in Individuals Prior to and after the Development of Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2013, 72, A189.3-A190.                        | 0.5 | 0         |
| 228 | OP0142â€¦Masking CD94/NKG2A using a novel therapeutic MAB results in significant suppression of IL-6 levels and reduced osteoclast formation in rheumatoid arthritis ex vivo cultures. Annals of the Rheumatic Diseases, 2013, 71, 101.2-101.   | 0.5 | 0         |
| 229 | OP0019â€¦Anti-citrullinated protein antibodies directly induce bone loss in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2013, 71, 59.1-59.  | 0.5 | 0         |
| 230 | FRI0227â€¦Acpa fine specificity is associated with increased plasmablast numbers and worse clinical response to rituximab in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2013, 72, A450.1-A450.   | 0.5 | 1         |
| 231 | A1.4â€¦Early Signs of Subclinical Inflammation and Local Antibody Production in Early Rheumatoid Lungs. Annals of the Rheumatic Diseases, 2013, 72, A2.1-A2.  | 0.5 | 0         |
| 232 | A5.14â€¦Homocitrulline-Reactive Antibodies can be Generated from Synovial B-Cells from ACPA-Negative RA Patients. Annals of the Rheumatic Diseases, 2013, 72, A35.1-A35.  | 0.5 | 1         |
| 233 | OP0084â€¦Patterns of circulating antibodies in the pre-clinical phase of rheumatoid arthritis suggest epitope spreading in the immune reaction against citrullinated peptides. Annals of the Rheumatic Diseases, 2013, 71, 81.3-82.   | 0.5 | 1         |
| 234 | OP0087â€¦Use of Moist Snuff and the Risk of Developing Rheumatoid Arthritis; Results from the Swedish Epidemiological Investigation of Rheumatoid Arthritis Study. Annals of the Rheumatic Diseases, 2013, 72, A79.3-A80.   | 0.5 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Induction of osteoclastogenesis and bone loss by human autoantibodies against citrullinated vimentin. <i>Journal of Clinical Investigation</i> , 2012, 122, 1791-1802.  | 3.9 | 606       |
| 236 | EULAR recommendations for terminology and research in individuals at risk of rheumatoid arthritis: report from the Study Group for Risk Factors for Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 638-641.  | 0.5 | 354       |
| 237 | Identification of shared citrullinated immunological targets in the lungs and joints of patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A19.1-A19.  | 0.5 | 6         |
| 238 | Smoking interacts with HLA-DRB1 shared epitope in the development of ACPA-positive rheumatoid arthritis: a case-control study from Malaysian epidemiological investigation of rheumatoid arthritis (MyEIRA). <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A57.1-A57.               | 0.5 | 0         |
| 239 | Identification of novel genetic risk loci determine fetal outcome in congenital heart block. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A60.2-A60.   | 0.5 | 0         |
| 240 | Genetic variation in the serotonin receptor gene affects immune responses. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A93-A93.   | 0.5 | 0         |
| 241 | ACPA response against fibrinogen epitopes citrullinated in vivo in the synovial membrane in RA patients detected with an autoantibody microarray. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A41.1-A41.  | 0.5 | 0         |
| 242 | Ischemic vascular disease and antiphospholipid antibodies are associated with HLA-DRB1 *04/*13 alleles in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A57.3-A58.  | 0.5 | 0         |
| 243 | Î±-enolase specific T cells in rheumatoid arthritis – a MHC class II tetramer approach. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A33.3-A34.  | 0.5 | 2         |
| 244 | High-density genetic mapping identifies new susceptibility loci for rheumatoid arthritis. <i>Nature Genetics</i> , 2012, 44, 1336-1340.   | 9.4 | 558       |
| 245 | Smoking is associated with an increased risk of developing ACPA-positive but not ACPA-negative rheumatoid arthritis in Asian populations: evidence from the Malaysian MyEIRA case-control study. <i>Modern Rheumatology</i> , 2012, 22, 524-531.  | 0.9 | 32        |
| 246 | Polymorphisms in peptidylarginine deiminase (PADI) associate with rheumatoid arthritis in diverse Asian populations: evidence from MyEIRA study and meta-analysis. <i>Arthritis Research and Therapy</i> , 2012, 14, R250.  | 1.6 | 45        |
| 247 | Validation of a multiplex chip-based assay for the detection of autoantibodies against citrullinated peptides. <i>Arthritis Research and Therapy</i> , 2012, 14, R201.  | 1.6 | 82        |
| 248 | Smoking interacts with HLA-DRB1 shared epitope in the development of anti-citrullinated protein antibody-positive rheumatoid arthritis: results from the Malaysian Epidemiological Investigation of Rheumatoid Arthritis (MyEIRA). <i>Arthritis Research and Therapy</i> , 2012, 14, R89. | 1.6 | 61        |
| 249 | Five amino acids in three HLA proteins explain most of the association between MHC and seropositive rheumatoid arthritis. <i>Nature Genetics</i> , 2012, 44, 291-296.   | 9.4 | 768       |
| 250 | Antibodies against native collagen and citrullinated proteins precede the development of rheumatoid arthritis with a consecutive pattern. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A22.1-A22.  | 0.5 | 1         |
| 251 | Analysis of ACPA positivity and ACPA fine specificities in a large Swedish twin cohort (TwinGene). <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A23.2-A24.   | 0.5 | 0         |
| 252 | Affinity purification and characterisation of human ACPAs. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A36.2-A36.   | 0.5 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Generation and characterisation of monoclonal antibodies from single RA synovial B cells. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A40.3-A41.   | 0.5 | 0         |
| 254 | Lung changes detected by high resolution tomography are present in ACPA positive RA patients already at disease onset. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A23.1-A23.  | 0.5 | 1         |
| 255 | Mannan Binding Lectin (MBL) genotypes coding for high MBL serum levels are associated with rheumatoid factor negative rheumatoid arthritis in never smokers. <i>Arthritis Research and Therapy</i> , 2011, 13, R65.  | 1.6 | 7         |
| 256 | Smoking, citrullination and genetic variability in the immunopathogenesis of rheumatoid arthritis. <i>Seminars in Immunology</i> , 2011, 23, 92-98.  | 2.7 | 195       |
| 257 | Patients with early rheumatoid arthritis who smoke are less likely to respond to treatment with methotrexate and tumor necrosis factor inhibitors: Observations from the Epidemiological Investigation of Rheumatoid Arthritis and the Swedish Rheumatology Register cohorts. <i>Arthritis and Rheumatism</i> , 2011, 63, 26-36.   | 6.7 | 200       |
| 258 | A genome-wide association study suggests contrasting associations in ACPA-positive versus ACPA-negative rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 259-265.   | 0.5 | 238       |
| 259 | Meta-analysis of genome-wide association studies in celiac disease and rheumatoid arthritis identifies fourteen non-HLA shared loci. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A21-A21.  | 0.5 | 0         |
| 260 | Smoking is a major preventable risk factor for rheumatoid arthritis: estimations of risks after various exposures to cigarette smoke. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 508-511.   | 0.5 | 309       |
| 261 | A multiplex microarray for the detection of rheumatoid arthritis-associated autoantibodies. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A66-A66.   | 0.5 | 1         |
| 262 | HLA-DRB1*04 is a novel fetal susceptibility allele in congenital heart block. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A16-A16.   | 0.5 | 0         |
| 263 | Non-HLA-DRB1 RA-associated risk alleles associate with anti-CCP and specific ACPA levels. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A20-A21.   | 0.5 | 0         |
| 264 | Humoral immune response against fibrinogen epitopes citrullinated in vivo in rheumatoid arthritis synovial tissue detected by autoantibody multiplexing. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A3-A3.  | 0.5 | 0         |
| 265 | Vaccination of patients with primary Sjogren's syndrome reveals hyperreactive B cell compartment with a skewed maturation pattern. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A67-A67.  | 0.5 | 1         |
| 266 | Shared Epitope Alleles Remain A Risk Factor for Anti-Citrullinated Proteins Antibody (ACPA) â€“ Positive Rheumatoid Arthritis in Three Asian Ethnic Groups. <i>PLoS ONE</i> , 2011, 6, e21069.   | 1.1 | 42        |
| 267 | Assessment of long-term safety and efficacy of etanercept in a 5-year extension study in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2011, 29, 238-47.   | 0.4 | 49        |
| 268 | Antibodies to several citrullinated antigens are enriched in the joints of rheumatoid arthritis patients. <i>Arthritis and Rheumatism</i> , 2010, 62, 44-52.   | 6.7 | 189       |
| 269 | Protection against antiâ€“citrullinated protein antibodyâ€“positive rheumatoid arthritis is predominantly associated with HLAâ€“DRB1*1301: A metaâ€“analysis of HLAâ€“DRB1 associations with antiâ€“citrullinated protein antibodyâ€“positive and antiâ€“citrullinated protein antibodyâ€“negative rheumatoid arthritis in four European populations. <i>Arthritis and Rheumatism</i> , 2010, 62, 1236-1245. | 6.7 | 135       |
| 270 | MS analysis of rheumatoid arthritic synovial tissue identifies specific citrullination sites on fibrinogen. <i>Proteomics - Clinical Applications</i> , 2010, 4, 511-518.  | 0.8 | 59        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Genome-wide association study meta-analysis identifies seven new rheumatoid arthritis risk loci. <i>Nature Genetics</i> , 2010, 42, 508-514.   | 9.4 | 1,132     |
| 272 | Reply to "Gene-environment interaction influences the reactivity of autoantibodies to citrullinated antigens in rheumatoid arthritis". <i>Nature Genetics</i> , 2010, 42, 816-816.   | 9.4 | 1         |
| 273 | Identification of specific citrullination sites on fibrinogen in RA. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, A4-A5.  | 0.5 | 1         |
| 274 | Prevention of autoimmune rheumatic disease: state of the art and future perspectives. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2062-2066.   | 0.5 | 83        |
| 275 | Silica exposure among male current smokers is associated with a high risk of developing ACPA-positive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1072-1076.   | 0.5 | 133       |
| 276 | Non-participation in EIRA: a population-based case-control study of rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2010, 39, 344-346.   | 0.6 | 32        |
| 277 | Environmental Risk Factors for Rheumatoid Arthritis. , 2009, , 28-34.  |     | 1         |
| 278 | Multiple antibody reactivities to citrullinated antigens in sera from patients with rheumatoid arthritis: association with HLA-DRB1 alleles. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 736-743.  | 0.5 | 175       |
| 279 | Psychosocial Stress at Work and the Risk of Developing Rheumatoid Arthritis: Results from the Swedish EIRA Study. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 193-194.   | 4.0 | 19        |
| 280 | Alcohol consumption is associated with decreased risk of rheumatoid arthritis: results from two Scandinavian case-control studies. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 222-227.  | 0.5 | 166       |
| 281 | Different patterns of associations with anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis in the extended major histocompatibility complex region. <i>Arthritis and Rheumatism</i> , 2009, 60, 30-38.               | 6.7 | 113       |
| 282 | Opposing effects of HLA-DRB1*13 alleles on the risk of developing anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 924-930.   | 6.7 | 64        |
| 283 | No increased occurrence of ischemic heart disease prior to the onset of rheumatoid arthritis: Results from two Swedish population-based rheumatoid arthritis cohorts. <i>Arthritis and Rheumatism</i> , 2009, 60, 2861-2869.   | 6.7 | 64        |
| 284 | On the origins of complex immune-mediated disease: the example of rheumatoid arthritis. <i>Journal of Molecular Medicine</i> , 2009, 87, 357-362.  | 1.7 | 11        |
| 285 | Specific interaction between genotype, smoking and autoimmunity to citrullinated $\alpha$ -enolase in the etiology of rheumatoid arthritis. <i>Nature Genetics</i> , 2009, 41, 1319-1324.  | 9.4 | 282       |
| 286 | Rheumatoid arthritis. <i>Lancet</i> , The, 2009, 373, 659-672.   | 6.3 | 781       |
| 287 | Dietary Fish and Fish Oil and the Risk of Rheumatoid Arthritis. <i>Epidemiology</i> , 2009, 20, 896-901.   | 1.2 | 104       |
| 288 | Antibodies against citrullinated vimentin in rheumatoid arthritis: Higher sensitivity and extended prognostic value concerning future radiographic progression as compared with antibodies against cyclic citrullinated peptides. <i>Arthritis and Rheumatism</i> , 2008, 58, 36-45. | 6.7 | 188       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 289 | Antiinflammatory therapy for rheumatoid arthritis?. Arthritis and Rheumatism, 2008, 58, 2-4.   | 6.7  | 2         |
| 290 | Immunity to Citrullinated Proteins in Rheumatoid Arthritis. Annual Review of Immunology, 2008, 26, 651-675.  | 9.5  | 400       |
| 291 | Common variants at CD40 and other loci confer risk of rheumatoid arthritis. Nature Genetics, 2008, 40, 1216-1223.  | 9.4  | 476       |
| 292 | Smoking increases peptidylarginine deiminase 2 enzyme expression in human lungs and increases citrullination in BAL cells. Annals of the Rheumatic Diseases, 2008, 67, 1488-1492.  | 0.5  | 426       |
| 293 | Antibodies to citrullinated proteins in arthritis: pathology and promise. Current Opinion in Rheumatology, 2008, 20, 300-305.  | 2.0  | 59        |
| 294 | <i>TRAF1</i> as a Risk Locus for Rheumatoid Arthritis – A Genomewide Study. New England Journal of Medicine, 2007, 357, 1199-1209.   | 13.9 | 729       |
| 295 | Smoking as a trigger for inflammatory rheumatic diseases. Current Opinion in Rheumatology, 2007, 19, 49-54.  | 2.0  | 162       |
| 296 | Gene-Gene and Gene-Environment Interactions Involving HLA-DRB1, PTPN22, and Smoking in Two Subsets of Rheumatoid Arthritis. American Journal of Human Genetics, 2007, 80, 867-875.   | 2.6  | 374       |
| 297 | <i>STAT4</i> and the Risk of Rheumatoid Arthritis and Systemic Lupus Erythematosus. New England Journal of Medicine, 2007, 357, 977-986.   | 13.9 | 914       |
| 298 | Association of a haplotype in the promoter region of the interferon regulatory factor 5 gene with rheumatoid arthritis. Arthritis and Rheumatism, 2007, 56, 2202-2210.   | 6.7  | 174       |
| 299 | Association of arthritis with a gene complex encoding C-type lectin-like receptors. Arthritis and Rheumatism, 2007, 56, 2620-2632.   | 6.7  | 93        |
| 300 | Mechanisms of Disease: genetic susceptibility and environmental triggers in the development of rheumatoid arthritis. Nature Clinical Practice Rheumatology, 2006, 2, 425-433.  | 3.2  | 170       |
| 301 | Genes, environment and immunity in the development of rheumatoid arthritis. Current Opinion in Immunology, 2006, 18, 650-655.  | 2.4  | 153       |
| 302 | A new model for an etiology of rheumatoid arthritis: Smoking may trigger HLA-DR (shared) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227<br>Rheumatism, 2006, 54, 38-46.  | 6.7  | 1,233     |
| 303 | Swedish registers to examine drug safety and clinical issues in RA. Annals of the Rheumatic Diseases, 2006, 65, 707-712.   | 0.5  | 139       |
| 304 | The Swedish Twin Registry in the Third Millennium: An Update. Twin Research and Human Genetics, 2006, 9, 875-882.  | 0.3  | 323       |
| 305 | A long-term, open-label trial of the safety and efficacy of etanercept (Enbrel) in patients with rheumatoid arthritis not treated with other disease-modifying antirheumatic drugs. Annals of the Rheumatic Diseases, 2006, 65, 1578-1584. | 0.5  | 72        |
| 306 | Citrullination is an inflammation-dependent process. Annals of the Rheumatic Diseases, 2006, 65, 1219-1222.  | 0.5  | 257       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Infliximab in the treatment of rheumatoid arthritis. <i>Aging Health</i> , 2006, 2, 19-33.   | 0.3 | 1         |
| 308 | MHC2TA is associated with differential MHC molecule expression and susceptibility to rheumatoid arthritis, multiple sclerosis and myocardial infarction. <i>Nature Genetics</i> , 2005, 37, 486-494.   | 9.4 | 276       |
| 309 | Longitudinal analysis of citrullinated protein/peptide antibodies (anti-CP) during 5 year follow up in early rheumatoid arthritis: anti-CP status predicts worse disease activity and greater radiological progression. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1744-1749. | 0.5 | 282       |
| 310 | Silica exposure is associated with increased risk of developing rheumatoid arthritis: results from the Swedish EIRA study. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 582-586.  | 0.5 | 164       |
| 311 | Who cares about team care? Conference report from CARE II. Spenshult, Sweden, 18-20 September 2003. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 644-644.   | 0.5 | 8         |
| 312 | Replication of Putative Candidate-Gene Associations with Rheumatoid Arthritis in >4,000 Samples from North America and Sweden: Association of Susceptibility with PTPN22, CTLA4, and PADI4. <i>American Journal of Human Genetics</i> , 2005, 77, 1044-1060.                           | 2.6 | 494       |
| 313 | Association between occupational exposure to mineral oil and rheumatoid arthritis: results from the Swedish EIRA case-control study. <i>Arthritis Research and Therapy</i> , 2005, 7, R1296.   | 1.6 | 80        |
| 314 | Citrullinated proteins have increased immunogenicity and arthritogenicity and their presence in arthritic joints correlates with disease severity. <i>Arthritis Research</i> , 2005, 7, R458.  | 2.0 | 211       |
| 315 | What precedes development of rheumatoid arthritis?. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, ii28-ii31.   | 0.5 | 36        |
| 316 | How is clinical progress achieved?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2004, 18, 1-5.  | 1.4 | 0         |
| 317 | A gene-environment interaction between smoking and shared epitope genes in HLA-DR provides a high risk of seropositive rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2004, 50, 3085-3092.  | 6.7 | 546       |
| 318 | A combination of autoantibodies to cyclic citrullinated peptide (CCP) and HLA-DRB1 locus antigens is strongly associated with future onset of rheumatoid arthritis. <i>Arthritis Research</i> , 2004, 6, R303.   | 2.0 | 243       |
| 319 | Therapeutic effect of the combination of etanercept and methotrexate compared with each treatment alone in patients with rheumatoid arthritis: double-blind randomised controlled trial. <i>Lancet</i> , The, 2004, 363, 675-681.  | 6.3 | 1,662     |
| 320 | Statins in rheumatoid arthritisâ€”two birds with one stone?. <i>Lancet</i> , The, 2004, 363, 2011-2012.  | 6.3 | 26        |
| 321 | Citrullinated Proteins in Arthritis; their Presence in Joints and Effects on Immunogenicity. <i>Scandinavian Journal of Immunology</i> , 2004, 59, 612-613.  | 1.3 | 0         |
| 322 | Quantification of the influence of cigarette smoking on rheumatoid arthritis: results from a population based case-control study, using incident cases. <i>Annals of the Rheumatic Diseases</i> , 2003, 62, 835-841.   | 0.5 | 496       |
| 323 | THU0013â€¦Biological and immunological profiles of the delta-selective opioid receptor antagonist hs 378. , 2001, , .  |     | 0         |
| 324 | OP0064â€¦Genetic markers for the efficacy of tnf blocking therapy of rheumatoid arthritis. , 2001, , .   |     | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | Systemic anti-tumor necrosis factor $\hat{\pm}$ therapy in rheumatoid arthritis down-regulates synovial tumor necrosis factor $\hat{\pm}$ synthesis. <i>Arthritis and Rheumatism</i> , 2000, 43, 2391-2396.                       | 6.7 | 154       |
| 326 | Increased number of interleukin-10-producing cells in systemic lupus erythematosus patients and their first-degree relatives and spouses in Icelandic multicase families. <i>Arthritis and Rheumatism</i> , 1999, 42, 1649-1654.  | 6.7 | 64        |
| 327 | Cytokine production in muscle tissue of patients with idiopathic inflammatory myopathies. <i>Arthritis and Rheumatism</i> , 1997, 40, 865-874.  | 6.7 | 246       |
| 328 | Altered Th1/Th2 balance associated with non-major histocompatibility complex genes in collagen-induced arthritis in resistant and non-resistant rat strains. <i>European Journal of Immunology</i> , 1997, 27, 695-699.           | 1.6 | 32        |
| 329 | Production of Antibodies to Gliadin by Peripheral Blood Lymphocytes in Children with Celiac Disease: The Use of an Enzyme-Linked Immunospot Technique for Screening and Follow-Up. <i>Pediatric Research</i> , 1997, 41, 554-559. | 1.1 | 22        |
| 330 | Immunopathogenesis and immunotherapy in rheumatoid arthritis: an area in transition. <i>Journal of Internal Medicine</i> , 1995, 238, 191-206.  | 2.7 | 38        |
| 331 | Local anti- $\epsilon$ type ii collagen antibody production in rheumatoid arthritis synovial fluid. <i>Arthritis and Rheumatism</i> , 1994, 37, 1023-1029.  | 6.7 | 118       |
| 332 | Occupation, Occupational Exposure to Chemicals and Rheumatological Disease:A register based cohort study. <i>Scandinavian Journal of Rheumatology</i> , 1994, 23, 305-310.  | 0.6 | 73        |
| 333 | Correlation between increased hyaluronan localized in arthritic synovium and the presence of proliferating cells. A role for macrophage-derived factors. <i>Arthritis and Rheumatism</i> , 1992, 35, 391-396.                     | 6.7 | 52        |
| 334 | Adjuvant oils induce arthritis in the DA rat. I. Characterization of the disease and evidence for an immunological involvement. <i>Journal of Autoimmunity</i> , 1991, 4, 871-880.  | 3.0 | 128       |
| 335 | Increased expression of platelet-derived growth factor type b receptors in the skin of patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 1990, 33, 1534-1541.   | 6.7 | 111       |
| 336 | Phenotypic characterization of synovial tissue cells in situ in different types of synovitis. <i>Arthritis and Rheumatism</i> , 1983, 26, 1321-1332.  | 6.7 | 125       |
| 337 | Phenotypic characterization of cells within subcutaneous rheumatoid nodules. <i>Arthritis and Rheumatism</i> , 1983, 26, 1333-1339.   | 6.7 | 24        |
| 338 | Evidence in support of a self-perpetuating HLA-DR-dependent delayed-type cell reaction in rheumatoid arthritis.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982, 79, 3632-3636.    | 3.3 | 262       |
| 339 | Appearance of Anti-HLA-DR-Reactive Cells in Normal and Rheumatoid Synovial Tissue. <i>Scandinavian Journal of Immunology</i> , 1981, 14, 183-192.   | 1.3 | 162       |
| 340 | Recombinant Human Tissue Transglutaminase for Diagnosis and Follow-Up of Childhood Coeliac Disease. , 0, .  |     | 2         |