

# Sean B Fain

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/220415/publications.pdf>

Version: 2024-02-01

180  
papers

7,397  
citations

50276

46  
h-index

64796

79  
g-index

187  
all docs

187  
docs citations

187  
times ranked

6572  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Precision Interventions for Severe and/or Exacerbation-Prone (PrecISE) Asthma Network: An overview of Network organization, procedures, and interventions. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 488-516.e9.	2.9	24
2	Mucus Plugs Persist in Asthma, and Changes in Mucus Plugs Associate with Changes in Airflow over Time. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2022, 205, 1036-1045.	5.6	39
3	Dynamic contrast enhanced MRI for the evaluation of lung perfusion in idiopathic pulmonary fibrosis. <i>European Respiratory Journal</i> , 2022, 60, 2102058.	6.7	9
4	Mucus Plugs in Asthma at CT Associated with Regional Ventilation Defects at <sup>3</sup> He MRI. <i>Radiology</i> , 2022, 303, 184-190.	7.3	22
5	Quantitative CT Characteristics of Cluster Phenotypes in the Severe Asthma Research Program Cohorts. <i>Radiology</i> , 2022, 304, 450-459.	7.3	3
6	Quantitative cardiopulmonary magnetic resonance imaging in neonatal congenital diaphragmatic hernia. <i>Pediatric Radiology</i> , 2022, 52, 2306-2318.	2.0	1
7	Dynamic imaging using motion-compensated smoothness regularization on manifolds (MoCo-SToRM). <i>Physics in Medicine and Biology</i> , 2022, 67, 144001.	3.0	6
8	Experimental Protocol for MRI Mapping of the Blood Oxygenation-Sensitive Parameters T2* and T2 in the Kidney. <i>Methods in Molecular Biology</i> , 2021, 2216, 403-417.	0.9	2
9	Effects of neonatal lung abnormalities on parenchymal R <sup>2</sup> * estimates. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 53, 1853-1861.	3.4	1
10	Hyperpolarized <sup>13</sup> C Magnetic Resonance Spectroscopic Imaging of Pyruvate Metabolism in Murine Breast Cancer Models of Different Metastatic Potential. <i>Metabolites</i> , 2021, 11, 274.	2.9	8
11	Relationship between Emphysema Progression at CT and Mortality in Ever-Smokers: Results from the COPD Gene and ECLIPSE Cohorts. <i>Radiology</i> , 2021, 299, 222-231.	7.3	27
12	Abnormal Breathing Patterns in Neonatal Lung Disease via 4D Dynamic Chest MRI. , 2021, , .		0
13	Ensemble Machine Learning Using Quantitative Chest CT and Clinical Biomarkers to Predict Asthma Severity and Outcomes. , 2021, , .		0
14	Neonates with Tracheomalacia Generate Auto-PEEP via Glottis Closure Measured by MRI-Based Computational Fluid Dynamics. , 2021, , .		0
15	Neonates With Tracheomalacia Generate Auto-Positive End-Expiratory Pressure via Glottis Closure. <i>Chest</i> , 2021, 160, 2168-2177.	0.8	5
16	Pulmonary Functional Imaging: Part 1—State-of-the-Art Technical and Physiologic Underpinnings. <i>Radiology</i> , 2021, 299, 508-523.	7.3	29
17	Detection and viability of murine NK cells in vivo in a lymphoma model using fluorine- <sup>19</sup> MRI. <i>NMR in Biomedicine</i> , 2021, 34, e4600.	2.8	3
18	Quantitative CT metrics are associated with longitudinal lung function decline and future asthma exacerbations: Results from SARP-3. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 752-762.	2.9	30

#	ARTICLE	IF	CITATIONS
19	Protocols for multi-site trials using hyperpolarized <sup>129</sup> Xe MRI for imaging of ventilation, alveolar airspace size, and gas exchange: A position paper from the <sup>129</sup> Xe MRI clinical trials consortium. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 2966-2986.	3.0	35
20	QIBA guidance: Computed tomography imaging for COVID-19 quantitative imaging applications. <i>Clinical Imaging</i> , 2021, 77, 151-157.	1.5	11
21	Basics and Clinical Application of the MR Assessment of Ventilation. <i>Medical Radiology</i> , 2021, , 59-89.	0.1	1
22	Estimated Ventricular Size, Asthma Severity, and Exacerbations. <i>Chest</i> , 2020, 157, 258-267.	0.8	4
23	Evaluation of a motion-robust 2D chemical shift-encoded technique for R2* and field map quantification in ferumoxytol-enhanced MRI of the placenta in pregnant rhesus macaques. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 580-592.	3.4	8
24	Quantitative ferumoxytol-enhanced MRI in pregnancy: A feasibility study in the nonhuman primate. <i>Magnetic Resonance Imaging</i> , 2020, 65, 100-108.	1.8	13
25	Consensus-based technical recommendations for clinical translation of renal ASL MRI. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020, 33, 141-161.	2.0	80
26	Improved reconstruction stability for chemical shift encoded hyperpolarized <sup>13</sup> C magnetic resonance spectroscopic imaging using k <sub>t</sub> spiral acquisitions. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 25-38.	3.0	1
27	Consensus-based technical recommendations for clinical translation of renal BOLD MRI. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020, 33, 199-215.	2.0	68
28	Alveolar Airspace Size in Healthy and Diseased Infant Lungs Measured via Hyperpolarized <sup>3</sup> He Gas Diffusion Magnetic Resonance Imaging. <i>Neonatology</i> , 2020, 117, 704-712.	2.0	4
29	Increased Work of Breathing due to Tracheomalacia in Neonates. <i>Annals of the American Thoracic Society</i> , 2020, 17, 1247-1256.	3.2	35
30	Quantitative CT Imaging in Adults with Asthma Can Predict Both Future Lung Function Decline and Asthma Morbidity: Results from the SARP III Study. , 2020, , .		1
31	Elevated Work of Breathing in Neonates with Tracheomalacia Using Computational Fluid Dynamics. , 2020, , .		0
32	Hyperpolarized Noble Gas Ventilation MRI in COPD. <i>Radiology</i> , 2020, 297, 211-213.	7.3	1
33	Hyperpolarized Gas MRI Technology Breaks Through. <i>Chest</i> , 2020, 158, 1293-1295.	0.8	1
34	Quantitative Magnetic Resonance Imaging and Computed Tomography Measures of Progression in Idiopathic Pulmonary Fibrosis. , 2020, , .		0
35	Functional MRI of Regional Gas Exchange in IPF Disease Progression. , 2020, , .		0
36	Ventilation defects on hyperpolarized helium-3 MRI in asthma are predictive of 2-year exacerbation frequency. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 146, 831-839.e6.	2.9	29

#	ARTICLE	IF	CITATIONS
37	Inter- and intra- software reproducibility of computed tomography lung density measurements. Medical Physics, 2020, 47, 2962-2969.	3.0	9
38	Transverse relaxation rates of pulmonary dissolved-phase Hyperpolarized <sup>129</sup> Xe as a biomarker of lung injury in idiopathic pulmonary fibrosis. Magnetic Resonance in Medicine, 2020, 84, 1857-1867.	3.0	9
39	Invited Commentary on "Quantitative CT Analysis of Diffuse Lung Disease". Radiographics, 2020, 40, E1-E3.	3.3	3
40	Pulmonary Microvascular Changes in Adult Survivors of Prematurity: Utility of Dynamic Contrast-enhanced Magnetic Resonance Imaging. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 1471-1473.	5.6	6
41	Safety of repeated hyperpolarized helium 3 magnetic resonance imaging in pediatric asthma patients. Pediatric Radiology, 2020, 50, 646-655.	2.0	4
42	Measuring the link between cardiac mechanical function and metabolism during hyperpolarized 13C-pyruvate magnetic resonance experiments. Magnetic Resonance Imaging, 2020, 68, 9-17.	1.8	1
43	Characterization of and tissue density in the human lung: Application to neonatal imaging in the intensive care unit. Magnetic Resonance in Medicine, 2020, 84, 920-927.	3.0	6
44	Machine Learning Reveals the Texture of Regional Lung Ventilation at CT. Radiology, 2019, 293, 685-686.	7.3	1
45	Patient-specific modeling of aerosol delivery in healthy and asthmatic adults. Journal of Applied Physiology, 2019, 127, 1720-1732.	2.5	10
46	"Structure-Function Imaging of Lung Disease Using Ultrashort Echo Time MRI". Academic Radiology, 2019, 26, 431-441.	2.5	37
47	Elevated lung volumes in neonates with bronchopulmonary dysplasia measured via MRI. Pediatric Pulmonology, 2019, 54, 1311-1318.	2.0	35
48	Compressive air trapping in asthma: effects of age, sex, and severity. Journal of Applied Physiology, 2019, 126, 1265-1271.	2.5	6
49	Repeatability of regional pulmonary functional metrics of Hyperpolarized <sup>129</sup> Xe dissolved-phase MRI. Journal of Magnetic Resonance Imaging, 2019, 50, 1182-1190.	3.4	24
50	Deep convolutional neural networks with multiplane consensus labeling for lung function quantification using UTE proton MRI. Journal of Magnetic Resonance Imaging, 2019, 50, 1169-1181.	3.4	22
51	Patient-Specific Computational Simulations of Hyperpolarized <sup>3</sup> He MRI Ventilation Defects in Healthy and Asthmatic Subjects. IEEE Transactions on Biomedical Engineering, 2019, 66, 1318-1327.	4.2	5
52	A novel bioreactor for combined magnetic resonance spectroscopy and optical imaging of metabolism in 3D cell cultures. Magnetic Resonance in Medicine, 2019, 81, 3379-3391.	3.0	12
53	Three-dimensional Isotropic Functional Imaging of Cystic Fibrosis Using Oxygen-enhanced MRI: Comparison with Hyperpolarized <sup>3</sup> He MRI. Radiology, 2019, 290, 229-237.	7.3	24
54	Perfusion of the placenta assessed using arterial spin labeling and ferumoxytol dynamic contrast enhanced magnetic resonance imaging in the rhesus macaque. Magnetic Resonance in Medicine, 2019, 81, 1964-1978.	3.0	23

#	ARTICLE	IF	CITATIONS
55	A Comparison of Two Hyperpolarized <sup>129</sup> Xe MRI Ventilation Quantification Pipelines: The Effect of Signal to Noise Ratio. <i>Academic Radiology</i> , 2019, 26, 949-959.	2.5	21
56	Quantitative Assessment of Regional Dynamic Airway Collapse in Neonates via Retrospectively Respiratory-gated <sup>1</sup> H Ultrashort Echo Time MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 659-667.	3.4	37
57	Structural and Functional Features on Quantitative Chest Computed Tomography in the Korean Asian versus the White American Healthy Non-Smokers. <i>Korean Journal of Radiology</i> , 2019, 20, 1236.	3.4	13
58	Pruning of the Pulmonary Vasculature in Asthma. The Severe Asthma Research Program (SARP) Cohort. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018, 198, 39-50.	5.6	51
59	Lumen area change (Delta Lumen) between inspiratory and expiratory multidetector computed tomography as a measure of severe outcomes in asthmatic patients. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 1773-1780.e9.	2.9	13
60	Ventilation defect percent in helium-3 magnetic resonance imaging as a biomarker of severe outcomes in asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1140-1141.e4.	2.9	36
61	Evaluation of renal metabolic response to partial ureteral obstruction with hyperpolarized <sup>13</sup> C MRI. <i>NMR in Biomedicine</i> , 2018, 31, e3846.	2.8	16
62	An open source, 3D printed preclinical MRI phantom for repeated measures of contrast agents and reference standards. <i>Biomedical Physics and Engineering Express</i> , 2018, 4, 027005.	1.2	4
63	Pulmonary ventilation imaging in asthma and cystic fibrosis using oxygen-enhanced 3D radial ultrashort echo time MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 1287-1297.	3.4	45
64	A chemical shift encoding (CSE) approach for spectral selection in fluorine- <sup>19</sup> MRI. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 2183-2189.	3.0	10
65	Regional Heterogeneity of Lobar Ventilation in Asthma Using Hyperpolarized Helium-3 MRI. <i>Academic Radiology</i> , 2018, 25, 169-178.	2.5	29
66	Neonatal Pulmonary Magnetic Resonance Imaging of Bronchopulmonary Dysplasia Predicts Short-Term Clinical Outcomes. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018, 198, 1302-1311.	5.6	93
67	Removal of hyperpolarized <sup>129</sup> Xe gas-phase contamination in spectroscopic imaging of the lungs. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 2586-2597.	3.0	15
68	Mucus plugs in patients with asthma linked to eosinophilia and airflow obstruction. <i>Journal of Clinical Investigation</i> , 2018, 128, 997-1009.	8.2	337
69	Modeling Endovascular MRI Coil Coupling With Transmit RF Excitation. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 70-77.	4.2	5
70	Retrospective respiratory self-gating and removal of bulk motion in pulmonary <sup>1</sup> UTE MRI of neonates and adults. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1284-1295.	3.0	87
71	Standardizing <sup>13</sup> CT lung density measure across scanner manufacturers. <i>Medical Physics</i> , 2017, 44, 974-985.	3.0	48
72	Quantitative computed tomographic imaging-based clustering differentiates asthmatic subgroups with distinctive clinical phenotypes. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 690-700.e8.	2.9	79

#	ARTICLE	IF	CITATIONS
73	Exploring new heights with pulmonary functional imaging: insights into high-altitude pulmonary edema. <i>Journal of Applied Physiology</i> , 2017, 122, 853-854.	2.5	0
74	Quantification of neonatal lung parenchymal density via ultrashort echo time MRI with comparison to CT. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 992-1000.	3.4	61
75	Hyperpolarized helium-3 magnetic resonance lung imaging of non-sedated infants and young children: a proof-of-concept study. <i>Clinical Imaging</i> , 2017, 45, 105-110.	1.5	31
76	The effects of iterative reconstruction and kernel selection on quantitative computed tomography measures of lung density. <i>Medical Physics</i> , 2017, 44, 2267-2280.	3.0	22
77	Magnetic resonance imaging with hyperpolarized agents: methods and applications. <i>Physics in Medicine and Biology</i> , 2017, 62, R81-R123.	3.0	43
78	Differentiation of quantitative CT imaging phenotypes in asthma versus COPD. <i>BMJ Open Respiratory Research</i> , 2017, 4, e000252.	3.0	30
79	Pulmonary MRI of neonates in the intensive care unit using 3D ultrashort echo time and a small footprint MRI system. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 463-471.	3.4	68
80	Inflammatory and Comorbid Features of Patients with Severe Asthma and Frequent Exacerbations. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017, 195, 302-313.	5.6	346
81	The role of hyperpolarized <sup>129</sup> xenon in MR imaging of pulmonary function. <i>European Journal of Radiology</i> , 2017, 86, 343-352.	2.6	53
82	Hyperpolarized Gas MRI of the Lung in Asthma. , 2017, , 223-237.		0
83	Nox2 and Cyclosporine-Induced Renal Hypoxia. <i>Transplantation</i> , 2016, 100, 1198-1210.	1.0	9
84	Longitudinal Assessment of Renal Perfusion and Oxygenation in Transplant Donor-Recipient Pairs Using Arterial Spin Labeling and Blood Oxygen Level-Dependent Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2016, 51, 113-120.	6.2	38
85	Functional imaging of the lungs with gas agents. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 295-315.	3.4	98
86	Application of flow sensitive gradients for improved measures of metabolism using hyperpolarized <sup>13</sup> C MRI. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1242-1248.	3.0	20
87	Redistribution of inhaled hyperpolarized <sup>3</sup> He gas during breath-hold differs by asthma severity. <i>Journal of Applied Physiology</i> , 2016, 120, 526-536.	2.5	19
88	Semiautomated Ventilation Defect Quantification in Exercise-induced Bronchoconstriction Using Hyperpolarized Helium-3 Magnetic Resonance Imaging. <i>Academic Radiology</i> , 2016, 23, 1104-1114.	2.5	28
89	<sup>19</sup> F-MRI for monitoring human NK cells <i>in vivo</i> . <i>Oncolmmunology</i> , 2016, 5, e1143996.	4.6	48
90	Using MRI to Reveal (and Resolve) the Complexity of Obstructive Lung Disease. <i>Academic Radiology</i> , 2016, 23, 393-395.	2.5	2

#	ARTICLE	IF	CITATIONS
91	Simultaneous MRI of lung structure and perfusion in a single breathhold. Journal of Magnetic Resonance Imaging, 2015, 41, 52-59.	3.4	23
92	Three-dimensional pulmonary perfusion MRI with radial ultrashort echo time and spatial-temporal constrained reconstruction. Magnetic Resonance in Medicine, 2015, 73, 555-564.	3.0	28
93	Potential role of the glycolytic oscillator in acute hypoxia in tumors. Physics in Medicine and Biology, 2015, 60, 9215-9225.	3.0	8
94	Effect of Reducing Field of View on Multidetector Quantitative Computed Tomography Parameters of Airway Wall Thickness in Asthma. Journal of Computer Assisted Tomography, 2015, 39, 584-590.	0.9	14
95	Simultaneous imaging of <sup>13</sup> C metabolism and <sup>1</sup> H structure: technical considerations and potential applications. NMR in Biomedicine, 2015, 28, 576-582.	2.8	13
96	Effect of anesthesia on renal <sup>19</sup> F* measured by blood oxygen level-dependent MRI. NMR in Biomedicine, 2015, 28, 811-817.	2.8	11
97	Comparison of Models and Contrast Agents for Improved Signal and Signal Linearity in Dynamic Contrast-Enhanced Pulmonary Magnetic Resonance Imaging. Investigative Radiology, 2015, 50, 174-178.	6.2	18
98	Phenotype of asthmatics with increased airway S-nitrosoglutathione reductase activity. European Respiratory Journal, 2015, 45, 87-97.	6.7	26
99	Sex-related differences in pulmonary physiologic outcome measures in a high-risk birth cohort. Journal of Allergy and Clinical Immunology, 2015, 136, 282-287.	2.9	7
100	Quantitative Magnetic Resonance Imaging of Bronchopulmonary Dysplasia in the Neonatal Intensive Care Unit Environment. American Journal of Respiratory and Critical Care Medicine, 2015, 192, 1215-1222.	5.6	74
101	Quantitative assessment of multiscale structural and functional alterations in asthmatic populations. Journal of Applied Physiology, 2015, 118, 1286-1298.	2.5	67
102	CT reconstruction techniques for improved accuracy of lung CT airway measurement. Medical Physics, 2014, 41, 1119-111.	3.0	16
103	Hyperpolarized Helium-3 MRI of exercise-induced bronchoconstriction during challenge and therapy. Journal of Magnetic Resonance Imaging, 2014, 39, 1230-1237.	3.4	48
104	Quantitative Magnetic Resonance Imaging of Pulmonary Hypertension. Journal of Thoracic Imaging, 2014, 29, 68-79.	1.5	68
105	New magnetic resonance imaging methods in nephrology. Kidney International, 2014, 85, 768-778.	5.2	84
106	Longitudinal Changes in Airway Remodeling and Air Trapping in Severe Asthma. Academic Radiology, 2014, 21, 986-993.	2.5	40
107	Oxygen-enhanced 3D radial ultrashort echo time magnetic resonance imaging in the healthy human lung. NMR in Biomedicine, 2014, 27, 1535-1541.	2.8	62
108	Joint spatial-spectral reconstruction and k <sub>t</sub> spirals for accelerated 2D spatial/1D spectral imaging of <sup>13</sup> C dynamics. Magnetic Resonance in Medicine, 2014, 71, 1435-1445.	3.0	26

#	ARTICLE	IF	CITATIONS
109	Lung Imaging. , 2014, , 1056-1065.		0
110	MO-A-BRD-03: Quantifying 19F-Labeled Human Natural Killer Cell-Trafficking with MRI. Medical Physics, 2014, 41, 408-408.	3.0	0
111	Pulmonary 3He magnetic resonance imaging of childhood asthma. Journal of Allergy and Clinical Immunology, 2013, 131, 369-376.e5.	2.9	52
112	Exercise-induced Bronchoconstriction: Reproducibility of Hyperpolarized <sup>3</sup> He MR Imaging. Radiology, 2013, 266, 618-625.	7.3	34
113	Markers of Vascular Perturbation Correlate with Airway Structural Change in Asthma. American Journal of Respiratory and Critical Care Medicine, 2013, 188, 167-178.	5.6	26
114	Optimized 3D ultrashort echo time pulmonary MRI. Magnetic Resonance in Medicine, 2013, 70, 1241-1250.	3.0	266
115	Severe Asthma. American Journal of Respiratory and Critical Care Medicine, 2012, 185, 356-362.	5.6	242
116	Effects of Atorvastatin on Cerebral Blood Flow in Middle-Aged Adults at Risk for Alzheimer's Disease: A Pilot Study. Current Alzheimer Research, 2012, 9, 990-997.	1.4	27
117	MR measures of renal perfusion, oxygen bioavailability and total renal blood flow in a porcine model: noninvasive regional assessment of renal function. Nephrology Dialysis Transplantation, 2012, 27, 128-135.	0.7	19
118	Serum HSP27 is associated with medullary perfusion in kidney allografts. Journal of Nephrology, 2012, 25, 1075-1080.	2.0	7
119	Effect of lanthanide ions on dynamic nuclear polarization enhancement and liquid-state <sup>1</sup> T <sub>1</sub> relaxation. Magnetic Resonance in Medicine, 2012, 68, 1949-1954.	3.0	31
120	In Vivo Imaging and Spectroscopy of Dynamic Metabolism Using Simultaneous <sup>13</sup> C and <sup>1</sup> H MRI. IEEE Transactions on Biomedical Engineering, 2012, 59, 45-49.	4.2	28
121	Lung imaging in asthmatic patients: The picture is clearer. Journal of Allergy and Clinical Immunology, 2011, 128, 467-478.	2.9	94
122	Reproducibility of renal perfusion MR imaging in native and transplanted kidneys using non-contrast arterial spin labeling. Journal of Magnetic Resonance Imaging, 2011, 33, 1414-1421.	3.4	54
123	Comparing Kidney Perfusion Using Noncontrast Arterial Spin Labeling MRI and Microsphere Methods in an Interventional Swine Model. Investigative Radiology, 2011, 46, 124-131.	6.2	47
124	Dynamic nuclear polarization system output volume reduction using inert fluids. Journal of Magnetic Resonance Imaging, 2011, 33, 1003-1008.	3.4	9
125	Measurement and comparison of T1 relaxation times in native and transplanted kidney cortex and medulla. Journal of Magnetic Resonance Imaging, 2011, 33, 1241-1247.	3.4	40
126	Excite and receive solenoid radiofrequency coil for MRI-guided breast interventions. Magnetic Resonance in Medicine, 2011, 65, 1799-1804.	3.0	4



#	ARTICLE	IF	CITATIONS
127	Signal-to-noise ratio for hyperpolarized <sup>3</sup> He MR imaging of human lungs: A 1.5 T and 3 T comparison. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 1400-1404.	3.0	11
128	Arterial spin labeling MRI for assessment of perfusion in native and transplanted kidneys. <i>Magnetic Resonance Imaging</i> , 2011, 29, 74-82.	1.8	79
129	Measurement of lung airways in three dimensions using hyperpolarized helium-3 MRI. <i>Physics in Medicine and Biology</i> , 2011, 56, 3107-3122.	3.0	19
130	Hyperpolarized <sup>13</sup> Carbon MR. <i>Current Pharmaceutical Biotechnology</i> , 2010, 11, 709-719.	1.6	11
131	On the Use of Hyperpolarized Helium MRI for Conformal Avoidance Lung Radiotherapy. <i>Medical Dosimetry</i> , 2010, 35, 297-303.	0.9	34
132	Imaging of lung function using hyperpolarized helium-3 magnetic resonance imaging: Review of current and emerging translational methods and applications. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 1398-1408.	3.4	185
133	Helium-3 MR <i>q</i> -space imaging with radial acquisition and iterative highly constrained back-projection. <i>Magnetic Resonance in Medicine</i> , 2010, 63, 41-50.	3.0	18
134	Blood oxygen level-dependent and perfusion magnetic resonance imaging: detecting differences in oxygen bioavailability and blood flow in transplanted kidneys. <i>Magnetic Resonance Imaging</i> , 2010, 28, 56-64.	1.8	78
135	A Multivariate Analysis of Risk Factors for the Air-Trapping Asthmatic Phenotype as Measured by Quantitative CT Analysis. <i>Chest</i> , 2009, 135, 48-56.	0.8	260
136	Pilot study of improved lesion characterization in breast MRI using a 3D radial balanced SSFP technique with isotropic resolution and efficient fat-water separation. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 135-144.	3.4	6
137	Ultrashort TE spectroscopic imaging (UTESI) using complex highly-constrained backprojection with local reconstruction (HYPR LR). <i>Magnetic Resonance in Medicine</i> , 2009, 62, 127-134.	3.0	7
138	Three-dimensional imaging of ventilation dynamics in asthmatics using multiecho projection acquisition with constrained reconstruction. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 1543-1556.	3.0	34
139	Quantitative MR Measures of Intrarenal Perfusion in the Assessment of Transplanted Kidneys. <i>Academic Radiology</i> , 2009, 16, 1077-1085.	2.5	34
140	Transfer of Tolerance to Collagen Type V Suppresses T-Helper-Cell-17 Lymphocyte-Mediated Acute Lung Transplant Rejection. <i>Transplantation</i> , 2009, 88, 1341-1348.	1.0	48
141	Endothelium in the allograft. <i>Kidney International</i> , 2009, , .	5.2	0
142	Atorvastatin Therapy is Associated with Greater and Faster Cerebral Hemodynamic Response. <i>Brain Imaging and Behavior</i> , 2008, 2, 94-104.	2.1	5
143	3D hyperpolarized He-3 MRI of ventilation using a multi-echo projection acquisition. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 1062-1071.	3.0	48
144	Iterative projection reconstruction of time-resolved images using highly-constrained back-projection (HYPR). <i>Magnetic Resonance in Medicine</i> , 2008, 59, 132-139.	3.0	50

#	ARTICLE	IF	CITATIONS
145	Evaluation of Structure-Function Relationships in Asthma using Multidetector CT and Hyperpolarized He-3 MRI. <i>Academic Radiology</i> , 2008, 15, 753-762.	2.5	139
146	A novel MR-guided interventional device for 3D circumferential access to breast tissue. <i>Medical Physics</i> , 2008, 35, 3779-3786.	3.0	10
147	Airway Remodeling Measured by Multidetector CT Is Increased in Severe Asthma and Correlates With Pathology. <i>Chest</i> , 2008, 134, 1183-1191.	0.8	260
148	BOLD-MRI assessment of intrarenal oxygenation and oxidative stress in patients with chronic kidney allograft dysfunction. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, F513-F522.	2.7	109
149	TEM transmission line coil with double nuclear capability. <i>Magnetic Resonance in Medicine</i> , 2007, 58, 800-807.	3.0	1
150	Functional lung imaging using hyperpolarized gas MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 910-923.	3.4	180
151	Time-resolved contrast-enhanced carotid imaging using undersampled projection reconstruction acquisition. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 1093-1099.	3.4	13
152	Imaging of lung ventilation and respiratory dynamics in a single ventilation cycle using hyperpolarized He-3 MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 630-636.	3.4	39
153	The effects of SNR on ADC measurements in diffusion-weighted hyperpolarized He-3 MRI. <i>Journal of Magnetic Resonance</i> , 2007, 185, 42-49.	2.1	19
154	Early emphysematous changes in asymptomatic smokers: Detection with 3He MR imaging. <i>Respiratory Medicine: COPD Update</i> , 2006, 2, 108-109.	0.0	2
155	Noninvasive Assessment of Early Kidney Allograft Dysfunction by Blood Oxygen Level-Dependent Magnetic Resonance Imaging. <i>Transplantation</i> , 2006, 82, 621-628.	1.0	67
156	Experimental Estimates of the Constants Relating Signal Change to Contrast Concentration for Cerebral Blood Volume by T2* MRI. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006, 26, 760-770.	4.3	12
157	Early Emphysematous Changes in Asymptomatic Smokers: Detection with 3He MR Imaging. <i>Radiology</i> , 2006, 239, 875-883.	7.3	194
158	Noninvasive mapping of regional response to segmental allergen challenge using magnetic resonance imaging and [F-18]fluorodeoxyglucose positron emission tomography. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 1243-1250.	3.0	11
159	Assessment of Acute Renal Transplant Rejection with Blood Oxygen Level-Dependent MR Imaging: Initial Experience. <i>Radiology</i> , 2005, 236, 911-919.	7.3	130
160	Detection of Age-Dependent Changes in Healthy Adult Lungs With Diffusion-Weighted 3He MRI. <i>Academic Radiology</i> , 2005, 12, 1385-1393.	2.5	117
161	Signal to concentration proportionality constants for dynamic contrast T2* MRI cerebral blood volume measurements. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S328-S328.	4.3	0
162	Noise reduction in MR angiography with nonlinear anisotropic filtering. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 19, 632-639.	3.4	14

#	ARTICLE	IF	CITATIONS
163	Artifact reduction in undersampled projection reconstruction MRI of the peripheral vessels using selective excitation. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 1071-1076.	3.0	15
164	Floating table isotropic projection (FLIPR) acquisition: A time-resolved 3D method for extended field-of-view MRI during continuous table motion. <i>Magnetic Resonance in Medicine</i> , 2004, 52, 1093-1102.	3.0	31
165	SNR improvement for multiinjection time-resolved high-resolution CE-MRA of the peripheral vasculature. <i>Magnetic Resonance in Medicine</i> , 2003, 49, 909-917.	3.0	16
166	Combined time-resolved and high-spatial-resolution 3D MRA using an extended adaptive acquisition. <i>Journal of Magnetic Resonance Imaging</i> , 2002, 15, 291-301.	3.4	38
167	Time-resolved, undersampled projection reconstruction imaging for high-resolution CE-MRA of the distal runoff vessels. <i>Magnetic Resonance in Medicine</i> , 2002, 48, 516-522.	3.0	74
168	Effect of windowing and zero-filled reconstruction of MRI data on spatial resolution and acquisition strategy. <i>Journal of Magnetic Resonance Imaging</i> , 2001, 14, 270-280.	3.4	134
169	Dependence of venous enhancement on the field of view in 3D contrast-enhanced MRA using the elliptical centric view order. <i>Magnetic Resonance in Medicine</i> , 2001, 45, 1134-1141.	3.0	10
170	Embedded MR fluoroscopy: High temporal resolution real-time imaging during high spatial resolution 3D MRA acquisition. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 690-698.	3.0	16
171	High-Spatial-Resolution Contrast-enhanced MR Angiography of the Renal Arteries: A Prospective Comparison with Digital Subtraction Angiography. <i>Radiology</i> , 2001, 218, 481-490.	7.3	123
172	Carotid Artery: Elliptical Centric Contrast-enhanced MR Angiography Compared with Conventional Angiography. <i>Radiology</i> , 2001, 218, 138-143.	7.3	137
173	Three-dimensional Contrast-enhanced MR Angiography with Real-time Fluoroscopic Triggering: Design Specifications and Technical Reliability in 330 Patient Studies. <i>Radiology</i> , 2000, 215, 584-593.	7.3	122
174	Carotid Arteries: Maximizing Arterial to Venous Contrast in Fluoroscopically Triggered Contrast-enhanced MR Angiography with Elliptical Centric View Ordering. <i>Radiology</i> , 1999, 211, 265-273.	7.3	123
175	Real-time imaging and triggering of 3D contrast-enhanced MR angiograms using MR fluoroscopy. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 1999, 8, 196-206.	2.0	2
176	3D contrast-enhanced MR angiography using fluoroscopic triggering and an elliptical centric view order. <i>International Journal of Cardiovascular Imaging</i> , 1999, 15, 117-129.	0.6	6
177	Interactive three-point localization of double-oblique sections using MR fluoroscopy. <i>Magnetic Resonance in Medicine</i> , 1999, 41, 846-849.	3.0	9
178	A flexible view ordering technique for high-quality real-time 2DFT MR fluoroscopy. <i>Magnetic Resonance in Medicine</i> , 1999, 42, 69-81.	3.0	18
179	Theoretical limits of spatial resolution in elliptical-centric contrast-enhanced 3D-MRA. <i>Magnetic Resonance in Medicine</i> , 1999, 42, 1106-1116.	3.0	71
180	Aortic Arch and Carotid Artery Single-Shot Gadolinium-Enhanced 3D MR Angiography with an Elliptical Centric Acquisition Order. <i>The Neuroradiology Journal</i> , 1998, 11, 179-183.	0.1	0