

# Seiya Tsujimura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2204537/publications.pdf>

Version: 2024-02-01

146  
papers

5,664  
citations

76326

40  
h-index

85541

71  
g-index

152  
all docs

152  
docs citations

152  
times ranked

3907  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fructose/dioxygen biofuel cell based on direct electron transfer-type bioelectrocatalysis. <i>Physical Chemistry Chemical Physics</i> , 2007, 9, 1793.	2.8	314
2	A high-power glucose/oxygen biofuel cell operating under quiescent conditions. <i>Energy and Environmental Science</i> , 2009, 2, 133-138.	30.8	303
3	Bioelectrocatalytic reduction of dioxygen to water at neutral pH using bilirubin oxidase as an enzyme and 2,2'-azino-bis (3-ethylbenzothiazolin-6-sulfonate) as an electron transfer mediator. <i>Journal of Electroanalytical Chemistry</i> , 2001, 496, 69-75.	3.8	232
4	Templated mesoporous carbons: Synthesis and applications. <i>Carbon</i> , 2016, 107, 448-473.	10.3	208
5	Lactate biosensors: current status and outlook. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 123-137.	3.7	156
6	Bioelectrocatalysis-based dihydrogen/dioxygen fuel cell operating at physiological pH. <i>Physical Chemistry Chemical Physics</i> , 2001, 3, 1331-1335.	2.8	153
7	Novel FAD-Dependent Glucose Dehydrogenase for a Dioxygen-Insensitive Glucose Biosensor. <i>Bioscience, Biotechnology and Biochemistry</i> , 2006, 70, 654-659.	1.3	153
8	Kinetic Study of Direct Bioelectrocatalysis of Dioxygen Reduction with Bilirubin Oxidase at Carbon Electrodes. <i>Electrochemistry</i> , 2004, 72, 437-439.	1.4	151
9	Electron transfer pathways in microbial oxygen biocathodes. <i>Electrochimica Acta</i> , 2010, 55, 813-818.	5.2	151
10	<i>Lactococcus lactis</i> catalyses electricity generation at microbial fuel cell anodes via excretion of a soluble quinone. <i>Bioelectrochemistry</i> , 2009, 76, 14-18.	4.6	144
11	Bilirubin oxidase in multiple layers catalyzes four-electron reduction of dioxygen to water without redox mediators. <i>Journal of Electroanalytical Chemistry</i> , 2005, 576, 113-120.	3.8	137
12	Exceptionally High Glucose Current on a Hierarchically Structured Porous Carbon Electrode with "Wired" Flavin Adenine Dinucleotide-Dependent Glucose Dehydrogenase. <i>Journal of the American Chemical Society</i> , 2014, 136, 14432-14437.	13.7	136
13	Diffusion-Controlled Oxygen Reduction on Multi-Copper Oxidase Adsorbed Carbon Aerogel Electrodes without Mediator. <i>Fuel Cells</i> , 2007, 7, 463-469.	2.4	135
14	Glucose/O <sub>2</sub> Biofuel Cell Operating at Physiological Conditions. <i>Electrochemistry</i> , 2002, 70, 940-942.	1.4	128
15	Effects of axial ligand mutation of the type I copper site in bilirubin oxidase on direct electron transfer-type bioelectrocatalytic reduction of dioxygen. <i>Journal of Electroanalytical Chemistry</i> , 2007, 601, 119-124.	3.8	104
16	Structure and Function of the Engineered Multicopper Oxidase CueO from <i>Escherichia coli</i> "Deletion of the Methionine-Rich Helical Region Covering the Substrate-Binding Site. <i>Journal of Molecular Biology</i> , 2007, 373, 141-152.	4.2	103
17	Photosynthetic bioelectrochemical cell utilizing cyanobacteria and water-generating oxidase. <i>Enzyme and Microbial Technology</i> , 2001, 29, 225-231.	3.2	97
18	Air diffusion biocathode with CueO as electrocatalyst adsorbed on carbon particle-modified electrodes. <i>Bioelectrochemistry</i> , 2009, 76, 10-13.	4.6	94

#	ARTICLE	IF	CITATIONS
19	Efficient Direct Electron Transfer of PQQ-glucose Dehydrogenase on Carbon Cryogel Electrodes at Neutral pH. <i>Analytical Chemistry</i> , 2011, 83, 5721-5727.	6.5	92
20	High Current Density Bioelectrolysis of D-Fructose at Fructose Dehydrogenase-adsorbed and Ketjen Black-modified Electrodes without a Mediator. <i>Chemistry Letters</i> , 2007, 36, 218-219.	1.3	91
21	Direct Electrochemistry of CueO and Its Mutants at Residues to and Near Type I Cu for Oxygen-Reducing Biocathode. <i>Fuel Cells</i> , 2009, 9, 70-78.	2.4	91
22	Flavins contained in yeast extract are exploited for anodic electron transfer by <i>Lactococcus lactis</i> . <i>Bioelectrochemistry</i> , 2010, 78, 173-175.	4.6	87
23	Flexible and high-performance paper-based biofuel cells using printed porous carbon electrodes. <i>Chemical Communications</i> , 2013, 49, 11110.	4.1	78
24	Electrochemical reaction of fructose dehydrogenase on carbon cryogel electrodes with controlled pore sizes. <i>Electrochemistry Communications</i> , 2010, 12, 446-449.	4.7	74
25	Hierarchical meso/macro-porous carbon fabricated from dual MgO templates for direct electron transfer enzymatic electrodes. <i>Scientific Reports</i> , 2017, 7, 45147.	3.3	69
26	Mediated spectroelectrochemical titration of proteins for redox potential measurements by a separator-less one-compartment bulk electrolysis method. <i>Analytical Biochemistry</i> , 2005, 337, 325-331.	2.4	67
27	High-power lactate/O <sub>2</sub> enzymatic biofuel cell based on carbon cloth electrodes modified with MgO-templated carbon. <i>Journal of Power Sources</i> , 2019, 436, 226844.	7.8	64
28	Mediated bioelectrocatalytic O <sub>2</sub> reduction to water at highly positive electrode potentials near neutral pH. <i>Electrochemistry Communications</i> , 2003, 5, 138-141.	4.7	63
29	Self-excreted mediator from <i>Escherichia coli</i> K-12 for electron transfer to carbon electrodes. <i>Applied Microbiology and Biotechnology</i> , 2007, 76, 1439-1446.	3.6	63
30	Bioelectrocatalytic Reduction of O <sub>2</sub> Catalyzed by CueO from <i>Escherichia coli</i> Adsorbed on a Highly Oriented Pyrolytic Graphite Electrode. <i>Chemistry Letters</i> , 2007, 36, 132-133.	1.3	55
31	CueO-immobilized porous carbon electrode exhibiting improved performance of electrochemical reduction of dioxygen to water. <i>Electrochimica Acta</i> , 2008, 53, 5716-5720.	5.2	55
32	High-performance enzymatic biofuel cell based on flexible carbon cloth modified with MgO-templated porous carbon. <i>Journal of Power Sources</i> , 2019, 427, 49-55.	7.8	54
33	X-ray analysis of bilirubin oxidase from <i>Myrothecium verrucaria</i> at 2.3 Å resolution using a twinned crystal. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010, 66, 765-770.	0.7	52
34	Paper-Based Disk-Type Self-Powered Glucose Biosensor Based on Screen-Printed Biofuel Cell Array. <i>Journal of the Electrochemical Society</i> , 2019, 166, B1063-B1068.	2.9	52
35	Electrostatic interaction between an enzyme and electrodes in the electric double layer examined in a view of direct electron transfer-type bioelectrocatalysis. <i>Biosensors and Bioelectronics</i> , 2015, 63, 138-144.	10.1	48
36	Coulometric D-Fructose Biosensor Based on Direct Electron Transfer Using D-Fructose Dehydrogenase. <i>Analytical Chemistry</i> , 2009, 81, 9383-9387.	6.5	47

#	ARTICLE	IF	CITATIONS
37	Continuous sweat lactate monitoring system with integrated screen-printed MgO-templated carbon-lactate oxidase biosensor and microfluidic sweat collector. <i>Electrochimica Acta</i> , 2021, 368, 137620.	5.2	47
38	A screen-printed circular-type paper-based glucose/O <sub>2</sub> biofuel cell. <i>Journal of Power Sources</i> , 2017, 360, 516-519.	7.8	46
39	Glucose oxidation catalyzed by FAD-dependent glucose dehydrogenase within Os complex-tethered redox polymer hydrogel. <i>Electrochimica Acta</i> , 2014, 136, 537-541.	5.2	45
40	Effect of Pore Size of MgO-templated Carbon on the Direct Electrochemistry of $\alpha$ -D-fructose Dehydrogenase. <i>Electrochemistry</i> , 2015, 83, 372-375.	1.4	41
41	Toward Wearable Energy Storage Devices: Paper-Based Biofuel Cells based on a Screen-Printing Array Structure. <i>ChemElectroChem</i> , 2017, 4, 2460-2463.	3.4	41
42	Bilirubin Oxidase and [Fe(CN) <sub>6</sub> ] <sup>3-/4-</sup> Modified Electrode Allowing Diffusion-controlled Reduction of O <sub>2</sub> to Water at pH 7.0. <i>Chemistry Letters</i> , 2003, 32, 54-55.	1.3	39
43	Amperometric biosensor based on reductive H <sub>2</sub> O <sub>2</sub> detection using pentacyanoferrate-bound polymer for creatinine determination. <i>Analytica Chimica Acta</i> , 2013, 767, 128-133.	5.4	39
44	Screen-printed, Paper-based, Array-type, Origami Biofuel Cell. <i>Chemistry Letters</i> , 2017, 46, 726-728.	1.3	37
45	Self-Powered Bioelectrochemical Nutrient Recovery for Fertilizer Generation from Human Urine. <i>Sustainability</i> , 2019, 11, 5490.	3.2	36
46	Self-Powered Diaper Sensor with Wireless Transmitter Powered by Paper-Based Biofuel Cell with Urine Glucose as Fuel. <i>ACS Sensors</i> , 2021, 6, 3409-3415.	7.8	36
47	A liposome-based energy conversion system for accelerating the multi-enzyme reactions. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 13904.	2.8	34
48	Paper-based lactate biofuel cell array with high power output. <i>Journal of Power Sources</i> , 2021, 489, 229533.	7.8	34
49	Effects of oxygen on <i>Shewanella decolorationis</i> NT0U1 electron transfer to carbon-felt electrodes. <i>Biosensors and Bioelectronics</i> , 2010, 25, 2651-2656.	10.1	33
50	Bimolecular Rate Constants for FAD-Dependent Glucose Dehydrogenase from <i>Aspergillus terreus</i> and Organic Electron Acceptors. <i>International Journal of Molecular Sciences</i> , 2017, 18, 604.	4.1	33
51	Electrochemical Oxygen Reduction Catalyzed by Bilirubin Oxidase with the Aid of 2,2'-Azinobis(3-ethylbenzothiazolin-6-sulfonate) on a MgO-template Carbon Electrode. <i>Electrochimica Acta</i> , 2015, 180, 555-559.	5.2	31
52	Electrochemical Quartz Crystal Microbalance Study of Direct Bioelectrocatalytic Reduction of Bilirubin Oxidase. <i>Electrochemistry</i> , 2006, 74, 642-644.	1.4	29
53	Fabrication and Characterization of Glucose Fuel Cells with a Microchannel Fabricated on Flexible Polyimide Film. <i>Journal of Photopolymer Science and Technology</i> = [Fotoporima Konwakai Shi], 2013, 26, 303-308.	0.3	29
54	Flavin mononucleotide mediated electron pathway for microbial U(vi) reduction. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 10081.	2.8	27

#	ARTICLE	IF	CITATIONS
55	Pore size effect of MgO-templated carbon on enzymatic H <sub>2</sub> oxidation by the hyperthermophilic hydrogenase from <i>Aquifex aeolicus</i> . <i>Journal of Electroanalytical Chemistry</i> , 2018, 812, 221-226.	3.8	27
56	Electrochemical regulation of the end-product profile in <i>Propionibacterium freudenreichii</i> with an endogenous mediator. <i>Biotechnology and Bioengineering</i> , 2008, 101, 579-586.	3.3	26
57	Micro-cubic monolithic carbon cryogel electrode for direct electron transfer reaction of fructose dehydrogenase. <i>Bioelectrochemistry</i> , 2012, 88, 114-117.	4.6	26
58	Thermophilic biocathode with bilirubin oxidase from <i>Bacillus pumilus</i> . <i>Electrochemistry Communications</i> , 2013, 26, 41-44.	4.7	26
59	Lowering the potential of electroenzymatic glucose oxidation on redox hydrogel-modified porous carbon electrode. <i>Electrochimica Acta</i> , 2017, 232, 581-585.	5.2	26
60	Control of the pore size distribution of carbon cryogels by pH adjustment of catalyst solutions. <i>Materials Letters</i> , 2014, 128, 191-194.	2.6	25
61	Effects of pore size and surface properties of MgO-templated carbon on the performance of bilirubin oxidase-modified oxygen reduction reaction cathode. <i>Electrochimica Acta</i> , 2019, 322, 134744.	5.2	23
62	Electrochemical Oxidation of NADH Catalyzed by Diaphorase Conjugated with Poly-1-vinylimidazole Complexed with Os(2,2'-dipyridylamine) <sub>2</sub> Cl. <i>Chemistry Letters</i> , 2002, 31, 1022-1023.	1.3	22
63	Modifications of laccase activities of copper efflux oxidase, CueO by synergistic mutations in the first and second coordination spheres of the type I copper center. <i>Biochemical and Biophysical Research Communications</i> , 2013, 431, 393-397.	2.1	22
64	Bioelectrocatalytic Oxidation of Glucose on MgO-templated Mesoporous Carbon-modified Electrode. <i>Chemistry Letters</i> , 2014, 43, 928-930.	1.3	22
65	From fundamentals to applications of bioelectrocatalysis: bioelectrocatalytic reactions of FAD-dependent glucose dehydrogenase and bilirubin oxidase. <i>Bioscience, Biotechnology and Biochemistry</i> , 2019, 83, 39-48.	1.3	22
66	Stable Immobilization of Enzyme on Pendant Glycidyl Group-Modified Mesoporous Carbon by Graft Polymerization of Poly(glycidyl methacrylate). <i>Bulletin of the Chemical Society of Japan</i> , 2020, 93, 32-36.	3.2	22
67	Potential-step coulometry of d-glucose using a novel FAD-dependent glucose dehydrogenase. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 386, 645-651.	3.7	21
68	Oxygen reduction reactions of the thermostable bilirubin oxidase from <i>Bacillus pumilus</i> on mesoporous carbon-cryogel electrodes. <i>Electrochimica Acta</i> , 2014, 117, 263-267.	5.2	21
69	Electron Transfer Kinetics between PQQ-dependent Soluble Glucose Dehydrogenase and Mediators. <i>Electrochemistry</i> , 2006, 74, 639-641.	1.4	20
70	Diazonium Electrografting vs. Physical Adsorption of Azure A at Carbon Nanotubes for Mediated Glucose Oxidation with FAD-GDH. <i>ChemElectroChem</i> , 2020, 7, 4543-4549.	3.4	20
71	Wearable glucose/oxygen biofuel cell fabricated using modified aminoferrocene and flavin adenine dinucleotide-dependent glucose dehydrogenase on poly(glycidyl methacrylate)-grafted MgO-templated carbon. <i>Journal of Power Sources</i> , 2020, 479, 228807.	7.8	19
72	Coulometric bioelectrocatalytic reactions based on NAD-dependent dehydrogenases in tricarboxylic acid cycle. <i>Electrochimica Acta</i> , 2008, 54, 328-333.	5.2	18

#	ARTICLE	IF	CITATIONS
73	Water-repellent-treated enzymatic electrode for passive air-breathing biocathodic reduction of oxygen. <i>Electrochemistry Communications</i> , 2013, 36, 46-49.	4.7	18
74	Designing Thin Films of Redox Hydrogel for Highly Efficient Enzymatic Anodes. <i>Journal of the Electrochemical Society</i> , 2013, 160, G79-G82.	2.9	18
75	Electrochemical Impedance Study of Screen-printed Branch Structure Porous Carbon Electrode using MgO-templated Carbon and MgO Particle and its Application for Bilirubin Oxidase-immobilized Biocathode. <i>Electrochemistry</i> , 2015, 83, 329-331.	1.4	18
76	Mediated electrochemical oxidation of glucose via poly(methylene green) grafted on the carbon surface catalyzed by flavin adenine dinucleotide-dependent glucose dehydrogenase. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 192, 111065.	5.0	18
77	Osmium Complex Grafted on a Carbon Electrode Surface as a Mediator for a Bioelectrocatalytic Reaction. <i>Chemistry Letters</i> , 2006, 35, 1244-1245.	1.3	17
78	Improved Performance of Gas-diffusion Biocathode for Oxygen Reduction. <i>Electrochemistry</i> , 2012, 80, 324-326.	1.4	17
79	Redox Hydrogel of Glucose Oxidase on MgO-Templated Carbon Electrode. <i>Bulletin of the Chemical Society of Japan</i> , 2016, 89, 24-26.	3.2	17
80	<i>Escherichia coli</i> -catalyzed bioelectrochemical oxidation of acetate in the presence of mediators. <i>Bioelectrochemistry</i> , 2006, 69, 74-81.	4.6	15
81	Thermodynamic Redox Properties Governing the Half-Reduction Characteristics of Histamine Dehydrogenase from <i>Nocardioides simplex</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 786-796.	1.3	15
82	Diffusion-controlled Detection of Glucose with Microelectrodes in Mediated Bioelectrocatalytic Oxidation. <i>Analytical Sciences</i> , 2013, 29, 279-281.	1.6	15
83	Modification of Spectroscopic Properties and Catalytic Activity of <i>Escherichia coli</i> CueO by Mutations of Methionine 510, the Axial Ligand to the Type I Cu. <i>Bulletin of the Chemical Society of Japan</i> , 2009, 82, 504-508.	3.2	14
84	Transmission mechanism of the change in membrane potential by use of organic liquid membrane system. <i>Journal of Electroanalytical Chemistry</i> , 2012, 673, 8-12.	3.8	14
85	Tuning the redox potential of vitamin K <sub>3</sub> derivatives by oxidative functionalization using a Ag( $\text{GO}$ ) catalyst. <i>Chemical Communications</i> , 2017, 53, 8890-8893.	4.1	14
86	Direct electrochemistry of histamine dehydrogenase from <i>Nocardioides simplex</i> . <i>Journal of Electroanalytical Chemistry</i> , 2009, 625, 144-148.	3.8	13
87	Hofmeister effects on the glucose oxidase hydrogel-modified electrode. <i>Electrochimica Acta</i> , 2016, 201, 228-232.	5.2	13
88	Redox-Polymers Enable Uninterrupted Day/Night Photo-Driven Electricity Generation in Biophotovoltaic Devices. <i>Journal of the Electrochemical Society</i> , 2017, 164, H3037-H3040.	2.9	13
89	Toward an ideal platform structure based on MgO-templated carbon for flavin adenine dinucleotide-dependent glucose dehydrogenase-Os polymer-hydrogel electrodes. <i>Electrochimica Acta</i> , 2020, 343, 136110.	5.2	13
90	Disposable electrochemical glucose sensor based on water-soluble quinone-based mediators with flavin adenine dinucleotide-dependent glucose dehydrogenase. <i>Biosensors and Bioelectronics</i> , 2021, 189, 113357.	10.1	13

#	ARTICLE	IF	CITATIONS
91	Direct electron transfer to a metagenome-derived laccase fused to affinity tags near the electroactive copper site. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 20585.	2.8	12
92	Pentacyanoferrate and Bilirubin Oxidase-bound Polymer for Oxygen Reduction Bio-cathode. <i>Electrochemistry</i> , 2008, 76, 594-596.	1.4	11
93	Toward self-powered real-time health monitoring of body fluid components based on improved enzymatic biofuel cells. <i>JPhys Energy</i> , 2021, 3, 032002.	5.3	11
94	Electrochemistry of $\alpha$ -Gluconate 2-Dehydrogenase from <i>Gluconobacter frateurii</i> on Indium Tin Oxide Electrode Surface. <i>Chemistry Letters</i> , 2007, 36, 1164-1165.	1.3	10
95	Electrochemical Impedance Simulation of Branch Structure Porous Carbon Electrode Using Transmission Line Model. <i>Electrochemistry</i> , 2015, 83, 335-338.	1.4	10
96	Bioelectrochemical Determination at Histamine Dehydrogenase-based Electrodes. <i>Electrochemistry</i> , 2008, 76, 600-602.	1.4	9
97	Micro-coulometric study of bioelectrochemical reaction coupled with TCA cycle. <i>Biosensors and Bioelectronics</i> , 2012, 34, 244-248.	10.1	9
98	Electrostatic and steric interaction between redox polymers and some flavoenzymes in mediated bioelectrocatalysis. <i>Journal of Electroanalytical Chemistry</i> , 2013, 689, 26-30.	3.8	9
99	Long-term Continuous Operation of FAD-dependent Glucose Dehydrogenase Hydrogel-modified Electrode at 37 °C. <i>Chemistry Letters</i> , 2016, 45, 484-486.	1.3	9
100	Review of Polarography, 2006, 52, 81-88.	0.1	8
101	Mediated bioelectrocatalytic reaction at an ultrathin redox polymer film on a glassy carbon electrode surface and effect of the ionic strength on the catalytic current. <i>Journal of Electroanalytical Chemistry</i> , 2008, 614, 67-72.	3.8	8
102	Effect of Electrolyte Ions on the Stability of Flavin Adenine Dinucleotide-Dependent Glucose Dehydrogenase. <i>ChemElectroChem</i> , 2019, 6, 1028-1031.	3.4	8
103	Designing a cross-linked redox network for a mediated enzyme-based electrode. <i>Chemical Communications</i> , 2021, 57, 6999-7002.	4.1	8
104	Direct Electron Transfer Reaction of $\alpha$ -Gluconate 2-Dehydrogenase Adsorbed on Bare and Thiol-modified Gold Electrodes. <i>Electrochemistry</i> , 2008, 76, 549-551.	1.4	7
105	Bioelectrocatalytic endpoint assays based on steady-state diffusion current at microelectrode array. <i>Electrochemistry Communications</i> , 2010, 12, 839-842.	4.7	7
106	Ion Transport across Planar Bilayer Lipid Membrane Driven by $\alpha$ -Fructose Dehydrogenase-catalyzed Electron Transport. <i>Chemistry Letters</i> , 2011, 40, 486-488.	1.3	6
107	Bioelectrocatalytic oxidation of glucose with antibiotic channel-containing liposomes. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 2650.	2.8	6
108	Chitosan-based enzyme ink for screen-printed bioanodes. <i>RSC Advances</i> , 2021, 11, 20550-20556.	3.6	6

#	ARTICLE	IF	CITATIONS
109	Electrochemical modification at multiwalled carbon nanotube electrodes with Azure A for FAD-glucose dehydrogenase wiring: structural optimization to enhance catalytic activity and stability. <i>JPhys Energy</i> , 2021, 3, 024004.	5.3	6
110	High Capacity Lactate Biofuel Cell Using Enzyme Cascade without NAD. <i>Chemistry Letters</i> , 2021, 50, 1160-1163.	1.3	6
111	New function of aldoxime dehydratase: Redox catalysis and the formation of an expected product. <i>PLoS ONE</i> , 2017, 12, e0175846.	2.5	5
112	Separator-less One-compartment Bulk Electrolysis with a Small Auxiliary Electrode and its Application to Spectroelectrochemistry. <i>Electrochemistry</i> , 2004, 72, 484-486.	1.4	5
113	AC Impedance Analysis of Enzyme-Functional Electrodes. <i>Bunseki Kagaku</i> , 2008, 57, 625-629.	0.2	4
114	A two-step synthesis of 7,8-dichloro-riboflavin with high yield. <i>RSC Advances</i> , 2012, 2, 2700.	3.6	4
115	Dependence of Steady-State Catalytic Current on the Thickness of an Enzyme-Mediator-Immobilized Layer Fabricated by Layer-by-Layer Method. <i>Bunseki Kagaku</i> , 2007, 56, 419-424.	0.2	3
116	Amperometric Detection of Acetate Based on Mediated Bioelectrocatalysis using <i>Escherichia coli</i> Cells Cultivated with Acetate. <i>Electrochemistry</i> , 2008, 76, 631-633.	1.4	3
117	Electrochemical Activation of a Novel Laccase, MELAC, Isolated from Compost. <i>Chemistry Letters</i> , 2015, 44, 654-655.	1.3	3
118	Oxygen Reduction Reaction Activity and Stability of Electrochemically Deposited Bilirubin Oxidase. <i>Chemistry Letters</i> , 2018, 47, 1269-1271.	1.3	3
119	Effects of electrolyte on the mediated electrocatalytic glucose oxidation reaction catalyzed by flavin adenine dinucleotide glucose dehydrogenase. <i>Electrochimica Acta</i> , 2019, 313, 189-193.	5.2	3
120	Thermal properties and applications. , 2020, , 415-447.		3
121	Extracellular electron transfer by <i>Microcystis aeruginosa</i> is solely driven by high pH. <i>Bioelectrochemistry</i> , 2021, 137, 107637.	4.6	3
122	Fabrication of an Organic Redox Capacitor with a Neutral Aqueous Electrolyte Solution. <i>Electrochemistry</i> , 2021, 89, 317-322.	1.4	3
123	Re-construction of Pentose Phosphate Pathway Coupled with a Bioelectrocatalytic NADPH Oxidation System for Bioanodes of Biofuel Cells. <i>Electrochemistry</i> , 2013, 81, 981-984.	1.4	2
124	Chemical properties and applications. , 2020, , 251-371.		2
125	Improved glucose oxidation catalytic current generation by an FAD-dependent glucose dehydrogenase-modified hydrogel electrode, in accordance with the Hofmeister effect. <i>JPhys Energy</i> , 2021, 3, 024005.	5.3	2
126	Ready-to-use paper biofuel cell driven by water. <i>JPhys Energy</i> , 2021, 3, 016001.	5.3	2



#	ARTICLE	IF	CITATIONS
127	Electrochemical Investigation on Permeability of Organic Acid Ions Through Amphotericin B Channels. <i>Electrochemistry</i> , 2008, 76, 900-909.	1.4	1
128	Electrochemical Investigation on Permeability of Organic Acid Ions Through Amphotericin B Channels. <i>Electrochemistry</i> , 2012, 80, 315-317.	1.4	1
129	Preparation of graphene. , 2020, , 39-171.		1
130	Electrical properties and applications. , 2020, , 173-249.		1
131	Synechococcus and Other Bloom-Forming Cyanobacteria Exhibit Unique Redox Signatures. <i>ChemElectroChem</i> , 2021, 8, 360-364.	3.4	1
132	Surface Properties Governing Direct Electron Transfer Kinetics of a Multi-copper Oxidase CueO. ECS Meeting Abstracts, 2009, , .	0.0	0
133	Stopped flow kinetic studies on reductive half-reaction of histamine dehydrogenase from <i>NocardioIDES simplex</i> with histamine. <i>Journal of Biochemistry</i> , 2010, 148, 47-54.	1.7	0
134	Glucose Fuel Cells with a MicroChannel Fabricated on Flexible Polyimide Film. <i>Journal of Physics: Conference Series</i> , 2013, 476, 012048.	0.4	0
135	Improved Formation of Pt Multilayers at Near-neutral pH: Underpotential Deposition and Surface Limited Redox Replacement. <i>Chemistry Letters</i> , 2018, 47, 1379-1382.	1.3	0
136	4. Porous carbon materials for enzymatic fuel cells. , 2019, , 59-76.		0
137	Mechanical properties and applications. , 2020, , 373-414.		0
138	Biomedical properties and applications. , 2020, , 449-483.		0
139	Summary and prospects. , 2020, , 561-591.		0
140	Beyond graphene. , 2020, , 485-560.		0
141	Polydopamine Coating on Lactate Oxidase- and 1,2-Naphthoquinone-modified Porous Carbon Electrode for Stability Improvement. <i>Chemistry Letters</i> , 2021, 50, 593-595.	1.3	0
142	Recent advances in carbon electrodes for the development of enzyme-based biofuel cells. <i>Tanso</i> , 2014, 2014, 195-203.	0.1	0
143	Carbonaceous Electrodes Featuring Tunable Mesopores for Use as Enzyme Electrodes. , 2017, , 381-399.		0

#	ARTICLE	IF	CITATIONS
145	Performance Evaluation of Screen-Printed Paper-Based Glucose Biofuel Cell Using MgO-Templated Porous Carbon Material for Self-Powered Diaper Sensor. ECS Meeting Abstracts, 2018, , .	0.0	0
146	Evaluation of enzymatic bioelectrocatalytic reaction. Denki Kagaku, 2020, 88, 254-261.	0.0	0