

Jeon Han Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2205069/publications.pdf>

Version: 2024-02-01

68
papers

2,083
citations

201674

27
h-index

243625

44
g-index

68
all docs

68
docs citations

68
times ranked

3442
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of transarterial chemoembolization on regulatory T cell and its subpopulations in patients with hepatocellular carcinoma. <i>Hepatology International</i> , 2020, 14, 249-258.	4.2	13
2	Delayed-Onset Anaphylaxis Caused by IgE Response to Influenza Vaccination. <i>Allergy, Asthma and Immunology Research</i> , 2020, 12, 359.	2.9	7
3	Curcumin Treatment in Combination with Glucose Restriction Inhibits Intracellular Alkalinization and Tumor Growth in Hepatoma Cells. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2375.	4.1	16
4	Development of a HA1-specific enzyme-linked immunosorbent assay against pandemic influenza virus A H1N1. <i>Clinical and Experimental Vaccine Research</i> , 2019, 8, 70.	2.2	5
5	Chitinase 3-like 1 protein plays a critical role in respiratory syncytial virus-induced airway inflammation. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 685-697.	5.7	29
6	Cellular inhibitor of apoptosis protein 2 promotes the epithelial-mesenchymal transition in triple-negative breast cancer cells through activation of the AKT signaling pathway. <i>Oncotarget</i> , 2017, 8, 78781-78795.	1.8	15
7	Hepatitis C virus impairs natural killer cell activity via viral serine protease NS3. <i>PLoS ONE</i> , 2017, 12, e0175793.	2.5	12
8	Role of LOXL2 in the epithelial-mesenchymal transition and colorectal cancer metastasis. <i>Oncotarget</i> , 2017, 8, 80325-80335.	1.8	36
9	Troglitazone Enhances the Apoptotic Response of DLD-1 Colon Cancer Cells to Photodynamic Therapy. <i>Yonsei Medical Journal</i> , 2016, 57, 1494.	2.2	7
10	Synergic chemoprevention with dietary carbohydrate restriction and supplementation of AMPK-activating phytochemicals. <i>European Journal of Cancer Prevention</i> , 2016, 25, 54-64.	1.3	11
11	Serum Dickkopf-1 as a Biomarker for the Diagnosis of Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , 2015, 56, 1296.	2.2	33
12	Hypermethylation of the interferon regulatory factor 5 promoter in Epstein-Barr virus-associated gastric carcinoma. <i>Journal of Microbiology</i> , 2015, 53, 70-76.	2.8	25
13	Efficacy of perifosine alone and in combination with sorafenib in an HrasG12V plus shp53 transgenic mouse model of hepatocellular carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 76, 257-267.	2.3	5
14	Targeted therapy for Epstein-Barr virus-associated gastric carcinoma using low-dose gemcitabine-induced lytic activation. <i>Oncotarget</i> , 2015, 6, 31018-31029.	1.8	23
15	Pre-B mutations of hepatitis B virus affect genome replication and expression of surface antigens. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014, 29, 843-850.	2.8	7
16	Inhibition of tumour angiogenesis and growth by small hairpin HIF-1 α and IL-8 in hepatocellular carcinoma. <i>Liver International</i> , 2014, 34, 632-642.	3.9	27
17	Loop-mediated isothermal amplification of vanA gene enables a rapid and naked-eye detection of vancomycin-resistant enterococci infection. <i>Journal of Microbiological Methods</i> , 2014, 104, 61-66.	1.6	15
18	Zinc inhibits osteoclast differentiation by suppression of Ca ²⁺ -Calcineurin-NFATc1 signaling pathway. <i>Cell Communication and Signaling</i> , 2013, 11, 74.	6.5	67

#	ARTICLE	IF	CITATIONS
19	Expression of Epstein-Barr Virus Gene and Clonality of Infiltrated T Lymphocytes in Epstein-Barr Virus-associated Gastric Carcinoma. <i>Immune Network</i> , 2011, 11, 50.	3.6	12
20	Cell-to-Cell Contact with Hepatitis C Virus-Infected Cells Reduces Functional Capacity of Natural Killer Cells. <i>Journal of Virology</i> , 2011, 85, 12557-12569.	3.4	55
21	Impact of Hepatitis B Virus (HBV) X Gene Mutations on Hepatocellular Carcinoma Development in Chronic HBV Infection. <i>Vaccine Journal</i> , 2011, 18, 914-921.	3.1	49
22	Validation of Gene Expression Changes of Osteopontin and MMP-1 in Primary and Metastatic Colorectal Carcinomas. <i>Korean Journal of Pathology</i> , 2010, 44, 225.	1.3	0
23	Evaluation of the Role of Hexokinase Type II in Cellular Proliferation and Apoptosis Using Human Hepatocellular Carcinoma Cell Lines. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1525-1532.	5.0	53
24	Enzymatic properties of the N- and C-terminal halves of human hexokinase II. <i>BMB Reports</i> , 2009, 42, 350-355.	2.4	28
25	Role of reactive oxygen species-mediated mitochondrial dysregulation in 3-bromopyruvate induced cell death in hepatoma cells. <i>Journal of Bioenergetics and Biomembranes</i> , 2008, 40, 607-618.	2.3	88
26	Raf-1 and protein kinase B regulate cell survival through the activation of NF- κ B in hepatitis B virus X-expressing cells. <i>Virus Research</i> , 2007, 125, 1-8.	2.2	15
27	The interaction of hepatitis B virus X protein and protein phosphatase type 2 C \pm and its effect on IL-6. <i>Biochemical and Biophysical Research Communications</i> , 2006, 351, 253-258.	2.1	20
28	Anti-IgM induces up-regulation and tyrosine-phosphorylation of heterogeneous nuclear ribonucleoprotein K proteins (hnRNP K) in a Ramos B cell line. <i>Immunology Letters</i> , 2005, 98, 303-310.	2.5	8
29	Induction of cell death by photodynamic therapy with a new synthetic photosensitizer DH-I-180-3 in undifferentiated and differentiated 3T3-L1 cells. <i>Biochemical and Biophysical Research Communications</i> , 2005, 337, 1059-1064.	2.1	8
30	Detection of micrometastasis in fixed paraffin-embedded Sentinel Lymph Nodes of Breast cancer using RT-PCR. <i>Journal of Breast Cancer</i> , 2005, 8, 31.	1.9	0
31	Different glucose uptake and glycolytic mechanisms between hepatocellular carcinoma and intrahepatic mass-forming cholangiocarcinoma with increased (18)F-FDG uptake. <i>Journal of Nuclear Medicine</i> , 2005, 46, 1753-9.	5.0	73
32	EBNA2 Is Required for Protection of Latently Epstein-Barr Virus-Infected B Cells against Specific Apoptotic Stimuli. <i>Journal of Virology</i> , 2004, 78, 12694-12697.	3.4	35
33	Effects of novel peptides derived from the acidic tail of synuclein (ATS) on the aggregation and stability of fusion proteins. <i>Protein Engineering, Design and Selection</i> , 2004, 17, 251-260.	2.1	19
34	Cisplatin-induced apoptosis in Hep3B cells: mitochondria-dependent and -independent pathways. <i>Biochemical Pharmacology</i> , 2004, 67, 1459-1468.	4.4	40
35	Analysis of gene expression profiles of hepatocellular carcinomas with regard to 18F-fluorodeoxyglucose uptake pattern on positron emission tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 1621-1630.	6.4	79
36	Characteristics of the killing mechanism of human natural killer cells against hepatocellular carcinoma cell lines HepG2 and Hep3B. <i>Cancer Immunology, Immunotherapy</i> , 2004, 53, 461-470.	4.2	31

#	ARTICLE	IF	CITATIONS
37	Hepatitis B virus X protein modulates peroxisome proliferator-activated receptor β through protein-protein interaction. <i>FEBS Letters</i> , 2004, 557, 73-80.	2.8	27
38	Structural basis for inhibition of protein tyrosine phosphatases by Keggin compounds phosphomolybdate and phosphotungstate. <i>Experimental and Molecular Medicine</i> , 2002, 34, 211-223.	7.7	29
39	Human hepatocellular carcinoma cells resist to TRAIL-induced apoptosis, and the resistance is abolished by cisplatin. <i>Experimental and Molecular Medicine</i> , 2002, 34, 114-122.	7.7	60
40	Distinct Roles of the N-terminal-binding Domain and the C-terminal-solubilizing Domain of α -Synuclein, a Molecular Chaperone. <i>Journal of Biological Chemistry</i> , 2002, 277, 28512-28520.	3.4	101
41	Evidence that α -synuclein functions as a negative regulator of Ca^{++} -dependent α -granule release from human platelets. <i>Blood</i> , 2002, 100, 2506-2514.	1.4	51
42	Stress-Induced Aggregation Profiles of GST α - α -Synuclein Fusion Proteins: A Role of the C-Terminal Acidic Tail of α -Synuclein in Protein Thermosolubility and Stability. <i>Biochemistry</i> , 2002, 41, 4137-4146.	2.5	50
43	Hepatitis B virus X protein induced expression of interleukin 18 (IL-18): a potential mechanism for liver injury caused by hepatitis B virus (HBV) infection. <i>Journal of Hepatology</i> , 2002, 37, 380-386.	3.7	52
44	Effective local control of malignant melanoma by intratumoural injection of a beta-emitting radionuclide. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002, 29, 221-230.	6.4	19
45	The Effects of Swimming Training on Lymphocyte Proliferation and ROS Production in Spleen Lymphocytes of BALB/c Mice. <i>Immune Network</i> , 2002, 2, 96.	3.6	2
46	Hepatitis B Virus X Protein Induced Expression of the Nur77 Gene. <i>Biochemical and Biophysical Research Communications</i> , 2001, 288, 1162-1168.	2.1	29
47	Effect of interferon- γ on the susceptibility to Fas (CD95/APO-1)-mediated cell death in human hepatoma cells. <i>Cancer Immunology, Immunotherapy</i> , 2001, 50, 23-30.	4.2	28
48	IFN- γ induces cell death in human hepatoma cells through a trail/death receptor-mediated apoptotic pathway. <i>International Journal of Cancer</i> , 2001, 93, 262-268.	5.1	75
49	Induction of Neuronal Cell Death by Rab5A-dependent Endocytosis of α -Synuclein. <i>Journal of Biological Chemistry</i> , 2001, 276, 27441-27448.	3.4	174
50	Differential effects of retinoic acid on growth and apoptosis in human colon cancer cell lines associated with the induction of retinoic acid receptor β . <i>Biochemical Pharmacology</i> , 2000, 59, 485-496.	4.4	54
51	Role of caspase-3 in apoptosis of colon cancer cells induced by nonsteroidal anti-inflammatory drugs. <i>International Journal of Colorectal Disease</i> , 2000, 15, 105-111.	2.2	32
52	Diversity of the p70 Killer Cell Inhibitory Receptor (KIR3DL) Family Members in a Single Individual. <i>Molecules and Cells</i> , 2000, 10, 54-60.	2.6	7
53	Expression Patterns of α -Synuclein in Human Hematopoietic Cells and in <i>Drosophila</i> at Different Developmental Stages. <i>Molecules and Cells</i> , 2000, 10, 65-70.	2.6	82
54	Restoration of P-glycoprotein function is involved in the increase of natural killer activity with exogenous interleukin-15 in human immunodeficiency virus-infected individuals. <i>Yonsei Medical Journal</i> , 2000, 41, 600.	2.2	5

#	ARTICLE	IF	CITATIONS
55	Influence of the sequence variations of the HLA-DR promoters derived from human melanoma cell lines on nuclear protein binding and promoter activity. <i>Yonsei Medical Journal</i> , 2000, 41, 593.	2.2	5
56	Diversity of the p70 Killer Cell Inhibitory Receptor (KIR3DL) Family Members in a Single Individual. <i>Molecules and Cells</i> , 2000, 10, 54-60.	2.6	2
57	Expression Patterns of α -Synuclein in Human Hematopoietic Cells and in <i>Drosophila</i> at Different Developmental Stages. <i>Molecules and Cells</i> , 2000, 10, 65-70.	2.6	3
58	Molecular analysis of HLA-DR gene expression induced by IFN-gamma in malignant melanoma cell lines. <i>Yonsei Medical Journal</i> , 1999, 40, 30.	2.2	5
59	Apoptosis in human hepatoma cell lines by chemotherapeutic drugs via fas-dependent and fas-independent pathways. <i>Hepatology</i> , 1999, 29, 101-110.	7.3	94
60	Expression of c-erbB2 and HLA-A2 in Breast Cancer Patients. <i>Journal of Korean Breast Cancer Society</i> , 1999, 2, 152.	0.1	0
61	Expression of Fas-related genes in human hepatocellular carcinomas. <i>Cancer Letters</i> , 1998, 134, 155-162.	7.2	45
62	Induction of ICAM-1 HLA-DR Molecules by IFN-Gamma and Oncogene Expression in Human Bladder Cancer Cell Lines. <i>Urologia Internationalis</i> , 1997, 59, 72-80.	1.3	6
63	Triton X-100 induces apoptosis in human hepatoma cell lines. <i>Yonsei Medical Journal</i> , 1997, 38, 52.	2.2	9
64	Immunohistochemical characteristics of colorectal carcinoma with DNA replication errors. <i>Journal of Korean Medical Science</i> , 1996, 11, 137.	2.5	8
65	Induction of ICAM-1 and HLA-DR expression by IFN- γ in malignant melanoma cell lines. <i>Yonsei Medical Journal</i> , 1995, 36, 15.	2.2	8
66	Nuclear protein binding patterns in the 5'-upstream regulatory elements of HLA class I genes. <i>Yonsei Medical Journal</i> , 1994, 35, 295.	2.2	2
67	Chlorophyll derivatives (CpD) extracted from silk worm excreta are specifically cytotoxic to tumor cells <i>in vitro</i> . <i>Yonsei Medical Journal</i> , 1990, 31, 225.	2.2	10
68	Regulation of <i>HK2</i> expression through alterations in CpG methylation of the <i>HK2</i> promoter during progression of hepatocellular carcinoma. <i>Oncotarget</i> , 0, 7, 41798-41810.	1.8	43