

Alessandra Soriani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/220788/publications.pdf>

Version: 2024-02-01

58
papers

3,847
citations

126907

33
h-index

138484

58
g-index

58
all docs

58
docs citations

58
times ranked

5442
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact on NK cell functions of acute versus chronic exposure to extracellular vesicle-associated MICA: Dual role in cancer immunosurveillance. <i>Journal of Extracellular Vesicles</i> , 2022, 11, e12176.	12.2	22
2	Self or Non-Self? It Is also a Matter of RNA Recognition and Editing by ADAR1. <i>Biology</i> , 2022, 11, 568.	2.8	4
3	Cereblon regulates NK cell cytotoxicity and migration via Rac1 activation. <i>European Journal of Immunology</i> , 2021, 51, 2607-2617.	2.9	5
4	Immunomodulatory effect of NEDD8-activating enzyme inhibition in Multiple Myeloma: upregulation of NKG2D ligands and sensitization to Natural Killer cell recognition. <i>Cell Death and Disease</i> , 2021, 12, 836.	6.3	13
5	Cancer extracellular vesicles as novel regulators of NK cell response. <i>Cytokine and Growth Factor Reviews</i> , 2020, 51, 19-26.	7.2	13
6	Bone Marrow Stromal Cell-Derived IL-8 Upregulates PVR Expression on Multiple Myeloma Cells via NF- κ B Transcription Factor. <i>Cancers</i> , 2020, 12, 440.	3.7	21
7	Hitting More Birds with a Stone: Impact of TGF- β 2 on ILC Activity in Cancer. <i>Journal of Clinical Medicine</i> , 2020, 9, 143.	2.4	19
8	The Senescence-Associated Secretory Phenotype (SASP) in the Challenging Future of Cancer Therapy and Age-Related Diseases. <i>Biology</i> , 2020, 9, 485.	2.8	116
9	TREM1/3 Deficiency Impairs Tissue Repair After Acute Kidney Injury and Mitochondrial Metabolic Flexibility in Tubular Epithelial Cells. <i>Frontiers in Immunology</i> , 2019, 10, 1469.	4.8	20
10	Cancer Exosomes as Conveyors of Stress-Induced Molecules: New Players in the Modulation of NK Cell Response. <i>International Journal of Molecular Sciences</i> , 2019, 20, 611.	4.1	34
11	Activation of liver X receptor upregulates the expression of the NKG2D ligands MICA and MICB in multiple myeloma through different molecular mechanisms. <i>FASEB Journal</i> , 2019, 33, 9489-9504.	0.5	19
12	The homeobox transcription factor MEIS2 is a regulator of cancer cell survival and IMiDs activity in Multiple Myeloma: modulation by Bromodomain and Extra-Terminal (BET) protein inhibitors. <i>Cell Death and Disease</i> , 2019, 10, 324.	6.3	11
13	Senescent cells: Living or dying is a matter of NK cells. <i>Journal of Leukocyte Biology</i> , 2019, 105, 1275-1283.	3.3	69
14	Dendritic cells modulate <i>cd137</i> expression on the edge between activation and death. <i>European Journal of Immunology</i> , 2019, 49, 534-545.	2.9	7
15	Chemokine regulation of innate lymphoid cell tissue distribution and function. <i>Cytokine and Growth Factor Reviews</i> , 2018, 42, 47-55.	7.2	22
16	Drug-Induced Senescent Multiple Myeloma Cells Elicit NK Cell Proliferation by Direct or Exosome-Mediated IL15 Trans-Presentation. <i>Cancer Immunology Research</i> , 2018, 6, 860-869.	3.4	59
17	Key Role of the CD56 ^{low} CD16 ^{low} Natural Killer Cell Subset in the Recognition and Killing of Multiple Myeloma Cells. <i>Cancers</i> , 2018, 10, 473.	3.7	29
18	Translating the anti-myeloma activity of Natural Killer cells into clinical application. <i>Cancer Treatment Reviews</i> , 2018, 70, 255-264.	7.7	28

#	ARTICLE	IF	CITATIONS
19	NKG2D and Its Ligands: "One for All, All for One". <i>Frontiers in Immunology</i> , 2018, 9, 476.	4.8	165
20	MICA-129 Dimorphism and Soluble MICA Are Associated With the Progression of Multiple Myeloma. <i>Frontiers in Immunology</i> , 2018, 9, 926.	4.8	33
21	Genotoxic stress modulates the release of exosomes from multiple myeloma cells capable of activating NK cell cytokine production: Role of HSP70/TLR2/NF- κ B axis. <i>Oncolmmunology</i> , 2017, 6, e1279372.	4.6	100
22	p38 MAPK differentially controls NK activating ligands at transcriptional and post-transcriptional level on multiple myeloma cells. <i>Oncolmmunology</i> , 2017, 6, e1264564.	4.6	29
23	GM-CSF Inhibits c-Kit and SCF Expression by Bone Marrow-Derived Dendritic Cells. <i>Frontiers in Immunology</i> , 2017, 8, 147.	4.8	7
24	Natural Killer Cell Response to Chemotherapy-Stressed Cancer Cells: Role in Tumor Immunosurveillance. <i>Frontiers in Immunology</i> , 2017, 8, 1194.	4.8	100
25	How Mucosal Epithelia Deal with Stress: Role of NKG2D/NKG2D Ligands during Inflammation. <i>Frontiers in Immunology</i> , 2017, 8, 1583.	4.8	19
26	Targeting NKG2D and NKp30 Ligands Shedding to Improve NK Cell-Based Immunotherapy. <i>Critical Reviews in Immunology</i> , 2016, 36, 445-460.	0.5	27
27	Cannabinoids synergize with carfilzomib, reducing multiple myeloma cells viability and migration. <i>Oncotarget</i> , 2016, 7, 77543-77557.	1.8	62
28	Inhibition of bromodomain and extra-terminal (BET) proteins increases NKG2D ligand MICA expression and sensitivity to NK cell-mediated cytotoxicity in multiple myeloma cells: role of cMYC-IRF4-miR-125b interplay. <i>Journal of Hematology and Oncology</i> , 2016, 9, 134.	17.0	72
29	Natural killer cell recognition of <i>in vivo</i> drug-induced senescent multiple myeloma cells. <i>Oncolmmunology</i> , 2016, 5, e1218105.	4.6	40
30	NKG2D and DNAM-1 Ligands: Molecular Targets for NK Cell-Mediated Immunotherapeutic Intervention in Multiple Myeloma. <i>BioMed Research International</i> , 2015, 2015, 1-9.	1.9	61
31	Axitinib induces DNA damage response leading to senescence, mitotic catastrophe, and increased NK cell recognition in human renal carcinoma cells. <i>Oncotarget</i> , 2015, 6, 36245-36259.	1.8	46
32	The Human Antibody Fragment DIATHIS1 Specific for CEACAM1 Enhances Natural Killer Cell Cytotoxicity Against Melanoma Cell Lines In Vitro. <i>Journal of Immunotherapy</i> , 2015, 38, 357-370.	2.4	8
33	Nitric oxide donors increase PVR/CD155 DNAM-1 ligand expression in multiple myeloma cells: role of DNA damage response activation. <i>BMC Cancer</i> , 2015, 15, 17.	2.6	54
34	Genotoxic Stress Induces Senescence-Associated ADAM10-Dependent Release of NKG2D MIC Ligands in Multiple Myeloma Cells. <i>Journal of Immunology</i> , 2015, 195, 736-748.	0.8	85
35	New Indole Tubulin Assembly Inhibitors Cause Stable Arrest of Mitotic Progression, Enhanced Stimulation of Natural Killer Cell Cytotoxic Activity, and Repression of Hedgehog-Dependent Cancer. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 5789-5807.	6.4	51
36	Sorafenib induces cathepsin B-mediated apoptosis of bladder cancer cells by regulating the Akt/PTEN pathway. The Akt inhibitor, perifosine, enhances the sorafenib-induced cytotoxicity against bladder cancer cells.. <i>Oncoscience</i> , 2015, 2, 395-409.	2.2	25

#	ARTICLE	IF	CITATIONS
37	The IMiDs targets IKZF-1/3 and IRF4 as novel negative regulators of NK cell-activating ligands expression in multiple myeloma. <i>Oncotarget</i> , 2015, 6, 23609-23630.	1.8	78
38	The DNA Damage Response: A Common Pathway in the Regulation of NKG2D and DNAM-1 Ligand Expression in Normal, Infected, and Cancer Cells. <i>Frontiers in Immunology</i> , 2014, 4, 508.	4.8	110
39	Reactive Oxygen Speciesâ€ and DNA Damage Responseâ€ Dependent NK Cell Activating Ligand Upregulation Occurs at Transcriptional Levels and Requires the Transcriptional Factor E2F1. <i>Journal of Immunology</i> , 2014, 193, 950-960.	0.8	81
40	Toward Highly Potent Cancer Agents by Modulating the C-2 Group of the Arylthioindole Class of Tubulin Polymerization Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 123-149.	6.4	107
41	Chemotherapy-elicited upregulation of NKG2D and DNAM-1 ligands as a therapeutic target in multiple myeloma. <i>Oncolmunology</i> , 2013, 2, e26663.	4.6	35
42	Inhibition of Glycogen Synthase Kinase-3 Increases NKG2D Ligand MICA Expression and Sensitivity to NK Cellâ€ Mediated Cytotoxicity in Multiple Myeloma Cells: Role of STAT3. <i>Journal of Immunology</i> , 2013, 190, 6662-6672.	0.8	64
43	Chemerin Regulates NK Cell Accumulation and Endothelial Cell Morphogenesis in the Decidua during Early Pregnancy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 3603-3612.	3.6	75
44	IL-15 inhibits IL-7R α expression by memory phenotype CD8 ⁺ T cells in the bone marrow. <i>European Journal of Immunology</i> , 2012, 42, 1129-1139.	2.9	25
45	Design and Synthesis of 2-Heterocycl-3-arylthio-1 <i>H</i> -indoles as Potent Tubulin Polymerization and Cell Growth Inhibitors with Improved Metabolic Stability. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 8394-8406.	6.4	70
46	DNAM-1 ligand expression on Ag-stimulated T lymphocytes is mediated by ROS-dependent activation of DNA-damage response: relevance for NKâ€ T cell interaction. <i>Blood</i> , 2011, 117, 4778-4786.	1.4	118
47	CX3CR1/CX3CL1 axis negatively controls glioma cell invasion and is modulated by transforming growth factor-beta1. <i>Neuro-Oncology</i> , 2010, 12, 701-710.	1.2	63
48	Heat Shock Protein-90 Inhibitors Increase MHC Class I-Related Chain A and B Ligand Expression on Multiple Myeloma Cells and Their Ability to Trigger NK Cell Degranulation. <i>Journal of Immunology</i> , 2009, 183, 4385-4394.	0.8	79
49	ATM-ATRâ€ dependent up-regulation of DNAM-1 and NKG2D ligands on multiple myeloma cells by therapeutic agents results in enhanced NK-cell susceptibility and is associated with a senescent phenotype. <i>Blood</i> , 2009, 113, 3503-3511.	1.4	384
50	Recruitment of circulating NK cells through decidual tissues: a possible mechanism controlling NK cell accumulation in the uterus during early pregnancy. <i>Blood</i> , 2008, 111, 3108-3115.	1.4	222
51	A role for PKC θ in outside-in α IIb β 3 signaling. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 648-655.	3.8	69
52	Reconstructing and Deconstructing Agonist-Induced Activation of Integrin β 2. <i>Current Biology</i> , 2006, 16, 1796-1806.	3.9	419
53	Regulation of Outside-in Signaling in Platelets by Integrin-associated Protein Kinase C ζ . <i>Journal of Biological Chemistry</i> , 2005, 280, 644-653.	3.4	109
54	Defective expression of the T-cell receptor-CD3 ζ chain in T-cell acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 2003, 120, 201-208.	2.5	18

#	ARTICLE	IF	CITATIONS
55	Proline-Rich Tyrosine Kinase 2 and Rac Activation by Chemokine and Integrin Receptors Controls NK Cell Transendothelial Migration. <i>Journal of Immunology</i> , 2003, 170, 3065-3073.	0.8	52
56	In Situ Study of Chemokine and Chemokine-Receptor Expression in Kaposi Sarcoma. <i>American Journal of Dermatopathology</i> , 2003, 25, 377-383.	0.6	16
57	RAC1/P38 MAPK Signaling Pathway Controls β 1 Integrin-Induced Interleukin-8 Production in Human Natural Killer Cells. <i>Immunity</i> , 2000, 12, 7-16.	14.3	91
58	Integrin-mediated Ras-Extracellular Regulated Kinase (ERK) Signaling Regulates Interferon γ Production in Human Natural Killer Cells. <i>Journal of Experimental Medicine</i> , 1998, 188, 1267-1275.	8.5	67