

# Daichi Sone

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2211442/publications.pdf>

Version: 2024-02-01

114  
papers

1,630  
citations

394286

19  
h-index

434063

31  
g-index

117  
all docs

117  
docs citations

117  
times ranked

2671  
citing authors

#	ARTICLE	IF	CITATIONS
1	Optimal Surgical Extent for Memory and Seizure Outcome in Temporal Lobe Epilepsy. <i>Annals of Neurology</i> , 2022, 91, 131-144.	2.8	13
2	Barriers to telemedicine among physicians in epilepsy care during the COVID-19 pandemic: A national-level cross-sectional survey in Japan. <i>Epilepsy and Behavior</i> , 2022, 126, 108487.	0.9	10
3	Neuroimaging-derived brain age is associated with life satisfaction in cognitively unimpaired elderly: A community-based study. <i>Translational Psychiatry</i> , 2022, 12, 25.	2.4	10
4	Frontal lobe-dominant cerebral blood flow reduction and atrophy can be progressive in Duchenne muscular dystrophy. <i>Neuromuscular Disorders</i> , 2022, 32, 477-485.	0.3	4
5	Impact of COVID-19 pandemic on epilepsy care in Japan: A national-level multicenter retrospective cohort study. <i>Epilepsia Open</i> , 2022, 7, 431-441.	1.3	7
6	Neuroimaging-based brain-age prediction in diverse forms of epilepsy: a signature of psychosis and beyond. <i>Molecular Psychiatry</i> , 2021, 26, 825-834.	4.1	54
7	Quantitative analysis of double inversion recovery and FLAIR signals in temporal lobe epilepsy. <i>Epilepsy Research</i> , 2021, 170, 106540.	0.8	3
8	Gray matter structural networks related to 18F-THK5351 retention in cognitively normal older adults and Alzheimer's disease patients. <i>ENeurologicalSci</i> , 2021, 22, 100309.	0.5	4
9	Voxel-based correlation of 18F-THK5351 accumulation with gray matter structural networks in cognitively normal older adults. <i>ENeurologicalSci</i> , 2021, 23, 100343.	0.5	0
10	Clinical Application of Machine Learning Models for Brain Imaging in Epilepsy: A Review. <i>Frontiers in Neuroscience</i> , 2021, 15, 684825.	1.4	21
11	Making the Invisible Visible: Advanced Neuroimaging Techniques in Focal Epilepsy. <i>Frontiers in Neuroscience</i> , 2021, 15, 699176.	1.4	7
12	Accurate lateralization and classification of MRI-negative 18F-FDG-PET-positive temporal lobe epilepsy using double inversion recovery and machine-learning. <i>Computers in Biology and Medicine</i> , 2021, 137, 104805.	3.9	8
13	Histopathological validation and clinical correlates of hippocampal subfield volumetry based on T2-weighted MRI in temporal lobe epilepsy with hippocampal sclerosis. <i>Epilepsy Research</i> , 2021, 177, 106759.	0.8	4
14	Single-subject gray matter networks in temporal lobe epilepsy patients with hippocampal sclerosis. <i>Epilepsy Research</i> , 2021, 177, 106766.	0.8	6
15	Risk factors for psychological distress in electroencephalography technicians during the COVID-19 pandemic: A national-level cross-sectional survey in Japan. <i>Epilepsy and Behavior</i> , 2021, 125, 108361.	0.9	4
16	Structural brain network differences in bipolar disorder using with similarity-based approach. <i>Acta Neuropsychiatrica</i> , 2021, 33, 121-125.	1.0	3
17	The Basics: What Constitutes a Photoparoxysmal Response? <i>FMRI, PET, TMS and MEG Studies.</i> , 2021, , 199-205.		0
18	A chicken or egg question: Which comes first, psychiatric symptom or poor quality of life?. <i>Epilepsy and Behavior</i> , 2021, , 108416.	0.9	0

#	ARTICLE	IF	CITATIONS
19	Effect of Anti-seizure Medications on Functional Anatomy of Language: A Perspective From Language Functional Magnetic Resonance Imaging. <i>Frontiers in Neuroscience</i> , 2021, 15, 787272.	1.4	6
20	Voxel-based correlation of <sup>18</sup> F-THK5351 accumulation with gray matter structural networks in cognitively normal older adults. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
21	Discriminating chorea-acanthocytosis from Huntington's disease with single-case voxel-based morphometry analysis. <i>Journal of the Neurological Sciences</i> , 2020, 408, 116545.	0.3	5
22	Disrupted White Matter Integrity and Structural Brain Networks in Temporal Lobe Epilepsy With and Without Interictal Psychosis. <i>Frontiers in Neurology</i> , 2020, 11, 556569.	1.1	5
23	FLAIR-Wise Machine-Learning Classification and Lateralization of MRI-Negative 18F-FDG PET-Positive Temporal Lobe Epilepsy. <i>Frontiers in Neurology</i> , 2020, 11, 580713.	1.1	10
24	Association between neurite metrics and tau/inflammatory pathology in Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12125.	1.2	14
25	Altered Structural Brain Networks Related to Adrenergic/Muscarinic Receptor Autoantibodies in Chronic Fatigue Syndrome. <i>Journal of Neuroimaging</i> , 2020, 30, 822-827.	1.0	28
26	Delineation of the nerve fiber bundles of the infant brain associated with aging using phase difference-enhanced imaging: a preliminary study. <i>Japanese Journal of Radiology</i> , 2020, 38, 731-739.	1.0	1
27	Pattern analysis of glucose metabolic brain data for lateralization of MRI-negative temporal lobe epilepsy. <i>Epilepsy Research</i> , 2020, 167, 106474.	0.8	13
28	T1-weighted MRI-driven Brain Age Estimation in Alzheimer's Disease and Parkinson's Disease. , 2020, 11, 618.		67
29	Nuclear Imaging in Epilepsy: Principles and Progress. <i>Epilepsy and Seizure</i> , 2020, 12, 40-48.	0.1	4
30	Identifying the Mechanisms of Anxiety in Temporal Lobe Epilepsy by Using Functional MRI. <i>Journal of the Japan Epilepsy Society</i> , 2020, 38, 54-60.	0.1	0
31	Longitudinal analysis of risk factors for dementia based on Mild Cognitive Impairment Screen results and questionnaire responses from healthy Japanese individuals registered in an online database. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2019, 5, 347-353.	1.8	3
32	Neuroimaging of Alzheimer's disease: focus on amyloid and tau PET. <i>Japanese Journal of Radiology</i> , 2019, 37, 735-749.	1.0	35
33	<p>Differentiation Between Dementia With Lewy Bodies And Alzheimer's Disease Using Voxel-Based Morphometry Of Structural MRI: A Multicenter Study<p>. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 2715-2722.	1.0	13
34	Disrupted cortico-ponto-cerebellar pathway in patients with hemimegalencephaly. <i>Brain and Development</i> , 2019, 41, 507-515.	0.6	6
35	Association between subfield volumes of the medial temporal lobe and cognitive assessments. <i>Heliyon</i> , 2019, 5, e01828.	1.4	12
36	Changes of Myelin Organization in Patients with Alzheimer's Disease Shown by q-Space Myelin Map Imaging. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2019, 9, 24-33.	0.6	13

#	ARTICLE	IF	CITATIONS
37	Exploring the frequency and clinical background of the "zebra sign" in amyotrophic lateral sclerosis and multiple system atrophy. <i>Journal of the Neurological Sciences</i> , 2019, 401, 90-94.	0.3	5
38	Similar and Differing Distributions Between 18F-FDG-PET and Arterial Spin Labeling Imaging in Temporal Lobe Epilepsy. <i>Frontiers in Neurology</i> , 2019, 10, 318.	1.1	14
39	The use of diffusional kurtosis imaging and neurite orientation dispersion and density imaging of the brain in bipolar disorder. <i>Journal of Affective Disorders</i> , 2019, 251, 231-234.	2.0	12
40	Reduced resilience of brain gray matter networks in idiopathic generalized epilepsy: A graph-theoretical analysis. <i>PLoS ONE</i> , 2019, 14, e0212494.	1.1	9
41	&lt;p&gt;Widely Impaired White Matter Integrity and Altered Structural Brain Networks in Psychogenic Non-Epileptic Seizures&lt;p&gt;. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 3549-3555.	1.0	21
42	Alteration of the anatomical covariance network after corpus callosotomy in pediatric intractable epilepsy. <i>PLoS ONE</i> , 2019, 14, e0222876.	1.1	6
43	Automated Volumetry of Medial Temporal Lobe Subregions in Mild Cognitive Impairment and Alzheimer Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2019, 33, 206-211.	0.6	9
44	Brain abnormalities in myalgic encephalomyelitis/chronic fatigue syndrome: Evaluation by diffusional kurtosis imaging and neurite orientation dispersion and density imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 818-824.	1.9	16
45	Voxel-based correlation of 18F-THK5351 accumulation and gray matter volume in the brain of cognitively normal older adults. <i>EJNMMI Research</i> , 2019, 9, 81.	1.1	4
46	Brain morphological and microstructural features in cryptogenic late-onset temporal lobe epilepsy: a structural and diffusion MRI study. <i>Neuroradiology</i> , 2018, 60, 635-641.	1.1	12
47	The use of diffusional kurtosis imaging and neurite orientation dispersion and density imaging of the brain in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2018, 98, 22-29.	1.5	17
48	MR findings in the substantia nigra on phase difference enhanced imaging in neurodegenerative parkinsonism. <i>Parkinsonism and Related Disorders</i> , 2018, 48, 10-16.	1.1	14
49	Japanese multicenter database of healthy controls for [123I]FP-CIT SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1405-1416.	3.3	80
50	Marked accumulation of oligodendroglia-like cells in temporal lobe epilepsy with amygdala enlargement and hippocampal sclerosis. <i>Neuropathology</i> , 2018, 38, 154-158.	0.7	3
51	P3&384: ASSOCIATION OF TAU AND AMYLOID&2 PROTEINS TO STRUCTURAL CONNECTIVITY CHANGES IN COGNITIVELY HEALTHY ELDERLY AND EARLY ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2018, 14, P1241.	0.4	0
52	P1&643: ANALYSIS OF RISK FACTORS FOR DEMENTIA BASED ON 10&WORD MEMORY TEST RESULTS AND QUESTIONNAIRE RESPONSES IN HEALTHY JAPANESE INDIVIDUALS REGISTERED IN AN ONLINE REGISTRY. <i>Alzheimer's and Dementia</i> , 2018, 14, P588.	0.4	0
53	Abnormal neurite density and orientation dispersion in unilateral temporal lobe epilepsy detected by advanced diffusion imaging. <i>NeuroImage: Clinical</i> , 2018, 20, 772-782.	1.4	25
54	Association of deposition of tau and amyloid&2 proteins with structural connectivity changes in cognitively normal older adults and Alzheimer&TM's disease spectrum patients. <i>Brain and Behavior</i> , 2018, 8, e01145.	1.0	18

#	ARTICLE	IF	CITATIONS
55	Subtle abnormality in neurite dispersion in idiopathic generalized epilepsy detected by an advanced diffusion imaging technique. <i>Epilepsy and Seizure</i> , 2018, 10, 33-43.	0.1	3
56	Analysis of risk factors for mild cognitive impairment based on word list memory test results and questionnaire responses in healthy Japanese individuals registered in an online database. <i>PLoS ONE</i> , 2018, 13, e0197466.	1.1	6
57	Dissociation of Tau Deposits and Brain Atrophy in Early Alzheimer's Disease: A Combined Positron Emission Tomography/Magnetic Resonance Imaging Study. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 223.	1.7	13
58	Gray Matter and White Matter Abnormalities in Temporal Lobe Epilepsy Patients with and without Hippocampal Sclerosis. <i>Frontiers in Neurology</i> , 2018, 9, 107.	1.1	17
59	Voxel-based Specific Regional Analysis System for Alzheimer's Disease (VSRAD) on 3-tesla Normal Database: Diagnostic Accuracy in Two Independent Cohorts with Early Alzheimer's Disease. , 2018, 9, 755.		13
60	Relationship between Autistic Spectrum Trait and Regional Cerebral Blood Flow in Healthy Male Subjects. <i>Psychiatry Investigation</i> , 2018, 15, 956-961.	0.7	2
61	Thalamic involvement determined using VSRAD advance on MRI and easy Z-score analysis of 99mTc-ECD-SPECT in Gerstmann-Sträussler-Scheinker syndrome with P102L mutation. <i>Journal of the Neurological Sciences</i> , 2017, 373, 27-30.	0.3	8
62	Thalamic hypoperfusion and disrupted cerebral blood flow networks in idiopathic generalized epilepsy: Arterial spin labeling and graph theoretical analysis. <i>Epilepsy Research</i> , 2017, 129, 95-100.	0.8	15
63	Correlation of reduced social communicational and interactional skills with regional grey matter volumes in schizophrenia patients. <i>Acta Neuropsychiatrica</i> , 2017, 29, 374-381.	1.0	5
64	Validation of the cingulate island sign with optimized ratios for discriminating dementia with Lewy bodies from Alzheimer's disease using brain perfusion SPECT. <i>Annals of Nuclear Medicine</i> , 2017, 31, 536-543.	1.2	43
65	Correlations between dopamine transporter density measured by 123I-FP-CIT SPECT and regional gray matter volume in Parkinson's disease. <i>Japanese Journal of Radiology</i> , 2017, 35, 755-759.	1.0	7
66	Noninvasive detection of focal brain hyperthermia related to continuous epileptic activities using proton MR spectroscopy. <i>Epilepsy Research</i> , 2017, 138, 1-4.	0.8	12
67	A structural MRI study of cholinergic pathways and cognition in multiple sclerosis. <i>ENeurologicalSci</i> , 2017, 8, 11-16.	0.5	6
68	Whole brain analyses of age-related microstructural changes quantified using different diffusional magnetic resonance imaging methods. <i>Japanese Journal of Radiology</i> , 2017, 35, 584-589.	1.0	17
69	Regional tau deposition and subregion atrophy of medial temporal structures in early Alzheimer's disease: A combined positron emission tomography/magnetic resonance imaging study. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017, 9, 35-40.	1.2	27
70	Computed-tomography-guided anatomic standardization for quantitative assessment of dopamine transporter SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 366-372.	3.3	17
71	[P2391]: MULTIMODAL IMAGING CORRELATIONS IN EARLY ALZHEIMER'S DISEASE: AMYLOID, TAU, AND NEURITE IMAGING. <i>Alzheimer's and Dementia</i> , 2017, 13, P779.	0.4	0
72	[P2391]: UTILITY OF <sup>18</sup> F-THK5351 PET IN DIAGNOSIS AND DIFFERENTIATION OF NEURODEGENERATIVE DISEASES. <i>Alzheimer's and Dementia</i> , 2017, 13, P136.	0.4	0

#	ARTICLE	IF	CITATIONS
73	Comparing CAT12 and VBM8 for Detecting Brain Morphological Abnormalities in Temporal Lobe Epilepsy. <i>Frontiers in Neurology</i> , 2017, 8, 428.	1.1	103
74	“Black butterfly” sign on T2*-weighted and susceptibility-weighted imaging: A novel finding of chronic venous congestion of the brain stem and spinal cord associated with dural arteriovenous fistulas. <i>Journal of the Neurological Sciences</i> , 2017, 379, 64-68.	0.3	11
75	Brain gray matter structural network in myotonic dystrophy type 1. <i>PLoS ONE</i> , 2017, 12, e0187343.	1.1	15
76	( $\alpha$ )-Linalool influence on the cerebral blood flow in healthy male volunteers revealed by three-dimensional pseudo-continuous arterial spin labeling. <i>Indian Journal of Psychiatry</i> , 2017, 59, 225.	0.4	2
77	Impaired cerebral blood flow networks in temporal lobe epilepsy with hippocampal sclerosis: A graph theoretical approach. <i>Epilepsy and Behavior</i> , 2016, 62, 239-245.	0.9	13
78	White matter abnormalities in patients with temporal lobe epilepsy and amygdala enlargement: Comparison with hippocampal sclerosis and healthy subjects. <i>Epilepsy Research</i> , 2016, 127, 221-228.	0.8	11
79	Automated subfield volumetric analysis of hippocampus in temporal lobe epilepsy using high-resolution T2-weighted MR imaging. <i>NeuroImage: Clinical</i> , 2016, 12, 57-64.	1.4	53
80	The cingulate island sign within early Alzheimer’s disease-specific hypoperfusion volumes of interest is useful for differentiating Alzheimer’s disease from dementia with Lewy bodies. <i>EJNMMI Research</i> , 2016, 6, 67.	1.1	33
81	Striatal glucose hypometabolism in preadolescent-onset dentatorubral-pallidoluysian atrophy. <i>Journal of the Neurological Sciences</i> , 2016, 360, 121-124.	0.3	5
82	Intraventricular temperature measured by diffusion-weighted imaging compared with brain parenchymal temperature measured by MRS <i>in vivo</i> . <i>NMR in Biomedicine</i> , 2016, 29, 890-895.	1.6	15
83	Adult-onset refractory epilepsy with hypothalamic hamartoma and no gelastic seizures successfully treated by stereotactic thermocoagulation: A case report. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016, 37, 32-34.	0.9	6
84	Noninvasive evaluation of the correlation between regional cerebral blood flow and intraventricular brain temperature in temporal lobe epilepsy. <i>Magnetic Resonance Imaging</i> , 2016, 34, 451-454.	1.0	12
85	Graph Theoretical Analysis of Structural Neuroimaging in Temporal Lobe Epilepsy with and without Psychosis. <i>PLoS ONE</i> , 2016, 11, e0158728.	1.1	32
86	A case of Developmental Dyslexia Associated with Ccipital Lobe Epilepsy and Psychogenic Nonepileptic Seizure. <i>Journal of the Japan Epilepsy Society</i> , 2016, 34, 31-39.	0.1	0
87	A case of autoimmune epilepsy associated with anti-leucine-rich glioma inactivated subunit 1 antibodies manifesting electrical shock-like sensations and transparent sadness. <i>Epilepsy &amp; Behavior Case Reports</i> , 2015, 4, 91-93.	1.5	5
88	Intraventricular cerebrospinal fluid temperature analysis using MR diffusion-weighted imaging thermometry in Parkinson’s disease patients, multiple system atrophy patients, and healthy subjects. <i>Brain and Behavior</i> , 2015, 5, e00340.	1.0	21
89	Clinical impact of <sup>11</sup> C-Pittsburgh compound-B positron emission tomography carried out in addition to magnetic resonance imaging and single-photon emission computed tomography on the diagnosis of Alzheimer’s disease in patients with dementia and mild cognitive impairment. <i>Psychiatry and Clinical Neurosciences</i> . 2015, 69, 741-751.	1.0	11
90	Nonconvulsive status epilepticus in the elderly associated with newer antidepressants used at therapeutic doses: A report of three cases. <i>Epilepsy &amp; Behavior Case Reports</i> , 2015, 3, 8-11.	1.5	12

#	ARTICLE	IF	CITATIONS
91	Effect of electroconvulsive therapy on gray matter volume in major depressive disorder. <i>Journal of Affective Disorders</i> , 2015, 186, 186-191.	2.0	72
92	Evaluation of amygdala pathology using <sup>11</sup> C-methionine positron emission tomography/computed tomography in patients with temporal lobe epilepsy and amygdala enlargement. <i>Epilepsy Research</i> , 2015, 112, 114-121.	0.8	16
93	Complex regional pain syndrome in a 15-year-old girl successfully treated with continuous epidural anesthesia. <i>Brain and Development</i> , 2015, 37, 175-178.	0.6	4
94	Temporal Lobe Epilepsy with Unilateral Amygdala Enlargement: Morphometric MR Analysis with Clinical and Pathological Study. <i>Journal of Neuroimaging</i> , 2015, 25, 175-183.	1.0	24
95	Pitfall of Epilepsy in the Elderly: A Case of Jeavons Syndrome (Eyelid Myoclonia with or without) Tj ETQq1 1 0.784314,rgBT /Oyerlock 10	0.1	0
96	Chronic periodic lateralised epileptic discharges and anti-N-methyl-D-aspartate receptor antibodies. <i>Epileptic Disorders</i> , 2014, 16, 218-222.	0.7	12
97	Accelerated myelination along fiber tracts in patients with hemimegalencephaly. <i>Journal of Neuroradiology</i> , 2014, 41, 202-210.	0.6	16
98	Concordance between <sup>99m</sup> Tcâ€ECD SPECT and <sup>18</sup> Fâ€FDG PET interpretations in patients with cognitive disorders diagnosed according to NIAâ€AA criteria. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 1079-1086.	1.3	17
99	Altered Coupling of Regional Cerebral Blood flow and Brain Temperature in Schizophrenia Compared with Bipolar Disorder and Healthy Subjects. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 1868-1872.	2.4	24
100	A Case Manifesting Complex Partial Seizure Following Paroxysmal Kinesigenic Dyskinesia. <i>Journal of the Japan Epilepsy Society</i> , 2014, 31, 511-518.	0.1	0
101	A Case of Paroxysmal Kinesigenic Dyskinesia with Complex Partial Seizure Probably Associated with Amygdala Enlargement. <i>Epilepsy and Seizure</i> , 2014, 7, 1-13.	0.1	0
102	Effectiveness of Add-on Primidone for Refractory Myoclonus Associated with Benign Adult Familial Myoclonus Epilepsy: A Case Report. <i>Journal of the Japan Epilepsy Society</i> , 2014, 32, 31-38.	0.1	0
103	Symptomatic Partial Epilepsy Manifesting Generalized Rapid Rhythm-like Discharges: Report of One Case. <i>Journal of the Japan Epilepsy Society</i> , 2014, 31, 519-524.	0.1	0
104	Multimodal image analysis of sensorimotor gating in healthy women. <i>Brain Research</i> , 2013, 1499, 61-68.	1.1	14
105	In vivo evaluation of gray and white matter volume loss in the parkinsonian variant of multiple system atrophy using SPM8 plus DARTEL for VBM. <i>NeuroImage: Clinical</i> , 2013, 2, 491-496.	1.4	35
106	Abnormalities of cerebral blood flow in multiple sclerosis: A pseudocontinuous arterial spin labeling MRI study. <i>Magnetic Resonance Imaging</i> , 2013, 31, 990-995.	1.0	43
107	For Better Transition from Pediatric to Adult Care for Epilepsy: A Report and Proposals. <i>Journal of the Japan Epilepsy Society</i> , 2013, 31, 30-39.	0.1	5
108	Successful Seizure Control by Additional Zonisamide in a Case of Frontal Lobe Epilepsy with Repeated Seizures after Hemodialysis. <i>Journal of the Japan Epilepsy Society</i> , 2013, 31, 47-53.	0.1	0



#	ARTICLE	IF	CITATIONS
109	A case of autosomal dominant nocturnal frontal lobe epilepsy (ADNFLE) coexisting with pervasive developmental disorder harboring SCN1A mutation in addition to CHRN2 mutation. <i>Epilepsy and Behavior</i> , 2012, 25, 192-195.	0.9	5
110	SISCOM technique with a variable Z score improves detectability of focal cortical dysplasia: a comparative study with MRI. <i>Annals of Nuclear Medicine</i> , 2012, 26, 397-404.	1.2	12
111	Relationship between diffusion tensor imaging and brain morphology in patients with myotonic dystrophy. <i>Neuroscience Letters</i> , 2006, 407, 234-239.	1.0	50
112	Effects of simvastatin 20 mg/d on serum lipid profiles in Japanese hyperlipidemic patients: A prospective, open-label pilot study. <i>Current Therapeutic Research</i> , 2005, 66, 613-629.	0.5	3
113	Cell cycle regulation of chromatin binding and nuclear localization of human Cdc7-ASK kinase complex. <i>Genes To Cells</i> , 2003, 8, 451-463.	0.5	41
114	&lt;p&gt;Neurite orientation and dispersion density imaging: clinical utility, efficacy, and role in therapy&lt;/p&gt;. <i>Reports in Medical Imaging</i> , 0, Volume 12, 17-29.	0.8	7