

Diane Beauchemin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2217854/publications.pdf>

Version: 2024-02-01

138
papers

4,414
citations

101543

36
h-index

128289

60
g-index

140
all docs

140
docs citations

140
times ranked

2597
citing authors

#	ARTICLE	IF	CITATIONS
1	Biosynthesis of the Fungal Organophosphonate Fosfonochlorin Involves an Iron(II) and 2â€(Oxo)glutarate Dependent Oxacyclase. ChemBioChem, 2022, 23, .	2.6	8
2	Source apportionment of bioaccessible lead in soil reference materials using the continuous on-line leaching method and inductively coupled plasma mass spectrometry. Analytica Chimica Acta, 2022, 1189, 339214.	5.4	2
3	Literature review and meta-analysis of gastric and intestinal bioaccessibility for nine inorganic elements in soils and soil-like media for use in human health risk assessment. International Journal of Hygiene and Environmental Health, 2022, 240, 113929.	4.3	5
4	Comparison of monosegmented flow analysis to flow injection for single particle inductively coupled plasma mass spectrometry. Journal of Analytical Atomic Spectrometry, 2022, 37, 727-732.	3.0	5
5	A total consumption infrared heated sample introduction system for nanoparticle measurement using single particle inductively coupled plasma mass spectrometry. Journal of Analytical Atomic Spectrometry, 2022, 37, 1450-1454.	3.0	7
6	The effect of hydrogen on fluorine detection in solid sampling electrothermal vaporization-inductively coupled plasma optical emission spectrometry. Journal of Analytical Atomic Spectrometry, 2021, 36, 1104-1111.	3.0	5
7	Pragmatic method based on on-line leaching and inductively coupled plasma mass spectrometry for risk assessment of the impact of short-term pollution. Journal of Analytical Atomic Spectrometry, 2021, 36, 622-629.	3.0	3
8	Flow injection of slurries of a lithium borate fusion disc for multi-elemental analysis by mixed-gas inductively coupled plasma mass spectrometry. Journal of Analytical Atomic Spectrometry, 2021, 36, 2051-2055.	3.0	2
9	An Isotopic Study of Bio-accessible Lead in Wheat, Miswak Toothbrush and Miswak Fruit Using the Continuous On-line Leaching Method with Inductively Coupled Plasma Mass Spectrometry. Atomic Spectroscopy, 2021, 42, .	1.2	6
10	Multi-elemental risk assessment of various baby rice cereals: some cause for concern?. Canadian Journal of Chemistry, 2021, 99, 742-750.	1.1	2
11	Direct multi-element analysis of natural toothbrush by electrothermal vaporization into inductively coupled plasma optical emission spectrometry. Journal of Analytical Atomic Spectrometry, 2021, 36, 535-539.	3.0	4
12	Multi-elemental analysis of solder using ETV-ICPOES for applications in forensic science. Journal of Analytical Atomic Spectrometry, 2021, 36, 1600-1606.	3.0	4
13	Preconcentration of noble metals on alumina prior to analysis by inductively coupled plasma mass spectrometry: Application to geological samples. Analytica Chimica Acta, 2020, 1136, 151-156.	5.4	6
14	Characterization of platinum nanoparticles for fuel cell applications by single particle inductively coupled plasma mass spectrometry. Analytica Chimica Acta, 2020, 1139, 36-41.	5.4	10
15	Methods to increase sample transport efficiency in single particle inductively coupled plasma mass spectrometry when analyzing nanoparticles. Journal of Analytical Atomic Spectrometry, 2020, 35, 2165-2170.	3.0	6
16	Direct analysis of wheat flour by inductively coupled plasma mass spectrometry with flow injection, slurry nebulization, and a mixed-gas plasma. Journal of Analytical Atomic Spectrometry, 2020, 35, 2820-2825.	3.0	9
17	Integrating Instead of Averaging Signal Intensity to Simplify Nanoparticle Mass Measurement by Single Particle Inductively Coupled Plasma Mass Spectrometry. Analytical Chemistry, 2020, 92, 12778-12782.	6.5	5
18	Developing a method for the determination of sulphur and other elements in avian bone and slag using ETV-ICPOES. Journal of Analytical Atomic Spectrometry, 2020, 35, 2487-2493.	3.0	4

#	ARTICLE	IF	CITATIONS
19	How much aqueous sample can an inductively coupled plasma withstand?. Journal of Analytical Atomic Spectrometry, 2020, 35, 1300-1305.	3.0	5
20	Stabilization and Solvent Driven Crystal-to-Crystal Transition between New Bismuth Halides. Inorganic Chemistry, 2020, 59, 7049-7055.	4.0	6
21	A total consumption (up to 75 $\hat{1}/4$ L min ^{<sup>âˆ’1</sup>) infrared-heated sample introduction system for inductively coupled plasma optical emission spectrometry. Journal of Analytical Atomic Spectrometry, 2020, 35, 1125-1130.}	3.0	9
22	Use of a mixed argonâ€“hydrogenâ€“tetrafluoromethane carrier gas for the analysis of nickel materials by electrothermal vaporization coupled to inductively coupled plasma optical emission spectrometry. Journal of Analytical Atomic Spectrometry, 2020, 35, 461-466.	3.0	7
23	Inductively coupled plasma mass spectrometry coupled to cation exchange chromatography for the determination of trace nickel in alkaline electrolyte. Journal of Analytical Atomic Spectrometry, 2020, 35, 1295-1299.	3.0	2
24	Liquid chromatography. , 2020, , 213-254.		1
25	Electrothermal vaporization. , 2020, , 411-467.		4
26	Development of a method for the direct determination of fluorine in solid samples using electrothermal vaporization coupled to inductively coupled plasma optical emission spectrometry. Journal of Analytical Atomic Spectrometry, 2020, 35, 1097-1102.	3.0	15
27	Single particle inductively coupled plasma mass spectrometry with and without flow injection for the characterization of nickel nanoparticles. Analytica Chimica Acta, 2020, 1120, 67-74.	5.4	15
28	The inductively coupled plasma as a source for optical emission spectrometry and mass spectrometry. , 2020, , 1-55.		2
29	Flow injection. , 2020, , 143-211.		4
30	Effect of sheathing the sample aerosol with hydrogen, nitrogen or water vapour on the analytical performance of solid sampling electrothermal vaporisation coupled to inductively coupled plasma optical emission spectrometry. Journal of Analytical Atomic Spectrometry, 2019, 34, 1426-1432.	3.0	12
31	Infrared heating of the top surface of a cyclonic spray chamber to improve the analytical performance of inductively coupled plasma optical emission spectrometry. Journal of Analytical Atomic Spectrometry, 2019, 34, 232-238.	3.0	5
32	Characterization of a 12ÂˆM KOH zincate fuel for green energy backup systems using flow injection coupled to inductively coupled plasma optical emission spectrometry. Journal of Analytical Atomic Spectrometry, 2019, 34, 899-905.	3.0	3
33	Improving the analytical performance of electrothermal vaporization coupled to inductively coupled plasma optical emission spectrometry using a mixed-gas plasma. Journal of Analytical Atomic Spectrometry, 2019, 34, 891-898.	3.0	8
34	Realistic risk assessment of arsenic in rice. Food Chemistry, 2018, 257, 230-236.	8.2	49
35	Improvements to the analytical performance of inductively coupled plasma optical emission spectrometry by coupling a multi-mode sample introduction system to an infrared heated pre-evaporation tube. Journal of Analytical Atomic Spectrometry, 2018, 33, 1068-1075.	3.0	8
36	New infrared-heated sample introduction system for enhanced analytical performance of inductively coupled plasma optical emission spectrometry. Journal of Analytical Atomic Spectrometry, 2018, 33, 738-744.	3.0	13

#	ARTICLE	IF	CITATIONS
37	Improving accuracy in single particle inductively coupled plasma mass spectrometry based on conventional standard solution calibration. <i>Microchemical Journal</i> , 2018, 137, 485-489.	4.5	18
38	Inductively coupled plasma mass spectrometry with on-line leaching to assess the maximum bio-accessibility of toxic and essential elements in wheat from Saudi Arabia. <i>Journal of Analytical Atomic Spectrometry</i> , 2018, 33, 642-648.	3.0	10
39	Improvement of sample introduction to inductively coupled plasma optical emission spectrometry using an ultrasonic nebulizer with an infrared heated pre-evaporation tube. <i>Journal of Analytical Atomic Spectrometry</i> , 2018, 33, 127-134.	3.0	10
40	Enhancement of the Capabilities of Inductively Coupled Plasma Mass Spectrometry Using Monosegmented Flow Analysis. <i>Analytical Chemistry</i> , 2018, 90, 13842-13847.	6.5	14
41	Infrared heating of commercially available spray chambers to improve the analytical performance of inductively coupled plasma optical emission spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2018, 33, 2008-2014.	3.0	8
42	Forensic analysis of lead-tin solder by inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2018, 33, 1784-1789.	3.0	3
43	A comparative study of sheathing devices to increase robustness in inductively coupled plasma optical emission spectrometry via a nitrogen flow. <i>Journal of Analytical Atomic Spectrometry</i> , 2018, 33, 1269-1273.	3.0	2
44	Structural Transformation of Monocrystalline Platinum Electrodes upon Electro-oxidation and Electro-dissolution. <i>ACS Catalysis</i> , 2018, 8, 6426-6439.	11.2	25
45	Risk assessment of trace elements in airborne particulate matter deposited on air filters using solid sampling ETV-ICPOES to measure total concentrations and leaching with simulated saliva, gastric juice and lung fluid to estimate bio-accessibility. <i>Journal of Analytical Atomic Spectrometry</i> , 2018, 33, 1486-1492.	3.0	8
46	Solid sampling ETV-ICPOES coupled to a nebulization/pre-evaporation system for direct elemental analysis of glutinous rice by external calibration with standard solutions. <i>Food Chemistry</i> , 2017, 237, 1-6.	8.2	16
47	Towards the reduction of matrix effects in inductively coupled plasma optical emission spectrometry: an argon-nitrogen-hydrogen mixed-gas plasma for the analysis of geological and environmental samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 1688-1696.	3.0	8
48	Solid sampling analysis of a Mg alloy using electrothermal vaporization inductively coupled plasma optical emission spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 2041-2045.	3.0	11
49	Simultaneous Speciation Analysis of Arsenic, Chromium, and Selenium in the Bioaccessible Fraction for Realistic Risk Assessment of Food Safety. <i>Analytical Chemistry</i> , 2017, 89, 13299-13304.	6.5	21
50	Forensic analysis of automotive paint chips for the identification of the vehicle manufacturer, colour and year of production using electrothermal vaporization coupled to inductively coupled plasma optical emission spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 1601-1607.	3.0	21
51	Inductively Coupled Plasma Mass Spectrometry Methods. , 2017, , 236-245.		13
52	Limits of Detection and Quantification of Electrochemical Quartz-Crystal Nanobalance in Platinum Electrochemistry and Electrocatalysis Research. <i>Analytical Chemistry</i> , 2016, 88, 10599-10604.	6.5	4
53	Flow Injection Single Particle Inductively Coupled Plasma Mass Spectrometry: An Original Simple Approach for the Characterization of Metal-Based Nanoparticles. <i>Analytical Chemistry</i> , 2016, 88, 10552-10558.	6.5	27
54	Direct determination of trace elements in austenitic stainless steel samples by ETV-ICPOES. <i>Journal of Analytical Atomic Spectrometry</i> , 2016, 31, 2434-2440.	3.0	17

#	ARTICLE	IF	CITATIONS
55	Influence of the Working and Counter Electrode Surface Area Ratios on the Dissolution of Platinum under Electrochemical Conditions. <i>ACS Catalysis</i> , 2016, 6, 5108-5116.	11.2	47
56	Estimation of the bio-accessible fraction of Cr, As, Cd and Pb in locally available bread using on-line continuous leaching method coupled to inductively coupled plasma mass spectrometry. <i>Analytica Chimica Acta</i> , 2015, 867, 9-17.	5.4	28
57	Influence of Electrolyte Composition and pH on Platinum Electrochemical and/or Chemical Dissolution in Aqueous Acidic Media. <i>ACS Catalysis</i> , 2015, 5, 2605-2614.	11.2	55
58	Investigation of a measure of robustness in inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2015, 103-104, 57-62.	2.9	14
59	Improvement of analytical performance in inductively coupled plasma optical emission spectrometry without compromising robustness using an infrared-heated sample introduction system with a pneumatic nebulizer. <i>Journal of Analytical Atomic Spectrometry</i> , 2015, 30, 214-224.	3.0	19
60	Improvement of the capabilities of solid sampling ETV-ICP-OES by coupling ETV to a nebulisation/pre-evaporation system. <i>Journal of Analytical Atomic Spectrometry</i> , 2014, 29, 1371.	3.0	22
61	Direct analysis of soils by ETV-ICP-AES: a powerful tool for mineral exploration. <i>Geochemistry: Exploration, Environment, Analysis</i> , 2014, 14, 305-313.	0.9	3
62	Platinum Electro-dissolution in Acidic Media upon Potential Cycling. <i>Electrocatalysis</i> , 2014, 5, 96-112.	3.0	91
63	The use of sol-gels as solid calibration standards for the analysis of soil samples by laser ablation coupled to inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2014, 29, 715-720.	3.0	11
64	Ethnic background and gender identification using electrothermal vaporization coupled to inductively coupled plasma optical emission spectrometry for forensic analysis of human hair. <i>Journal of Analytical Atomic Spectrometry</i> , 2014, 29, 1228-1232.	3.0	16
65	Towards the use of ICP-OES for the elemental analysis of organic compounds such as glucosamine. <i>Journal of Analytical Atomic Spectrometry</i> , 2014, 29, 454.	3.0	9
66	Optimization of the operating conditions of solid sampling electrothermal vaporization coupled to inductively coupled plasma optical emission spectrometry for the sensitive direct analysis of powdered rice. <i>Analytica Chimica Acta</i> , 2014, 851, 23-29.	5.4	31
67	Electrochemically Active Nickel Foams as Support Materials for Nanoscopic Platinum Electrocatalysts. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 12046-12061.	8.0	70
68	An argon-nitrogen-hydrogen mixed-gas plasma as a robust ionization source for inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2014, 99, 87-93.	2.9	16
69	Ion exchange chromatography coupled to inductively coupled plasma mass spectrometry for the study of Pt electro-dissolution. <i>Analytica Chimica Acta</i> , 2013, 785, 16-21.	5.4	46
70	The effect of cooking and washing rice on the bio-accessibility of As, Cu, Fe, V and Zn using an on-line continuous leaching method. <i>Analytica Chimica Acta</i> , 2013, 758, 28-35.	5.4	44
71	Solid sampling ETV-ICP-OES to study the distribution of elements in clay and soil samples for mineral exploration. <i>Geochemistry: Exploration, Environment, Analysis</i> , 2013, 13, 11-20.	0.9	5
72	Solid sampling electrothermal vaporization inductively coupled plasma optical emission spectrometry for discrimination of automotive paint samples in forensic analysis. <i>Journal of Analytical Atomic Spectrometry</i> , 2012, 27, 1928.	3.0	31

#	ARTICLE	IF	CITATIONS
73	Combination of a multimode sample introduction system with a pre-evaporation tube to improve multi-element analysis by ICP-OES. <i>Journal of Analytical Atomic Spectrometry</i> , 2012, 27, 80-91.	3.0	30
74	A simple method using on-line continuous leaching and ion exchange chromatography coupled to inductively coupled plasma mass spectrometry for the speciation analysis of bio-accessible arsenic in rice. <i>Analytica Chimica Acta</i> , 2012, 717, 1-6.	5.4	39
75	Use of a continuous leaching method to assess the oral bioaccessibility of trace elements in seafood. <i>Food Chemistry</i> , 2012, 135, 623-633.	8.2	46
76	Ultrasonic nebulization with an infrared heated pre-evaporation tube for sample introduction in ICP-OES: application to geological and environmental samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2012, 27, 1254.	3.0	22
77	Bioaccessibility of total arsenic and arsenic species in seafood as determined by a continuous online leaching method. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 2849-2859.	3.7	47
78	Kinetic study of the reduction of Cr(vi) in natural water using ion exchange chromatography coupled to inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2011, 26, 2006.	3.0	6
79	Matrix effects in inductively coupled plasma mass spectrometry: A review. <i>Analytica Chimica Acta</i> , 2011, 706, 66-83.	5.4	179
80	Towards the reduction of matrix effects in inductively coupled plasma mass spectrometry without compromising detection limits: The use of argon-nitrogen mixed-gas plasma. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2011, 66, 1-11.	2.9	43
81	Environmental analysis by inductively coupled plasma mass spectrometry. <i>Mass Spectrometry Reviews</i> , 2010, 29, 560-592.	5.4	42
82	Improvement of the capabilities of inductively coupled plasma optical emission spectrometry by replacing the desolvation system of an ultrasonic nebulization system with a pre-evaporation tube. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2010, 65, 376-384.	2.9	28
83	Chromium speciation at trace level in potable water using hyphenated ion exchange chromatography and inductively coupled plasma mass spectrometry with collision/reaction interface. <i>Journal of Analytical Atomic Spectrometry</i> , 2010, 25, 1046.	3.0	41
84	Inductively Coupled Plasma Mass Spectrometry. <i>Analytical Chemistry</i> , 2010, 82, 4786-4810.	6.5	108
85	Evidence supporting the occurrence of Coulomb fission during conventional sample introduction in inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2009, 24, 469.	3.0	15
86	Determination of stability constants of metal complexes with IC-ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2009, 24, 336.	3.0	12
87	Inductively Coupled Plasma Mass Spectrometry. <i>Analytical Chemistry</i> , 2008, 80, 4455-4486.	6.5	97
88	A simple method for the speciation analysis of bio-accessible arsenic in seafood using on-line continuous leaching and ion exchange chromatography coupled to inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2008, 23, 1263.	3.0	45
89	Microwave-assisted continuous leaching on-line with inductively coupled plasma mass spectrometry for exploration and environmental geochemistry. <i>Journal of Geochemical Exploration</i> , 2007, 94, 30-42.	3.2	10
90	Optimisation by experimental design of an IEC/ICP-MS speciation method for arsenic in seafood following microwave assisted extraction. <i>Journal of Analytical Atomic Spectrometry</i> , 2007, 22, 1168.	3.0	30

#	ARTICLE	IF	CITATIONS
91	Enhanced flow injection leaching of rocks by focused microwave heating with in-line monitoring of released elements by inductively coupled plasma mass spectrometry. <i>Analytica Chimica Acta</i> , 2007, 584, 447-454.	5.4	31
92	Inductively Coupled Plasma Mass Spectrometry. <i>Analytical Chemistry</i> , 2006, 78, 4111-4136.	6.5	58
93	Simultaneous determination of two conditional stability constants by IC-ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2006, 21, 1419.	3.0	9
94	The effect of pre-evaporation on ion distributions in inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2006, 61, 157-163.	2.9	19
95	Effect of methanol and sodium dodecylsulfate on radial profiles of ion abundance in inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2006, 61, 319-325.	2.9	31
96	Effect of concomitant analytes on As signal during pre-evaporation of the solvent prior to introduction into inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2006, 61, 965-970.	2.9	14
97	Continuous leach inductively coupled plasma mass spectrometry: applications for exploration and environmental geochemistry. <i>Geochemistry: Exploration, Environment, Analysis</i> , 2005, 5, 123-134.	0.9	25
98	Spatial profiling of analyte signal intensities in inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2004, 59, 291-311.	2.9	38
99	Simple method to assess the maximum bio-accessibility of elements from food using flow injection and inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2004, 19, 1213-1216.	3.0	40
100	Inductively Coupled Plasma Mass Spectrometry. <i>Analytical Chemistry</i> , 2004, 76, 3395-3416.	6.5	37
101	Direct multielemental analysis of human serum by ICP-MS with on-line standard addition using flow injection. <i>Journal of Analytical Atomic Spectrometry</i> , 2003, 18, 951.	3.0	32
102	Spatial profiling of ion distributions in a nitrogen-argon plasma in inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2003, 18, 289-295.	3.0	27
103	Preliminary investigation of direct sea-water analysis by inductively coupled plasma mass spectrometry using a mixed-gas plasma, flow injection and external calibration. <i>Journal of Analytical Atomic Spectrometry</i> , 2003, 18, 1109-1112.	3.0	24
104	Inductively Coupled Plasma Mass Spectrometry with On-Line Leaching: A Method To Assess the Mobility and Fractionation of Elements. <i>Analytical Chemistry</i> , 2002, 74, 3924-3928.	6.5	62
105	Inductively Coupled Plasma Mass Spectrometry. <i>Analytical Chemistry</i> , 2002, 74, 2873-2894.	6.5	52
106	Determination of trace metals in saline water using flow injection on-line precipitation coupled with inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2001, 16, 1356-1363.	3.0	26
107	Effect of concomitant elements on the distribution of ions in inductively coupled plasma-mass spectrometry. Part 1. Elemental ions. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2000, 55, 1705-1731.	2.9	50
108	Chapter 2 Flow injection techniques. <i>Comprehensive Analytical Chemistry</i> , 2000, , 213-346.	1.3	3

#	ARTICLE	IF	CITATIONS
109	Partial leaching as an aid to slurry nebulization for the analysis of soils by ICP-MS with flow injection and mixed-gas plasmas. <i>Canadian Journal of Chemistry</i> , 1999, 77, 409-415.	1.1	11
110	Automated On-Line Isotope Dilution Analysis with ICP-MS Using Sandwich Flow Injection. <i>Analytical Chemistry</i> , 1998, 70, 1036-1040.	6.5	22
111	On-Line Isotope Dilution Analysis with ICPMS Using Reverse Flow Injection. <i>Analytical Chemistry</i> , 1997, 69, 3183-3187.	6.5	21
112	Online Standard Addition Method with ICPMS Using Flow Injection. <i>Analytical Chemistry</i> , 1995, 67, 1553-1557.	6.5	30
113	Characterization of inductively coupled plasma mass spectrometry with segmented-flow injection. <i>Analyst, The</i> , 1994, 119, 1677.	3.5	28
114	Reduction of matrix effects and mass discrimination in inductively coupled plasma mass spectrometry with optimized argon-nitrogen plasmas. <i>Journal of Analytical Atomic Spectrometry</i> , 1994, 9, 509-518.	3.0	36
115	Univariate optimization of segmented-flow injection for inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1994, 9, 1341.	3.0	15
116	Effect of pre-evaporating the solvent on the analytical performance of inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 1993, 48, 1481-1494.	2.9	17
117	Preliminary characterization of inductively coupled plasma mass spectrometry with flow injection into a gaseous (air) carrier. <i>Analyst, The</i> , 1993, 118, 815.	3.5	28
118	Characterization of an interface allowing either nebulization or gas chromatography as the sample introduction system in ICPMS. <i>Analytical Chemistry</i> , 1993, 65, 97-103.	6.5	29
119	Reduction of the effects of concomitant elements in inductively coupled plasma mass spectrometry by adding nitrogen to the plasma gas. <i>Journal of Analytical Atomic Spectrometry</i> , 1992, 7, 937.	3.0	43
120	Determination of metal-organic associations in soil leachates by inductively coupled plasma-mass spectrometry. <i>Chemical Geology</i> , 1992, 95, 187-198.	3.3	14
121	Inductively coupled plasma mass spectrometry in hyphenation: a multielemental analysis technique with almost unlimited potential. <i>TrAC - Trends in Analytical Chemistry</i> , 1991, 10, 71-76.	11.4	31
122	Investigations on mixed-gas plasmas produced by adding nitrogen to the plasma gas in ICP-MS. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 1991, 46, 603-614.	2.9	70
123	Metal-Binding Characteristics of the Gamma-Glutamyl Capsular Polymer of <i>Bacillus licheniformis</i> ATCC 9945. <i>Applied and Environmental Microbiology</i> , 1990, 56, 3671-3677.	3.1	131
124	Marine biological reference materials for methylmercury: analytical methodologies used in certification. <i>Fresenius Zeitschrift für Analytische Chemie</i> , 1989, 333, 641-644.	0.8	28
125	The ICP-MS approach to environmental studies. <i>Mikrochimica Acta</i> , 1989, 99, 273-281.	5.0	11
126	Determination of arsenic species by high-performance liquid chromatography-inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1989, 4, 285.	3.0	148

#	ARTICLE	IF	CITATIONS
127	Determination of trace metals in reference water standards by inductively coupled plasma mass spectrometry with on-line preconcentration. <i>Analytical Chemistry</i> , 1989, 61, 1857-1862.	6.5	160
128	Determination of trace metals in marine biological reference materials by inductively coupled plasma mass spectrometry. <i>Analytical Chemistry</i> , 1988, 60, 687-691.	6.5	66
129	Identification and quantitation of arsenic species in a dogfish muscle reference material for trace elements. <i>Analytical Chemistry</i> , 1988, 60, 2209-2212.	6.5	185
130	Determination of organomercury in biological reference materials by inductively coupled plasma mass spectrometry using flow injection analysis. <i>Analytical Chemistry</i> , 1988, 60, 2587-2590.	6.5	91
131	Determination of trace metals in an open ocean water reference material by inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1988, 3, 305.	3.0	93
132	Use of external calibration for the determination of trace metals in biological materials by inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1988, 3, 775.	3.0	48
133	Analysis of the marine sediment reference material PACS-1 by inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 1988, 43, 413-420.	2.9	25
134	Application of isotope dilution inductively coupled plasma mass spectrometry to the analysis of marine sediments. <i>Analytical Chemistry</i> , 1987, 59, 610-613.	6.5	163
135	Determination of trace metals in a river water reference material by inductively coupled plasma mass spectrometry. <i>Analytical Chemistry</i> , 1987, 59, 778-783.	6.5	124
136	Study of the effects of concomitant elements in inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 1987, 42, 467-490.	2.9	207
137	Determination of total tin in National Research Council of Canada marine reference materials. <i>Canadian Journal of Chemistry</i> , 1987, 65, 961-964.	1.1	11
138	Determination of trace metals in marine sediments by inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1987, 2, 277.	3.0	54