

# Hoo, Rlc

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2219072/publications.pdf>

Version: 2024-02-01

27  
papers

3,120  
citations

304743

22  
h-index

526287

27  
g-index

27  
all docs

27  
docs citations

27  
times ranked

4970  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Adipocyte Fatty Acid Binding Protein Promotes the Onset and Progression of Liver Fibrosis via Mediating the Crosstalk between Liver Sinusoidal Endothelial Cells and Hepatic Stellate Cells. <i>Advanced Science</i> , 2021, 8, e2003721.         | 11.2 | 35        |
| 2  | The APPL1-Rab5 axis restricts NLRP3 inflammasome activation through early endosomal-dependent mitophagy in macrophages. <i>Nature Communications</i> , 2021, 12, 6637.  | 12.8 | 35        |
| 3  | CRAF Methylation by PRMT6 Regulates Aerobic Glycolysis-Driven Hepatocarcinogenesis via ERK-Dependent PKM2 Nuclear Relocalization and Activation. <i>Hepatology</i> , 2020, 71, 1279-1296.   | 7.3  | 71        |
| 4  | Adipocyte fatty acid-binding protein exacerbates cerebral ischaemia injury by disrupting the blood-brain barrier. <i>European Heart Journal</i> , 2020, 41, 3169-3180.  | 2.2  | 54        |
| 5  | Adipocyte-secreted exosomal microRNA-34a inhibits M2 macrophage polarization to promote obesity-induced adipose inflammation. <i>Journal of Clinical Investigation</i> , 2019, 129, 834-849.  | 8.2  | 282       |
| 6  | Adipocyte Fatty Acid Binding Protein Potentiates Toxic Lipids-Induced Endoplasmic Reticulum Stress in Macrophages via Inhibition of Janus Kinase 2-dependent Autophagy. <i>Scientific Reports</i> , 2017, 7, 40657.                               | 3.3  | 26        |
| 7  | A-FABP mediates adaptive thermogenesis by promoting intracellular activation of thyroid hormones in brown adipocytes. <i>Nature Communications</i> , 2017, 8, 14147.  | 12.8 | 77        |
| 8  | The MDM2-p53-pyruvate carboxylase signalling axis couples mitochondrial metabolism to glucose-stimulated insulin secretion in pancreatic $\beta$ -cells. <i>Nature Communications</i> , 2016, 7, 11740.   | 12.8 | 47        |
| 9  | Adipose-specific inactivation of JNK alleviates atherosclerosis in apoE-deficient mice. <i>Clinical Science</i> , 2016, 130, 2087-2100.   | 4.3  | 21        |
| 10 | Deficiency of adipocyte fatty-acid-binding protein alleviates myocardial ischaemia/reperfusion injury and diabetes-induced cardiac dysfunction. <i>Clinical Science</i> , 2015, 129, 547-559.   | 4.3  | 42        |
| 11 | Metabolomic profiling in liver of adiponectin-knockout mice uncovers lysophospholipid metabolism as an important target of adiponectin action. <i>Biochemical Journal</i> , 2015, 469, 71-82.   | 3.7  | 20        |
| 12 | Physical exercise-induced hippocampal neurogenesis and antidepressant effects are mediated by the adipocyte hormone adiponectin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 15810-15815. | 7.1  | 238       |
| 13 | Pharmacological inhibition of adipocyte fatty acid binding protein alleviates both acute liver injury and non-alcoholic steatohepatitis in mice. <i>Journal of Hepatology</i> , 2013, 58, 358-364.  | 3.7  | 65        |
| 14 | Functional identification of an intronic promoter of the human glucose-dependent insulinotropic polypeptide gene. <i>Gene</i> , 2010, 463, 29-40.   | 2.2  | 4         |
| 15 | Selective Elevation of Adiponectin Production by the Natural Compounds Derived from a Medicinal Herb Alleviates Insulin Resistance and Glucose Intolerance in Obese Mice. <i>Endocrinology</i> , 2009, 150, 625-633.                              | 2.8  | 86        |
| 16 | Mitochondrial dysfunction contributes to the increased vulnerabilities of adiponectin knockout mice to liver injury. <i>Hepatology</i> , 2008, 48, 1087-1096.   | 7.3  | 75        |
| 17 | Adiponectin Mediates the Suppressive Effect of Rosiglitazone on Plasminogen Activator Inhibitor-1 Production. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 2777-2782.  | 2.4  | 32        |
| 18 | Lipocalin-2 Is an Inflammatory Marker Closely Associated with Obesity, Insulin Resistance, and Hyperglycemia in Humans. <i>Clinical Chemistry</i> , 2007, 53, 34-41.  | 3.2  | 474       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Post-translational Modifications of the Four Conserved Lysine Residues within the Collagenous Domain of Adiponectin Are Required for the Formation of Its High Molecular Weight Oligomeric Complex. <i>Journal of Biological Chemistry</i> , 2006, 281, 16391-16400. | 3.4 | 222       |
| 20 | Hypoxia dysregulates the production of adiponectin and plasminogen activator inhibitor-1 independent of reactive oxygen species in adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 2006, 341, 549-556.                                      | 2.1 | 203       |
| 21 | Adiponectin Modulates the Glycogen Synthase Kinase-3 $\beta$ / $\beta$ -Catenin Signaling Pathway and Attenuates Mammary Tumorigenesis of MDA-MB-231 Cells in Nude Mice. <i>Cancer Research</i> , 2006, 66, 11462-11470.   | 0.9 | 262       |
| 22 | Angiopoietin-like protein 4 decreases blood glucose and improves glucose tolerance but induces hyperlipidemia and hepatic steatosis in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 6086-6091.          | 7.1 | 290       |
| 23 | Testosterone Selectively Reduces the High Molecular Weight Form of Adiponectin by Inhibiting Its Secretion from Adipocytes. <i>Journal of Biological Chemistry</i> , 2005, 280, 18073-18080.   | 3.4 | 357       |
| 24 | Identification and Characterization of a Glucagon Receptor from the Goldfish <i>Carassius auratus</i> : Implications for the Evolution of the Ligand Specificity of Glucagon Receptors in Vertebrates. <i>Endocrinology</i> , 2004, 145, 3273-3288.                  | 2.8 | 40        |
| 25 | Two Inr Elements Are Important for Mediating the Activity of the Proximal Promoter of the Human Gonadotropin-Releasing Hormone Receptor Gene. <i>Endocrinology</i> , 2003, 144, 518-527.   | 2.8 | 5         |
| 26 | Functional Cooperation between Multiple Regulatory Elements in the Untranslated Exon 1 Stimulates the Basal Transcription of the Human GnRH-II Gene. <i>Molecular Endocrinology</i> , 2003, 17, 1175-1191.   | 3.7 | 20        |
| 27 | Oct-1 Is Involved in the Transcriptional Repression of the Gonadotropin-Releasing Hormone Receptor Gene. <i>Endocrinology</i> , 2002, 143, 4693-4701.  | 2.8 | 37        |