

# Xiangfeng Liu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2219102/publications.pdf>

Version: 2024-02-01

134  
papers

7,000  
citations

41258

49  
h-index

66788

78  
g-index

135  
all docs

135  
docs citations

135  
times ranked

8063  
citing authors

#	ARTICLE	IF	CITATIONS
1	Facile Shape Control of $\text{Co}_3\text{O}_4$ and the Effect of the Crystal Plane on Electrochemical Performance. <i>Advanced Materials</i> , 2012, 24, 5762-5766.	11.1	378
2	Boosting the Electrocatalytic Activity of $\text{Co}_3\text{O}_4$ Nanosheets for a $\text{Li-O}_2$ Battery through Modulating Inner Oxygen Vacancy and Exterior $\text{Co}^{3+}/\text{Co}^{2+}$ Ratio. <i>ACS Catalysis</i> , 2017, 7, 6533-6541.	5.5	238
3	Carbon-Dotted Defective $\text{CoO}$ with Oxygen Vacancies: A Synergetic Design of Bifunctional Cathode Catalyst for $\text{Li-O}_2$ Batteries. <i>ACS Catalysis</i> , 2016, 6, 400-406.	5.5	194
4	Polyoxometalate-Based Radiosensitization Platform for Treating Hypoxic Tumors by Attenuating Radioresistance and Enhancing Radiation Response. <i>ACS Nano</i> , 2017, 11, 7164-7176.	7.3	168
5	Microwave assisted one-pot synthesis of graphene quantum dots as highly sensitive fluorescent probes for detection of iron ions and pH value. <i>Talanta</i> , 2016, 150, 54-60.	2.9	167
6	The role of oxygen vacancies in improving the performance of $\text{CoO}$ as a bifunctional cathode catalyst for rechargeable $\text{Li-O}_2$ batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 17598-17605.	5.2	155
7	Systematic Pore-Size Effects of Nanoconfinement of $\text{LiBH}_4$ : Elimination of Diborane Release and Tunable Behavior for Hydrogen Storage Applications. <i>Chemistry of Materials</i> , 2011, 23, 1331-1336.	3.2	139
8	Intelligent $\text{MoS}_2$ Nanotheranostic for Targeted and Enzyme-/pH-/NIR-Responsive Drug Delivery To Overcome Cancer Chemotherapy Resistance Guided by PET Imaging. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 4271-4284.	4.0	137
9	Controlling the Decomposition Pathway of $\text{LiBH}_4$ via Confinement in Highly Ordered Nanoporous Carbon. <i>Journal of Physical Chemistry C</i> , 2010, 114, 14036-14041.	1.5	123
10	Boron-doped sodium layered oxide for reversible oxygen redox reaction in Na-ion battery cathodes. <i>Nature Communications</i> , 2021, 12, 5267.	5.8	122
11	Microwave-assisted facile synthesis of yellow fluorescent carbon dots from o-phenylenediamine for cell imaging and sensitive detection of $\text{Fe}^{3+}$ and $\text{H}_2\text{O}_2$ . <i>RSC Advances</i> , 2016, 6, 17704-17712.	1.7	121
12	Tuning Anionic Redox Activity and Reversibility for a High-Capacity $\text{Li-Rich Mn-Based Oxide Cathode}$ via an Integrated Strategy. <i>Advanced Functional Materials</i> , 2019, 29, 1806706.	7.8	121
13	Unveiling the Role of Co in Improving the High-Rate Capability and Cycling Performance of Layered $\text{Na}_{0.7}\text{Mn}_{0.7}\text{Ni}_{0.3}\text{Co}_x\text{O}_2$ Cathode Materials for Sodium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 15439-15448.	4.0	116
14	New Insights into the Roles of Mg in Improving the Rate Capability and Cycling Stability of $\text{O}_3\text{-NaMn}_{0.48}\text{Ni}_{0.2}\text{Fe}_{0.3}\text{Mg}_{0.02}\text{O}_2$ for Sodium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 10819-10827.	4.0	113
15	Ion conducting $\text{Li}_2\text{SiO}_3$ -coated lithium-rich layered oxide exhibiting high rate capability and low polarization. <i>Chemical Communications</i> , 2015, 51, 9093-9096.	2.2	111
16	Enhancing the Catalytic Activity of $\text{Co}_3\text{O}_4$ for $\text{Li-O}_2$ Batteries through the Synergy of Surface/Interface/Doping Engineering. <i>ACS Catalysis</i> , 2018, 8, 1955-1963.	5.5	111
17	Suppressing the Structure Deterioration of Ni-Rich $\text{LiNi}_{0.8}\text{Co}_{0.1}\text{Mn}_{0.1}\text{O}_2$ through Atom-Scale Interfacial Integration of Self-Forming Hierarchical Spinel Layer with Ni Gradient Concentration. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 29794-29803.	4.0	104
18	A Heterojunction Structured $\text{WO}_2\text{-WSe}_2$ Nanoradiosensitizer Increases Local Tumor Ablation and Checkpoint Blockade Immunotherapy upon Low Radiation Dose. <i>ACS Nano</i> , 2020, 14, 5400-5416.	7.3	104

#	ARTICLE	IF	CITATIONS
19	New insights into designing high-rate performance cathode materials for sodium ion batteries by enlarging the slab-spacing of the Na-ion diffusion layer. <i>Journal of Materials Chemistry A</i> , 2016, 4, 3453-3461.	5.2	101
20	The effect of oxygen vacancy and spinel phase integration on both anionic and cationic redox in Li-rich cathode materials. <i>Journal of Materials Chemistry A</i> , 2020, 8, 7733-7745.	5.2	101
21	Designing an advanced $\text{P2-Na}_{0.67}\text{Mn}_{0.65}\text{Ni}_{0.2}\text{Co}_{0.15}\text{O}_2$ layered cathode material for Na-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 16272-16278.	5.2	100
22	Improving the electrochemical performances of Li-rich $\text{Li}_{1.20}\text{Ni}_{0.13}\text{Co}_{0.13}\text{Mn}_{0.54}\text{O}_2$ through a cooperative doping of $\text{Na}^+$ and $\text{PO}_4^{3-}$ with $\text{Na}_3\text{PO}_4$ . <i>Journal of Power Sources</i> , 2018, 375, 1-10.	4.0	100
23	Facet-Dependent Electrocatalytic Performance of $\text{Co}_3\text{O}_4$ for Rechargeable $\text{Li}^+\text{O}_2$ Battery. <i>Journal of Physical Chemistry C</i> , 2015, 119, 4516-4523.	1.5	99
24	$\text{CoO}/\text{CoP}$ Heterostructured Nanosheets with an $\text{O}^{\delta-}\text{P}$ Interpenetrated Interface as a Bifunctional Electrocatalyst for $\text{Na}^+\text{O}_2$ Battery. <i>ACS Catalysis</i> , 2018, 8, 8953-8960.	5.5	98
25	Facile Cycling of Ti-Doped $\text{LiAlH}_4$ for High Performance Hydrogen Storage. <i>Journal of the American Chemical Society</i> , 2009, 131, 5032-5033.	6.6	96
26	High Rate Capability and Excellent Thermal Stability of $\text{Li}^+\text{-Conductive Li}_2\text{ZrO}_3$ -Coated $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ via a Synchronous Lithiation Strategy. <i>Journal of Physical Chemistry C</i> , 2015, 119, 20350-20356.	1.5	94
27	Tailoring $\text{Co}3d$ and $\text{O}2p$ Band Centers to Inhibit Oxygen Escape for Stable 4.6 V $\text{LiCoO}_2$ Cathodes. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 27102-27112.	7.2	89
28	Facile synthesis and enhanced electrochemical performances of $\text{Li}_2\text{TiO}_3$ -coated lithium-rich layered $\text{Li}_{1.13}\text{Ni}_{0.30}\text{Mn}_{0.57}\text{O}_2$ cathode materials for lithium-ion batteries. <i>Journal of Power Sources</i> , 2015, 294, 141-149.	4.0	88
29	Li-Substituted Co-Free Layered $\text{P2}/\text{O3}$ Biphasic $\text{Na}_{0.67}\text{Mn}_{0.55}\text{Ni}_{0.25}\text{Ti}_{0.2}\text{Li}_x\text{O}_2$ as High-Rate-Capability Cathode Materials for Sodium Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2016, 120, 9007-9016.	1.5	87
30	Multifunctional $\text{WS}_2$ @Poly(ethylene imine) Nanoplatfoms for Imaging Guided Gene Photothermal Synergistic Therapy of Cancer. <i>Advanced Healthcare Materials</i> , 2016, 5, 2776-2787.	3.9	86
31	Unraveling the multiple effects of $\text{Li}_2\text{ZrO}_3$ coating on the structural and electrochemical performances of $\text{LiCoO}_2$ as high-voltage cathode materials. <i>Electrochimica Acta</i> , 2016, 209, 102-110.	2.6	85
32	Zr-doped $\text{P2-Na}_{0.75}\text{Mn}_{0.55}\text{Ni}_{0.25}\text{Co}_{0.05}\text{Fe}_{0.10}\text{Zr}_{0.05}\text{O}_2$ as high-rate performance cathode material for sodium ion batteries. <i>Electrochimica Acta</i> , 2017, 223, 92-99.	2.6	83
33	Addressing voltage decay in Li-rich cathodes by broadening the gap between metallic and anionic bands. <i>Nature Communications</i> , 2021, 12, 3071.	5.8	81
34	Improving the oxygen redox reversibility of Li-rich battery cathode materials via Coulombic repulsive interactions strategy. <i>Nature Communications</i> , 2022, 13, 1123.	5.8	81
35	Different Effects of Al Substitution for Mn or Fe on the Structure and Electrochemical Properties of $\text{Na}_{0.67}\text{Mn}_{0.5}\text{Fe}_{0.5}\text{O}_2$ as a Sodium Ion Battery Cathode Material. <i>Inorganic Chemistry</i> , 2018, 57, 5249-5257.	1.9	78
36	Understanding the Multiple Effects of $\text{TiO}_2$ Coating on $\text{NaMn}_{0.33}\text{Fe}_{0.33}\text{Ni}_{0.33}\text{O}_2$ Cathode Material for Na-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2020, 3, 933-942.	2.5	78

#	ARTICLE	IF	CITATIONS
37	Ti-Doped $\text{LiAlH}_4$ for Hydrogen Storage: Synthesis, Catalyst Loading and Cycling Performance. <i>Journal of the American Chemical Society</i> , 2011, 133, 15593-15597.	6.6	77
38	Ultrathin $\text{Co}_3\text{O}_4$ Nanosheets with Edge-Enriched {111} Planes as Efficient Catalysts for Lithium-Oxygen Batteries. <i>ACS Catalysis</i> , 2019, 9, 3773-3782.	5.5	76
39	Simultaneously tuning cationic and anionic redox in a $\text{P}_2\text{-Na}_{0.67}\text{Mn}_{0.75}\text{Ni}_{0.25}\text{O}_2$ cathode material through synergic Cu/Mg co-doping. <i>Journal of Materials Chemistry A</i> , 2019, 7, 9099-9109.	5.2	76
40	An amorphous $\text{LiO}_2$ -based Li-O <sub>2</sub> battery with low overpotential and high rate capability. <i>Nano Energy</i> , 2017, 41, 535-542.	8.2	71
41	$\text{LiCoO}_2$ nanoplates with exposed (001) planes and high rate capability for lithium-ion batteries. <i>Nano Research</i> , 2012, 5, 395-401.	5.8	69
42	New insights into the modification mechanism of Li-rich $\text{Li}_{1.2}\text{Mn}_{0.6}\text{Ni}_{0.2}\text{O}_2$ coated by $\text{Li}_2\text{ZrO}_3$ . <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 13322-13331.	1.3	69
43	Revealing the anionic redox chemistry in O <sub>3</sub> -type layered oxide cathode for sodium-ion batteries. <i>Energy Storage Materials</i> , 2021, 38, 130-140.	9.5	65
44	Revealing Hidden Facts of Li Anode in Cycled Lithium-Oxygen Batteries through X-ray and Neutron Tomography. <i>ACS Energy Letters</i> , 2019, 4, 306-316.	8.8	61
45	Silica-coated bismuth sulfide nanorods as multimodal contrast agents for a non-invasive visualization of the gastrointestinal tract. <i>Nanoscale</i> , 2015, 7, 12581-12591.	2.8	60
46	Improving the cycling and air-storage stability of $\text{LiNi}_{0.8}\text{Co}_{0.1}\text{Mn}_{0.1}\text{O}_2$ through integrated surface/interface/doping engineering. <i>Journal of Materials Chemistry A</i> , 2020, 8, 5234-5245.	5.2	56
47	Controlled synthesis and enhanced electrochemical performance of Prussian blue analogue-derived hollow $\text{FeCo}_2\text{O}_4$ nanospheres as lithium-ion battery anodes. <i>RSC Advances</i> , 2015, 5, 36575-36581.	1.7	55
48	Modification of the $\text{H}_2$ Desorption Properties of $\text{LiAlH}_4$ through Doping with Ti. <i>Journal of Physical Chemistry C</i> , 2010, 114, 10666-10669.	1.5	54
49	O <sub>3</sub> -type $\text{NaNi}_{0.5}\text{Mn}_{0.5}\text{O}_2$ hollow microbars with exposed {011} facets as high performance cathode materials for sodium-ion batteries. <i>Chemical Engineering Journal</i> , 2020, 382, 122978.	6.6	54
50	Understanding the Enhancement Mechanism of A-Site-Deficient $\text{La}_x\text{NiO}_3$ as an Oxygen Redox Catalyst. <i>Chemistry of Materials</i> , 2020, 32, 1864-1875.	3.2	54
51	Six-arm star polymer based on discotic liquid crystal as high performance all-solid-state polymer electrolyte for lithium-ion batteries. <i>Journal of Power Sources</i> , 2018, 395, 137-147.	4.0	50
52	The synergic effects of Na and K co-doping on the crystal structure and electrochemical properties of $\text{Li}_4\text{Ti}_5\text{O}_{12}$ as anode material for lithium ion battery. <i>Solid State Sciences</i> , 2015, 44, 39-44.	1.5	49
53	Dynamical Perturbations of Tetrahydroborate Anions in $\text{LiBH}_4$ due to Nanoconfinement in Controlled-Pore Carbon Scaffolds. <i>Journal of Physical Chemistry C</i> , 2013, 117, 17983-17995.	1.5	47
54	Enhancing the Catalytic Activity of $\text{Co}_3\text{O}_4$ Nanosheets for Li-O <sub>2</sub> Batteries by the Incorporation of Oxygen Vacancy with Hydrazine Hydrate Reduction. <i>Inorganic Chemistry</i> , 2019, 58, 4989-4996.	1.9	45

#	ARTICLE	IF	CITATIONS
55	Simultaneously enhancing up-conversion fluorescence and red-shifting down-conversion luminescence of carbon dots by a simple hydrothermal process. <i>Journal of Materials Chemistry B</i> , 2014, 2, 6947-6952.	2.9	44
56	Understanding the synergic roles of MgO coating on the cycling and rate performance of Na <sub>0.67</sub> Mn <sub>0.5</sub> Fe <sub>0.5</sub> O <sub>2</sub> cathode. <i>Applied Surface Science</i> , 2019, 497, 143814.	3.1	43
57	Probing the unusual anion mobility of LiBH <sub>4</sub> confined in highly ordered nanoporous carbon frameworks via solid state NMR and quasielastic neutron scattering. <i>Journal of Materials Chemistry A</i> , 2013, 1, 9935.	5.2	42
58	The synthesis of a hyperbranched star polymeric ionic liquid and its application in a polymer electrolyte. <i>Polymer Chemistry</i> , 2017, 8, 3177-3185.	1.9	42
59	Facile and efficient exfoliation of inorganic layered materials using liquid alkali metal alloys. <i>Chemical Communications</i> , 2015, 51, 10961-10964.	2.2	40
60	Silver-Nanoparticle-Embedded Porous Silicon Disks Enabled SERS Signal Amplification for Selective Glutathione Detection. <i>ACS Applied Nano Materials</i> , 2018, 1, 410-417.	2.4	39
61	Understanding the effect of an in situ generated and integrated spinel phase on a layered Li-rich cathode material using a non-stoichiometric strategy. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 25711-25720.	1.3	38
62	Mitigating the voltage fading and lattice cell variations of O <sub>3</sub> -NaNi <sub>0.2</sub> Fe <sub>0.35</sub> Mn <sub>0.45</sub> O <sub>2</sub> for high performance Na-ion battery cathode by Zn doping. <i>Journal of Alloys and Compounds</i> , 2019, 794, 509-517.	2.8	36
63	Enhancing the electrochemical properties of NiFe <sub>2</sub> O <sub>4</sub> anode for lithium ion battery through a simple hydrogenation modification. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 11258-11266.	3.8	35
64	Improving the Performance of Layered Oxide Cathode Materials with Football-Like Hierarchical Structure for Na-ion Batteries by Incorporating Mg <sup>2+</sup> into Vacancies in Na-ion Layers. <i>ChemSusChem</i> , 2018, 11, 1223-1231.	3.6	35
65	Modulating the Electrochemical Performances of Layered Cathode Materials for Sodium Ion Batteries through Tuning Coulombic Repulsion between Negatively Charged TMO <sub>2</sub> Slabs. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 1707-1718.	4.0	34
66	Designing advanced P3-type K <sub>0.45</sub> Ni <sub>0.1</sub> Co <sub>0.1</sub> Mn <sub>0.8</sub> O <sub>2</sub> and improving electrochemical performance via Al/Mg doping as a new cathode Material for potassium-ion batteries. <i>Journal of Power Sources</i> , 2020, 464, 228190.	4.0	34
67	Simple and Efficient Synthesis of Strongly Green Fluorescent Carbon Dots with Upconversion Property for Direct Cell Imaging. <i>Particle and Particle Systems Characterization</i> , 2015, 32, 542-546.	1.2	33
68	Bi <sub>2</sub> S <sub>3</sub> -Tween 20 Nanodots Loading PI3K Inhibitor, LY294002, for Mild Photothermal Therapy of LoVo Cells In Vitro and In Vivo. <i>Advanced Healthcare Materials</i> , 2018, 7, e1800830.	3.9	32
69	Oxygen defects-engineered LaFeO <sub>3-x</sub> nanosheets as efficient electrocatalysts for lithium-oxygen battery. <i>Journal of Catalysis</i> , 2020, 384, 199-207.	3.1	32
70	A study of the structure-activity relationship of the electrochemical performance and Li/Ni mixing of lithium-rich materials by neutron diffraction. <i>RSC Advances</i> , 2015, 5, 31238-31244.	1.7	31
71	Reducing the charge overpotential of Li <sub>2</sub> O <sub>2</sub> batteries through band-alignment cathode design. <i>Energy and Environmental Science</i> , 2020, 13, 2540-2548.	15.6	30
72	Structure modulation and performance optimization of P2-Na <sub>0.7</sub> Mn <sub>0.75</sub> Fe <sub>0.25-x-y</sub> Ni <sub>x</sub> Co <sub>y</sub> O <sub>2</sub> through a synergistic substitution of Ni and Co for Fe. <i>Electrochimica Acta</i> , 2018, 277, 88-99.	2.6	29

#	ARTICLE	IF	CITATIONS
73	Understanding Oxygen Redox in Cu-Doped P2-Na <sub>0.67</sub> Mn <sub>0.8</sub> Fe <sub>0.1</sub> Co <sub>0.1</sub> O <sub>2</sub> Cathode Materials for Na-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2018, 165, A3854-A3861.	1.3	28
74	Enhancing the Rate Capability and Cycling Stability of Na <sub>0.67</sub> Mn <sub>0.7</sub> Fe <sub>0.2</sub> Co <sub>0.1</sub> O <sub>2</sub> through a Synergy of Zr <sup>4+</sup> Doping and ZrO <sub>2</sub> Coating. <i>Journal of Physical Chemistry C</i> , 2018, 122, 25909-25916.	1.5	28
75	Tuning Co <sup>2+</sup> Coordination in Cobalt Layered Double Hydroxide Nanosheets via Fe <sup>3+</sup> Doping for Efficient Oxygen Evolution. <i>Inorganic Chemistry</i> , 2021, 60, 5252-5263.	1.9	28
76	Probing the Self-Boosting Catalysis of LiCoO <sub>2</sub> in Li-O <sub>2</sub> Battery with Multiple In Situ/Operando Techniques. <i>Advanced Functional Materials</i> , 2020, 30, 2002223.	7.8	28
77	3D structural lithium alginate-based gel polymer electrolytes with superior high-rate long cycling performance for high-energy lithium metal batteries. <i>Journal of Materials Chemistry A</i> , 2022, 10, 707-718.	5.2	28
78	Facilitating Reversible Cation Migration and Suppressing O <sub>2</sub> Escape for High Performance Li-Rich Oxide Cathodes. <i>Small</i> , 2022, 18, e2201014.	5.2	28
79	Decomposition Behavior of Eutectic LiBH <sub>4</sub> •Mg(BH <sub>4</sub> ) <sub>2</sub> and Its Confinement Effects in Ordered Nanoporous Carbon. <i>Journal of Physical Chemistry C</i> , 2014, 118, 27265-27271.	1.5	27
80	Valine-derived carbon dots with colour-tunable fluorescence for the detection of Hg <sup>2+</sup> with high sensitivity and selectivity. <i>New Journal of Chemistry</i> , 2015, 39, 6201-6206.	1.4	27
81	Tuning Both Anionic and Cationic Redox Chemistry of Li-Rich Li <sub>1.2</sub> Mn <sub>0.6</sub> Ni <sub>0.2</sub> O <sub>2</sub> via a "Three-in-One" Strategy. <i>Chemistry of Materials</i> , 2020, 32, 9404-9414.	3.2	27
82	Ti-doped LiAlH <sub>4</sub> for hydrogen storage: Rehydrogenation process, reaction conditions and microstructure evolution during cycling. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 10215-10221.	3.8	23
83	Characterization of the Dehydrogenation Process of LiBH <sub>4</sub> Confined in Nanoporous Carbon. <i>Journal of Physical Chemistry C</i> , 2014, 118, 8843-8851.	1.5	23
84	Mitigating the P2→O2 transition and Na <sup>+</sup> /vacancy ordering in Na <sub>2/3</sub> Ni <sub>1/3</sub> Mn <sub>2/3</sub> O <sub>2</sub> by anion/cation dual-doping for fast and stable Na <sup>+</sup> insertion/extraction. <i>Journal of Materials Chemistry A</i> , 2021, 9, 10803-10811.	5.2	23
85	“ <i>éçšđžă,€çšăă€ç—ç•¥è°fèš,P2ăž•Na0.67Mn0.5Fe0.5O2æ£æžææ—™çš,,é~/é~3ç »ăæ°šă€—èž~ăžŸăæ°”</i> . <i>Science China Materials</i> , 2021, 14, 111-117.		
86	Topological polymer electrolyte containing poly(pinacol vinylboronate) segments composited with ceramic nanowires towards ambient-temperature superior performance all-solid-state lithium batteries. <i>Journal of Power Sources</i> , 2019, 413, 318-326.	4.0	22
87	First-Principles Study of Novel Conversion Reactions for High-Capacity Li-Ion Battery Anodes in the Li•Mg•Ba•Na•H System. <i>Journal of Physical Chemistry C</i> , 2011, 115, 16681-16687.	1.5	21
88	N-Doped Defective Carbon Layer Encapsulated W <sub>2</sub> C as a Multifunctional Cathode Catalyst for High Performance Li-O <sub>2</sub> Battery. <i>Electrochimica Acta</i> , 2017, 245, 430-437.	2.6	21
89	A collaborative strategy with ionic conductive Na <sub>2</sub> SiO <sub>3</sub> coating and Si doping of P2-Na <sub>0.67</sub> Fe <sub>0.5</sub> Mn <sub>0.5</sub> O <sub>2</sub> cathode: An effective solution to capacity attenuation. <i>Electrochimica Acta</i> , 2021, 384, 138362.	2.6	21
90	Tuning the crystal and electronic structure of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> via Mg/La Co-doping for fast and stable lithium storage. <i>Ceramics International</i> , 2020, 46, 12965-12974.	2.3	20

#	ARTICLE	IF	CITATIONS
91	A ketone-containing all-solid-state polymer electrolyte with rapid Li-ion conduction for lithium metal batteries. <i>Chemical Engineering Journal</i> , 2022, 427, 132025.	6.6	20
92	Tailoring Co3d and O2p Band Centers to Inhibit Oxygen Escape for Stable 4.6V LiCoO <sub>2</sub> Cathodes. <i>Angewandte Chemie</i> , 2021, 133, 27308-27318.	1.6	20
93	The Synergic Effects of Zr Doping and Li <sub>2</sub> TiO <sub>3</sub> Coating on the Crystal Structure and Electrochemical Performances of Li-Rich Li <sub>1.2</sub> Ni <sub>0.2</sub> Mn <sub>0.6</sub> O <sub>2</sub> . <i>Journal of the Electrochemical Society</i> , 2019, 166, A1323-A1329.	1.3	19
94	Stabilizing the Anionic Redox in 4.6 V LiCoO <sub>2</sub> Cathode through Adjusting Oxygen Magnetic Moment. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	19
95	Probing the Nature of Li <sup>+</sup> /Ni <sup>2+</sup> Disorder on the Structure and Electrochemical Performance in Ni-Based Layered Oxide Cathodes. <i>Journal of the Electrochemical Society</i> , 2019, 166, A4097-A4105.	1.3	18
96	Fe <sub>3</sub> O <sub>4</sub> @porous carbon hybrid as the anode material for a lithium-ion battery: performance optimization by composition and microstructure tailoring. <i>New Journal of Chemistry</i> , 2015, 39, 3435-3443.	1.4	17
97	Lattice Modulation by Ca/P Dual-Doping for Fast and Stable Li <sup>+</sup> Intercalation/Extraction in High-Voltage LiCoO <sub>2</sub> . <i>Journal of Physical Chemistry C</i> , 2021, 125, 2364-2372.	1.5	17
98	Tuning fermi level and band gap in Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> by doping and vacancy for ultrafast Li <sup>+</sup> insertion/extraction. <i>Journal of the American Ceramic Society</i> , 2021, 104, 5934-5945.	1.9	17
99	Improving the Electrochemical Performance of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Anode through Confinement into Ordered Bimodal Porous Carbon Frameworks. <i>Journal of Physical Chemistry C</i> , 2013, 117, 26889-26895.	1.5	16
100	Tailoring the hydrogen storage properties of Li <sub>4</sub> BN <sub>3</sub> H <sub>10</sub> by confinement into highly ordered nanoporous carbon. <i>Journal of Materials Chemistry A</i> , 2013, 1, 3926.	5.2	16
101	Enhancing the Performance of CoO as Cathode Catalyst for Li-O <sub>2</sub> Batteries through Confinement into Bimodal Mesoporous Carbon. <i>Electrochimica Acta</i> , 2016, 201, 134-141.	2.6	16
102	Electrochemical performances of a new solid composite polymer electrolyte based on hyperbranched star polymer and ionic liquid for lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2017, 21, 2355-2364.	1.2	16
103	Unveiling the Synergic Roles of Mg/Zr Co-Doping on Rate Capability and Cycling Stability of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> . <i>Journal of the Electrochemical Society</i> , 2019, 166, A658-A666.	1.3	16
104	Tuning Bulk O <sub>2</sub> and Nonbonding Oxygen State for Reversible Anionic Redox Chemistry in P <sub>2</sub> -Layered Cathodes. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	16
105	Hydrogenation of C14 Laves phase alloy: CaLi <sub>2</sub> . <i>International Journal of Hydrogen Energy</i> , 2009, 34, 1472-1475.	3.8	15
106	The effects of Co doping on the crystal structure and electrochemical performance of Mg(Mn <sub>2-x</sub> Co <sub>x</sub> )O <sub>4</sub> negative materials for lithium ion battery. <i>Solid State Sciences</i> , 2015, 39, 23-28.	1.5	15
107	Ultrahigh cycling stability and rate capability of ZnFe <sub>2</sub> O <sub>4</sub> @graphene hybrid anode prepared through a facile syn-graphenization strategy. <i>New Journal of Chemistry</i> , 2016, 40, 3139-3146.	1.4	15
108	The formation mechanism and photocatalytic activity of hierarchical NiAl-LDH films on an Al substrate prepared under acidic conditions. <i>Chemical Communications</i> , 2014, 50, 2301-2303.	2.2	14

#	ARTICLE	IF	CITATIONS
109	Three-dimensional layered double hydroxide membranes: fabrication technique, growth mechanism, and enhanced photocatalytic activity. <i>Chemical Communications</i> , 2018, 54, 8494-8497.	2.2	13
110	Unraveling the Distinct Roles of Mg Occupation on Li or Co Sites on High-Voltage $\text{LiCoO}_2$ . <i>Journal of the Electrochemical Society</i> , 2021, 168, 030528.	1.3	13
111	Study of the structures and thermal expansion properties of solid solutions $\text{Yb}_{2-x}\text{Dy}_x\text{W}_3\text{O}_{12}$ ( $0 \leq x \leq 1.5$ ). <i>Journal of Solid State Chemistry</i> , 2021, 395, 101111.	1.3	12
112	Facile synthesis of carbon-coated $\text{LiVO}_3$ with enhanced electrochemical performances as cathode materials for lithium-ion batteries. <i>Ceramics International</i> , 2017, 43, 2343-2349.	2.3	12
113	Water-Induced Surface Reconstruction of $\text{Co}_3\text{O}_4$ on the (111) Plane for High-Efficiency $\text{Li}_2\text{O}_2$ Batteries in a Hybrid Electrolyte. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 28965-28976.	4.0	12
114	Hydrogenation of $\text{CaLi}_2\text{Mg}_x$ ( $0 \leq x \leq 2$ ) with C14 Laves phase structure. <i>Journal of Alloys and Compounds</i> , 2009, 482, L18-L21.	2.8	10
115	Neutron diffraction analysis and electrochemical performance of spinel $\text{Ni}(\text{Mn}_{2-x}\text{Co}_x)\text{O}_4$ as anode materials for lithium ion battery. <i>Materials Research Bulletin</i> , 2016, 77, 265-270.	2.7	10
116	Understanding the roles of Ti on the structure and electrochemical performances of $\text{Li}_2\text{Ru}_1\text{-Ti}_0\text{O}_3$ cathode materials for Li-ion batteries. <i>Journal of Energy Chemistry</i> , 2019, 33, 9-16.	7.1	9
117	<i>N</i> -phenylenediamine oligomer-mediated $\text{Li}_2\text{O}_2$ battery with an extremely low charge potential of 3.1 V. <i>Journal of Materials Chemistry A</i> , 2020, 8, 22754-22762.	5.2	9
118	Lithium-Ion Batteries: Tuning Anionic Redox Activity and Reversibility for a High-Capacity $\text{Li}$ -Rich $\text{Mn}$ -Based Oxide Cathode via an Integrated Strategy ( <i>Adv. Funct. Mater.</i> 10/2019). <i>Advanced Functional Materials</i> , 2019, 29, 1970064.	7.8	7
119	The synergic effects of Ca and Sm co-doping on the crystal structure and electrochemical performances of $\text{Li}_{4-x}\text{Ca}_x\text{Ti}_5\text{-xSm}_x\text{O}_{12}$ anode material. <i>Solid State Sciences</i> , 2019, 87, 110-117.	1.5	7
120	Improving Cycling Stability and Rate Capability of High-Voltage $\text{LiCoO}_2$ Through an Integration of Lattice Doping and Nanoscale Coating. <i>Journal of Nanoscience and Nanotechnology</i> , 2020, 20, 2473-2481.	0.9	7
121	Direct synthesis of CdS nanodots embedded in bovine serum albumin without external sulfur source for cell imaging. <i>RSC Advances</i> , 2015, 5, 10014-10017.	1.7	6
122	Simultaneously Enhancing Structural Stability and Cationic Redox in $\text{Na}_{0.67}\text{Mn}_{0.75}\text{Fe}_{0.25}\text{O}_2$ through a Synergy of Multisite Substitution. <i>Journal of Physical Chemistry C</i> , 2021, 125, 8105-8115.	1.5	6
123	Facile Synthesis of Near-Infrared Emissive CdS Quantum Dots for Live Cells Imaging. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 2271-2277.	0.9	5
124	General Water-Induced Self-Exfoliation Strategy for the Ultrafast and Large-Scale Synthesis of Metal Hydroxide Nanosheets. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 6695-6700.	2.1	5
125	Effects of doping Fe cations on crystal structure and thermal expansion property of $\text{Yb}_2\text{Mo}_3\text{O}_{12}$ . <i>Chinese Chemical Letters</i> , 2017, 28, 1600-1606.	4.8	4
126	Synergy of Oxygen-Deficient $\text{LaFeO}_3$ and N-Doped Reduced Graphene Oxide in Oxygen Reduction Reaction in Alkaline Solutions. <i>ACS Applied Energy Materials</i> , 2021, 4, 8745-8754.	2.5	4



#	ARTICLE	IF	CITATIONS
127	Unraveling the Roles of La Substitution for Different Transition Metals on $\text{P2-Na}_{0.67}\text{Mn}_{0.6}\text{Ni}_{0.2}\text{Co}_{0.2}\text{O}_2$ Cathode Materials. <i>Journal of the Electrochemical Society</i> , 2020, 167, 160506.	1.3	4
128	Achieving a High-Rate and Stable $\text{Li}_4\text{Ti}_5\text{O}_{12}$ Anode via a "Three-in-One" Strategy. <i>Journal of Physical Chemistry C</i> , 2022, 126, 12283-12293.	1.5	4
129	Designing a durable high-rate $\text{K}_{0.45}\text{Ni}_{0.1}\text{Fe}_{0.1}\text{Mn}_{0.8}\text{O}_2$ cathode for K-ion batteries: A joint study of theory and experiment. <i>Science China Materials</i> , 2022, 65, 1741-1750.	3.5	3
130	Influence of Y and Al co-doping on the crystal structure and magnetic properties of $\text{Nd}_{2-x}\text{Y}_x\text{Fe}_{17-y}\text{Al}_y$ . <i>Intermetallics</i> , 2014, 55, 199-203.	1.8	2
131	Tuning Bulk $\text{O}_2$ and Nonbonding Oxygen State for Reversible Anionic Redox Chemistry in $\text{P2}$ -Layered Cathodes. <i>Angewandte Chemie</i> , 0, , .	1.6	2
132	Structure and magnetic properties of $\text{Nd}_{3-x}\text{Dy}_x\text{Fe}_{23-y}\text{Co}_6\text{Moy}$ ( $x=0.5\text{--}3$ ) compounds. <i>Solid State Sciences</i> , 2008, 10, 1412-1415.	1.5	1
133	Photothermal Therapy: Multifunctional $\text{WS}_2$ @Polyetherimide Nanoplatfoms for Imaging Guided Gene-Photothermal Synergistic Therapy of Cancer ( <i>Adv. Healthcare Mater.</i> 21/2016). <i>Advanced Healthcare Materials</i> , 2016, 5, 2834-2834.	3.9	1
134	Facile Synthesis and Enhanced Electrochemical Performances of Hierarchical $\text{ZnFe}_2\text{O}_4$ -Graphene Hybrid as an Anode Material for Li-Ion Batteries. <i>Journal of Nanoscience and Nanotechnology</i> , 2017, 17, 2093-2097.	0.9	0