

Mitsuro Kanda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/221960/publications.pdf>

Version: 2024-02-01

298
papers

7,927
citations

57758

44
h-index

95266

68
g-index

303
all docs

303
docs citations

303
times ranked

9289
citing authors

#	ARTICLE	IF	CITATIONS
1	Preoperative neutrophil-to-platelet ratio as a potential prognostic factor for gastric cancer with positive peritoneal lavage cytology in the absence of other non-curative factors: a multi-institutional dataset analysis. <i>Surgery Today</i> , 2023, 53, 198-206.	1.5	2
2	Prognostic impact of a microscopic positive margin in patients undergoing gastrectomy for gastric cancer: a propensity score-matched analysis of a multi-institutional dataset. <i>Surgery Today</i> , 2022, 52, 559-566.	1.5	2
3	E-PASS scoring system serves as a predictor of short- and long-term outcomes in gastric cancer surgery. <i>Surgery Today</i> , 2022, 52, 914-922.	1.5	2
4	SLC7A9 as a Potential Biomarker for Lymph Node Metastasis of Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 2699-2709.	1.5	3
5	ASO Visual Abstract: SLC7A9 as a Potential Biomarker for Lymph Node Metastasis of Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 2710.	1.5	0
6	Drain Amylase Concentrations at 3 h After Gastrectomy Enhance Early Prediction of Postoperative Peripancreatic Inflammatory Fluid Collection. <i>World Journal of Surgery</i> , 2022, 46, 648-655.	1.6	0
7	Preoperative docetaxel, cisplatin, and fluorouracil treatment with pegfilgrastim on day 7 for patients with esophageal cancer: A phase II study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2022, 18, 578-585.	1.1	6
8	Diagnostic efficacy of circular RNAs as noninvasive, liquid biopsy biomarkers for early detection of gastric cancer. <i>Molecular Cancer</i> , 2022, 21, 42.	19.2	43
9	A microRNA-based liquid biopsy signature for the early detection of esophageal squamous cell carcinoma: a retrospective, prospective and multicenter study. <i>Molecular Cancer</i> , 2022, 21, 44.	19.2	29
10	Lysosomal-associated membrane protein family member 5 promotes the metastatic potential of gastric cancer cells. <i>Gastric Cancer</i> , 2022, 25, 558-572.	5.3	14
11	Comprehensive Genomic Profiling of Neuroendocrine Carcinomas of the Gastrointestinal System. <i>Cancer Discovery</i> , 2022, 12, 692-711.	9.4	58
12	ASO Author Reflections: Optimized Cutoff Value of Albumin-Bilirubin Score to Predict Prognosis of Patients with Esophageal Squamous Cell Carcinoma After Radical Resection. <i>Annals of Surgical Oncology</i> , 2022, , 1.	1.5	0
13	Prognostic Value of a Modified Albumin-Bilirubin Score Designed for Patients with Esophageal Squamous Cell Carcinoma After Radical Resection. <i>Annals of Surgical Oncology</i> , 2022, 29, 4889-4896.	1.5	7
14	Expression of cellular retinoic acid binding protein 1 predicts peritoneal recurrence of gastric cancer. <i>International Journal of Oncology</i> , 2022, 60, .	3.3	4
15	ASO Visual Abstract: Prognostic Value of a Modified Albumin-Bilirubin Grade Designed for Patients with Esophageal Squamous Cell Carcinoma after Radical Resection. <i>Annals of Surgical Oncology</i> , 2022, , 1.	1.5	1
16	Transcriptomic profiling on localized gastric cancer identified CPLX1 as a gene promoting malignant phenotype of gastric cancer and a predictor of recurrence after surgery and subsequent chemotherapy. <i>Journal of Gastroenterology</i> , 2022, 57, 640-653.	5.1	2
17	High Serum Uric Acid Levels Could Be a Risk Factor of Hepatocellular Carcinoma Recurrences. <i>Nutrition and Cancer</i> , 2021, 73, 996-1003.	2.0	6
18	Newly developed primary malignancies in long-term survivors who underwent curative esophagectomy for squamous cell carcinoma of the esophagus. <i>Surgery Today</i> , 2021, 51, 153-158.	1.5	2

#	ARTICLE	IF	CITATIONS
19	Short-term outcomes of gastrectomy after neoadjuvant chemotherapy for clinical stage III gastric cancer: propensity score-matched analysis of a multi-institutional database. <i>Surgery Today</i> , 2021, 51, 821-828.	1.5	4
20	miR-23b-3p Plays an Oncogenic Role in Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 3416-3426.	1.5	11
21	Randomised phase II trial of capecitabine plus oxaliplatin with continuous versus intermittent use of oxaliplatin as adjuvant chemotherapy for stage II/III colon cancer (CCOG-1302 study). <i>European Journal of Cancer</i> , 2021, 144, 61-71.	2.8	3
22	Peritoneal Lavage Tumor DNA as a Novel Biomarker for Predicting Peritoneal Recurrence in Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 2277-2286.	1.5	11
23	Tissue <i>RNFT2</i> Expression Levels Are Associated With Peritoneal Recurrence and Poor Prognosis in Gastric Cancer. <i>Anticancer Research</i> , 2021, 41, 609-617.	1.1	5
24	Age-Related Differences in the Prognosis of Pancreatic Cancer According to Perioperative Systemic Therapy. <i>Pancreas</i> , 2021, 50, 37-46.	1.1	0
25	Transcriptomic Profiling Identifies a Risk Stratification Signature for Predicting Peritoneal Recurrence and Micrometastasis in Gastric Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 2292-2300.	7.0	17
26	Hepatic metastasis of gastric cancer is associated with enhanced expression of ethanolamine kinase 2 via the p53/Bcl-2 intrinsic apoptosis pathway. <i>British Journal of Cancer</i> , 2021, 124, 1449-1460.	6.4	17
27	G-protein subunit gamma-4 expression has potential for detection, prediction and therapeutic targeting in liver metastasis of gastric cancer. <i>British Journal of Cancer</i> , 2021, 125, 220-228.	6.4	13
28	Accurate Prediction of Prognosis After Radical Resection of Gastric Cancer by the Modified Systemic Inflammation Score; a Multicenter Dataset Analysis. <i>World Journal of Surgery</i> , 2021, 45, 2513-2520.	1.6	6
29	Efficacy of Splenectomy for Proximal Gastric Cancer with Greater Curvature Invasion or Type 4 Tumor: a Propensity Score Analysis of a Multi-institutional Dataset. <i>World Journal of Surgery</i> , 2021, 45, 2840-2848.	1.6	2
30	Blockade of CHRN2 signaling with a therapeutic monoclonal antibody attenuates the aggressiveness of gastric cancer cells. <i>Oncogene</i> , 2021, 40, 5495-5504.	5.9	12
31	Impact of molecular surgical margin analysis on the prediction of pancreatic cancer recurrences after pancreaticoduodenectomy. <i>Clinical Epigenetics</i> , 2021, 13, 172.	4.1	1
32	Pancreatic Fat and Body Composition Measurements by Computed Tomography are Associated with Pancreatic Fistula After Pancreatectomy. <i>Annals of Surgical Oncology</i> , 2021, 28, 530-538.	1.5	27
33	Update on molecular biomarkers for diagnosis and prediction of prognosis and treatment responses in gastric cancer. <i>Histology and Histopathology</i> , 2021, 36, 817-832.	0.7	3
34	Optimal Preoperative Multidisciplinary Treatment in Borderline Resectable Pancreatic Cancer. <i>Cancers</i> , 2021, 13, 36.	3.7	12
35	Synaptotagmin 13 Is Highly Expressed in Estrogen Receptor-Positive Breast Cancer. <i>Current Oncology</i> , 2021, 28, 4080-4092.	2.2	3
36	Platelet isoform of phosphofructokinase accelerates malignant features in breast cancer. <i>Oncology Reports</i> , 2021, 47, .	2.6	9

#	ARTICLE	IF	CITATIONS
37	Intraperitoneal Chemotherapy as Adjuvant or Perioperative Chemotherapy for Patients with Type 4 Scirrhous Gastric Cancer: PHOENIX-GC2 Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 5666.	2.4	8
38	Neoadjuvant docetaxel, oxaliplatin plus S-1 for treating clinical stage III squamous cell carcinoma of the esophagus: Study protocol of an open-label phase II trial. <i>Contemporary Clinical Trials Communications</i> , 2021, 24, 100853.	1.1	0
39	Preoperative six-minute walk distance as a predictor of postoperative complication in patients with esophageal cancer. <i>Ecological Management and Restoration</i> , 2020, 33, .	0.4	14
40	Detection of indocyanine green fluorescence to determine tumor location during laparoscopic gastrectomy for gastric cancer: Results of a prospective study. <i>Asian Journal of Endoscopic Surgery</i> , 2020, 13, 160-167.	0.9	15
41	The Preoperative Prognostic Nutritional Index Predicts Short-Term and Long-Term Outcomes of Patients with Stage II/III Gastric Cancer: Analysis of a Multi-Institution Dataset. <i>Digestive Surgery</i> , 2020, 37, 135-144.	1.2	36
42	Phase II study of capecitabine plus oxaliplatin (CapOX) as adjuvant chemotherapy for locally advanced rectal cancer (CORONA II). <i>International Journal of Clinical Oncology</i> , 2020, 25, 118-125.	2.2	6
43	Preoperative predictors of postoperative complications after gastric cancer resection. <i>Surgery Today</i> , 2020, 50, 3-11.	1.5	48
44	Tumor size as an Independent Prognostic Factor for Patients with Stage II or III Gastric Cancer After Postoperative S-1 Monotherapy: Analysis of a Multi-Institution Dataset. <i>World Journal of Surgery</i> , 2020, 44, 194-201.	1.6	4
45	Fraser extracellular matrix complex subunit 1 promotes liver metastasis of gastric cancer. <i>International Journal of Cancer</i> , 2020, 146, 2865-2876.	5.1	18
46	Serum levels of ANOS1 serve as a diagnostic biomarker of gastric cancer: a prospective multicenter observational study. <i>Gastric Cancer</i> , 2020, 23, 203-211.	5.3	29
47	Prognosis After Laparoscopic Gastrectomy in Patients with Pathological Stage II or III Gastric Cancer Who Were Preoperatively Diagnosed with Clinical Stage I: Propensity Score Matching Analysis of a Multicenter Dataset. <i>Annals of Surgical Oncology</i> , 2020, 27, 268-275.	1.5	2
48	Phase I Study of Intraperitoneal Administration of Paclitaxel Combined with S-1 Plus Cisplatin for Gastric Cancer with Peritoneal Metastasis. <i>Oncology</i> , 2020, 98, 48-52.	1.9	5
49	Novel Prognostic Implications of DUPAN-2 in the Era of Initial Systemic Therapy for Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2020, 27, 2081-2089.	1.5	12
50	PRAME as a Potential Biomarker for Liver Metastasis of Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2020, 27, 2071-2080.	1.5	13
51	Optimized Cutoff Value of Serum Squamous Cell Carcinoma Antigen Concentration Accurately Predicts Recurrence After Curative Resection of Squamous Cell Carcinoma of the Esophagus. <i>Annals of Surgical Oncology</i> , 2020, 27, 1233-1240.	1.5	14
52	Clinical impact of additional therapy for residual pancreatic cancer. <i>Surgery Today</i> , 2020, 50, 440-448.	1.5	1
53	Clinical Implications of Naples Prognostic Score in Patients with Resected Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2020, 27, 887-895.	1.5	50
54	ASO Author Reflections: Characteristics Associated with Nodal and Distant Recurrence After Radical Esophagectomy for Squamous Cell Carcinoma of the Thoracic Esophagus. <i>Annals of Surgical Oncology</i> , 2020, 27, 3206-3207.	1.5	0

#	ARTICLE	IF	CITATIONS
55	STRA6 Expression Serves as a Prognostic Biomarker of Gastric Cancer. <i>Cancer Genomics and Proteomics</i> , 2020, 17, 509-516.	2.0	9
56	Therapeutic monoclonal antibody targeting of neuronal pentraxin receptor to control metastasis in gastric cancer. <i>Molecular Cancer</i> , 2020, 19, 131.	19.2	48
57	Accurate Risk Stratification of Patients with Node-Positive Gastric Cancer by Lymph Node Ratio. <i>World Journal of Surgery</i> , 2020, 44, 4184-4192.	1.6	8
58	AMIGO2 Expression as a Potential Prognostic Biomarker for Gastric Cancer. <i>Anticancer Research</i> , 2020, 40, 6713-6721.	1.1	9
59	Amido-Bridged Nucleic Acid-Modified Antisense Oligonucleotides Targeting SYT13 to Treat Peritoneal Metastasis of Gastric Cancer. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 22, 791-802.	5.1	30
60	Survival times are similar among patients with peritoneal, hematogenous, and nodal recurrences after curative resections for gastric cancer. <i>Cancer Medicine</i> , 2020, 9, 5392-5399.	2.8	6
61	An Open-Label Single-Arm Phase II Study of Treatment with Neoadjuvant S-1 Plus Cisplatin for Clinical Stage III Squamous Cell Carcinoma of the Esophagus. <i>Oncologist</i> , 2020, 25, e1650-e1654.	3.7	7
62	Characteristics of Lung Metastasis as an Initial Recurrence Pattern After Curative Resection of Pancreatic Cancer. <i>Pancreas</i> , 2020, 49, 699-705.	1.1	8
63	Chromobox 2 Expression Predicts Prognosis After Curative Resection of Oesophageal Squamous Cell Carcinoma. <i>Cancer Genomics and Proteomics</i> , 2020, 17, 391-400.	2.0	6
64	KCNJ15 Expression and Malignant Behavior of Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2020, 27, 2559-2568.	1.5	11
65	Propensity-score-matched analysis of a multi-institutional dataset to compare postoperative complications between Billroth I and Roux-en-Y reconstructions after distal gastrectomy. <i>Gastric Cancer</i> , 2020, 23, 734-745.	5.3	18
66	Anti-thyroid antibodies and thyroid echo pattern at baseline as risk factors for thyroid dysfunction induced by anti-programmed cell death-1 antibodies: a prospective study. <i>British Journal of Cancer</i> , 2020, 122, 771-777.	6.4	48
67	Systemic Inflammation Score as a Predictor of Pneumonia after Radical Resection of Gastric Cancer: Analysis of a Multi-Institutional Dataset. <i>Digestive Surgery</i> , 2020, 37, 401-410.	1.2	12
68	ASO Author Reflections: KCNJ15 Expression and Malignant Behavior of Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2020, 27, 2569-2570.	1.5	0
69	Expression and Malignant Potential of B4GALNT4 in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2020, 27, 3247-3256.	1.5	9
70	ASO Author Reflections: Expression and Malignant Potential of B4GALNT4 in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2020, 27, 3257-3258.	1.5	0
71	Characteristics Associated with Nodal and Distant Recurrence After Radical Esophagectomy for Squamous Cell Carcinoma of the Thoracic Esophagus. <i>Annals of Surgical Oncology</i> , 2020, 27, 3195-3205.	1.5	11
72	Exploration of Exosomal Micro RNA Biomarkers Related to Epithelial-to-Mesenchymal Transition in Pancreatic Cancer. <i>Anticancer Research</i> , 2020, 40, 1843-1853.	1.1	12

#	ARTICLE	IF	CITATIONS
73	MZB1 expression indicates poor prognosis in estrogen receptor-positive breast cancer. <i>Oncology Letters</i> , 2020, 20, 1-1.	1.8	14
74	Association between Lymphovascular Invasion and Recurrence in Patients with pT1N+ or pT2-3N0 Gastric Cancer: a Multi-institutional Dataset Analysis. <i>Journal of Gastric Cancer</i> , 2020, 20, 41.	2.5	9
75	Is the measurement of drain amylase content useful for predicting pancreas-related complications after gastrectomy with systematic lymphadenectomy?. <i>World Journal of Gastroenterology</i> , 2020, 26, 1594-1600.	3.3	7
76	D2 lymph node dissection confers little benefit on the overall survival of older patients with resectable gastric cancer: a propensity score-matching analysis of a multi-institutional dataset. <i>Surgery Today</i> , 2020, 50, 1434-1442.	1.5	9
77	Surveillance of Esophageal Cancer in the Republic of Uzbekistan from 2000 to 2018. <i>Asian Pacific Journal of Cancer Prevention</i> , 2020, 21, 2281-2285.	1.2	4
78	A prospective trial to evaluate treatment effects of a β -hydroxy- β -methylbutyrate containing nutrient for leakage at the anastomotic site after esophagectomy. <i>Nagoya Journal of Medical Science</i> , 2020, 82, 33-37.	0.3	0
79	Incorporating molecular biomarkers into clinical practice for gastric cancer. <i>Expert Review of Anticancer Therapy</i> , 2019, 19, 757-771.	2.4	11
80	Multi-institutional analysis of the prognostic significance of postoperative complications after curative resection for gastric cancer. <i>Cancer Medicine</i> , 2019, 8, 5194-5201.	2.8	32
81	Recent advances in molecular biomarkers for patients with hepatocellular carcinoma. <i>Expert Review of Molecular Diagnostics</i> , 2019, 19, 725-738.	3.1	15
82	Comparison of non-invasive liver reserve and fibrosis models: Implications for surgery and prognosis for hepatocellular carcinoma. <i>Hepatology Research</i> , 2019, 49, 1305-1315.	3.4	12
83	Feasibility of subtotal esophagectomy with systematic lymphadenectomy in selected elderly patients with esophageal cancer; a propensity score matching analysis. <i>BMC Surgery</i> , 2019, 19, 143.	1.3	24
84	Modified Systemic Inflammation Score is Useful for Risk Stratification After Radical Resection of Squamous Cell Carcinoma of the Esophagus. <i>Annals of Surgical Oncology</i> , 2019, 26, 4773-4781.	1.5	19
85	Establishment of Peritoneal and Hepatic Metastasis Mouse Xenograft Models Using Gastric Cancer Cell Lines. <i>In Vivo</i> , 2019, 33, 1785-1792.	1.3	18
86	PRAME Expression as a Potential Biomarker for Hematogenous Recurrence of Esophageal Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2019, 39, 5943-5951.	1.1	9
87	Tissue Expression of Melanoma-associated Antigen A6 and Clinical Characteristics of Gastric Cancer. <i>Anticancer Research</i> , 2019, 39, 5903-5910.	1.1	9
88	Level of Melanotransferrin in Tissue and Sera Serves as a Prognostic Marker of Gastric Cancer. <i>Anticancer Research</i> , 2019, 39, 6125-6133.	1.1	15
89	Expression, Function, and Prognostic Value of MAGE-D4 Protein in Esophageal Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2019, 39, 6015-6023.	1.1	5
90	Homeobox C10 Influences on the Malignant Phenotype of Gastric Cancer Cell Lines and its Elevated Expression Positively Correlates with Recurrence and Poor Survival. <i>Annals of Surgical Oncology</i> , 2019, 26, 1535-1543.	1.5	16

#	ARTICLE	IF	CITATIONS
91	Risk Prediction of Postoperative Pneumonia After Subtotal Esophagectomy Based on Preoperative Serum Cholinesterase Concentrations. <i>Annals of Surgical Oncology</i> , 2019, 26, 3718-3726.	1.5	27
92	The levels of SYT13 and CEA mRNAs in peritoneal lavages predict the peritoneal recurrence of gastric cancer. <i>Gastric Cancer</i> , 2019, 22, 1143-1152.	5.3	31
93	ASO Author Reflections: Homeobox C10 Influences on the Malignant Phenotype of Gastric Cancer Cell Lines and its Elevated Expression Positively Correlates with Recurrence and Poor Survival. <i>Annals of Surgical Oncology</i> , 2019, 26, 596-597.	1.5	1
94	ASO Author Reflections: Increased Expression of DNJC12 is Associated with Aggressive Phenotype of Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2019, 26, 592-593.	1.5	0
95	Biological and conditional factors should be included when defining criteria for resectability for patients with pancreatic cancer. <i>Hpb</i> , 2019, 21, 1211-1218.	0.3	19
96	Delay in initiation of postoperative adjuvant chemotherapy with S-1 monotherapy and prognosis for gastric cancer patients: analysis of a multi-institutional dataset. <i>Gastric Cancer</i> , 2019, 22, 1215-1225.	5.3	39
97	Proposal of a Scoring Scale to Estimate Risk of the Discontinuation of S-1 Adjuvant Monotherapy in Patients with Stage II to III Gastric Cancer: A Multi-institutional Dataset Analysis. <i>World Journal of Surgery</i> , 2019, 43, 2016-2024.	1.6	6
98	The Controlling Nutritional Status Score Serves as a Predictor of Short- and Long-Term Outcomes for Patients with Stage 2 or 3 Gastric Cancer: Analysis of a Multi-institutional Data Set. <i>Annals of Surgical Oncology</i> , 2019, 26, 456-464.	1.5	61
99	Increased Expression of DNJC12 is Associated with Aggressive Phenotype of Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2019, 26, 836-844.	1.5	22
100	Intraoperative Blood Loss is Associated with Shortened Postoperative Survival of Patients with Stage II/III Gastric Cancer: Analysis of a Multi-institutional Dataset. <i>World Journal of Surgery</i> , 2019, 43, 870-877.	1.6	32
101	Long-term quality of life and nutrition status of the aboral pouch reconstruction after total gastrectomy for gastric cancer: a prospective multicenter observational study (CCOG1505). <i>Gastric Cancer</i> , 2019, 22, 607-616.	5.3	21
102	Perioperative and prognostic implication of albumin-bilirubin-TNM score in Child-Pugh class A hepatocellular carcinoma. <i>Annals of Gastroenterological Surgery</i> , 2019, 3, 65-74.	2.4	12
103	Number of retrieved lymph nodes is an independent prognostic factor after total gastrectomy for patients with stage III gastric cancer: propensity score matching analysis of a multi-institution dataset. <i>Gastric Cancer</i> , 2019, 22, 853-863.	5.3	32
104	Optical trocar access for initial trocar placement in laparoscopic gastrointestinal surgery: propensity score matching analysis. <i>Asian Journal of Endoscopic Surgery</i> , 2019, 12, 37-42.	0.9	7
105	Long-lasting discussion: Adverse effects of intraoperative blood loss and allogeneic transfusion on prognosis of patients with gastric cancer. <i>World Journal of Gastroenterology</i> , 2019, 25, 2743-2751.	3.3	38
106	Prognostic significance of perioperative tumor marker levels in stage II/III gastric cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2019, 11, 17-27.	2.0	22
107	Albumin-Bilirubin Score Predicts Tolerability to Adjuvant S-1 Monotherapy after Curative Gastrectomy. <i>Journal of Gastric Cancer</i> , 2019, 19, 183.	2.5	12
108	A phase II trial to evaluate the efficacy of panitumumab combined with fluorouracil-based chemotherapy for metastatic colorectal cancer: the PF trial. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 81, 829-838.	2.3	4

#	ARTICLE	IF	CITATIONS
109	Troponin I2 as a Specific Biomarker for Prediction of Peritoneal Metastasis in Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2018, 25, 2083-2090.	1.5	32
110	A randomized phase II multicenter trial to explore efficacy of weekly intraperitoneal in comparison with intravenous paclitaxel administered immediately after gastrectomy to the patients with high risk of peritoneal recurrence: final results of the INPACT trial. <i>Gastric Cancer</i> , 2018, 21, 1014-1023.	5.3	34
111	Significance of Preoperative Systemic Inflammation Score in Short-Term and Long-Term Outcomes of Patients with Pathological T2-4 Gastric Cancer After Radical Gastrectomy. <i>World Journal of Surgery</i> , 2018, 42, 3277-3285.	1.6	29
112	Clinical Signatures of Mucinous and Poorly Differentiated Subtypes of Colorectal Adenocarcinomas by a Propensity Score Analysis of an Independent Patient Database from Three Phase III Trials. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 461-471.	1.3	12
113	Significance of SYT8 For the Detection, Prediction, and Treatment of Peritoneal Metastasis From Gastric Cancer. <i>Annals of Surgery</i> , 2018, 267, 495-503.	4.2	81
114	Perioperative Serum Carcinoembryonic Antigen Levels Predict Recurrence and Survival of Patients with Pathological T2-4 Gastric Cancer Treated with Curative Gastrectomy. <i>Digestive Surgery</i> , 2018, 35, 55-63.	1.2	28
115	Nutritional Recovery after Open and Laparoscopic Distal Gastrectomy for Early Gastric Cancer: A Prospective Multicenter Comparative Trial (CCOG1204). <i>Digestive Surgery</i> , 2018, 35, 11-18.	1.2	7
116	Preoperative Albumin-Bilirubin Grade Predicts Recurrences After Radical Gastrectomy in Patients with pT2-4 Gastric Cancer. <i>World Journal of Surgery</i> , 2018, 42, 773-781.	1.6	40
117	Pathological tumor infiltrative pattern and sites of initial recurrence in stage II/III gastric cancer: Propensity score matching analysis of a multi-institutional dataset. <i>Cancer Medicine</i> , 2018, 7, 6020-6029.	2.8	14
118	Prognostic Impact of Portal System Invasion in Pancreatic Cancer Based on Image Classification. <i>Pancreas</i> , 2018, 47, 1350-1356.	1.1	8
119	RASEF expression correlates with hormone receptor status in breast cancer. <i>Oncology Letters</i> , 2018, 16, 7223-7230.	1.8	3
120	Copine γ 25 expression predicts prognosis following curative resection of esophageal squamous cell carcinoma. <i>Oncology Reports</i> , 2018, 40, 3772-3780.	2.6	11
121	ASO Author Reflections: Troponin I2-A Specific Biomarker for Detection and Prediction of Peritoneal Metastasis in Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2018, 25, 709-710.	1.5	10
122	Cutting-edge evidence of adjuvant treatments for gastric cancer. <i>Expert Review of Gastroenterology and Hepatology</i> , 2018, 12, 1109-1122.	3.0	3
123	Emerging evidence of the molecular landscape specific for hematogenous metastasis from gastric cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2018, 10, 124-136.	2.0	18
124	Expression of sushi domain containing two reflects the malignant potential of gastric cancer. <i>Cancer Medicine</i> , 2018, 7, 5194-5204.	2.8	19
125	Comparison of the Survival Outcomes of Pancreatic Cancer and Intraductal Papillary Mucinous Neoplasms. <i>Pancreas</i> , 2018, 47, 974-979.	1.1	23
126	Impact of the Controlling Nutritional Status Score on the Prognosis After Curative Resection of Pancreatic Ductal Adenocarcinoma. <i>Pancreas</i> , 2018, 47, 823-829.	1.1	36

#	ARTICLE	IF	CITATIONS
127	Pattern-Specific Transcriptomics Identifies <i>ASGR2</i> as a Predictor of Hematogenous Recurrence of Gastric Cancer. <i>Molecular Cancer Research</i> , 2018, 16, 1420-1429.	3.4	12
128	SYT7 acts as a driver of hepatic metastasis formation of gastric cancer cells. <i>Oncogene</i> , 2018, 37, 5355-5366.	5.9	55
129	Clinical Implications of Lysyl Oxidase-Like Protein 2 Expression in Pancreatic Cancer. <i>Scientific Reports</i> , 2018, 8, 9846.	3.3	29
130	Synaptotagmin XIII expression and peritoneal metastasis in gastric cancer. <i>British Journal of Surgery</i> , 2018, 105, 1349-1358.	0.3	44
131	A novel dual-marker expression panel for easy and accurate risk stratification of patients with gastric cancer. <i>Cancer Medicine</i> , 2018, 7, 2463-2471.	2.8	10
132	Review of recent efforts to discover biomarkers for early detection, monitoring, prognosis, and prediction of treatment responses of patients with gastric cancer. <i>Expert Review of Gastroenterology and Hepatology</i> , 2018, 12, 657-670.	3.0	38
133	Review of recent molecular landscape knowledge of gastric cancer. <i>Histology and Histopathology</i> , 2018, 33, 11-26.	0.7	38
134	Emerging evidence of molecular biomarkers in hepatocellular carcinoma. <i>Histology and Histopathology</i> , 2018, 33, 343-355.	0.7	14
135	Integrated multigene expression panel to prognosticate patients with gastric cancer. <i>Oncotarget</i> , 2018, 9, 18775-18785.	1.8	8
136	Editors' Choice Efficacy of enteral nutrients containing β -hydroxy- β -methylbutyrate, glutamine, and arginine for the patients with anastomotic leakage after gastrectomy: study protocol of a multicenter phase II clinical trial. <i>Nagoya Journal of Medical Science</i> , 2018, 80, 351-355.	0.3	3
137	Clinical benefits of neoadjuvant chemoradiotherapy for adenocarcinoma of the pancreatic head: an observational study using inverse probability of treatment weighting. <i>Journal of Gastroenterology</i> , 2017, 52, 81-93.	5.1	51
138	The protein arginine methyltransferase 5 promotes malignant phenotype of hepatocellular carcinoma cells and is associated with adverse patient outcomes after curative hepatectomy. <i>International Journal of Oncology</i> , 2017, 50, 381-386.	3.3	26
139	Clinical impact of sarcopenia on prognosis in pancreatic ductal adenocarcinoma: A retrospective cohort study. <i>International Journal of Surgery</i> , 2017, 39, 45-51.	2.7	74
140	Intraperitoneal Administration of Plasma-Activated Medium: Proposal of a Novel Treatment Option for Peritoneal Metastasis From Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 1188-1194.	1.5	74
141	Stapling an extracorporeal Billroth-II anastomosis by the complete double stapling technique after laparoscopy-assisted distal gastrectomy. <i>Asian Journal of Endoscopic Surgery</i> , 2017, 10, 137-142.	0.9	1
142	GPR155 Serves as a Predictive Biomarker for Hematogenous Metastasis in Patients with Gastric Cancer. <i>Scientific Reports</i> , 2017, 7, 42089.	3.3	24
143	Expression of regulatory factor X1 can predict the prognosis of breast cancer. <i>Oncology Letters</i> , 2017, 13, 4334-4340.	1.8	6
144	The efficacy and safety of CapeOX plus bevacizumab therapy followed by capecitabine plus bevacizumab maintenance therapy in patients with metastatic colorectal cancer: a multi-center, single-arm, phase II study (CCOG-0902). <i>BMC Cancer</i> , 2017, 17, 243.	2.6	13

#	ARTICLE	IF	CITATIONS
145	Evaluation and proposal of novel resectability criteria for pancreatic cancer established by the Japan Pancreas Society. <i>Surgery</i> , 2017, 162, 784-791.	1.9	27
146	Randomized phase II study of daily and alternate-day administration of S-1 for advanced gastric cancer (JFMC43-1003). <i>International Journal of Clinical Oncology</i> , 2017, 22, 1052-1059.	2.2	5
147	Usefulness of preoperative estimated glomerular filtration rate to predict complications after curative gastrectomy in patients with clinical T2-4 gastric cancer. <i>Gastric Cancer</i> , 2017, 20, 736-743.	5.3	19
148	FAM46C Serves as a Predictor of Hepatic Recurrence in Patients with Resectable Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 3438-3445.	1.5	39
149	Proposal of the Coagulation Score as a Predictor for Short-Term and Long-Term Outcomes of Patients with Resectable Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 502-509.	1.5	46
150	The COMET Open-label Phase II Study of Neoadjuvant FOLFOX or XELOX Treatment Combined with Molecular Targeting Monoclonal Antibodies in Patients with Resectable Liver Metastasis of Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 546-553.	1.5	7
151	Identification of NCCRP1 as an epigenetically regulated tumor suppressor and biomarker for malignant phenotypes of squamous cell carcinoma of the esophagus. <i>Oncology Letters</i> , 2017, 14, 4822-4828.	1.8	15
152	Downregulation of GPR155 as a prognostic factor after curative resection of hepatocellular carcinoma. <i>BMC Cancer</i> , 2017, 17, 610.	2.6	15
153	FBXO50 Enhances the Malignant Behavior of Gastric Cancer Cells. <i>Annals of Surgical Oncology</i> , 2017, 24, 3771-3779.	1.5	19
154	Overexpression of Derlin 3 is associated with malignant phenotype of breast cancer cells. <i>Oncology Reports</i> , 2017, 38, 1760-1766.	2.6	25
155	An integrated multigene expression panel to predict long-term survival after curative hepatectomy in patients with hepatocellular carcinoma. <i>Oncotarget</i> , 2017, 8, 71070-71079.	1.8	4
156	Association of Inflammasome Components in Background Liver with Poor Prognosis After Curatively-resected Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2017, 37, 293-300.	1.1	18
157	Clinical utility of the platelet-lymphocyte ratio as a predictor of postoperative complications after radical gastrectomy for clinical T2-4 gastric cancer. <i>World Journal of Gastroenterology</i> , 2017, 23, 2519.	3.3	43
158	Molecular mechanisms of peritoneal dissemination in gastric cancer. <i>World Journal of Gastroenterology</i> , 2016, 22, 6829.	3.3	121
159	Detection of serum melanoma-associated antigen D4 in patients with squamous cell carcinoma of the esophagus. <i>Ecological Management and Restoration</i> , 2016, 29, 663-669.	0.4	3
160	S-1 plus nab-paclitaxel is a promising regimen for pancreatic cancer in a preclinical model. <i>Journal of Surgical Oncology</i> , 2016, 113, 413-419.	1.7	14
161	Salvage pharyngolaryngectomy with total esophagectomy following definitive chemoradiotherapy. <i>Ecological Management and Restoration</i> , 2016, 29, 598-602.	0.4	14
162	Molecular alterations in the carcinogenesis and progression of hepatocellular carcinoma: Tumor factors and background liver factors. <i>Oncology Letters</i> , 2016, 12, 3662-3668.	1.8	14

#	ARTICLE	IF	CITATIONS
163	Modified two-dimensional response as surrogate marker of overall survival in patients with metastatic colorectal cancer. <i>Cancer Science</i> , 2016, 107, 1492-1498.	3.9	5
164	Nutritional predictors for postoperative short-term and long-term outcomes of patients with gastric cancer. <i>Medicine (United States)</i> , 2016, 95, e3781.	1.0	105
165	Prognostic relevance of SAMS1 expression in gastric cancer. <i>Oncology Letters</i> , 2016, 12, 4708-4716.	1.8	16
166	Preoperative Identification of a Prognostic Factor for Pancreatic Neuroendocrine Tumors Using Multiphase Contrast-Enhanced Computed Tomography. <i>Pancreas</i> , 2016, 45, 198-203.	1.1	27
167	NRAGE promotes the malignant phenotype of hepatocellular carcinoma. <i>Oncology Letters</i> , 2016, 11, 1847-1854.	1.8	26
168	Lymph node ratio as parameter of regional lymph node involvement in pancreatic cancer. <i>Langenbeck's Archives of Surgery</i> , 2016, 401, 1143-1152.	1.9	28
169	Adverse impact of low skeletal muscle index on the prognosis of hepatocellular carcinoma after hepatic resection. <i>International Journal of Surgery</i> , 2016, 30, 136-142.	2.7	54
170	Neurotrophin Receptor-Interacting Melanoma Antigen-Encoding Gene Homolog is Associated with Malignant Phenotype of Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 532-539.	1.5	17
171	Epigenetic suppression of the immunoregulator MZB1 is associated with the malignant phenotype of gastric cancer. <i>International Journal of Cancer</i> , 2016, 139, 2290-2298.	5.1	39
172	Protein arginine methyltransferase 5 is associated with malignant phenotype and peritoneal metastasis in gastric cancer. <i>International Journal of Oncology</i> , 2016, 49, 1195-1202.	3.3	40
173	Clinical Implication of Inflammation-Based Prognostic Score in Pancreatic Cancer. <i>Medicine (United States)</i> , 2016, 95, e4282.	1.0	90
174	Pharmacokinetic dose adjustment of 5-FU in modified FOLFOX7 plus bevacizumab for metastatic colorectal cancer in Japanese patients: a-JUST phase II clinical trial. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 78, 1253-1261.	2.3	11
175	The significance of relative dose intensity in adjuvant chemotherapy of pancreatic ductal adenocarcinoma including the analysis of clinicopathological factors influencing relative dose intensity. <i>Medicine (United States)</i> , 2016, 95, e4282.	1.0	28
176	Prognostic significance of AKR1B10 gene expression in hepatocellular carcinoma and surrounding non-tumorous liver tissue. <i>Oncology Letters</i> , 2016, 12, 4821-4828.	1.8	17
177	Predictive value of drain amylase content for peripancreatic inflammatory fluid collections after laparoscopic (assisted) distal gastrectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 4353-4362.	2.4	20
178	A resected case of symptomatic acinar cell cystadenoma of the pancreas displacing the main pancreatic duct. <i>Surgical Case Reports</i> , 2016, 2, 39.	0.6	12
179	Function and diagnostic value of Anosmin-1 in gastric cancer progression. <i>International Journal of Cancer</i> , 2016, 138, 721-730.	5.1	55
180	Adverse prognostic impact of perioperative allogeneic transfusion on patients with stage II/III gastric cancer. <i>Gastric Cancer</i> , 2016, 19, 255-263.	5.3	70

#	ARTICLE	IF	CITATIONS
181	Tumor Infiltrative Pattern Predicts Sites of Recurrence After Curative Gastrectomy for Stages 2 and 3 Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 1934-1940.	1.5	38
182	Adverse Effects of Intraoperative Blood Loss on Long-Term Outcomes after Curative Gastrectomy of Patients with Stage II/III Gastric Cancer. <i>Digestive Surgery</i> , 2016, 33, 121-128.	1.2	43
183	Modified Blumgart Suturing Technique for Remnant Closure After Distal Pancreatectomy: a Propensity Score-Matched Analysis. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 374-384.	1.7	17
184	Comparison of the international consensus guidelines for predicting malignancy in intraductal papillary mucinous neoplasms. <i>Surgery</i> , 2016, 159, 878-884.	1.9	53
185	The Prognostic Relevance of Subcarinal Lymph Node Dissection in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2016, 23, 611-618.	1.5	19
186	Combination of continuous paravertebral block and epidural anesthesia in postoperative pain control after esophagectomy. <i>Esophagus</i> , 2016, 13, 42-47.	1.9	10
187	The Expression of Melanoma-Associated Antigen D2 Both in Surgically Resected and Serum Samples Serves as Clinically Relevant Biomarker of Gastric Cancer Progression. <i>Annals of Surgical Oncology</i> , 2016, 23, 214-221.	1.5	41
188	Metastatic pathway-specific transcriptome analysis identifies <i>MFSD4</i> as a putative tumor suppressor and biomarker for hepatic metastasis in patients with gastric cancer. <i>Oncotarget</i> , 2016, 7, 13667-13679.	1.8	46
189	Overexpression of <i>ankyrin1</i> promotes pancreatic cancer cell growth. <i>Oncotarget</i> , 2016, 7, 34977-34987.	1.8	18
190	Correlation Between Poor Prognosis and Lower TPPP Gene Expression in Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2016, 36, 4639-4646.	1.1	7
191	Clinical features of colorectal mucinous and poorly differentiated adenocarcinomas; study concept of a propensity score analysis in a pooled data of 5530 patients. <i>Annals of Cancer Research and Therapy</i> , 2016, 24, 52-53.	0.3	1
192	Short-term outcomes after conventional transthoracic esophagectomy. <i>Nagoya Journal of Medical Science</i> , 2016, 78, 69-78.	0.3	10
193	Excess Weight Adversely Influences Treatment Length of Postoperative Pancreatic Fistula. <i>Pancreas</i> , 2015, 44, 971-976.	1.1	24
194	Capecitabine and oxaliplatin combined with bevacizumab are feasible for treating selected Japanese patients at least 75 years of age with metastatic colorectal cancer. <i>BMC Cancer</i> , 2015, 15, 786.	2.6	13
195	<i>CD44</i> single nucleotide polymorphism and isoform switching may predict gastric cancer recurrence. <i>Journal of Surgical Oncology</i> , 2015, 112, 622-628.	1.7	14
196	SMAD4 Expression Predicts Local Spread and Treatment Failure in Resected Pancreatic Cancer. <i>Pancreas</i> , 2015, 44, 660-664.	1.1	57
197	A Vascular Endothelial Growth Factor Gene Polymorphism Predicts Malignant Potential in Intraductal Papillary Mucinous Neoplasm. <i>Pancreas</i> , 2015, 44, 608-614.	1.1	2
198	Factors related to occurrence and aggravation of pancreatic fistula after radical gastrectomy for gastric cancer. <i>Journal of Surgical Oncology</i> , 2015, 112, 381-386.	1.7	23

#	ARTICLE	IF	CITATIONS
199	Oral Food Intake Versus Fasting on Postoperative Pancreatic Fistula After Distal Pancreatectomy. <i>Medicine (United States)</i> , 2015, 94, e2398.	1.0	15
200	Recent advances in the molecular diagnostics of gastric cancer. <i>World Journal of Gastroenterology</i> , 2015, 21, 9838.	3.3	92
201	Inverse Probability of Treatment Weighting Analysis of Upfront Surgery Versus Neoadjuvant Chemoradiotherapy Followed by Surgery for Pancreatic Adenocarcinoma with Arterial Abutment. <i>Medicine (United States)</i> , 2015, 94, e1647.	1.0	55
202	Effectiveness of plasma treatment on pancreatic cancer cells. <i>International Journal of Oncology</i> , 2015, 47, 1655-1662.	3.3	98
203	Translational implication of Kallmann syndrome-1 gene expression in hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2015, 46, 2546-2554.	3.3	11
204	Adherens junctions associated protein 1 serves as a predictor of recurrence of squamous cell carcinoma of the esophagus. <i>International Journal of Oncology</i> , 2015, 47, 1811-1818.	3.3	24
205	Significance of the Splenic Vein and Its Branches in Pancreatoduodenectomy with Resection of the Portal Vein System. <i>Digestive Surgery</i> , 2015, 32, 382-388.	1.2	26
206	B-cell translocation gene 1 serves as a novel prognostic indicator of hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2015, 46, 641-648.	3.3	39
207	CCNJ detected by triple combination array analysis as a tumor-related gene of hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2015, 46, 1963-1970.	3.3	14
208	High expression of Janus kinase 2 in background normal liver tissue of resected hepatocellular carcinoma is associated with worse prognosis. <i>Oncology Reports</i> , 2015, 33, 767-773.	2.6	8
209	Dihydropyrimidinase-like 3 is a putative hepatocellular carcinoma tumor suppressor. <i>Journal of Gastroenterology</i> , 2015, 50, 590-600.	5.1	31
210	Method of Bilateral Pleural Drainage by Single Blake Drain After Esophagectomy. <i>World Journal of Surgery</i> , 2015, 39, 727-731.	1.6	5
211	Diversity of Clinical Implication of B-Cell Translocation Gene 1 Expression by Histopathologic and Anatomic Subtypes of Gastric Cancer. <i>Digestive Diseases and Sciences</i> , 2015, 60, 1256-1264.	2.3	40
212	Protein tyrosine kinase 7: a hepatocellular carcinoma-related gene detected by triple-combination array. <i>Journal of Surgical Research</i> , 2015, 195, 444-453.	1.6	10
213	Reduced Expression of Adherens Junctions Associated Protein 1 Predicts Recurrence of Hepatocellular Carcinoma After Curative Hepatectomy. <i>Annals of Surgical Oncology</i> , 2015, 22, 1499-1507.	1.5	25
214	Aberrant expression of melanoma-associated antigen-D2 serves as a prognostic indicator of hepatocellular carcinoma outcome following curative hepatectomy. <i>Oncology Letters</i> , 2015, 9, 1201-1206.	1.8	18
215	KRAS and Guanine Nucleotide-Binding Protein Mutations in Pancreatic Juice Collected From the Duodenum of Patients at High Risk for Neoplasia Undergoing Endoscopic Ultrasound. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 963-969.e4.	4.4	74
216	Vein resections >3Âcm during pancreatectomy are associated withÂpoor 1-year patency rates. <i>Surgery</i> , 2015, 157, 708-715.	1.9	51

#	ARTICLE	IF	CITATIONS
217	Influence of Food Intake on the Healing Process of Postoperative Pancreatic Fistula After Pancreatoduodenectomy: A Multi-institutional Randomized Controlled Trial. <i>Annals of Surgical Oncology</i> , 2015, 22, 3905-3912.	1.5	34
218	Suppression of SAMSIN1 Expression is Associated with the Malignant Phenotype of Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 1453-1460.	1.5	17
219	Serosal Invasion Strongly Associated With Recurrence After Curative Hepatic Resection of Hepatocellular Carcinoma. <i>Medicine (United States)</i> , 2015, 94, e602.	1.0	11
220	Preoperative Internal Biliary Drainage Increases the Risk of Bile Juice Infection and Pancreatic Fistula After Pancreatoduodenectomy. <i>Pancreas</i> , 2015, 44, 465-470.	1.1	58
221	Feeding Duodenostomy Decreases the Incidence of Mechanical Obstruction After Radical Esophageal Cancer Surgery. <i>World Journal of Surgery</i> , 2015, 39, 1105-1110.	1.6	22
222	Updated evidence on adjuvant treatments for gastric cancer. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015, 9, 1549-1560.	3.0	47
223	Postoperative adjuvant chemotherapy with S-1 alters recurrence patterns and prognostic factors among patients with stage II/III gastric cancer: A propensity score matching analysis. <i>Surgery</i> , 2015, 158, 1573-1580.	1.9	53
224	Overexpression of melanoma-associated antigen D4 is an independent prognostic factor in squamous cell carcinoma of the esophagus. <i>Ecological Management and Restoration</i> , 2015, 28, 188-195.	0.4	15
225	Effectiveness of plasma treatment on gastric cancer cells. <i>Gastric Cancer</i> , 2015, 18, 635-643.	5.3	83
226	Prognostic impact of expression and methylation status of DENN/MADD domain-containing protein 2D in gastric cancer. <i>Gastric Cancer</i> , 2015, 18, 288-296.	5.3	45
227	Genetic and epigenetic aspects of initiation and progression of hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2015, 21, 10584.	3.3	66
228	Intraductal Papillary Mucinous Carcinoma with Portal Annular Pancreas Anomaly Treated by Middle-preserving Pancreatotomy. <i>Japanese Journal of Gastroenterological Surgery</i> , 2015, 48, 706-714.	0.1	2
229	Abstract 3423: Expression level of inflammasomes components NLRP3, NLRC4, and CASP1 in background non tumorous tissue were associated with worse prognosis for curatively resected hepatocellular carcinoma. , 2015, , .		0
230	Abstract 4101: Clinical significance of ZEB1 mRNA levels in peritoneal washing for gastric cancer. , 2015, , .		0
231	Abstract 3422: Alteration of aldo-keto reductase family 1, member B10 (AKR1B10) expression among tumor and background non-tumorous tissue of curatively resected hepatocellular carcinoma is associated with worse prognosis. , 2015, , .		0
232	Abstract 4253: A vascular endothelial growth factor gene polymorphism predicts malignant potential in intraductal papillary mucinous neoplasm. , 2015, , .		0
233	Estimated pancreatic parenchymal remnant volume accurately predicts clinically relevant pancreatic fistula after pancreatoduodenectomy. <i>Surgery</i> , 2014, 156, 601-610.	1.9	38
234	Decreased expression of prenyl diphosphate synthase subunit 2 correlates with reduced survival of patients with gastric cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2014, 33, 88.	8.6	27

#	ARTICLE	IF	CITATIONS
235	Mutant KRAS and GNAS DNA Concentrations in Secretin-Stimulated Pancreatic Fluid Collected from the Pancreatic Duct and the Duodenal Lumen. <i>Clinical and Translational Gastroenterology</i> , 2014, 5, e62.	2.5	28
236	Reduced expression of DENND2D through promoter hypermethylation is an adverse prognostic factor in squamous cell carcinoma of the esophagus. <i>Oncology Reports</i> , 2014, 31, 693-700.	2.6	24
237	Clinical significance of expression and epigenetic profiling of <i>TUSC1</i> in gastric cancer. <i>Journal of Surgical Oncology</i> , 2014, 110, 136-144.	1.7	30
238	Comparison of inflammation-based prognostic scores as predictors of tumor recurrence in patients with hepatocellular carcinoma after curative resection. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2014, 21, 682-688.	2.6	72
239	Identification of the collagen type 1 alpha 1 gene (<i>COL1A1</i>) as a candidate survival-related factor associated with hepatocellular carcinoma. <i>BMC Cancer</i> , 2014, 14, 108.	2.6	71
240	The impact of dose/time modification in irinotecan- and oxaliplatin-based chemotherapies on outcomes in metastatic colorectal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014, 73, 847-855.	2.3	45
241	Clinical Implication of Morphological Subtypes in Management of Intraductal Papillary Mucinous Neoplasm. <i>Annals of Surgical Oncology</i> , 2014, 21, 2444-2452.	1.5	41
242	Combination Treatment of Human Pancreatic Cancer Xenograft Models with the Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor Erlotinib and Oncolytic Herpes Simplex Virus HF10. <i>Annals of Surgical Oncology</i> , 2014, 21, 691-698.	1.5	23
243	Preservation of the Pyloric Ring Confers Little Benefit in Patients Undergoing Total Pancreatectomy. <i>World Journal of Surgery</i> , 2014, 38, 1807-1813.	1.6	8
244	Modified Blumgart Anastomosis for Pancreaticojejunostomy: Technical Improvement in Matched Historical Control Study. <i>Journal of Gastrointestinal Surgery</i> , 2014, 18, 1108-1115.	1.7	145
245	Epithelial to mesenchymal transition correlates with tumor budding and predicts prognosis in esophageal squamous cell carcinoma. <i>Journal of Surgical Oncology</i> , 2014, 110, 764-769.	1.7	51
246	Epithelial to mesenchymal transition might be induced via CD44 isoform switching in colorectal cancer. <i>Journal of Surgical Oncology</i> , 2014, 110, 745-751.	1.7	42
247	Dihydropyrimidinase-like 3 facilitates malignant behavior of gastric cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2014, 33, 66.	8.6	49
248	The combination of the serum carbohydrate antigen 19-9 and carcinoembryonic antigen is a simple and accurate predictor of mortality in pancreatic cancer patients. <i>Surgery Today</i> , 2014, 44, 1692-1701.	1.5	41
249	Expression Analysis of THOP1 in Background Liver, a Prognostic Predictive Factor in Hepatocellular Carcinoma, Extracted by Multiarray Analysis. <i>Annals of Surgical Oncology</i> , 2014, 21, 443-450.	1.5	20
250	Identification of intragenic methylation in the <i>TUSC1</i> gene as a novel prognostic marker of hepatocellular carcinoma. <i>Oncology Reports</i> , 2014, 31, 1305-1313.	2.6	19
251	Downregulation of DENND2D by promoter hypermethylation is associated with early recurrence of hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2014, 44, 44-52.	3.3	41
252	Hepatectomy for hepatocellular carcinoma in patients with hemophilia. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2014, 21, 824-828.	2.6	12

#	ARTICLE	IF	CITATIONS
253	Pancreatoduodenectomy With Portal Vein Resection Is Feasible and Potentially Beneficial for Elderly Patients With Pancreatic Cancer. <i>Pancreas</i> , 2014, 43, 951-958.	1.1	25
254	Clinical utility of PDSS2 expression to stratify patients at risk for recurrence of hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2014, 45, 2005-2012.	3.3	17
255	Neoadjuvant chemoradiotherapy with S-1 in patients with borderline resectable pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2014, 32, 302-302.	1.6	5
256	Novel diagnostics for aggravating pancreatic fistulas at the acute phase after pancreatectomy. <i>World Journal of Gastroenterology</i> , 2014, 20, 8535.	3.3	41
257	Overexpression of melanoma-associated antigen D4 as an independent prognostic factor in squamous cell carcinoma of the esophagus.. <i>Journal of Clinical Oncology</i> , 2014, 32, 71-71.	1.6	0
258	Risk factors that affect continuation of S-1 chemotherapy as an adjuvant setting after radical gastrectomy for gastric cancer.. <i>Journal of Clinical Oncology</i> , 2014, 32, 151-151.	1.6	0
259	Response to the first-line FOLFOX plus bevacizumab (BEV) therapy to predict responses to the subsequent therapies and survival in the BEV beyond progression (BBP) strategy for metastatic colorectal cancer: A retrospective analysis of CCOG-0801 study.. <i>Journal of Clinical Oncology</i> , 2014, 32, 428-428.	1.6	0
260	Reduced expression of DENND2D through promoter hypermethylation as an adverse prognostic factor in squamous cell carcinoma of the esophagus.. <i>Journal of Clinical Oncology</i> , 2014, 32, 58-58.	1.6	0
261	The impact of dose reduction and time delay in irinotecan- and oxaliplatin-based chemotherapies on outcomes in metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2014, 32, 631-631.	1.6	0
262	Abstract 3831: Clinical significance of SMAD4 expression in resectable pancreatic cancer: correlation with tumor progression and recurrence pattern. , 2014, , .		1
263	Abstract 2870: ZGPAT gene expression in non-tumor hepatocellular carcinoma tissue is a likely biomarker for survival risk. , 2014, , .		0
264	Abstract 3822: Correlation between worse prognosis and lower expression of theTPPPgene in patients with hepatocellular carcinoma, detected by multiarray analysis. , 2014, , .		0
265	Abstract 4717: Detection of the Cyclin J (CCNJ) as a new cancer-related gene in human hepatocellular carcinoma by using a method of triple combination array analysis. , 2014, , .		0
266	Abstract 3816: Correlation between worse prognosis and higher expression of theJAK2gene in corresponding non-neoplastic tissue in patients with hepatocellular carcinoma, extracted by multiarray analysis. , 2014, , .		0
267	Abstract 1148: Epithelial to mesenchymal transition might be induced via CD44 isoform switch in colorectal cancer. , 2014, , .		1
268	Pattern of first recurrent lesions in pancreatic cancer: hepatic relapse is associated with dismal prognosis and portal vein invasion. <i>Hepato-Gastroenterology</i> , 2014, 61, 1756-61.	0.5	24
269	Detection of doublecortin domain-containing 2 (DCDC2), a new candidate tumor suppressor gene of hepatocellular carcinoma, by triple combination array analysis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2013, 32, 65.	8.6	16
270	Evaluation of MAGEâ€D4 expression in hepatocellular carcinoma in Japanese patients. <i>Journal of Surgical Oncology</i> , 2013, 108, 557-562.	1.7	22

#	ARTICLE	IF	CITATIONS
271	Mutant TP53 in Duodenal Samples of Pancreatic Juice From Patients With Pancreatic Cancer or High-Grade Dysplasia. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 719-730.e5.	4.4	154
272	Mutant <i>GNAS</i> detected in duodenal collections of secretin-stimulated pancreatic juice indicates the presence or emergence of pancreatic cysts. <i>Gut</i> , 2013, 62, 1024-1033.	12.1	160
273	Estrogen receptor 1 gene as a tumor suppressor gene in hepatocellular carcinoma detected by triple-combination array analysis. <i>International Journal of Oncology</i> , 2013, 43, 88-94.	3.3	81
274	A functional polymorphism in the epidermal growth factor gene predicts hepatocellular carcinoma risk in Japanese hepatitis C patients. <i>OncoTargets and Therapy</i> , 2013, 6, 1805.	2.0	18
275	Dynamin 3: a new candidate tumor suppressor gene in hepatocellular carcinoma detected by triple combination array analysis. <i>OncoTargets and Therapy</i> , 2013, 6, 1417.	2.0	32
276	Abstract 3539: A study of THOP1, a predictive factor of prognosis in HCC, by multi-array analysis of background liver.., 2013, , .		0
277	Genome-Wide Somatic Copy Number Alterations in Low-Grade PanINs and IPMNs from Individuals with a Family History of Pancreatic Cancer. <i>Clinical Cancer Research</i> , 2012, 18, 4303-4312.	7.0	43
278	Preservation of the Pyloric Ring Has Little Value in Surgery for Pancreatic Head Cancer: A Comparative Study Comparing Three Surgical Procedures. <i>Annals of Surgical Oncology</i> , 2012, 19, 176-183.	1.5	58
279	Presence of Somatic Mutations in Most Early-Stage Pancreatic Intraepithelial Neoplasia. <i>Gastroenterology</i> , 2012, 142, 730-733.e9.	1.3	568
280	Prognostic Implications of Intraoperative Radiotherapy for Unresectable Pancreatic Cancer. <i>Pancreatology</i> , 2011, 11, 68-75.	1.1	10
281	Pattern of Lymph Node Metastasis Spread in Pancreatic Cancer. <i>Pancreas</i> , 2011, 40, 951-955.	1.1	89
282	Comparison of Pancreatic Head Resection With Segmental Duodenectomy and Pylorus-Preserving Pancreatoduodenectomy for Benign and Low-Grade Malignant Neoplasms of the Pancreatic Head. <i>Pancreas</i> , 2011, 40, 1258-1263.	1.1	28
283	Prognostic Implications of Lymph Node Metastases in Carcinoma of the Body and Tail of the Pancreas. <i>Pancreas</i> , 2011, 40, 1029-1033.	1.1	35
284	Impact of Operative Blood Loss on Survival in Invasive Ductal Adenocarcinoma of the Pancreas. <i>Pancreas</i> , 2011, 40, 3-9.	1.1	63
285	Reduced Expression of Reelin (RELN) Gene Is Associated With High Recurrence Rate of Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2011, 18, 572-579.	1.5	49
286	Recurrence Pattern and Prognosis of Pancreatic Cancer After Pancreatic Fistula. <i>Annals of Surgical Oncology</i> , 2011, 18, 2329-2337.	1.5	56
287	Promoter hypermethylation of fibulin 1 gene is associated with tumor progression in hepatocellular carcinoma. <i>Molecular Carcinogenesis</i> , 2011, 50, 571-579.	2.7	86
288	Operative Treatment of Thrombotic Occlusion of the Portal Vein Immediately After Pancreatectomy With Portal Vein Resection. <i>Pancreas</i> , 2010, 39, 265-266.	1.1	9

#	ARTICLE	IF	CITATIONS
289	Invasion of the Splenic Artery Is a Crucial Prognostic Factor in Carcinoma of the Body and Tail of the Pancreas. <i>Annals of Surgery</i> , 2010, 251, 483-487.	4.2	65
290	Operative Treatment of Pancreatic Ductal Adenocarcinoma With Extensive Portal Venous Tumor Embolism. <i>Pancreas</i> , 2010, 39, 268-269.	1.1	1
291	Epidermal Growth Factor-Containing Fibulin-Like Extracellular Matrix Protein 1, EFEMP1, a Novel Tumor-Suppressor Gene Detected in Hepatocellular Carcinoma Using Double Combination Array Analysis. <i>Annals of Surgical Oncology</i> , 2010, 17, 923-932.	1.5	69
292	Prognostic impact of pancreatic margin status in the intraductal papillary mucinous neoplasms of the pancreas. <i>Surgery</i> , 2010, 148, 285-290.	1.9	71
293	Leukemia inhibitory factor receptor (LIFR) is detected as a novel suppressor gene of hepatocellular carcinoma using double-combination array. <i>Cancer Letters</i> , 2010, 289, 170-177.	7.2	49
294	Abstract 1733: Fibulin 1 is a novel tumor suppressor gene detected in hepatocellular carcinoma using a double combination array analysis. , 2010, , .		0
295	Abstract 4660: Double combination array analysis detected A kinase anchor protein 12 (AKAP12) gene as a new tumor suppressor gene of hepatocellular carcinoma. , 2010, , .		0
296	Abstract 1750: Reduced xpression of Reelin (RELN) gene is associated with high recurrence rate of hepatocellular carcinoma. , 2010, , .		0
297	Detection of metallothionein 1G as a methylated tumor suppressor gene in human hepatocellular carcinoma using a novel method of double combination array analysis. <i>International Journal of Oncology</i> , 2009, 35, 477-83.	3.3	53
298	Correlations of the expression of vascular endothelial growth factor B and its isoforms in hepatocellular carcinoma with clinicoâ€pathological parameters. <i>Journal of Surgical Oncology</i> , 2008, 98, 190-196.	1.7	59