

Yoshinao Oda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2220239/publications.pdf>

Version: 2024-02-01

600
papers

12,665
citations

31976

53
h-index

66911

78
g-index

608
all docs

608
docs citations

608
times ranked

16145
citing authors

#	ARTICLE	IF	CITATIONS
1	Inflammatory Myofibroblastic Tumor Versus IgG4-related Sclerosing Disease and Inflammatory Pseudotumor. <i>American Journal of Surgical Pathology</i> , 2009, 33, 1330-1340.	3.7	203
2	Autophagy Is Required for Activation of Pancreatic Stellate Cells, Associated With Pancreatic Cancer Progression and Promotes Growth of Pancreatic Tumors in Mice. <i>Gastroenterology</i> , 2017, 152, 1492-1506.e24.	1.3	171
3	<i><sc>ALK</sc></i>, <i><sc>ROS</sc>1</i> and <i><sc>NTRK</sc>3</i> gene rearrangements in inflammatory myofibroblastic tumours. <i>Histopathology</i> , 2016, 69, 72-83.	2.9	164
4	Clinical Significance of PD-L1 Protein Expression in Surgically Resected Primary Lung Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2016, 11, 1879-1890.	1.1	156
5	Oncogenic roles of <sc>SMARCB1</sc>1/<sc>INI</sc>1 and its deficient tumors. <i>Cancer Science</i> , 2017, 108, 547-552.	3.9	147
6	CXCR4 and VEGF expression in the primary site and the metastatic site of human osteosarcoma: analysis within a group of patients, all of whom developed lung metastasis. <i>Modern Pathology</i> , 2006, 19, 738-745.	5.5	141
7	Extrarenal rhabdoid tumors of soft tissue: Clinicopathological and molecular genetic review and distinction from other soft-tissue sarcomas with rhabdoid features. <i>Pathology International</i> , 2006, 56, 287-295.	1.3	141
8	Immunohistochemical detection of MTAP and BAP1 protein loss for mesothelioma diagnosis: Comparison with 9p21 FISH and BAP1 immunohistochemistry. <i>Lung Cancer</i> , 2017, 104, 98-105.	2.0	140
9	Characterization of FN1-“FGFR1 and novel FN1-“FGF1 fusion genes in a large series of phosphaturic mesenchymal tumors. <i>Modern Pathology</i> , 2016, 29, 1335-1346.	5.5	139
10	Integrated Multiregional Analysis Proposing a New Model of Colorectal Cancer Evolution. <i>PLoS Genetics</i> , 2016, 12, e1005778.	3.5	134
11	SMARCB1/INI1 Protein Expression in Round Cell Soft Tissue Sarcomas Associated With Chromosomal Translocations Involving EWS: A Special Reference to SMARCB1/INI1 Negative Variant Extraskeletal Myxoid Chondrosarcoma. <i>American Journal of Surgical Pathology</i> , 2008, 32, 1168-1174.	3.7	132
12	Podoplanin expression in cancer-associated fibroblasts enhances tumor progression of invasive ductal carcinoma of the pancreas. <i>Molecular Cancer</i> , 2013, 12, 168.	19.2	120
13	Infrequent SMARCB1/INI1 gene alteration in epithelioid sarcoma: a useful tool in distinguishing epithelioid sarcoma from malignant rhabdoid tumor. <i>Human Pathology</i> , 2009, 40, 349-355.	2.0	119
14	Prognostic Significance of AKT/mTOR and MAPK Pathways and Antitumor Effect of mTOR Inhibitor in NF1-Related and Sporadic Malignant Peripheral Nerve Sheath Tumors. <i>Clinical Cancer Research</i> , 2013, 19, 450-461.	7.0	117
15	Nuclear expression of Y-box-binding protein-1 correlates with P-glycoprotein and topoisomerase II alpha expression, and with poor prognosis in synovial sarcoma. <i>Journal of Pathology</i> , 2003, 199, 251-258.	4.5	112
16	Reduced expression of SMARCB1/INI1 protein in synovial sarcoma. <i>Modern Pathology</i> , 2010, 23, 981-990.	5.5	111
17	“Solid” variant of aneurysmal bone cyst (extragnathic giant cell reparative granuloma) in the axial skeleton and long bones. A study of its morphologic spectrum and distinction from allied giant cell lesions. <i>Cancer</i> , 1992, 70, 2642-2649.	4.1	108
18	The combination of PD-L1 expression and decreased tumor-infiltrating lymphocytes is associated with a poor prognosis in triple-negative breast cancer. <i>Oncotarget</i> , 2017, 8, 15584-15592.	1.8	101

#	ARTICLE	IF	CITATIONS
19	Programmed death ligand 1 expression at tumor invasive front is associated with epithelial-mesenchymal transition and poor prognosis in esophageal squamous cell carcinoma. <i>Cancer Science</i> , 2017, 108, 1119-1127.	3.9	100
20	Targeting Pin1 renders pancreatic cancer eradicable by synergizing with immunochemotherapy. <i>Cell</i> , 2021, 184, 4753-4771.e27.	28.9	99
21	A combination of MTAP and BAP1 immunohistochemistry in pleural effusion cytology for the diagnosis of mesothelioma. <i>Cancer Cytopathology</i> , 2018, 126, 54-63.	2.4	97
22	The role of nuclear Y-box binding protein 1 as a global marker in drug resistance. <i>Molecular Cancer Therapeutics</i> , 2004, 3, 1485-92.	4.1	97
23	Sessile Serrated Adenoma With Early Neoplastic Progression. <i>American Journal of Surgical Pathology</i> , 2011, 35, 295-304.	3.7	95
24	Prognostic value of the preserved expression of the E-cadherin and catenin families of adhesion molecules and of β -catenin mutations in synovial sarcoma. <i>Journal of Pathology</i> , 2000, 192, 342-350.	4.5	94
25	β -catenin nuclear expression correlates with cyclin D1 overexpression in sporadic desmoid tumours. <i>Journal of Pathology</i> , 2001, 195, 222-228.	4.5	88
26	Histological and immunohistochemical characteristics of undifferentiated small round cell sarcomas associated with CIC-DUX4 and BCOR-CCNB3 fusion genes. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 373-380.	2.8	84
27	PD-L1 expression in lung adenocarcinoma harboring EGFR mutations or ALK rearrangements. <i>Lung Cancer</i> , 2018, 118, 36-40.	2.0	81
28	Diagnostic utility of histone H3.3 G34W, G34R, and G34V mutant-specific antibodies for giant cell tumors of bone. <i>Human Pathology</i> , 2018, 73, 41-50.	2.0	81
29	Efficacy of endoscopic ultrasonography and endoscopic ultrasonography-guided fine-needle aspiration for the diagnosis and grading of pancreatic neuroendocrine tumors. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 245-252.	1.5	80
30	Cancer-testis antigen expression in synovial sarcoma: NY-ESO-1, PRAME, MAGEA4, and MAGEA1. <i>Human Pathology</i> , 2017, 61, 130-139.	2.0	80
31	Metabolic characteristics of programmed cell death ligand 1-expressing lung cancer on ^{18}F -fluorodeoxyglucose positron emission tomography/computed tomography. <i>Cancer Medicine</i> , 2017, 6, 2552-2561.	2.8	80
32	Molecular characteristics of colorectal neuroendocrine carcinoma; similarities with adenocarcinoma rather than neuroendocrine tumor. <i>Human Pathology</i> , 2015, 46, 1890-1900.	2.0	79
33	Impact of Immune Response on Outcomes in Hepatocellular Carcinoma: Association With Vascular Formation. <i>Hepatology</i> , 2020, 72, 1987-1999.	7.3	78
34	Necroptosis in pancreatic cancer promotes cancer cell migration and invasion by release of CXCL5. <i>PLoS ONE</i> , 2020, 15, e0228015.	2.5	78
35	Mass-forming intrahepatic cholangiocarcinoma: Enhancement patterns in the arterial phase of dynamic hepatic CT - Correlation with clinicopathological findings. <i>European Radiology</i> , 2017, 27, 498-506.	4.5	76
36	Significance of Spread Through Air Spaces in Resected Pathological Stage I Lung Adenocarcinoma. <i>Annals of Thoracic Surgery</i> , 2018, 105, 1655-1663.	1.3	76

#	ARTICLE	IF	CITATIONS
37	Reassessment and clinicopathological prognostic factors of malignant fibrous histiocytoma of soft parts. <i>Pathology International</i> , 2002, 52, 595-606.	1.3	75
38	BAP1 immunohistochemistry and <i>p16</i> FISH results in combination provide higher confidence in malignant pleural mesothelioma diagnosis: ROC analysis of the two tests. <i>Pathology International</i> , 2016, 66, 563-570.	1.3	75
39	CD163 Is Required for Protumoral Activation of Macrophages in Human and Murine Sarcoma. <i>Cancer Research</i> , 2018, 78, 3255-3266.	0.9	75
40	Low expression of p27Kip1 is associated with tumor size and poor prognosis in patients with renal cell carcinoma. <i>Cancer</i> , 2002, 94, 973-979.	4.1	73
41	Prognostic implications of the nuclear localization of Y-box-binding protein-1 and CXCR4 expression in ovarian cancer: Their correlation with activated Akt, LRP/MVP and P-glycoprotein expression. <i>Cancer Science</i> , 2007, 98, 1020-1026.	3.9	69
42	The expression of PD-L1 protein as a prognostic factor in lung squamous cell carcinoma. <i>Lung Cancer</i> , 2017, 104, 7-15.	2.0	69
43	Frequent alteration of p16INK4a/p14ARF and p53 pathways in the round cell component of myxoid/round cell liposarcoma: p53 gene alterations and reduced p14ARF expression both correlate with poor prognosis. <i>Journal of Pathology</i> , 2005, 207, 410-421.	4.5	68
44	Hypoxic stellate cells of pancreatic cancer stroma regulate extracellular matrix fiber organization and cancer cell motility. <i>Cancer Letters</i> , 2016, 372, 210-218.	7.2	67
45	CNS high-grade neuroepithelial tumor with <i>BCOR</i> internal tandem duplication: a comparison with its counterparts in the kidney and soft tissue. <i>Brain Pathology</i> , 2018, 28, 710-720.	4.1	67
46	Computed tomography features of resected lung adenocarcinomas with spread through air spaces. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 156, 1670-1676.e4.	0.8	65
47	Pancreatic Juice Exosomal MicroRNAs as Biomarkers for Detection of Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2019, 26, 2104-2111.	1.5	64
48	Neoadjuvant Chemotherapy with Gemcitabine Plus Nab-Paclitaxel for Borderline Resectable Pancreatic Cancer Potentially Improves Survival and Facilitates Surgery. <i>Annals of Surgical Oncology</i> , 2019, 26, 1528-1534.	1.5	64
49	Molecular Abnormalities of p53, MDM2, and H-ras in Synovial Sarcoma. <i>Modern Pathology</i> , 2000, 13, 994-1004.	5.5	62
50	Cancer-associated fibroblasts promote hepatocellular carcinoma progression through downregulation of exosomal miR-150-3p. <i>European Journal of Surgical Oncology</i> , 2021, 47, 384-393.	1.0	59
51	Mutual Regulation between Raf/MEK/ERK Signaling and Y-Box-Binding Protein-1 Promotes Prostate Cancer Progression. <i>Clinical Cancer Research</i> , 2013, 19, 4638-4650.	7.0	58
52	Serum markers associated with treatment response and survival in non-small cell lung cancer patients treated with anti-PD-1 therapy. <i>Lung Cancer</i> , 2020, 145, 18-26.	2.0	57
53	Y-box binding protein-1 promotes castration-resistant prostate cancer growth via androgen receptor expression. <i>Endocrine-Related Cancer</i> , 2011, 18, 505-517.	3.1	56
54	Potential Role for YB-1 in Castration-Resistant Prostate Cancer and Resistance to Enzalutamide Through the Androgen Receptor V7. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw005.	6.3	56

#	ARTICLE	IF	CITATIONS
55	The prognostic value of immunohistochemical staining for proliferating cell nuclear antigen in synovial sarcoma. <i>Cancer</i> , 1993, 72, 478-485.	4.1	55
56	Clinical significance of programmed cell death ligand 1 expression and the immune microenvironment at the invasive front of colorectal cancers with high microsatellite instability. <i>International Journal of Cancer</i> , 2018, 142, 822-832.	5.1	55
57	Pigmented villonodular synovitis with chondroid metaplasia, resembling chondroblastoma of the bone: a report of three cases. <i>Modern Pathology</i> , 2007, 20, 545-551.	5.5	54
58	IFN- γ Promotes Epithelial-Mesenchymal Transition and the Expression of PD-L1 in Pancreatic Cancer. <i>Journal of Surgical Research</i> , 2019, 240, 115-123.	1.6	54
59	Prognostic Significance of <i>p14ARF</i> , <i>p15INK4b</i> , and <i>p16INK4a</i> Inactivation in Malignant Peripheral Nerve Sheath Tumors. <i>Clinical Cancer Research</i> , 2011, 17, 3771-3782.	7.0	53
60	Extra-pancreatic invasion induces lipolytic and fibrotic changes in the adipose microenvironment, with released fatty acids enhancing the invasiveness of pancreatic cancer cells. <i>Oncotarget</i> , 2017, 8, 18280-18295.	1.8	53
61	The Akt/mammalian target of rapamycin pathway is activated and associated with adverse prognosis in soft tissue leiomyosarcomas. <i>Cancer</i> , 2012, 118, 1637-1648.	4.1	51
62	The incidence and outcome of allied disorders of Hirschsprung's disease in Japan: Results from a nationwide survey. <i>Asian Journal of Surgery</i> , 2017, 40, 29-34.	0.4	51
63	PD-L1 expression according to the EGFR status in primary lung adenocarcinoma. <i>Lung Cancer</i> , 2018, 116, 1-6.	2.0	51
64	Antioxidant Therapy Alleviates Oxidative Stress by Androgen Deprivation and Prevents Conversion From Androgen Dependent to Castration Resistant Prostate Cancer. <i>Journal of Urology</i> , 2012, 187, 707-714.	0.4	50
65	Navigation surgery using indocyanine green fluorescent imaging for hepatoblastoma patients. <i>Pediatric Surgery International</i> , 2019, 35, 551-557.	1.4	50
66	Comprehensive assay for the molecular profiling of cancer by target enrichment from formalin-fixed paraffin-embedded specimens. <i>Cancer Science</i> , 2019, 110, 1464-1479.	3.9	48
67	OX40 and LAG3 are associated with better prognosis in advanced gastric cancer patients treated with anti-programmed death-1 antibody. <i>British Journal of Cancer</i> , 2020, 122, 1507-1517.	6.4	48
68	Comparison of Surgical Outcomes Between Radical Antegrade Modular Pancreatosplenectomy (RAMPS) and Standard Retrograde Pancreatosplenectomy (SPRS) for Left-Sided Pancreatic Cancer. <i>World Journal of Surgery</i> , 2016, 40, 2267-2275.	1.6	46
69	A Comprehensive Analysis of Programmed Cell Death Ligand-1 Expression With the Clone SP142 Antibody in Non-Small-Cell Lung Cancer Patients. <i>Clinical Lung Cancer</i> , 2017, 18, 572-582.e1.	2.6	46
70	Prognostic Value of Preoperative Nutritional and Immunological Factors in Patients with Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2018, 25, 3996-4003.	1.5	46
71	SWI/SNF Chromatin-remodeling Complex Status in SMARCB1/INI1-preserved Epithelioid Sarcoma. <i>American Journal of Surgical Pathology</i> , 2018, 42, 312-318.	3.7	45
72	ERG and SALL4 expressions in SMARCB1/INI1-deficient tumors: a useful tool for distinguishing epithelioid sarcoma from malignant rhabdoid tumor. <i>Human Pathology</i> , 2015, 46, 225-230.	2.0	44

#	ARTICLE	IF	CITATIONS
73	The Japanese Society of Pathology Guidelines on the handling of pathological tissue samples for genomic research: Standard operating procedures based on empirical analyses. <i>Pathology International</i> , 2018, 68, 63-90.	1.3	44
74	The Altered Mucosal Barrier Function in the Duodenum Plays a Role in the Pathogenesis of Functional Dyspepsia. <i>Digestive Diseases and Sciences</i> , 2019, 64, 3228-3239.	2.3	44
75	ATP-binding cassette superfamily transporter gene expression in human soft tissue sarcomas. <i>International Journal of Cancer</i> , 2005, 114, 854-862.	5.1	43
76	Fascin-1 overexpression and miR-133b downregulation in the progression of gastrointestinal stromal tumor. <i>Modern Pathology</i> , 2013, 26, 563-571.	5.5	43
77	CD166/ALCAM Expression Is Characteristic of Tumorigenicity and Invasive and Migratory Activities of Pancreatic Cancer Cells. <i>PLoS ONE</i> , 2014, 9, e107247.	2.5	43
78	Rhabdoid Features in Leiomyosarcoma of Soft Tissue: With Special Reference to Aggressive Behavior. <i>Modern Pathology</i> , 2000, 13, 1211-1218.	5.5	42
79	Epigenetic Inactivation of BRCA1 Through Promoter Hypermethylation and Its Clinical Importance in Triple-Negative Breast Cancer. <i>Clinical Breast Cancer</i> , 2015, 15, 498-504.	2.4	42
80	Clinical impact of skeletal muscle area in patients with non-small cell lung cancer treated with anti-PD-1 inhibitors. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 1217-1225.	2.5	42
81	CD24 suppresses malignant phenotype by downregulation of SHH transcription through STAT1 inhibition in breast cancer cells. <i>Cancer Letters</i> , 2016, 374, 44-53.	7.2	41
82	Association of preoperative serum CRP with PD-L1 expression in 508 patients with non-small cell lung cancer: A comprehensive analysis of systemic inflammatory markers. <i>Surgical Oncology</i> , 2018, 27, 88-94.	1.6	41
83	Integrated exome and RNA sequencing of dedifferentiated liposarcoma. <i>Nature Communications</i> , 2019, 10, 5683.	12.8	41
84	Highly aggressive behavior of malignant rhabdoid tumor: a special reference to SMARCB1/INI1 gene alterations using molecular genetic analysis including quantitative real-time PCR. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007, 133, 817-824.	2.5	40
85	Deletion status of <i>p16</i> in effusion smear preparation correlates with that of underlying malignant pleural mesothelioma tissue. <i>Cancer Science</i> , 2015, 106, 1635-1641.	3.9	40
86	Clinicopathological review of solitary fibrous tumors: dedifferentiation is a major cause of patient death. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 467-477.	2.8	40
87	Expression of membrane type 1 matrix metalloproteinase, matrix metalloproteinase 2 and tissue inhibitor of metalloproteinase 2 in human cartilaginous tumors with special emphasis on mesenchymal and dedifferentiated chondrosarcoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 1999, 125, 541-548.	2.5	39
88	Combination of hepatocellular markers is useful for prognostication in gastric hepatoid adenocarcinoma. <i>Human Pathology</i> , 2014, 45, 1243-1250.	2.0	39
89	Crosstalk between epithelial-mesenchymal transition and castration resistance mediated by Twist1/AR signaling in prostate cancer. <i>Endocrine-Related Cancer</i> , 2015, 22, 889-900.	3.1	39
90	Clinical Impact and Risk Factors for Skeletal Muscle Loss After Complete Resection of Early Non-small Cell Lung Cancer. <i>Annals of Surgical Oncology</i> , 2018, 25, 1229-1236.	1.5	39

#	ARTICLE	IF	CITATIONS
91	18F-FDG uptake in PET/CT is a potential predictive biomarker of response to anti-PD-1 antibody therapy in non-small cell lung cancer. <i>Scientific Reports</i> , 2019, 9, 13362.	3.3	39
92	Laparoscopic lateral pelvic lymph node dissection is achievable and offers advantages as a minimally invasive surgery over the open approach. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 1938-1947.	2.4	38
93	PD-L1 expression in papillary renal cell carcinoma. <i>BMC Urology</i> , 2017, 17, 8.	1.4	38
94	Low expression of p27Kip1, a cyclin-dependent kinase inhibitor, is a marker of poor prognosis in synovial sarcoma. <i>Cancer</i> , 2001, 91, 1005-1012.	4.1	37
95	Chemokine receptor <i>CXCR4</i> expression is correlated with <i>VEGF</i> expression and poor survival in soft-tissue sarcoma. <i>International Journal of Cancer</i> , 2009, 124, 1852-1859.	5.1	37
96	HPV-related Sinonasal Carcinoma. <i>American Journal of Surgical Pathology</i> , 2020, 44, 305-315.	3.7	37
97	A deep learning model to detect pancreatic ductal adenocarcinoma on endoscopic ultrasound-guided fine-needle biopsy. <i>Scientific Reports</i> , 2021, 11, 8454.	3.3	37
98	Alterations of RB1 gene in embryonal and alveolar rhabdomyosarcoma: special reference to utility of pRB immunoreactivity in differential diagnosis of rhabdomyosarcoma subtype. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008, 134, 1097-1103.	2.5	36
99	A novel fusion gene CRTC3-MAML2 in hidradenoma: histopathological significance. <i>Human Pathology</i> , 2017, 70, 55-61.	2.0	36
100	Immunohistochemical evaluation of H3K27 trimethylation in malignant peripheral nerve sheath tumors. <i>Pathology Research and Practice</i> , 2018, 214, 417-425.	2.3	36
101	Correlation between CXCR4/CXCR7/CXCL12 chemokine axis expression and prognosis in lymph node-positive lung cancer patients. <i>Cancer Science</i> , 2018, 109, 154-165.	3.9	36
102	Helper T cell-dominant tertiary lymphoid structures are associated with disease relapse of advanced colorectal cancer. <i>Oncolimmunology</i> , 2020, 9, 1724763.	4.6	36
103	Altered expression of cell cycle regulators in myxofibrosarcoma, with special emphasis on their prognostic implications. <i>Human Pathology</i> , 2003, 34, 1035-1042.	2.0	35
104	Prognostic impact of the activation status of the Akt/mTOR pathway in synovial sarcoma. <i>Cancer</i> , 2013, 119, 3504-3513.	4.1	35
105	Short- and long-term outcomes of endoscopic resection of rectal neuroendocrine tumours: analyses according to the WHO 2010 classification. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 448-455.	1.5	35
106	Wnt/ β -catenin signal alteration and its diagnostic utility in basal cell adenoma and histologically similar tumors of the salivary gland. <i>Pathology Research and Practice</i> , 2018, 214, 586-592.	2.3	35
107	Indoleamine 2,3-dioxygenase 1 and programmed cell death-ligand 1 co-expression correlates with aggressive features in lung adenocarcinoma. <i>European Journal of Cancer</i> , 2018, 101, 20-29.	2.8	35
108	Highly expressed EZH2 in combination with BAP1 and MTAP loss, as detected by immunohistochemistry, is useful for differentiating malignant pleural mesothelioma from reactive mesothelial hyperplasia. <i>Lung Cancer</i> , 2019, 130, 187-193.	2.0	35

#	ARTICLE	IF	CITATIONS
109	Reduced Estimated GFR and Cardiac Remodeling: A Population-Based Autopsy Study. <i>American Journal of Kidney Diseases</i> , 2019, 74, 373-381.	1.9	34
110	Fibroblast growth factor receptor 2 expression, but not its genetic amplification, is associated with tumor growth and worse survival in esophagogastric junction adenocarcinoma. <i>Oncotarget</i> , 2016, 7, 19748-19761.	1.8	34
111	Expression of intercellular adhesion molecules in epithelioid sarcoma and malignant rhabdoid tumor. <i>Pathology International</i> , 2001, 51, 532-542.	1.3	33
112	CD146 attenuation in cancer-associated fibroblasts promotes pancreatic cancer progression. <i>Molecular Carcinogenesis</i> , 2016, 55, 1560-1572.	2.7	33
113	A Positive Correlation Between the EZH2 and PD-L1 Expression in Resected Lung Adenocarcinomas. <i>Annals of Thoracic Surgery</i> , 2019, 107, 393-400.	1.3	33
114	Nuclear expression of <i>Y-box binding protein 1</i> is associated with poor prognosis in patients with pancreatic cancer and its knockdown inhibits tumor growth and metastasis in mice tumor models. <i>International Journal of Cancer</i> , 2016, 139, 433-445.	5.1	32
115	High expression of the Notch ligand <i>Jagged 1</i> is associated with poor prognosis after surgery for colorectal cancer. <i>Cancer Science</i> , 2016, 107, 1705-1716.	3.9	32
116	Distinction of Invasive Carcinoma Derived From Intraductal Papillary Mucinous Neoplasms From Concomitant Ductal Adenocarcinoma of the Pancreas Using Molecular Biomarkers. <i>Pancreas</i> , 2016, 45, 826-835.	1.1	32
117	SMARCA4-deficient thoracic sarcoma: report of a case and insights into how to reach the diagnosis using limited samples and resources. <i>Human Pathology</i> , 2017, 70, 92-97.	2.0	32
118	MAGEA4 expression in bone and soft tissue tumors: its utility as a target for immunotherapy and diagnostic marker combined with NY-ESO-1. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 383-392.	2.8	32
119	Soft tissue sarcomas: From a morphological to a molecular biological approach. <i>Pathology International</i> , 2017, 67, 435-446.	1.3	32
120	Highly sensitive and quantitative evaluation of the EGFR T790M mutation by nanofluidic digital PCR. <i>Oncotarget</i> , 2015, 6, 20466-20473.	1.8	32
121	Association Between PD-L1 Expression and Metabolic Activity on 18F-FDG PET/CT in Patients with Small-sized Lung Cancer. <i>Anticancer Research</i> , 2017, 37, 7073-7082.	1.1	32
122	Impact of Expression of Vimentin and Axl in Breast Cancer. <i>Clinical Breast Cancer</i> , 2016, 16, 520-526.e2.	2.4	31
123	Clinical implications of the novel cytokine IL-38 expressed in lung adenocarcinoma: Possible association with PD-L1 expression. <i>PLoS ONE</i> , 2017, 12, e0181598.	2.5	31
124	Recent advances in the molecular pathology of soft tissue sarcoma: Implications for diagnosis, patient prognosis, and molecular target therapy in the future. <i>Cancer Science</i> , 2009, 100, 200-208.	3.9	30
125	Different expression of glucose transporters in the progression of intrahepatic cholangiocarcinoma. <i>Human Pathology</i> , 2014, 45, 1610-1617.	2.0	30
126	Anterior gradient 2 downregulation in a subset of pancreatic ductal adenocarcinoma is a prognostic factor indicative of epithelial-mesenchymal transition. <i>Laboratory Investigation</i> , 2015, 95, 193-206.	3.7	30

#	ARTICLE	IF	CITATIONS
127	Prognostic value of BRAF V600E mutation and microsatellite instability in Japanese patients with sporadic colorectal cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 151-160.	2.5	30
128	Discrepancy in Programmed Cell Death-Ligand 1 Between Primary and Metastatic Non-small Cell Lung Cancer. <i>Anticancer Research</i> , 2017, 37, 4223-4228.	1.1	30
129	Activation of the Akt-mTOR pathway and receptor tyrosine kinase in patients with solitary fibrous tumors. <i>Cancer</i> , 2014, 120, 864-876.	4.1	29
130	Overexpression of microRNA-5100 decreases the aggressive phenotype of pancreatic cancer cells by targeting PODXL. <i>International Journal of Oncology</i> , 2016, 48, 1688-1700.	3.3	29
131	Prognostic impact of MutT homolog-1 expression on esophageal squamous cell carcinoma. <i>Cancer Medicine</i> , 2017, 6, 258-266.	2.8	29
132	Prognostic outcome and complications of sentinel lymph node navigation surgery for early-stage cervical cancer. <i>International Journal of Clinical Oncology</i> , 2018, 23, 1167-1172.	2.2	29
133	Bone morphogenetic protein 4 provides cancer-supportive phenotypes to liver fibroblasts in patients with hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2019, 54, 1007-1018.	5.1	29
134	Comparative Study of Myxofibrosarcoma With Undifferentiated Pleomorphic Sarcoma. <i>American Journal of Surgical Pathology</i> , 2020, 44, 87-97.	3.7	29
135	Glypican 3 expression in tumors with loss of SMARCB1/INI1 protein expression. <i>Human Pathology</i> , 2013, 44, 526-533.	2.0	28
136	Differential microRNA expression profiles between malignant rhabdoid tumor and epithelioid sarcoma: miR193a-5p is suggested to downregulate SMARCB1 mRNA expression. <i>Modern Pathology</i> , 2014, 27, 832-839.	5.5	28
137	Glypican 3 Expression in Pediatric Malignant Solid Tumors. <i>European Journal of Pediatric Surgery</i> , 2015, 25, 138-144.	1.3	28
138	Molecular subclassification determined by human papillomavirus and epidermal growth factor receptor status is associated with the prognosis of oropharyngeal squamous cell carcinoma. <i>Human Pathology</i> , 2016, 50, 51-61.	2.0	28
139	Immunostaining for Hu C/D and CD56 is useful for a definitive histopathological diagnosis of congenital and acquired isolated hypoganglionosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 679-685.	2.8	28
140	The prognostic impact of programmed cell death ligand 1 and human leukocyte antigen class I in pancreatic cancer. <i>Cancer Medicine</i> , 2017, 6, 1614-1626.	2.8	28
141	Deregulated Mucosal Immune Surveillance through Gut-Associated Regulatory T Cells and PD-1+ T Cells in Human Colorectal Cancer. <i>Journal of Immunology</i> , 2018, 200, 3291-3303.	0.8	28
142	Massively parallel sequencing of tenosynovial giant cell tumors reveals novel CSF1 fusion transcripts and novel somatic CBL mutations. <i>International Journal of Cancer</i> , 2019, 145, 3276-3284.	5.1	28
143	Microsatellite instability in Japanese female patients with triple-negative breast cancer. <i>Breast Cancer</i> , 2020, 27, 490-498.	2.9	28
144	Prognostic significance of forkhead box M1 (FoxM1) expression and antitumour effect of FoxM1 inhibition in melanoma. <i>Histopathology</i> , 2016, 69, 63-71.	2.9	27

#	ARTICLE	IF	CITATIONS
145	Suppression of CD51 in pancreatic stellate cells inhibits tumor growth by reducing stroma and altering tumor-stromal interaction in pancreatic cancer. <i>International Journal of Oncology</i> , 2016, 48, 1499-1508.	3.3	27
146	Significance of spread through air spaces in early-stage lung adenocarcinomas undergoing limited resection. <i>Thoracic Cancer</i> , 2018, 9, 1255-1261.	1.9	27
147	Activation of TLR4 signaling inhibits progression of osteosarcoma by stimulating CD8-positive cytotoxic lymphocytes. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 745-758.	4.2	27
148	Prognostic impact of tumor microvessels in intrahepatic cholangiocarcinoma: association with tumor-infiltrating lymphocytes. <i>Modern Pathology</i> , 2021, 34, 798-807.	5.5	27
149	The Japanese Society of Pathology Practical Guidelines on the handling of pathological tissue samples for cancer genomic medicine. <i>Pathology International</i> , 2021, 71, 725-740.	1.3	27
150	Twist1 and Y-box-binding protein-1 are potential prognostic factors in bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 31.e1-31.e7.	1.6	26
151	Cutaneous angiosarcoma of the head and face: a single-center analysis of treatment outcomes in 43 patients in Japan. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 1387-1394.	2.5	26
152	Prospective evaluation of Ki-67 system in histological grading of soft tissue sarcomas in the Japan Clinical Oncology Group Study JCOG0304. <i>World Journal of Surgical Oncology</i> , 2016, 14, 110.	1.9	26
153	High ubiquitin-specific protease 44 expression induces DNA aneuploidy and provides independent prognostic information in gastric cancer. <i>Cancer Medicine</i> , 2017, 6, 1453-1464.	2.8	26
154	Histopathologic diversity of gastric cancers: Relationship between enhancement pattern on dynamic contrast-enhanced CT and histological type. <i>European Journal of Radiology</i> , 2017, 97, 90-95.	2.6	26
155	Wnt/ β -catenin signaling, which is activated in odontomas, reduces Sema3A expression to regulate odontogenic epithelial cell proliferation and tooth germ development. <i>Scientific Reports</i> , 2019, 9, 4257.	3.3	26
156	High-grade transformation of low-grade endometrial stromal sarcomas lacking YWHAE and BCOR genetic abnormalities. <i>Modern Pathology</i> , 2020, 33, 1861-1870.	5.5	26
157	IgG4-related sclerosing mesenteritis causing bowel obstruction: a case report. <i>Surgical Case Reports</i> , 2016, 2, 120.	0.6	25
158	Relevance Between Programmed Death Ligand 1 and Radiologic Invasiveness in Pathologic Stage I Lung Adenocarcinoma. <i>Annals of Thoracic Surgery</i> , 2017, 103, 1750-1757.	1.3	25
159	Significance of Spread Through Air Spaces in Resected Lung Adenocarcinomas With Lymph Node Metastasis. <i>Clinical Lung Cancer</i> , 2018, 19, 395-400.e1.	2.6	25
160	Prognostic Impact of Programmed Death-Ligand 2 Expression in Primary Lung Adenocarcinoma Patients. <i>Annals of Surgical Oncology</i> , 2019, 26, 1916-1924.	1.5	25
161	Current Update on the Molecular Biology of Cutaneous Sarcoma: Dermatofibrosarcoma Protuberans. <i>Current Treatment Options in Oncology</i> , 2019, 20, 29.	3.0	25
162	Cancer-associated acinar-to-ductal metaplasia within the invasive front of pancreatic cancer contributes to local invasion. <i>Cancer Letters</i> , 2019, 444, 70-81.	7.2	25

#	ARTICLE	IF	CITATIONS
163	Lymphocyte-to-C-reactive protein ratio as a prognostic factor for hepatocellular carcinoma. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1890-1900.	2.2	25
164	Nuclear expression of chemokine receptor CXCR4 indicates poorer prognosis in gastric cancer. <i>Anticancer Research</i> , 2014, 34, 6397-403.	1.1	25
165	An Immunohistochemical Analysis of PD-L1 Protein Expression in Surgically Resected Small Cell Lung Cancer Using Different Antibodies and Criteria. <i>Anticancer Research</i> , 2016, 36, 3409-12.	1.1	25
166	Insulin-like growth factor II messenger RNA-binding protein-3 is a valuable diagnostic and prognostic marker of intraductal papillary mucinous neoplasm. <i>Human Pathology</i> , 2013, 44, 1714-1721.	2.0	24
167	Assessment of clonality of multisegmental main duct intraductal papillary mucinous neoplasms of the pancreas based on GNAS mutation analysis. <i>Surgery</i> , 2015, 157, 277-284.	1.9	24
168	Long-term outcomes and prognostic factors in 78 Japanese patients with advanced pancreatic neuroendocrine neoplasms: a single-center retrospective study. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, hvv143.	1.3	24
169	Superficial <sc>CD</sc>34-positive fibroblastic tumor: A new case from Japan. <i>Journal of Dermatology</i> , 2016, 43, 934-936.	1.2	24
170	Clinical significance of circumportal pancreas, a rare congenital anomaly, in pancreatectomy. <i>American Journal of Surgery</i> , 2017, 214, 267-272.	1.8	24
171	Co-expression of IDO1 and PD-L1 in lung squamous cell carcinoma: Potential targets of novel combination therapy. <i>Lung Cancer</i> , 2019, 128, 26-32.	2.0	24
172	Morphological, immunohistochemical, and genomic analyses of papillary renal neoplasm with reverse polarity. <i>Human Pathology</i> , 2021, 112, 48-58.	2.0	24
173	Positive Conversion of PD-L1 Expression After Treatments with Chemotherapy and Nivolumab. , 2017, 37, 5713-5717.		24
174	Favorable Disease-free Survival Associated with Programmed Death Ligand 1 Expression in Patients with Surgically Resected Small-cell Lung Cancer. <i>Anticancer Research</i> , 2016, 36, 4329-36.	1.1	24
175	Different expression profiles of Y-box-binding protein-1 and multidrug resistance-associated proteins between alveolar and embryonal rhabdomyosarcoma. <i>Cancer Science</i> , 2008, 99, 726-732.	3.9	23
176	TM4SF1 as a prognostic marker of pancreatic ductal adenocarcinoma is involved in migration and invasion of cancer cells. <i>International Journal of Oncology</i> , 2015, 47, 490-498.	3.3	23
177	BRCAness as a Biomarker for Predicting Prognosis and Response to Anthracycline-Based Adjuvant Chemotherapy for Patients with Triple-Negative Breast Cancer. <i>PLoS ONE</i> , 2016, 11, e0167016.	2.5	23
178	Gastric Cancer Patients with High PLK1 Expression and DNA Aneuploidy Correlate with Poor Prognosis. <i>Oncology</i> , 2016, 91, 31-40.	1.9	23
179	Brain-derived neurotrophic factor/tropomyosin-related kinase B signaling pathway contributes to the aggressive behavior of lung squamous cell carcinoma. <i>Laboratory Investigation</i> , 2017, 97, 1332-1342.	3.7	23
180	Clinical importance of intraoperative peritoneal cytology in patients with pancreatic cancer. <i>Surgery</i> , 2017, 161, 951-958.	1.9	23

#	ARTICLE	IF	CITATIONS
181	Solitary fibrous tumor in the liver: case report and literature review. <i>Surgical Case Reports</i> , 2019, 5, 68.	0.6	23
182	A Clinicopathological and Prognostic Analysis of PD-L2 Expression in Surgically Resected Primary Lung Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2019, 26, 1925-1933.	1.5	23
183	Adipose tissue-derived stromal cells are sources of cancer-associated fibroblasts and enhance tumor progression by dense collagen matrix. <i>International Journal of Cancer</i> , 2019, 144, 1401-1413.	5.1	23
184	Concomitant Intraductal Papillary Mucinous Neoplasm in Pancreatic Ductal Adenocarcinoma Is an Independent Predictive Factor for the Occurrence of New Cancer in the Remnant Pancreas. <i>Annals of Surgery</i> , 2020, 271, 941-948.	4.2	23
185	Diagnostic utility of pan- α -T α k immunohistochemistry for inflammatory myofibroblastic tumours. <i>Histopathology</i> , 2020, 76, 774-778.	2.9	23
186	Comprehensive molecular profiling broadens treatment options for breast cancer patients. <i>Cancer Medicine</i> , 2021, 10, 529-539.	2.8	23
187	Diffuse-type giant cell tumor/pigmented villonodular synovitis arising in the sacrum: Malignant form. <i>Pathology International</i> , 2007, 57, 627-631.	1.3	22
188	Marked response to pembrolizumab in a patient with pulmonary pleomorphic carcinoma highly positive for PD-L1. <i>Lung Cancer</i> , 2017, 112, 230-231.	2.0	22
189	Surveillance of patients with intraductal papillary mucinous neoplasm with and without pancreatectomy with special reference to the incidence of concomitant pancreatic ductal adenocarcinoma. <i>Surgery</i> , 2018, 163, 291-299.	1.9	22
190	CD44v9 is associated with epithelial-mesenchymal transition and poor outcomes in esophageal squamous cell carcinoma. <i>Cancer Medicine</i> , 2018, 7, 6258-6268.	2.8	22
191	Interleukin-38 promotes tumor growth through regulation of CD8+ tumor-infiltrating lymphocytes in lung cancer tumor microenvironment. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 123-135.	4.2	22
192	H-ras Oncogene Mutation in Dedifferentiated Chondrosarcoma: Polymerase Chain Reaction-Restriction Fragment Length Polymorphism Analysis. <i>Modern Pathology</i> , 2001, 14, 343-349.	5.5	21
193	Expression of glucose transporter-1 is correlated with hypoxia-inducible factor 1 α and malignant potential in pancreatic neuroendocrine tumors. <i>Oncology Letters</i> , 2016, 12, 3337-3343.	1.8	21
194	Inflammatory myofibroblastic tumors of the lung carrying a chimeric A2M-ALK gene: report of 2 infantile cases and review of the differential diagnosis of infantile pulmonary lesions. <i>Human Pathology</i> , 2017, 66, 177-182.	2.0	21
195	Alteration of PDGFR β -Akt-mTOR pathway signaling in fibrosarcomatous transformation of dermatofibrosarcoma protuberans. <i>Human Pathology</i> , 2017, 67, 60-68.	2.0	21
196	Histone H3.3 mutation in giant cell tumor of bone: an update in pathology. <i>Medical Molecular Morphology</i> , 2020, 53, 1-6.	1.0	21
197	PD-L1 and IDO1 expression and tumor-infiltrating lymphocytes in osteosarcoma patients: comparative study of primary and metastatic lesions. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 2607-2620.	2.5	21
198	Cytolytic activity score as a biomarker for antitumor immunity and clinical outcome in patients with gastric cancer. <i>Cancer Medicine</i> , 2021, 10, 3129-3138.	2.8	21

#	ARTICLE	IF	CITATIONS
199	Association of MTH1 expression with the tumor malignant potential and poor prognosis in patients with resected lung cancer. <i>Lung Cancer</i> , 2017, 109, 52-57.	2.0	21
200	Onychopapilloma manifesting longitudinal melanonychia: A mimic of subungual malignancy. <i>Journal of Dermatology</i> , 2015, 42, 1199-1201.	1.2	20
201	Dual gain of HER2 and EGFR gene copy numbers impacts the prognosis of carcinoma ex pleomorphic adenoma. <i>Human Pathology</i> , 2015, 46, 1730-1743.	2.0	20
202	Activation of the OVOL1-OVOL2 Axis in the Hair Bulb and in Pilomatricoma. <i>American Journal of Pathology</i> , 2016, 186, 1036-1043.	3.8	20
203	CLEC3A, MMP7, and LCN2 as novel markers for predicting recurrence in resected G1 and G2 pancreatic neuroendocrine tumors. <i>Cancer Medicine</i> , 2019, 8, 3748-3760.	2.8	20
204	Clinicopathological characteristics of non-functioning cystic pancreatic neuroendocrine tumors. <i>Pancreatology</i> , 2019, 19, 50-56.	1.1	20
205	Nectin Cell Adhesion Molecule 4 (NECTIN4) Expression in Cutaneous Squamous Cell Carcinoma: A New Therapeutic Target?. <i>Biomedicines</i> , 2021, 9, 355.	3.2	20
206	Expression of multidrug resistance-associated protein gene in Ewing's sarcoma and malignant peripheral neuroectodermal tumor of bone. <i>Journal of Cancer Research and Clinical Oncology</i> , 1997, 123, 237-239.	2.5	19
207	Galanin plays an important role in cancer invasiveness and is associated with poor prognosis in stage II colorectal cancer. <i>Oncology Reports</i> , 2015, 33, 539-546.	2.6	19
208	Reclassification of rhabdoid tumor and pediatric undifferentiated/unclassified sarcoma with complete loss of SMARCB1/INI1 protein expression: three subtypes of rhabdoid tumor according to their histological features. <i>Modern Pathology</i> , 2016, 29, 1232-1242.	5.5	19
209	Primary extraskeletal osteosarcoma: a clinicopathological study of 18 cases focusing on MDM2 amplification status. <i>Human Pathology</i> , 2017, 63, 63-69.	2.0	19
210	Role of SpyGlass-DStm in the preoperative assessment of pancreatic intraductal papillary mucinous neoplasm involving the main pancreatic duct. <i>Pancreatology</i> , 2018, 18, 566-571.	1.1	19
211	Gastric hepatoid adenocarcinomas are a genetically heterogeneous group; most tumors show chromosomal instability, but MSI tumors do exist. <i>Human Pathology</i> , 2019, 88, 27-38.	2.0	19
212	Intra- and Inter-Tumor BRAF Heterogeneity in Acral Melanoma: An Immunohistochemical Analysis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6191.	4.1	19
213	Impact of DNA integrity on the success rate of tissue-based next-generation sequencing: Lessons from nationwide cancer genome screening project SCRUM-Japan. <i>SCREEN</i> . <i>Pathology International</i> , 2020, 70, 932-942.	1.3	19
214	Clinical Significance of PD-L1 Expression in Brain Metastases from Non-small Cell Lung Cancer. <i>Anticancer Research</i> , 2018, 38, 553-557.	1.1	19
215	Phosphorylation of signal transducer and activator of transcription 3 in soft tissue leiomyosarcoma is associated with a better prognosis. <i>International Journal of Cancer</i> , 2013, 132, 109-115.	5.1	18
216	Close correlation between CXCR4 and VEGF expression and frequent CXCR7 expression in rhabdomyosarcoma. <i>Human Pathology</i> , 2014, 45, 1900-1909.	2.0	18

#	ARTICLE	IF	CITATIONS
217	Elevated expression of HSP90 and the antitumor effect of an HSP90 inhibitor via inactivation of the Akt/mTOR pathway in undifferentiated pleomorphic sarcoma. <i>BMC Cancer</i> , 2015, 15, 804.	2.6	18
218	Tumor budding and laminin5- β 2 in squamous cell carcinoma of the external auditory canal are associated with shorter survival. <i>SpringerPlus</i> , 2015, 4, 814.	1.2	18
219	Prognostic Significance of Forkhead Box M1 (FOXM1) Expression and Antitumor Effect of FOXM1 Inhibition in Angiosarcoma. <i>Journal of Cancer</i> , 2016, 7, 823-830.	2.5	18
220	Coexpression of SALL4 with HDAC1 and/or HDAC2 is associated with underexpression of PTEN and poor prognosis in patients with hepatocellular carcinoma. <i>Human Pathology</i> , 2017, 64, 69-75.	2.0	18
221	Pancreatic acinar cell carcinoma presenting with panniculitis, successfully treated with FOLFIRINOX: A case report. <i>Molecular and Clinical Oncology</i> , 2017, 6, 866-870.	1.0	18
222	Computed Tomography Features of Lung Adenocarcinomas With Programmed Death Ligand 1 Expression. <i>Clinical Lung Cancer</i> , 2017, 18, e375-e383.	2.6	18
223	T-bet+ lymphocytes infiltration as an independent better prognostic indicator for triple-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2019, 176, 569-577.	2.5	18
224	Clinicopathological features and immunohistochemical utility of NTRK-, ALK-, and ROS1-rearranged papillary thyroid carcinomas and anaplastic thyroid carcinomas. <i>Human Pathology</i> , 2020, 106, 82-92.	2.0	18
225	Malignant transformation of phosphaturic mesenchymal tumor: a case report and literature review. <i>Clinical Pediatric Endocrinology</i> , 2020, 29, 69-75.	0.8	18
226	Detection of identical T cell clones in peritumoral pleural effusion and pneumonitis lesions in a cancer patient during immune-checkpoint blockade. <i>Oncotarget</i> , 2018, 9, 30587-30593.	1.8	18
227	Mutations of the p53 gene in malignant rhabdoid tumors of soft tissue and the kidney: immunohistochemical and DNA direct sequencing analysis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2001, 127, 351-358.	2.5	17
228	Intraoperative irrigation cytology of the remnant pancreas to detect remnant distinct pancreatic ductal adenocarcinoma in patients with intraductal papillary mucinous neoplasm undergoing partial pancreatectomy. <i>Surgery</i> , 2014, 155, 67-73.	1.9	17
229	Role of tumor-associated macrophages in the angiogenesis of well-differentiated hepatocellular carcinoma: Pathological-radiological correlation. <i>Oncology Reports</i> , 2014, 31, 2499-2505.	2.6	17
230	PD-L2 Expression as a Potential Predictive Biomarker for the Response to Anti-PD-1 Drugs in Patients with Non-small Cell Lung Cancer. <i>Anticancer Research</i> , 2018, 38, 5897-5901.	1.1	17
231	Overexpression of MTH1 and OGG1 proteins in ulcerative colitis-associated carcinogenesis. <i>Oncology Letters</i> , 2018, 16, 1765-1776.	1.8	17
232	Effect of cartilaginous endplates on extruded disc resorption in lumbar disc herniation. <i>PLoS ONE</i> , 2018, 13, e0195946.	2.5	17
233	Obesity is a risk factor for intrahepatic cholangiocarcinoma progression associated with alterations of metabolic activity and immune status. <i>Scientific Reports</i> , 2021, 11, 5845.	3.3	17
234	Neoantigens elicit T cell responses in breast cancer. <i>Scientific Reports</i> , 2021, 11, 13590.	3.3	17

#	ARTICLE	IF	CITATIONS
235	PD-L1 expression, tumor-infiltrating lymphocytes, mismatch repair deficiency, EGFR alteration and HPV infection in sinonasal squamous cell carcinoma. <i>Modern Pathology</i> , 2021, 34, 1966-1978.	5.5	17
236	High Frequency of Spread Through Air Spaces in Resected Small Cell Lung Cancer. <i>Anticancer Research</i> , 2018, 38, 1821-1825.	1.1	17
237	Correlation of HER2 expression with clinicopathological characteristics and prognosis in resectable gastric cancer. <i>Anticancer Research</i> , 2015, 35, 2441-6.	1.1	17
238	FOXM1 expression in rhabdomyosarcoma: a novel prognostic factor and therapeutic target. <i>Tumor Biology</i> , 2016, 37, 5213-5223.	1.8	16
239	Diagnostic application of BAP1 immunohistochemistry to differentiate pleural mesothelioma from metastatic pleural tumours. <i>Histopathology</i> , 2017, 71, 1011-1014.	2.9	16
240	Combined primary hepatic neuroendocrine carcinoma and hepatocellular carcinoma with aggressive biological behavior (adverse clinical course): A case report. <i>Pathology Research and Practice</i> , 2017, 213, 1322-1326.	2.3	16
241	Hypoxia-inducible factor 1 alpha is a poor prognostic factor and potential therapeutic target in malignant peripheral nerve sheath tumor. <i>PLoS ONE</i> , 2017, 12, e0178064.	2.5	16
242	Clinicopathologic and Molecular Characteristics of Synchronous Colorectal Carcinoma With Mismatch Repair Deficiency. <i>American Journal of Surgical Pathology</i> , 2018, 42, 172-182.	3.7	16
243	Combined Evaluation of Tumor-Infiltrating CD8 ⁺ and FoxP3 ⁺ Lymphocytes Provides Accurate Prognosis in Stage IA Lung Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2020, 27, 2102-2109.	1.5	16
244	Clinical significance of signal regulatory protein alpha (SIRP α) expression in esophageal squamous cell carcinoma. <i>Cancer Science</i> , 2021, 112, 3018-3028.	3.9	16
245	Mucinous phenotype and CD10 expression of primary adenocarcinoma of the small intestine. <i>World Journal of Gastroenterology</i> , 2015, 21, 2700.	3.3	16
246	Expression of multidrug-resistance-associated protein gene in human soft-tissue sarcomas. <i>Journal of Cancer Research and Clinical Oncology</i> , 1996, 122, 161-165.	2.5	15
247	Prognostic significance of FOXM1 expression and antitumor effect of FOXM1 inhibition in synovial sarcomas. <i>BMC Cancer</i> , 2016, 16, 511.	2.6	15
248	Spalt-like transcription factor 4 immunopositivity is associated with epithelial cell adhesion molecule expression in combined hepatocellular carcinoma and cholangiocarcinoma. <i>Histopathology</i> , 2016, 68, 693-701.	2.9	15
249	Programmed Death-Ligand 1 Expression and EGFR Mutations in Multifocal Lung Cancer. <i>Annals of Thoracic Surgery</i> , 2018, 105, 448-454.	1.3	15
250	Osteogenic differentiation in dedifferentiated liposarcoma: a study of 36 cases in comparison to the cases without ossification. <i>Histopathology</i> , 2018, 72, 729-738.	2.9	15
251	A case of mixed adenoneuroendocrine carcinoma (MANEC) arising in Barrett's esophagus: literature and review. <i>Surgical Case Reports</i> , 2018, 4, 45.	0.6	15
252	Methylation of drug resistance-related genes in chemotherapy-sensitive Epstein-Barr virus-associated gastric cancer. <i>FEBS Open Bio</i> , 2020, 10, 147-157.	2.3	15

#	ARTICLE	IF	CITATIONS
253	Prognostic implications of the coexisting precursor lesion types in invasive gallbladder cancer. <i>Human Pathology</i> , 2021, 114, 44-53.	2.0	15
254	PD-L1 and IDO-1 expression in undifferentiated pleomorphic sarcoma: The associations with tumor infiltrating lymphocytes, dMMR and HLA class I. <i>Oncology Reports</i> , 2020, 45, 379-389.	2.6	15
255	Subcellular Distribution of Cytokeratin and Vimentin in Malignant Rhabdoid Tumor: Three-Dimensional Imaging with Confocal Laser Scanning Microscopy and Double Immunofluorescence. <i>Modern Pathology</i> , 2001, 14, 854-861.	5.5	14
256	Insulin-like growth factor II messenger RNA-binding protein 3 expression in gastrointestinal mesenchymal tumors. <i>Human Pathology</i> , 2014, 45, 481-487.	2.0	14
257	Perivascular epithelial cell tumor (PEComa) of the pancreas: a case report and review of previous literatures. <i>Surgical Case Reports</i> , 2016, 2, 59.	0.6	14
258	Low-grade intraductal carcinoma (low-grade cribriform cystadenocarcinoma) with tumor-associated lymphoid proliferation of parotid gland. <i>Pathology Research and Practice</i> , 2017, 213, 706-709.	2.3	14
259	Expression of protease-activated receptor-2 (PAR-2) is related to advanced clinical stage and adverse prognosis in ovarian clear cell carcinoma. <i>Human Pathology</i> , 2017, 64, 156-163.	2.0	14
260	Mucinous adenocarcinoma of the thymus: report of a case. <i>General Thoracic and Cardiovascular Surgery</i> , 2018, 66, 111-115.	0.9	14
261	Radiological Features of Brain Metastases from Non-small Cell Lung Cancer Harboring EGFR Mutation. <i>Anticancer Research</i> , 2018, 38, 3731-3734.	1.1	14
262	A novel prognostic marker in patients with non-small cell lung cancer: musculo-immuno-nutritional score calculated by controlling nutritional status and creatine kinase. <i>Journal of Thoracic Disease</i> , 2019, 11, 927-935.	1.4	14
263	Solid-type poorly differentiated adenocarcinoma of the stomach: Deficiency of mismatch repair and SWI/SNF complex. <i>Cancer Science</i> , 2020, 111, 1008-1019.	3.9	14
264	Expression of CD44 variant 9 induces chemoresistance of gastric cancer by controlling intracellular reactive oxygen species accumulation. <i>Gastric Cancer</i> , 2021, 24, 1089-1099.	5.3	14
265	Genetic landscape of external auditory canal squamous cell carcinoma. <i>Cancer Science</i> , 2020, 111, 3010-3019.	3.9	14
266	Evaluation of Epstein-Barr virus infection in sinonasal small round cell tumors. <i>Journal of Cancer Research and Clinical Oncology</i> , 2000, 126, 12-18.	2.5	13
267	Epithelial to Mesenchymal Transition in Clear Cell Renal Cell Carcinoma with Rhabdoid Features. <i>Pathobiology</i> , 2016, 83, 277-286.	3.8	13
268	Effect of EGFR and p-AKT Overexpression on Chromosomal Instability in Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 1986-1992.	1.5	13
269	Laparoscopic surgery for congenital biliary dilatation: a single-institution experience. <i>Surgery Today</i> , 2018, 48, 44-50.	1.5	13
270	Pediatric soft tissue tumor of the upper arm with LMNA-NTRK1 fusion. <i>Human Pathology</i> , 2018, 72, 167-173.	2.0	13

#	ARTICLE	IF	CITATIONS
271	Low-grade myofibroblastic sarcoma arising in the tip of the tongue with intravascular invasion: A case report. <i>Oncology Letters</i> , 2018, 16, 3889-3894.	1.8	13
272	Two case reports of intra-articular nodular fasciitis of the knee confirmed by MYH9-USP6 gene fusion expression. <i>Journal of Orthopaedic Science</i> , 2019, 26, 1138-1142.	1.1	13
273	Survival and ocular preservation in a long-term cohort of Japanese patients with retinoblastoma. <i>BMC Pediatrics</i> , 2020, 20, 37.	1.7	13
274	Prognostic Impact of Vessels that Encapsulate Tumor Cluster (VETC) in Patients who Underwent Liver Transplantation for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 8186-8195.	1.5	13
275	Histological and immunohistochemical features and genetic alterations in the malignant progression of giant cell tumor of bone: a possible association with TP53 mutation and loss of H3K27 trimethylation. <i>Modern Pathology</i> , 2022, 35, 640-648.	5.5	13
276	Subtypes in pancreatic ductal adenocarcinoma based on niche factor dependency show distinct drug treatment responses. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, 89.	8.6	13
277	Activation of the Akt/mammalian target of rapamycin pathway in myxofibrosarcomas. <i>Human Pathology</i> , 2014, 45, 984-993.	2.0	12
278	A case of intracranial solitary fibrous tumor/hemangiopericytoma with dedifferentiated component. <i>Neuropathology</i> , 2015, 35, 260-265.	1.2	12
279	Ovarian high-grade serous carcinoma with a noninvasive growth pattern simulating a serous borderline tumor. <i>Human Pathology</i> , 2015, 46, 1455-1463.	2.0	12
280	Insulin-like growth factor II messenger RNA-binding protein-3 is an indicator of malignant phyllodes tumor of the breast. <i>Human Pathology</i> , 2016, 55, 30-38.	2.0	12
281	High Frequency of Programmed Death-ligand 1 Expression in Emphysematous Bullae-associated Lung Adenocarcinomas. <i>Clinical Lung Cancer</i> , 2017, 18, 504-511.e1.	2.6	12
282	A novel histological examination with dynamic three-dimensional reconstruction from multiple immunohistochemically stained sections of a PD-L1-positive colon cancer. <i>Histopathology</i> , 2018, 72, 697-703.	2.9	12
283	Colorectal diffuse large B-cell lymphoma: molecular subclassification and prognostic significance of immunoglobulin gene translocation. <i>Human Pathology</i> , 2020, 96, 67-78.	2.0	12
284	Immunohistochemical BRAF V600E Expression and Intratumor BRAF V600E Heterogeneity in Acral Melanoma: Implication in Melanoma-Specific Survival. <i>Journal of Clinical Medicine</i> , 2020, 9, 690.	2.4	12
285	p16 overexpression and Rb loss correlate with high-risk HPV infection in oropharyngeal squamous cell carcinoma. <i>Histopathology</i> , 2021, 79, 358-369.	2.9	12
286	A phase I clinical trial of RNF43 peptide-related immune cell therapy combined with low-dose cyclophosphamide in patients with advanced solid tumors. <i>PLoS ONE</i> , 2018, 13, e0187878.	2.5	12
287	Tropomyosin-related kinase B mediated signaling contributes to the induction of malignant phenotype of gallbladder cancer. <i>Oncotarget</i> , 2017, 8, 36211-36224.	1.8	12
288	Artificial Intelligence for Segmentation of Bladder Tumor Cystoscopic Images Performed by U-Net with Dilated Convolution. <i>Journal of Endourology</i> , 2022, 36, 827-834.	2.1	12

#	ARTICLE	IF	CITATIONS
289	A Randomized Phase II/III Trial of Perioperative Chemotherapy with Adriamycin Plus Ifosfamide Versus Gemcitabine Plus Docetaxel for High-grade Soft Tissue Sarcoma: Japan Clinical Oncology Group Study JCOG1306. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 765-769.	1.3	11
290	Expression of Forkhead box M1 in soft tissue leiomyosarcoma: Clinicopathologic and <i>in vitro</i> study using a newly established cell line. <i>Cancer Science</i> , 2016, 107, 95-102.	3.9	11
291	Reduced MUYH, MTH1, and OGG1 expression and TP53 mutation in diffuse-type adenocarcinoma of gastric cardia. <i>Human Pathology</i> , 2016, 52, 145-152.	2.0	11
292	Prognostic Impact of PD-L2 Expression and Association with PD-L1 in Patients with Small-cell Lung Cancer. <i>Anticancer Research</i> , 2018, 38, 5903-5907.	1.1	11
293	Risk Factors of Periprosthetic Infection in Patients with Tumor Prostheses Following Resection for Musculoskeletal Tumor of the Lower Limb. <i>Journal of Clinical Medicine</i> , 2020, 9, 3133.	2.4	11
294	First case of pyrin-associated autoinflammation with neutrophilic dermatosis complicated by amyloidosis. <i>Rheumatology</i> , 2020, 59, e41-e43.	1.9	11
295	Association of glucose tolerance status with pancreatic β - and δ -cell mass in community-based autopsy samples of Japanese individuals: The Hisayama Study. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1197-1206.	2.4	11
296	Soft Tissue Special Issue: Skeletal Muscle Tumors: A Clinicopathological Review. <i>Head and Neck Pathology</i> , 2020, 14, 12-20.	2.6	11
297	Lymphocyteâ€‘C-reactive protein ratio as a prognostic marker associated with the tumor immune microenvironment in intrahepatic cholangiocarcinoma. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1901-1910.	2.2	11
298	â€‘Microcystic patternâ€™ should be recognised as part of the morphological spectrum of solidâ€‘pseudopapillary neoplasm of the pancreas. <i>Histopathology</i> , 2018, 72, 216-226.	2.9	11
299	Molecular Factors Associated with Pemetrexed Sensitivity According to Histological Type in Non-small Cell Lung Cancer. <i>Anticancer Research</i> , 2016, 36, 6319-6326.	1.1	11
300	Benign mesenteric lipomatous tumor in a child: a case report and literature review. <i>Surgical Case Reports</i> , 2020, 6, 243.	0.6	11
301	Myeloidâ€‘derived suppressor cell infiltration is associated with a poor prognosis in patients with hepatocellular carcinoma. <i>Oncology Letters</i> , 2022, 23, 93.	1.8	11
302	Intratumoral lymphangiogenesis and prognostic significance of VEGFC expression in gastric cancer. <i>Anticancer Research</i> , 2014, 34, 3911-5.	1.1	11
303	Significance of accurate human epidermal growth factor receptor-2 (HER2) evaluation as a new biomarker in gastric cancer. <i>Anticancer Research</i> , 2014, 34, 4207-12.	1.1	11
304	A CpG island methylator phenotype of colorectal cancer that is contiguous with conventional adenomas, but not serrated polyps. <i>Oncology Letters</i> , 2014, 8, 1937-1944.	1.8	10
305	Follicular pancreatitis, report of a case clinically mimicking pancreatic cancer and literature review. <i>Pathology Research and Practice</i> , 2014, 210, 118-122.	2.3	10
306	Malignant solitary fibrous tumor with high-grade nuclear atypia: An alternate entity for the undetermined tumor group. <i>Pathology Research and Practice</i> , 2015, 211, 117-124.	2.3	10

#	ARTICLE	IF	CITATIONS
307	Activation of the Akt-mTOR and MAPK pathways in dedifferentiated liposarcomas. <i>Tumor Biology</i> , 2016, 37, 4767-4776.	1.8	10
308	SLC2A1/GLUT1 expression in mural nodules of intraductal papillary mucinous neoplasm of the pancreas. <i>Human Pathology</i> , 2017, 65, 71-78.	2.0	10
309	Programmed death-ligand 1 expression is associated with fibrosarcomatous transformation of dermatofibrosarcoma protuberans. <i>Molecular and Clinical Oncology</i> , 2017, 6, 665-668.	1.0	10
310	FOXO3a Expression Regulated by ERK Signaling is Inversely Correlated With β -Box Binding Protein α 1 Expression in Prostate Cancer. <i>Prostate</i> , 2017, 77, 145-153.	2.3	10
311	Insulin-like growth factor messenger RNA-binding protein β is an independent prognostic factor in uterine leiomyosarcoma. <i>Histopathology</i> , 2018, 72, 739-748.	2.9	10
312	Visualizing Energy Charge in Breast Carcinoma Tissues by MALDI Mass-spectrometry Imaging Profiles of Low-molecular-weight Metabolites. <i>Anticancer Research</i> , 2018, 38, 4267-4272.	1.1	10
313	Neuroendocrine tumor of the pancreas with rhabdoid feature. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 247-252.	2.8	10
314	Differences in PD-L1 expression on tumor and immune cells between lung metastases and corresponding primary tumors. <i>Surgical Oncology</i> , 2018, 27, 637-641.	1.6	10
315	Clinicopathological features and phenotypic classification of de novo-type colorectal carcinomas differ from those of colorectal carcinomas derived from flat adenomas. <i>Pathology International</i> , 2019, 69, 331-340.	1.3	10
316	Genetic assessment of recurrent pancreatic high-risk lesions in the remnant pancreas: Metachronous multifocal lesion or local recurrence?. <i>Surgery</i> , 2019, 165, 767-774.	1.9	10
317	Sclerosing epithelioid mesenchymal neoplasm of the pancreas—A proposed new entity. <i>Modern Pathology</i> , 2020, 33, 456-467.	5.5	10
318	Natural history and clinical outcomes of pancreatic neuroendocrine neoplasms based on the WHO 2017 classification; a single-center experience of 30 years. <i>Pancreatology</i> , 2020, 20, 709-715.	1.1	10
319	Expression of PD-L1, PD-L2, and IDO1 on tumor cells and density of CD8-positive tumor-infiltrating lymphocytes in early-stage lung adenocarcinoma according to histological subtype. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 2639-2650.	2.5	10
320	FAM115C could be a novel tumor suppressor associated with prolonged survival in pancreatic cancer patients. <i>Journal of Cancer</i> , 2020, 11, 2289-2302.	2.5	10
321	Association of PD-L1 and IDO1 expression with JAK-STAT pathway activation in soft-tissue leiomyosarcoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1451-1463.	2.5	10
322	Comprehensive molecular and clinicopathological profiling of desmoid tumours. <i>European Journal of Cancer</i> , 2021, 145, 109-120.	2.8	10
323	Trop2 Expression in Extramammary Paget's Disease and Normal Skin. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7706.	4.1	10
324	Impact of Nuclear Factor Erythroid-Related Factor 2 in Hepatocellular Carcinoma: Cancer Metabolism and Immune Status. <i>Hepatology Communications</i> , 2022, 6, 665-678.	4.3	10

#	ARTICLE	IF	CITATIONS
325	Small-Sized, Flat-Type Invasive Branch Duct Intraductal Papillary Mucinous Neoplasm: A Case Report. <i>Case Reports in Gastroenterology</i> , 2013, 7, 449-454.	0.6	9
326	STAT6-positive intraorbital papillary tumor: A rare variant of solitary fibrous tumor?. <i>Pathology Research and Practice</i> , 2014, 210, 450-453.	2.3	9
327	Current clinical features in diagnosis and treatment for immaturity of ganglia in Japan: analysis from 10-year nationwide survey. <i>Pediatric Surgery International</i> , 2015, 31, 949-954.	1.4	9
328	Gastric carcinosarcoma with rhabdomyosarcomatous differentiation: a case report and review. <i>Surgical Case Reports</i> , 2016, 2, 52.	0.6	9
329	Prognostic Significance of Expression of the Epithelial-Mesenchymal Transition-Related Factor Brachyury in Intrathoracic Lymphatic Spread of Non-Small Cell Lung Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 1012-1020.	1.5	9
330	Elevated bile amylase level without pancreaticobiliary maljunction is a risk factor for gallbladder carcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2017, 24, 103-108.	2.6	9
331	Metyrapone-responsive ectopic ACTH-secreting pheochromocytoma with a vicious cycle & via a glucocorticoid-driven positive-feedback mechanism. <i>Endocrine Journal</i> , 2018, 65, 755-767.	1.6	9
332	Prevalence of Enhancer of Zeste Homolog 2 in Patients with Resected Small Cell Lung Cancer. <i>Anticancer Research</i> , 2018, 38, 3707-3711.	1.1	9
333	Primary amelanotic malignant melanoma of the esophagus: a case report. <i>Surgical Case Reports</i> , 2019, 5, 4.	0.6	9
334	Risk factors for failure of vitrectomy cell block technique in cytological diagnosis of vitreoretinal lymphoma. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2019, 257, 1029-1036.	1.9	9
335	Programmed death ligand 1/indoleamine 2,3-dioxygenase 1 expression and tumor-infiltrating lymphocyte status in renal cell carcinoma with sarcomatoid changes and rhabdoid features. <i>Human Pathology</i> , 2020, 101, 31-39.	2.0	9
336	Pan-tropomyosin receptor kinase immunoreactivity, ETV6-NTRK3 fusion subtypes, and RET rearrangement in salivary secretory carcinoma. <i>Human Pathology</i> , 2021, 109, 37-44.	2.0	9
337	Gastric glomus tumor with a preoperative diagnosis by endoscopic ultrasonography-guided fine needle aspiration: a case report. <i>International Cancer Conference Journal</i> , 2021, 10, 35-40.	0.5	9
338	Histological categorisation of the desmoplastic reaction is a predictor of patient prognosis in oesophageal squamous cell carcinoma. <i>Histopathology</i> , 2021, 79, 219-226.	2.9	9
339	Pathologic Diabetic Nephropathy in Autopsied Diabetic Cases With Normoalbuminuria From a Japanese Community-Based Study. <i>Kidney International Reports</i> , 2021, 6, 3035-3044.	0.8	9
340	Fibrosis in nonalcoholic fatty liver disease: Noninvasive assessment using computed tomography volumetry. <i>World Journal of Gastroenterology</i> , 2016, 22, 8949.	3.3	9
341	Merkel cell polyomavirus-negative Merkel cell carcinoma is associated with JAK-STAT and MEK-ERK pathway activation. <i>Cancer Science</i> , 2022, 113, 251-260.	3.9	9
342	IL-34 in hepatoblastoma cells potentially promote tumor progression via autocrine and paracrine mechanisms. <i>Cancer Medicine</i> , 2022, 11, 1441-1453.	2.8	9

#	ARTICLE	IF	CITATIONS
343	Ezrin expression and its phosphorylation in gastric carcinoma with lymphoid stroma and Epstein-Barr virus infection. <i>Molecular and Clinical Oncology</i> , 2013, 1, 220-224.	1.0	8
344	Significance of expression of glucagon-like peptide 1 receptor in pancreatic cancer. <i>Oncology Reports</i> , 2015, 34, 1717-1725.	2.6	8
345	GNAS and KRAS mutational analyses of intraductal papillary neoplasms of the pancreas and bile duct developing in the same individual: A case report. <i>Pancreatology</i> , 2015, 15, 713-716.	1.1	8
346	Methotrexate-Related Lymphoproliferative Disorder Presenting with Severe Swelling of the Elbow Joint. <i>JBJS Case Connector</i> , 2017, 7, e65-e65.	0.3	8
347	Prognostic significance of contrast-enhanced CT attenuation value in extrahepatic cholangiocarcinoma. <i>European Radiology</i> , 2017, 27, 2563-2569.	4.5	8
348	CD110 promotes pancreatic cancer progression and its expression is correlated with poor prognosis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 1147-1164.	2.5	8
349	The balance of forces generated by kinesins controls spindle polarity and chromosomal heterogeneity in tetraploid cells. <i>Journal of Cell Science</i> , 2019, 132, .	2.0	8
350	Quantification of intratumoral collagen and elastin fibers within hepatocellular carcinoma tissues finds correlations with clinico-radiological features. <i>Hepatology Research</i> , 2020, 50, 607-619.	3.4	8
351	Prognostic impact of 8-hydroxydeoxyguanosine and its repair enzyme 8-hydroxydeoxyguanosine DNA glycosylase in hepatocellular carcinoma. <i>Pathology International</i> , 2020, 70, 533-541.	1.3	8
352	Prognostic significance of the MDM2 / HMGA2 ratio and histological tumor grade in dedifferentiated liposarcoma. <i>Genes Chromosomes and Cancer</i> , 2021, 60, 26-37.	2.8	8
353	The Clinical and Histopathological Features of Cutaneous Immune-Related Adverse Events and Their Outcomes. <i>Journal of Clinical Medicine</i> , 2021, 10, 728.	2.4	8
354	The association between the expression of PD-L1 and CMTM6 in undifferentiated pleomorphic sarcoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 2003-2011.	2.5	8
355	Identification of SLC38A7 as a Prognostic Marker and Potential Therapeutic Target of Lung Squamous Cell Carcinoma. <i>Annals of Surgery</i> , 2021, 274, 500-507.	4.2	8
356	The SWI/SNF chromatin-remodeling complex status in renal cell carcinomas with sarcomatoid or rhabdoid features. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 651-660.	2.8	8
357	Clinical significance of preoperative inflammatory markers in non-small cell lung cancer patients: A multicenter retrospective study. <i>PLoS ONE</i> , 2020, 15, e0241580.	2.5	8
358	Elevated Metabolic Activity on 18F-FDG PET/CT Is Associated with the Expression of EZH2 in Non-small Cell Lung Cancer. <i>Anticancer Research</i> , 2017, 37, 1393-1402.	1.1	8
359	High-risk HPV-related Squamous Cell Carcinoma in the Conjunctiva and Lacrimal sac. <i>American Journal of Surgical Pathology</i> , 2022, 46, 977-987.	3.7	8
360	Conversion to Neuroendocrine Carcinoma from Squamous Cell Carcinoma of the Esophagus After Definitive Chemoradiotherapy. <i>Anticancer Research</i> , 2016, 36, 4045-9.	1.1	8

#	ARTICLE	IF	CITATIONS
361	Nectin cell adhesion molecule 4 regulates angiogenesis through Src signaling and serves as a novel therapeutic target in angiosarcoma. <i>Scientific Reports</i> , 2022, 12, 4031.	3.3	8
362	Three-dimensional MRI reconstructions of musculoskeletal tumors: A preliminary evaluation of 2 cases. <i>Acta Orthopaedica</i> , 1995, 66, 80-83.	1.4	7
363	Peritoneal myofibroblasts at metastatic foci promote dissemination of pancreatic cancer. <i>International Journal of Oncology</i> , 2014, 45, 113-120.	3.3	7
364	Expression of adhesion molecules and epithelial-mesenchymal transition factors in medullary carcinoma of the colorectum. <i>Human Pathology</i> , 2015, 46, 1257-1266.	2.0	7
365	Successful combination chemotherapy for metastatic inflammatory myofibroblastic tumor: A case report. <i>Oncology Letters</i> , 2015, 10, 2981-2985.	1.8	7
366	Primary phosphaturic mesenchymal tumour of the lumbar spine: utility of ⁶⁸ Ga-DOTATOC PET/CT findings. <i>BJR case Reports</i> , 2016, 2, 20150497.	0.2	7
367	Malignant transformation of hepatocellular adenoma with bone marrow metaplasia arising in glycogen storage disease type I: A case report. <i>Molecular and Clinical Oncology</i> , 2016, 5, 599-603.	1.0	7
368	Intraluminal superior vena cava metastasis from adenosquamous carcinoma of the duodenum: A case report. <i>Oncology Letters</i> , 2016, 11, 605-609.	1.8	7
369	Biological and clinical significance of loss of heterozygosity at the INPP4B gene locus in Japanese breast cancer. <i>Breast</i> , 2016, 25, 62-68.	2.2	7
370	Anal metastasis of rectal cancer—adenocarcinoma of squamous cells: a case report and literature review. <i>Surgical Case Reports</i> , 2017, 3, 55.	0.6	7
371	Severe Aplastic Anemia during Osimertinib Therapy in a Patient with EGFR Tyrosine Kinase Inhibitor-Resistant Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2017, 12, e46-e47.	1.1	7
372	A exceptional collision tumor of primary adrenal angiosarcoma and non-functioning adrenocortical adenoma. <i>Pathology Research and Practice</i> , 2017, 213, 702-705.	2.3	7
373	Degree of desmoplasia in metastatic lymph node lesions is associated with lesion size and poor prognosis in pancreatic cancer patients. <i>Oncology Letters</i> , 2017, 14, 3141-3147.	1.8	7
374	Tumor-induced osteomalacia caused by a massive phosphaturic mesenchymal tumor of the acetabulum: A case report. <i>Modern Rheumatology</i> , 2018, 28, 906-910.	1.8	7
375	Intrapancreatic recurrence of intraductal tubulopapillary neoplasm (ITPN) 16 years after the initial surgery for noninvasive ITPN: a case report. <i>Surgical Case Reports</i> , 2018, 4, 96.	0.6	7
376	A case of primary extraskeletal osteosarcoma of the breast. <i>Surgical Case Reports</i> , 2018, 4, 121.	0.6	7
377	BRCAness Combined With a Family History of Cancer Is Associated With a Poor Prognosis for Breast Cancer Patients With a High Risk of BRCA Mutations. <i>Clinical Breast Cancer</i> , 2018, 18, e1217-e1227.	2.4	7
378	Vocal cord inflammatory myofibroblastic tumor with mucoid deposits harboring TIMP3-ALK fusion: A potential diagnostic pitfall. <i>Pathology International</i> , 2019, 69, 366-371.	1.3	7

#	ARTICLE	IF	CITATIONS
379	Congenital biliary dilatation in the era of laparoscopic surgery, focusing on the high incidence of anatomical variations of the right hepatic artery. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 870-876.	2.6	7
380	Gene amplification of YBâ€1 in castrationâ€resistant prostate cancer in association with aberrant androgen receptor expression. <i>Cancer Science</i> , 2021, 112, 323-330.	3.9	7
381	Validity of the prognostication tool PREDICT version 2.2 in Japanese breast cancer patients. <i>Cancer Medicine</i> , 2021, 10, 1605-1613.	2.8	7
382	GLI2 but not GLI1/GLI3 plays a central role in the induction of malignant phenotype of gallbladder cancer. <i>Oncology Reports</i> , 2021, 45, 997-1010.	2.6	7
383	ERAP2 is a novel target involved in autophagy and activation of pancreatic stellate cells via UPR signaling pathway. <i>Pancreatology</i> , 2022, 22, 9-19.	1.1	7
384	Myxoid type and non-myxoid type of intimal sarcoma in large vessels and heart: review of histological and genetic profiles of 20 cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 919-925.	2.8	7
385	Primary Cardiac T-Cell Lymphoma Localized in the Mitral Valve. <i>Annals of Thoracic Surgery</i> , 2016, 101, 2363-2365.	1.3	6
386	Claudin 6 expression is useful to distinguish myxofibrosarcomas from other myxoid soft tissue tumors. <i>Pathology Research and Practice</i> , 2017, 213, 674-679.	2.3	6
387	HIF-1Î±, MDM2, CDK4, and p16 expression in ischemic fasciitis, focusing on its ischemic condition. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 117-122.	2.8	6
388	Radiological Features of IDO1⁺/PDL1⁺ Lung Adenocarcinoma: A Retrospective Single-institution Study. <i>Anticancer Research</i> , 2018, 38, 5295-5303.	1.1	6
389	Short- and Long-term Outcomes of Surgical Treatment for Remnant Gastric Cancer After Distal Gastrectomy. <i>Anticancer Research</i> , 2019, 39, 1411-1415.	1.1	6
390	Glypicanâ€3 expression in malignant small round cell tumors. <i>Oncology Letters</i> , 2019, 17, 3523-3528.	1.8	6
391	HuC/D expression in small round cell tumors and neuroendocrine tumors: a useful tool for distinguishing neuroblastoma from childhood small round cell tumors. <i>Human Pathology</i> , 2019, 85, 162-167.	2.0	6
392	Hypocomplementemic urticarial vasculitis syndrome with gastrointestinal vasculitis and crescentic membranoproliferative glomerulonephritis without immune complex deposits. <i>CEN Case Reports</i> , 2020, 9, 30-35.	0.9	6
393	Non-transmissible MV Vector with Segmented RNA Genome Establishes Different Types of iPSCs from Hematopoietic Cells. <i>Molecular Therapy</i> , 2020, 28, 129-141.	8.2	6
394	Quantitative evaluation of the intratumoral distribution of platinum in oxaliplatinâ€treated rectal cancer: <i>in situ</i> visualization of platinum <i>via</i> synchrotron radiation Xâ€ray fluorescence spectrometry. <i>International Journal of Cancer</i> , 2020, 146, 2498-2509.	5.1	6
395	Automated approach for estimation of grade groups for prostate cancer based on histological image feature analysis. <i>Prostate</i> , 2020, 80, 291-302.	2.3	6
396	Onychopapilloma presenting as longitudinal melanonychia: A case report and literature review. <i>Australasian Journal of Dermatology</i> , 2021, 62, 244-246.	0.7	6

#	ARTICLE	IF	CITATIONS
397	The effects of <i>ARID1A</i> mutations on colorectal cancer and associations with <i>PD-L1</i> expression by stromal cells. <i>Cancer Reports</i> , 2022, 5, e1420.	1.4	6
398	Myxoepithelioid tumour with chordoid features: a clinicopathological, immunohistochemical and genetic study of 14 cases of <i>SMARCB1/INI1</i> -deficient soft-tissue neoplasm. <i>Histopathology</i> , 2021, 79, 629-641.	2.9	6
399	Tumor microenvironment in giant cell tumor of bone: evaluation of <i>PD-L1</i> expression and <i>SIRPα</i> infiltration after denosumab treatment. <i>Scientific Reports</i> , 2021, 11, 14821.	3.3	6
400	Clinicopathological and prognostic significance of H3K27 methylation status in malignant peripheral nerve sheath tumor: correlation with skeletal muscle differentiation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 1233-1244.	2.8	6
401	Concurrent cardiac transthyretin and brain β 2 amyloid accumulation among the older adults: The Hisayama study. <i>Brain Pathology</i> , 2021, , e13014.	4.1	6
402	Pathological review of cardiac amyloidosis using autopsy cases in a single Japanese institution. <i>Pathology Research and Practice</i> , 2021, 227, 153635.	2.3	6
403	The Novel Selective Pan-TRK Inhibitor ONO-7579 Exhibits Antitumor Efficacy Against Human Gallbladder Cancer In Vitro. <i>Anticancer Research</i> , 2018, 38, 1979-1986.	1.1	6
404	Long-term follow up after sentinel node biopsy alone for early-stage cervical cancer. <i>Gynecologic Oncology</i> , 2022, 165, 149-154.	1.4	6
405	One-year clinical efficacy and safety of indigo naturalis for active ulcerative colitis: a real-world prospective study. <i>Intestinal Research</i> , 2022, 20, 260-268.	2.6	6
406	Case report 877. <i>Skeletal Radiology</i> , 1994, 23, 669-671.	2.0	5
407	Hybrid perineurioma-neurofibroma in a patient with neurofibromatosis type 1, clinically mimicking malignant peripheral nerve sheath tumor. <i>European Journal of Dermatology</i> , 2014, 24, 412-413.	0.6	5
408	Cutaneous epithelioid angiomatous nodule in a patient with a history of multiple pyogenic granulomas. <i>European Journal of Dermatology</i> , 2015, 25, 268-269.	0.6	5
409	Complete Remission of Anaplastic Thyroid Carcinoma after Concomitant Treatment with Docetaxel and Radiotherapy. <i>Case Reports in Endocrinology</i> , 2015, 2015, 1-4.	0.4	5
410	Suppression of silent information regulator 1 activity in noncancerous tissues of hepatocellular carcinoma: Possible association with non- α hepatitis pathogenesis. <i>Cancer Science</i> , 2015, 106, 542-549.	3.9	5
411	Renal cell carcinoma with rhabdoid-like features lack intracytoplasmic inclusion bodies and show aggressive behavior. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 357-367.	2.8	5
412	Epithelioid hemangioendothelioma of the thyroid: a case report. <i>Surgical Case Reports</i> , 2017, 3, 18.	0.6	5
413	Endogenous Hydrogen Sulfide Contributes to Tone Generation in Porcine Lower Esophageal Sphincter Via $\text{Na}^+/\text{Ca}^{2+}$ Exchanger. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2018, 5, 209-221.	4.5	5
414	Clinical Significance of the Wild Type p53-Induced Phosphatase 1 Expression in Invasive Breast Cancer. <i>Clinical Breast Cancer</i> , 2018, 18, e643-e650.	2.4	5

#	ARTICLE	IF	CITATIONS
415	BUBR1 Insufficiency Is Correlated with eNOS Reduction Experimentally In Vitro and In Vivo, and in Gastric Cancer Tissue. <i>Anticancer Research</i> , 2018, 38, 6099-6106.	1.1	5
416	Association between peripheral blood markers and immune-related factors on tumor cells in patients with resected primary lung adenocarcinoma. <i>PLoS ONE</i> , 2019, 14, e0217991.	2.5	5
417	Autocrine Leukemia Inhibitory Factor Promotes Esophageal Squamous Cell Carcinoma Progression via Src Family Kinase-Dependent Yes-Associated Protein Activation. <i>Molecular Cancer Research</i> , 2020, 18, 1876-1888.	3.4	5
418	Vitreous levels of interleukin-35 as a prognostic factor in B-cell vitreoretinal lymphoma. <i>Scientific Reports</i> , 2020, 10, 15715.	3.3	5
419	LINE-1 Hypomethylation Is Associated With Malignant Traits and Cell Proliferation in Lung Adenocarcinoma. <i>Anticancer Research</i> , 2020, 40, 5659-5666.	1.1	5
420	The forkhead box M1 (FOXM1) expression and antitumor effect of FOXM1 inhibition in malignant rhabdoid tumor. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1499-1518.	2.5	5
421	Impact of Capicua on Pancreatic Cancer Progression. <i>Annals of Surgical Oncology</i> , 2021, 28, 3198-3207.	1.5	5
422	Brachyury expression in intracranial SMARCB1-deficient tumors: important points for distinguishing poorly differentiated chordoma from atypical teratoid/rhabdoid tumor. <i>Human Pathology</i> , 2021, 112, 1-8.	2.0	5
423	Relationship between cellular morphology and abnormality of SWI/SNF complex subunits in pancreatic undifferentiated carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 2945-2957.	2.5	5
424	A deep learning-based approach for the diagnosis of adrenal adenoma: a new trial using CT. <i>British Journal of Radiology</i> , 2022, 95, 20211066.	2.2	5
425	Identification of intranuclear inclusions is useful for the cytological diagnosis of ovarian clear cell carcinoma. <i>Diagnostic Cytopathology</i> , 2015, 43, 879-884.	1.0	4
426	Two Cases of Cutaneous Squamous Cell Carcinoma Arising in Immunosuppressed Patients with Chronic Human Papillomavirus Infection. <i>Case Reports in Dermatology</i> , 2015, 7, 178-182.	0.8	4
427	Esophageal cancer associated with bilateral hilar lymphadenopathy caused by sarcoid-like reactions: a report of two cases. <i>Esophagus</i> , 2015, 12, 322-326.	1.9	4
428	A case report of primary malignant melanoma of male urethra with distinct appearance in multiple regions. <i>International Cancer Conference Journal</i> , 2016, 5, 174-177.	0.5	4
429	Cardiac metastasis of squamous cell carcinoma of the thyroid gland with severe disseminated intravascular coagulation: A case report. <i>Molecular and Clinical Oncology</i> , 2017, 6, 91-95.	1.0	4
430	Interstitial pneumonia caused by dabigatran. <i>Respiratory Medicine Case Reports</i> , 2018, 23, 10-12.	0.4	4
431	Non-familial juvenile polyposis of the stomach with gastric cancers: a case report. <i>Surgical Case Reports</i> , 2018, 4, 79.	0.6	4
432	Primary intrahepatic cholangiocarcinoma with sarcomatous stroma: case report and review of the literature. <i>Surgical Case Reports</i> , 2018, 4, 138.	0.6	4

#	ARTICLE	IF	CITATIONS
433	Radiological Features of Programmed Cell Death-Ligand 2-positive Lung Adenocarcinoma: A Single-Institution Retrospective Study. <i>In Vivo</i> , 2018, 32, 1541-1550.	1.3	4
434	Feasibility of Prophylactic Pancreatojejunostomy in Possible High-Risk Patients for Prevention of Pancreatic Fistula during Enucleation or Limited Pancreatic Resection. <i>American Surgeon</i> , 2018, 84, 149-153.	0.8	4
435	Anastomosing haemangioma with fatty changes in the perirenal space: a lesion mimicking liposarcoma. <i>BJR case Reports</i> , 2018, 4, 20170022.	0.2	4
436	An autopsy case of bird-related chronic hypersensitivity pneumonitis presenting with repeated acute exacerbation. <i>Respiratory Medicine Case Reports</i> , 2018, 24, 92-94.	0.4	4
437	The significant influence of having children on the postoperative prognosis of patients with nonsmall cell lung cancer: A propensity score-matched analysis. <i>Cancer Medicine</i> , 2018, 7, 2860-2867.	2.8	4
438	Class III β -Tubulin Overexpression Induces Chemoresistance to Eribulin in a Leiomyosarcoma Cell Line. <i>Analytical Cellular Pathology</i> , 2018, 2018, 1-11.	1.4	4
439	Intestinal Behçet's Disease with Primary Myelofibrosis Involving Trisomy 8. <i>Acta Haematologica</i> , 2019, 142, 253-256.	1.4	4
440	Involvement of different receptor subtypes in prostaglandin E2-induced contraction and relaxation in the lower esophageal sphincter and esophageal body. <i>European Journal of Pharmacology</i> , 2019, 857, 172405.	3.5	4
441	Retrospective analysis of treatment and prognosis for uterine leiomyosarcoma: 10-year experience of a single institute. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020, 16, e63-e67.	1.1	4
442	A case of overlapping adult-onset linear scleroderma and Parry-Romberg syndrome presenting with widespread ipsilateral neurogenic involvement. <i>Neuropathology</i> , 2020, 40, 109-115.	1.2	4
443	Retroperitoneal Myxofibrosarcoma: A Controversial Entity. <i>Pathology Research and Practice</i> , 2020, 216, 152969.	2.3	4
444	Activation of the Akt/mammalian target of rapamycin pathway in combined hepatocellular carcinoma and cholangiocarcinoma: significant correlation between p-4E-BP1 expression in cholangiocarcinoma component and prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 881-890.	2.8	4
445	Immunogenic characteristics of microsatellite instability-low esophagogastric junction adenocarcinoma based on clinicopathological, molecular, immunological and survival analyses. <i>International Journal of Cancer</i> , 2021, 148, 1260-1275.	5.1	4
446	Surgically resected hepatic mass caused by fascioliasis. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 662-667.	0.8	4
447	Three cases of synovial sarcoma of gastric wall: A case report and review of the literature. <i>Pathology Research and Practice</i> , 2021, 219, 153352.	2.3	4
448	Histological background of dedifferentiated solitary fibrous tumour. <i>Journal of Clinical Pathology</i> , 2022, 75, 397-403.	2.0	4
449	Programmed Death-Ligand 1 Expression and Tumor-Infiltrating Lymphocytes in Temporal Bone Squamous Cell Carcinoma. <i>Laryngoscope</i> , 2021, 131, 2674-2683.	2.0	4
450	Reevaluation of concurrent acetylcholinesterase and hematoxylin and eosin staining for Hirschsprung's disease. <i>Pediatrics International</i> , 2021, 63, 1095-1102.	0.5	4

#	ARTICLE	IF	CITATIONS
451	CDK4: A Novel Therapeutic Target for Extramammary Paget's Disease. <i>Frontiers in Oncology</i> , 2021, 11, 710378.	2.8	4
452	Endometrial endometrioid carcinoma, grade 1, is more aggressive in the elderly than in the young. <i>Histopathology</i> , 2021, 79, 708-719.	2.9	4
453	Quantification of HER family dimers by proximity ligation assay and its clinical evaluation in non-small cell lung cancer patients treated with osimertinib. <i>Lung Cancer</i> , 2021, 158, 156-161.	2.0	4
454	A Case of Undifferentiated Sarcoma in the Superior Vena Cava and Bilateral Cervical Veins. <i>American Journal of Case Reports</i> , 2018, 19, 1507-1514.	0.8	4
455	Chemoradiotherapy for Solitary Skeletal Muscle Metastasis from Oesophageal Cancer: Case Report and Brief Literature Review. <i>Journal of Clinical Medicine</i> , 2017, 37, 5687-5691.		4
456	Carcinoma showing thymus-like differentiation (CASTLE) of the salivary gland: Report of 2 cases of a hitherto under-recognized extrathyroid counterpart. <i>Pathology Research and Practice</i> , 2021, 227, 153646.	2.3	4
457	Does the Use of Peripheral Immune-Related Markers Indicate Whether to Administer Pazopanib, Trabectedin, or Eribulin to Advanced Soft Tissue Sarcoma Patients?. <i>Journal of Clinical Medicine</i> , 2021, 10, 4972.	2.4	4
458	Tumor progression by epithelial-mesenchymal transition in ARID1A- and SMARCA4-aberrant solid-type poorly differentiated gastric adenocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 1063-1075.	2.8	4
459	Standardization of evaluation method and prognostic significance of histological response to preoperative chemotherapy in high-grade non-round cell soft tissue sarcomas. <i>BMC Cancer</i> , 2022, 22, 94.	2.6	4
460	RNF43 as a predictor of malignant transformation of pancreatic mucinous cystic neoplasm. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 1189-1199.	2.8	4
461	Stratification of prostate cancer patients into low- and high-grade groups using multiparametric magnetic resonance radiomics with dynamic contrast-enhanced image joint histograms. <i>Prostate</i> , 2022, 82, 330-344.	2.3	4
462	M-CSFR expression in the embryonal component of hepatoblastoma and cell-to-cell interaction between macrophages and hepatoblastoma. <i>Medical Molecular Morphology</i> , 2022, 55, 236-247.	1.0	4
463	Relationship between consolidation tumor ratio and tumor-infiltrating lymphocytes in small-sized lung adenocarcinoma. <i>Thoracic Cancer</i> , 2022, 13, 2134-2141.	1.9	4
464	Trypsin-induced biphasic regulation of tone in the porcine lower esophageal sphincter. <i>European Journal of Pharmacology</i> , 2015, 752, 97-105.	3.5	3
465	Trypsin induces biphasic muscle contraction and relaxation via transient receptor potential vanilloid 1 and neurokinin receptors 1/2 in porcine esophageal body. <i>European Journal of Pharmacology</i> , 2017, 797, 65-74.	3.5	3
466	Comparison between retroperitoneal leiomyosarcoma and dedifferentiated liposarcoma. <i>Pathology Research and Practice</i> , 2017, 213, 634-638.	2.3	3
467	The relationship between the expression of FOXA1 and GATA3 and the efficacy of neoadjuvant endocrine therapy. <i>Breast Cancer</i> , 2017, 24, 384-392.	2.9	3
468	Fever and Skin Involvement at Diagnosis Predicting the Intractable Langerhans Cell Histiocytosis: 40 Case-Series in a Single Center. <i>Journal of Pediatric Hematology/Oncology</i> , 2018, 40, e148-e153.	0.6	3

#	ARTICLE	IF	CITATIONS
469	Progression to bone-marrow carcinomatosis and extraosseous lesion during treatment with radium-223 for multiple bone metastases. <i>International Cancer Conference Journal</i> , 2018, 7, 48-51.	0.5	3
470	Radiotherapy for Langerhans cell histiocytosis with paraplegia: A rare oncologic emergency case report in infancy and literature review. <i>Brain and Development</i> , 2018, 40, 952-955.	1.1	3
471	The Utility of Muscle-Sparing Axillar Skin Crease Incision with Thoracoscopic Surgery in Children. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2018, 28, 1378-1382.	1.0	3
472	The Significance of CD44 Variant 9 in Resected Lung Adenocarcinoma: Correlation with Pathological Early-Stage and EGFR Mutation. <i>Annals of Surgical Oncology</i> , 2019, 26, 1544-1551.	1.5	3
473	Quantitative evaluation of liver function and pathology with hepatocyte fraction on Gadoxetic acid-enhanced MR imaging. <i>Magnetic Resonance Imaging</i> , 2020, 73, 125-129.	1.8	3
474	Dedifferentiated low-grade central osteosarcoma with extensive cystic change initially treated as a simple bone cyst. <i>Pathology Research and Practice</i> , 2020, 216, 152832.	2.3	3
475	Immunotherapyâ€refractory vacuolar myopathy with mucin deposition in scleromyxedema: A possible role of fibroblast growth factor 2. <i>Neuropathology</i> , 2020, 40, 492-495.	1.2	3
476	Chronic inflammatory changes and oxidative stress in the background of â€œpancreatic ductal adenocarcinoma concomitant with intraductal papillary mucinous neoplasmâ€œ. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 799-806.	2.8	3
477	Collision of a pancreatic ductal adenocarcinoma and a pancreatic neuroendocrine tumor associated with multiple endocrine neoplasm type 1. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 358-363.	0.8	3
478	A case of primary orbital solitary fibrous tumor with lung metastases 41 years after initial treatment. <i>Orbit</i> , 2022, 41, 810-814.	0.8	3
479	Low expression of p27Kip1, a cyclinâ€dependent kinase inhibitor, is a marker of poor prognosis in synovial sarcoma. <i>Cancer</i> , 2001, 91, 1005-1012.	4.1	3
480	Clinicopathological and histopathological review of dedifferentiated liposarcoma: a comprehensive study of 123 primary tumours. <i>Histopathology</i> , 2022, 80, 538-557.	2.9	3
481	Five Cases of Laparoscopic Bowel Resection for Intestinal Endometriosis. <i>Japanese Journal of Gastroenterological Surgery</i> , 2016, 49, 762-771.	0.1	3
482	Autoimmune pancreatitis associated with intraductal papillary mucinous neoplasm: A case report. <i>Suizo</i> , 2017, 32, 87-92.	0.1	3
483	Clinical impact of HSD3B1 polymorphism by metastatic volume and somatic HSD3B1 alterations in advanced prostate cancer. <i>Andrologia</i> , 2021, 54, e14307.	2.1	3
484	Methylation-mediated silencing of protein kinase C zeta induces apoptosis avoidance through ATM/CHK2 inactivation in dedifferentiated chondrosarcoma. <i>British Journal of Cancer</i> , 2022, , .	6.4	3
485	Approach for reclassification of collecting duct carcinoma and comparative histopathological analysis with SMARCB1/INI1-deficient renal cell carcinoma and fumarate hydratase-deficient renal cell carcinoma. <i>Human Pathology</i> , 2022, 124, 36-44.	2.0	3
486	Cancer genomic profiling identified dihydropyrimidine dehydrogenase deficiency in bladder cancer promotes sensitivity to gemcitabine. <i>Scientific Reports</i> , 2022, 12, .	3.3	3

#	ARTICLE	IF	CITATIONS
487	Potential therapeutic targets discovery by transcriptome analysis of an in vitro human gastric signet ring carcinoma model. <i>Gastric Cancer</i> , 0, , .	5.3	3
488	Pancreatic hamartoma: detection of harbouring <sc> <i>NAB2::STAT6</i> </sc> fusion gene. <i>Histopathology</i> , 0, , .	2.9	3
489	Osteomalacia induced by a phosphaturic mesenchymal tumor secreting fibroblast growth factor 23. <i>European Journal of Dermatology</i> , 2015, 25, 199-200.	0.6	2
490	Diagnostic value of squamous cell change associated with endometrial carcinoma: A cytopathologic approach. <i>Diagnostic Cytopathology</i> , 2016, 44, 187-194.	1.0	2
491	Expression of Bcl-2 19-kDa interacting protein 3 predicts prognosis after ampullary carcinoma resection. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2016, 23, 489-496.	2.6	2
492	Distant lymph node metastases caused by esophageal cancer invasion to the lamina propria: a case report. <i>Surgical Case Reports</i> , 2016, 2, 143.	0.6	2
493	Prognostic value of chromosomal translocations in smallâ€bowel diffuse large Bâ€cell lymphoma. <i>Histopathology</i> , 2016, 68, 199-209.	2.9	2
494	Systemic chemotherapy with pronounced efficacy and neutropenia in a granulocyte-colony stimulating factor-producing advanced gastric neuroendocrine carcinoma. <i>Oncology Letters</i> , 2017, 14, 1500-1504.	1.8	2
495	Solid Pseudopapillary Neoplasm of the Pancreas in Young Male Patients: Three Case Reports. <i>Case Reports in Gastrointestinal Medicine</i> , 2017, 2017, 1-4.	0.3	2
496	Fatal Cardiac Hemochromatosis in a Patient with Hereditary Spherocytosis. <i>International Heart Journal</i> , 2018, 59, 427-430.	1.0	2
497	A case of autonomous cortisol secretion in a patient with subclinical Cushingâ€™s syndrome, GNAS mutation, and paradoxical cortisol response to dexamethasone. <i>BMC Endocrine Disorders</i> , 2019, 19, 13.	2.2	2
498	Cystic Arterial Disease Located Only in the Media of the Popliteal Artery: A Case Report. <i>Annals of Vascular Diseases</i> , 2019, 12, 530-533.	0.5	2
499	Mitochondrial expression of the DNA repair enzyme OGG1 improves the prognosis of pancreatic ductal adenocarcinoma. <i>Pancreatology</i> , 2020, 20, 1175-1182.	1.1	2
500	Acute isolated <i>Aspergillus</i> appendicitis in pediatric leukemia. <i>Journal of Infection and Chemotherapy</i> , 2020, 26, 1229-1231.	1.7	2
501	IgG4-Related Lung Disease Exhibiting the Invasion into the Diaphragm: A Case Report. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2022, 28, 223-226.	0.8	2
502	Combined hepatocellular-cholangiocarcinoma after tetralogy of Fallot repair: a case report and review of literature. <i>Pathology Research and Practice</i> , 2020, 216, 152908.	2.3	2
503	Association of Pretransplant BK Polyomavirus Antibody Status with BK Polyomavirus Infection After Kidney Transplantation: A Prospective Cohort Pilot Study of 47 Transplant Recipients. <i>Transplantation Proceedings</i> , 2020, 52, 1762-1768.	0.6	2
504	Establishment and Characterization of a Novel Primitive Yolk Sac Tumour Cell Line, TC587. <i>Anticancer Research</i> , 2020, 40, 759-766.	1.1	2

#	ARTICLE	IF	CITATIONS
505	Clinico-pathological characteristics of primary adrenal lymphomas and potential efficacy of autologous stem cell transplantation. <i>Leukemia and Lymphoma</i> , 2020, 61, 1516-1518.	1.3	2
506	ASO Visual Abstract: Prognostic Impact of Vessels that Encapsulate Tumor Cluster (VETC) in Patients who Underwent Liver Transplantation for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 512-513.	1.5	2
507	Breast angiosarcoma without radiation history, putatively associated with subclinical lymphedema: A case report and review of the Japanese literature. <i>Journal of Dermatology</i> , 2017, 44, e266-e267.	1.2	2
508	A case of pancreatic arteriovenous malformation associated with acute pancreatitis. <i>Suizo</i> , 2017, 32, 760-766.	0.1	2
509	Pleuropulmonary Paragonimiasis with Multiple Nodules in the Pleura. <i>Internal Medicine</i> , 2020, 59, 1879-1881.	0.7	2
510	A rare case of PSA-negative metastasized prostate cancer to the stomach with serum CEA and CA19-9 elevation: a case report. <i>Surgical Case Reports</i> , 2020, 6, 303.	0.6	2
511	Rectal Phenotype of Perianal Paget Disease: Rare Concomitant Phenomena. <i>Cancer Diagnosis & Prognosis</i> , 2021, 1, 387-392.	0.7	2
512	TROP2 Expression in Sebaceous and Sweat Gland Carcinoma. <i>Journal of Clinical Medicine</i> , 2022, 11, 607.	2.4	2
513	Serum Uric Acid Levels and Nephrosclerosis in a Population-Based Autopsy Study: The Hisayama Study. <i>American Journal of Nephrology</i> , 2022, 53, 69-77.	3.1	2
514	Spontaneous Regression of Metachronous Intra-Abdominal Desmoid Tumor in a Patient with Familial Adenomatous Polyposis. <i>Case Reports in Oncology</i> , 2022, 15, 71-77.	0.7	2
515	Three-dimensional imaging of intramural perineural invasion in colorectal cancer: Three-dimensional reconstruction approach with multiple immunohistochemically stained sections. <i>Pathology International</i> , 2022, 72, 293-299.	1.3	2
516	Aggressive Angiomyxoma of the Pelvis with a Cellular Nodule Composed of Tumor Cells showing Epithelioid Features. <i>Rare Tumors</i> , 2014, 6, 101-104.	0.6	1
517	Anti-HER2 combination chemotherapy for advanced gastric cancer associated with the Peutz-Jeghers syndrome: a case report and literature review. <i>International Cancer Conference Journal</i> , 2014, 3, 165-168.	0.5	1
518	A case of ectopic breast carcinoma of the right axilla treated with neoadjuvant endocrine therapy. <i>International Cancer Conference Journal</i> , 2015, 4, 29-34.	0.5	1
519	Successful surgical intervention for rectal perforation due to polyarteritis nodosa: report of a case. <i>Surgical Case Reports</i> , 2017, 3, 43.	0.6	1
520	Long-term outcomes of type I thyroplasty with silicone implantation: Assessment of excised laryngeal tissue from a patient with secondary hypopharyngeal carcinoma. <i>Auris Nasus Larynx</i> , 2017, 44, 245-248.	1.2	1
521	Successful video-assisted thoracoscopic surgery in prone position in patients with esophageal cancer and aberrant right subclavian artery: report of three cases. <i>Surgical Case Reports</i> , 2017, 3, 86.	0.6	1
522	Cancer-testis antigens are predominantly expressed in uterine leiomyosarcoma compared with non-uterine leiomyosarcoma. <i>Oncology Letters</i> , 2017, 15, 441-446.	1.8	1

#	ARTICLE	IF	CITATIONS
523	Highlighted version successful resection of a tracheal metastasis of rectal cancer: a case report. <i>Journal of Thoracic Disease</i> , 2017, 9, E797-E800.	1.4	1
524	Clinicopathological Significance and Antitumor Effect of MPHOSPH1 in Testicular Germ Cell Tumor. <i>Journal of Cancer</i> , 2018, 9, 4440-4448.	2.5	1
525	Successful multidisciplinary treatment including repeated metastasectomy for recurrent squamous cell esophageal carcinoma: a case report. <i>Surgical Case Reports</i> , 2019, 5, 72.	0.6	1
526	A newborn case of jejunal ALK-negative inflammatory myofibroblastic tumor with <i>ETV6-NTRK3</i> fusion. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27902.	1.5	1
527	Retroperitoneal schwannoma preoperatively diagnosed as liver metastasis from colon cancer: A case report. <i>International Journal of Surgery Case Reports</i> , 2019, 64, 31-34.	0.6	1
528	Spread through air spaces in non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2019, 11, S1881-S1884.	1.4	1
529	Successful management to prevent early graft loss due to Seventh-day Syndrome after liver retransplantation: A case report and literature review. <i>Pediatric Transplantation</i> , 2020, 25, e13907.	1.0	1
530	Frequent MN1 Gene Mutations in Malignant Peripheral Nerve Sheath Tumor. <i>Anticancer Research</i> , 2020, 40, 6221-6228.	1.1	1
531	Eosinophilic infiltration discriminates lichen planus-like eruption caused by an immune checkpoint inhibitor from ordinary lichen planus. <i>Journal of Dermatology</i> , 2021, 48, e102-e103.	1.2	1
532	Quadruple gastrointestinal cancer with discordance of mismatch repair protein deficiency and microsatellite instability suggesting Lynch syndrome. <i>International Cancer Conference Journal</i> , 2021, 10, 2-5.	0.5	1
533	Late recurrence of cancer stem cell-positive colorectal cancer liver metastases after 15 years. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 613-616.	0.8	1
534	Long-term complete response to gefitinib after treatment termination in a patient with recurrent post-operative EGFR-mutated lung adenocarcinoma: case report and literature review. <i>Translational Cancer Research</i> , 2021, 10, 0-0.	1.0	1
535	Salvage robot-assisted radical prostatectomy after carbon ion radiotherapy: a case report. <i>International Cancer Conference Journal</i> , 2021, 10, 96-99.	0.5	1
536	Parosteal osteosarcoma with a manifestation of subperiosteal low-grade central osteosarcoma. <i>Skeletal Radiology</i> , 2021, 50, 1903-1907.	2.0	1
537	Two Cases of Mediastinal Cavernous Hemangioma in Which the Preoperative Diagnosis Was Difficult. <i>Japanese Journal of Lung Cancer</i> , 2021, 61, 171-176.	0.1	1
538	Effect of the 2013 ASCO-CAP HER2 Testing Guideline on the Management of IHC/HER2 2+ Invasive Breast Cancer. <i>Anticancer Research</i> , 2021, 41, 4143-4149.	1.1	1
539	Serum NT-proBNP levels and histopathological myocardial fibrosis in autopsied cases from a Japanese community: The Hisayama Study. <i>Journal of Cardiology</i> , 2021, 78, 237-243.	1.9	1
540	En Bloc Resection for a Malignant Spine Tumor After Balloon Kyphoplasty: Histological Findings of a Retrieved Vertebral Body. <i>JBJS Case Connector</i> , 2021, 11, .	0.3	1

#	ARTICLE	IF	CITATIONS
541	An Intrapelvic Solitary Fibrous Tumor that Developed as a Sciatic Notch Tumor. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2018, 79, 151-157.	0.0	1
542	Early detection of pancreatic cancer concomitant with IPMN using pancreatic juice cytology. <i>Suizo</i> , 2017, 32, 45-49.	0.1	1
543	Gastric Cancer of "Crawling Type" Detected by Additional Gastrectomy After Endoscopic Submucosal Resection. <i>Anticancer Research</i> , 2018, 38, 2335-2338.	1.1	1
544	Successful Treatment of Growing Teratoma Syndrome of the Lung by Surgical Resection: A Case Report and Literature Review. <i>Anticancer Research</i> , 2018, 38, 3115-3118.	1.1	1
545	Rapid growth of metastatic brain tumor from gastric undifferentiated pleomorphic sarcoma: A case report. , 2019, 10, 74.		1
546	Breast metastasis from pelvic high-grade serous adenocarcinoma: a report of two cases. <i>Surgical Case Reports</i> , 2020, 6, 317.	0.6	1
547	Numerous lymph node metastases in early gastric cancer without preoperatively enlarged lymph nodes: a case report. <i>Surgical Case Reports</i> , 2020, 6, 30.	0.6	1
548	Palisading-like arrangement of immature ganglion cell in myenteric ganglia is a unique pathological feature of immaturity of ganglia. <i>Journal of Pediatric Surgery</i> , 2022, 57, 1269-1273.	1.6	1
549	Diagnostic utility of ERG immunostaining in dermatofibroma. <i>Journal of Clinical Pathology</i> , 2023, 76, 536-540.	2.0	1
550	Cyclin-dependent kinase 8 is an independent prognosticator in uterine leiomyosarcoma. <i>Pathology Research and Practice</i> , 2022, 235, 153920.	2.3	1
551	Lipoblastomatosis on the sole showing spontaneous regression. <i>European Journal of Dermatology</i> , 2014, 24, 399-401.	0.6	0
552	Reply to Letter to the Editor by Pujalsetá€%al.. <i>Pathology International</i> , 2015, 65, 339-339.	1.3	0
553	Case of ossifying epithelioid hemangioendothelioma on the forearm. <i>Journal of Dermatology</i> , 2015, 42, 841-842.	1.2	0
554	Case of sarcomatoid carcinoma occurring in a patient with Werner syndrome. <i>Journal of Dermatology</i> , 2016, 43, 1362-1364.	1.2	0
555	A case of sarcoidosis with mediastinal lymph node tuberculosis. <i>The Japanese Journal of Sarcoidosis and Other Granulomatous Disorders</i> , 2017, 37, 35-38.	0.1	0
556	A case of pseudoglandular hepatocellular carcinoma: The usefulness of a multimodal approach. <i>Radiology Case Reports</i> , 2018, 13, 689-692.	0.6	0
557	First Case of a Primary Lung Granulosa Cell Tumor With a Mutation in the Forkhead Box L2 Gene. <i>Journal of Thoracic Oncology</i> , 2019, 14, e100-e102.	1.1	0
558	Spread through air spaces in lung neuroendocrine tumor. <i>Translational Lung Cancer Research</i> , 2019, 8, S439-S442.	2.8	0

#	ARTICLE	IF	CITATIONS
559	Posttransplant recipientâ€derived CD4⁺Tâ€cell lymphoproliferative disease in Xâ€linked hyperâ€gM syndrome. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27529.	1.5	0
560	Successful Urgent Living Donor Liver Transplantation for Massive Liver Necrosis Accompanied by Nonocclusive Mesenteric Ischemia in a Biliary Atresia Infant: A Case Report. <i>Transplantation Proceedings</i> , 2020, 52, 2802-2808.	0.6	0
561	Obstructive rectal endometriosis treated by robot-assisted laparoscopic surgery: a case report. <i>Surgical Case Reports</i> , 2020, 6, 211.	0.6	0
562	A rare case of esophageal adenocarcinoma with urinary bladder metastasis. <i>International Cancer Conference Journal</i> , 2020, 9, 231-234.	0.5	0
563	First-line osimertinib for leptomeningeal metastasis from lung adenocarcinoma with EGFR mutation as the initial and solitary site of postoperative recurrence. <i>International Cancer Conference Journal</i> , 2021, 10, 78-82.	0.5	0
564	Immune microenvironment in primary and metastatic liver cancers. <i>Hepatology Research</i> , 2021, 51, 3-4.	3.4	0
565	A Case of a Serotonin-Producing Pancreatic Neuroendocrine Tumor That Was Diagnosed Preoperatively. <i>Japanese Journal of Gastroenterological Surgery</i> , 2021, 54, 133-140.	0.1	0
566	A Case of Intraluminal Duodenal Diverticulum Treated by Curative Surgical Resection. <i>Japanese Journal of Gastroenterological Surgery</i> , 2021, 54, 184-192.	0.1	0
567	Surgical Extirpation of a Huge Desmoid Fibromatosis of the Right Buttock: Case Report of a Successful International Collaboration. <i>SN Comprehensive Clinical Medicine</i> , 2021, 3, 1746-1751.	0.6	0
568	Myxoinflammatory Fibroblastic Sarcoma on the Dorsum of the Hand. <i>Nishinohon Journal of Dermatology</i> , 2021, 83, 227-232.	0.0	0
569	Successful management of Wilms tumor accompanied by traumatic renal injury: a case report. <i>International Cancer Conference Journal</i> , 2021, 10, 300-304.	0.5	0
570	A Resected Case of Low-Grade Appendiceal Mucinous Neoplasm after Simultaneous Kidney-Pancreas Transplantation. <i>Nihon Daicho Komonbyo Gakkai Zasshi</i> , 2021, 74, 184-189.	0.0	0
571	Lenvatinib for poorly differentiated carcinoma of the anterior mediastinum. <i>Respiratory Medicine Case Reports</i> , 2021, 33, 101477.	0.4	0
572	Prognostic implication of desmoplastic stroma in synovial sarcoma: a histological review. <i>Pathology Research and Practice</i> , 2021, 228, 153668.	2.3	0
573	Expression of UVâ€induced molecule of Gadd45 in atypical fibroxanthoma. <i>FASEB Journal</i> , 2006, 20, A218.	0.5	0
574	Association of polymorphism in YB-1 regulating androgen receptor V7 expression with efficacy of androgen-deprivation therapy in metastatic prostate cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, e16562-e16562.	1.6	0
575	Metastatic Collision Tumors Consisting of Sigmoid Colon Cancer and Breast Cancer. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2017, 78, 2551-2557.	0.0	0
576	A Case of Pancreatoduodenectomy for Pancreatic Head Cancer after Esophagectomy. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2017, 78, 2329-2335.	0.0	0

#	ARTICLE	IF	CITATIONS
577	A Case of Undifferentiated Pleomorphic Sarcoma Originally Diagnosed as Dedifferentiated Liposarcoma. <i>Nishinon Journal of Dermatology</i> , 2017, 79, 46-49.	0.0	0
578	Large Cell Neuroendocrine Carcinoma of the Rectum with Long Recurrence-free Survival after Radical Surgery and Adjuvant Chemotherapy. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Tj ETQq0 0 0 rgBT0, Overlock 10 Tf 50 6</i>	0.0	0
579	A case of primary mediastinal choriocarcinoma involving an elderly patient who developed multiple lung metastases shortly after surgery. <i>The Journal of the Japanese Association for Chest Surgery</i> , 2019, 33, 560-565.	0.0	0
580	Development of Systemic Musculoarticular Sarcoidosis 30 Years After Onset of Cutaneous Sarcoidosis. <i>The Japanese Journal of Sarcoidosis and Other Granulomatous Disorders</i> , 2019, 39, 87-91.	0.1	0
581	Autopsy Case of Acute Myocardial Infarction with Large Vessel Arteritis. <i>The Journal of Japanese College of Angiology</i> , 2020, 60, 57-60.	0.0	0
582	Autopsy Case of Kawasaki Vasculitis: A Case Report. <i>The Journal of Japanese College of Angiology</i> , 2020, 60, 71-73.	0.0	0
583	Epididymis Metastasis from Colon Cancer Associated with Familial Adenomatous Polyposis. <i>Nihon Daicho Komonbyo Gakkai Zasshi</i> , 2020, 73, 301-306.	0.0	0
584	IMMU-09. NIVOLUMAB THERAPY FOR A PEDIATRIC-ONSET PRIMARY INTRACRANIAL MELANOMA. <i>Neuro-Oncology</i> , 2020, 22, iii361-iii361.	1.2	0
585	Diagnostic utility of the Milan System for Reporting Salivary Gland Cytopathology. <i>The Journal of the Japanese Society of Clinical Cytology</i> , 2020, 59, 38-46.	0.0	0
586	Colon Cancer Arising from a Colonic Diverticulum after Radical Surgery for Hirschsprung's Disease. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2020, 81, 2290-2296.	0.0	0
587	Rectal Cancer with Intramural Abscess of the Rectal Wall Caused by ALTA Injection Sclerotherapy for Hemorrhoid Presented Diagnostic Difficulties with Remnant Cancer. <i>Nihon Daicho Komonbyo Gakkai Zasshi</i> , 2020, 73, 13-18.	0.0	0
588	A case of a malignant peripheral nerve sheath tumor on the cheek following trauma. <i>Japanese Journal of Head and Neck Cancer</i> , 2021, 47, 388-394.	0.1	0
589	Solitary fibrous tumor of the pineal region in the elderly: A case report. <i>International Journal of Surgery Case Reports</i> , 2022, 91, 106802.	0.6	0
590	Predictors of Benign Status in Liver Tumors Under 3 cm in Diameter Misdiagnosed as Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2016, 36, 793-7.	1.1	0
591	Clinical, Radiological, and Histopathological Characteristics of Periosteal Chondrosarcoma with a Focus on the Frequency of Medullary Invasion. <i>Journal of Clinical Medicine</i> , 2022, 11, 2062.	2.4	0
592	Necroptosis in pancreatic cancer promotes cancer cell migration and invasion by release of CXCL5. , 2020, 15, e0228015.		0
593	Necroptosis in pancreatic cancer promotes cancer cell migration and invasion by release of CXCL5. , 2020, 15, e0228015.		0
594	Necroptosis in pancreatic cancer promotes cancer cell migration and invasion by release of CXCL5. , 2020, 15, e0228015.		0

#	ARTICLE	IF	CITATIONS
595	Necroptosis in pancreatic cancer promotes cancer cell migration and invasion by release of CXCL5. , 2020, 15, e0228015.		0
596	Expression of multidrug resistance-associated protein gene in Ewing's sarcoma and malignant peripheral neuroectodermal tumor of bone. Journal of Cancer Research and Clinical Oncology, 1997, 123, 237-239.	2.5	0
597	Nivolumab therapy for a pediatricâ€onset primary intracranial melanoma. Pediatrics International, 2022, 64, e14956.	0.5	0
598	The utility of coreâ€needle tumor biopsy for pediatric patients. Pediatrics International, 2022, 64, .	0.5	0
599	Application of contralateral osteotomy for the en bloc resection of paraspinal and spinal tumours: a report of three cases. British Journal of Neurosurgery, 2022, , 1-7.	0.8	0
600	Biliary Microhamartoma in a Patient with Esophagogastric Junction Cancer That Resembled a Metastatic Liver Tumor and Significantly Influenced the Surgical Indication: Report of a Case. Japanese Journal of Gastroenterological Surgery, 2022, 55, 311-316.	0.1	0