

François Goffinet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2223579/publications.pdf>

Version: 2024-02-01

102
papers

3,963
citations

186265

28
h-index

133252

59
g-index

106
all docs

106
docs citations

106
times ranked

4331
citing authors

#	ARTICLE	IF	CITATIONS
1	Survival and Morbidity of Preterm Children Born at 22 Through 34 Weeks ^{€™} Gestation in France in 2011. JAMA Pediatrics, 2015, 169, 230.	6.2	576
2	Clinical features and prognostic factors of listeriosis: the MONALISA national prospective cohort study. Lancet Infectious Diseases, The, 2017, 17, 510-519.	9.1	366
3	Neurodevelopmental outcome at 2 years for preterm children born at 22 to 34 weeks ^{€™} gestation in France in 2011: EPIPAGE-2 cohort study. BMJ: British Medical Journal, 2017, 358, j3448.	2.3	317
4	Trends in perinatal health in metropolitan France from 1995 to 2016: Results from the French National Perinatal Surveys. Journal of Gynecology Obstetrics and Human Reproduction, 2017, 46, 701-713.	1.3	272
5	Taxanes for breast cancer during pregnancy: a systematic review. Annals of Oncology, 2010, 21, 425-426.	1.2	141
6	Poor effectiveness of antenatal detection of fetal growth restriction and consequences for obstetric management and neonatal outcomes: a <scp>F</scp>rench national study. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 518-527.	2.3	127
7	Neurodevelopmental outcomes at age 5 among children born preterm: EPIPAGE-2 cohort study. BMJ, The, 2021, 373, n741.	6.0	125
8	EPIPAGE 2: a preterm birth cohort in France in 2011. BMC Pediatrics, 2014, 14, 97.	1.7	123
9	Tranexamic acid for the prevention and treatment of postpartum haemorrhage. British Journal of Anaesthesia, 2015, 114, 576-587.	3.4	97
10	Stabilising the caesarean rate: which target population?. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 690-699.	2.3	68
11	Risk of severe maternal morbidity associated with cesarean delivery and the role of maternal age: a population-based propensity score analysis. Cmaj, 2019, 191, E352-E360.	2.0	65
12	Preterm premature rupture of membranes at 22 [€] 25 weeks ^{€™} gestation: perinatal and 2-year outcomes within a national population-based study (EPIPAGE-2). American Journal of Obstetrics and Gynecology, 2018, 219, 298.e1-298.e14.	1.3	62
13	Impact of prenatal diagnosis on survival of newborns with four congenital heart defects: a prospective, population-based cohort study in France (the EPICARD Study). BMJ Open, 2017, 7, e018285.	1.9	60
14	Impact of Latency Duration on the Prognosis of Preterm Infants after Preterm Premature Rupture of Membranes at 24 to 32 Weeks' Gestation: A National Population-Based Cohort Study. Journal of Pediatrics, 2017, 182, 47-52.e2.	1.8	57
15	Increased rate of spontaneous miscarriages in endometriosis-affected women. Human Reproduction, 2016, 31, 1014-1023.	0.9	56
16	Placental Complications and Bronchopulmonary Dysplasia: EPIPAGE-2 Cohort Study. Pediatrics, 2016, 137, e20152163.	2.1	53
17	Delivery room management of extremely preterm infants: the EPIPAGE-2 study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2016, 101, F384-F390.	2.8	50
18	Comparison of postpartum haemorrhage guidelines: discrepancies underline our lack of knowledge. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 718-722.	2.3	47

#	ARTICLE	IF	CITATIONS
19	Risk factors for chronic post-traumatic stress disorder development one year after vaginal delivery: a prospective, observational study. <i>Scientific Reports</i> , 2017, 7, 8724.	3.3	40
20	Immune Modifications in Fetal Membranes Overlying the Cervix Precede Parturition in Humans. <i>Journal of Immunology</i> , 2017, 198, 1345-1356.	0.8	39
21	Mortality and morbidity in early preterm breech singletons: impact of a policy of planned vaginal delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 192, 61-65.	1.1	37
22	The risk of prelabor and intrapartum cesarean delivery among overweight and obese women: possible preventive actions. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, 241.e1-241.e9.	1.3	37
23	O-198. Pregnancy rates after in-vitro fertilization in cases of tubal infertility with and without hydrosalpinx: metaanalysis of published comparative studies. <i>Human Reproduction</i> , 1999, 14, 110-111.	0.9	36
24	Fetal and neonatal outcomes of preterm infants born before 32 weeks of gestation according to antenatal vs postnatal assessments of restricted growth. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 516.e1-516.e10.	1.3	34
25	Risk factors of preterm birth in France in 2010 and changes since 1995: Results from the French National Perinatal Surveys. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2017, 46, 19-28.	1.3	31
26	Neonatal outcome of very preterm twins: policy of planned vaginal or cesarean delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 73.e1-73.e7.	1.3	30
27	Histologic Chorioamnionitis and Bronchopulmonary Dysplasia in Preterm Infants: The Epidemiologic Study on Low Gestational Ages 2 Cohort. <i>Journal of Pediatrics</i> , 2017, 187, 98-104.e3.	1.8	30
28	Labour induction practices in France: A population-based declarative survey in 94 maternity units. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2018, 47, 57-62.	1.3	30
29	Influenza during pregnancy: Incidence, vaccination coverage and attitudes toward vaccination in the French web-based cohort G-GrippeNet. <i>Vaccine</i> , 2016, 34, 2390-2396.	3.8	29
30	Providing active antenatal care depends on the place of birth for extremely preterm births: the EPIPAGE 2 cohort study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2017, 102, F476-F482.	2.8	29
31	Undiagnosed abnormal postpartum blood loss: Incidence and risk factors. <i>PLoS ONE</i> , 2018, 13, e0190845.	2.5	27
32	Tocolysis after preterm premature rupture of membranes and neonatal outcome: a propensity-score analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 212.e1-212.e12.	1.3	26
33	Pregnancy-associated breast cancer is as chemosensitive as non-pregnancy-associated breast cancer in the neoadjuvant setting. <i>Annals of Oncology</i> , 2011, 22, 1582-1587.	1.2	25
34	Endometriosis also affects the decidua in contact with the fetal membranes during pregnancy. <i>Human Reproduction</i> , 2015, 30, 392-405.	0.9	25
35	Does the Presence of Risk Factors for Fetal Growth Restriction Increase the Probability of Antenatal Detection? A French National Study. <i>Paediatric and Perinatal Epidemiology</i> , 2016, 30, 46-55.	1.7	25
36	Gestational age at diagnosis of early-onset fetal growth restriction and impact on management and survival: a population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 1899-1906.	2.3	25

#	ARTICLE	IF	CITATIONS
37	Neonatal morbidity associated with vaginal delivery of noncephalic second twins. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 449.e1-449.e13.	1.3	25
38	Variation in transplacental transfer of tyrosine kinase inhibitors in the human perfused cotyledon model. <i>Annals of Oncology</i> , 2015, 26, 1500-1504.	1.2	24
39	Association between gestational age and severe maternal morbidity and mortality of preterm cesarean delivery: a population-based cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 399.e1-399.e9.	1.3	24
40	Cohort Profile: the Etude Epidémiologique sur les Petits Ages Gestationnels-2 (EIPAGE-2) preterm birth cohort. <i>International Journal of Epidemiology</i> , 2021, 50, 1428-1429m.	1.9	24
41	Cesarean delivery rate and staffing levels of the maternity unit. <i>PLoS ONE</i> , 2018, 13, e0207379.	2.5	23
42	Leiomyomatous uterus and preterm birth: an exposed/unexposed monocentric cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 219, 410.e1-410.e7.	1.3	23
43	Maternal and perinatal outcomes of pregnancies in women with cystic fibrosis – A single centre case-control study. <i>Respiratory Medicine</i> , 2016, 113, 22-27.	2.9	22
44	Association of Chorioamnionitis with Cerebral Palsy at Two Years after Spontaneous Very Preterm Birth: The EIPAGE-2 Cohort Study. <i>Journal of Pediatrics</i> , 2020, 222, 71-78.e6.	1.8	21
45	Oocyte donation recipients of very advanced age: perinatal complications for singletons and twins. <i>Fertility and Sterility</i> , 2017, 107, 89-96.	1.0	20
46	Comparison of the Hadlock and INTERGROWTH formulas for calculating estimated fetal weight in a preterm population in France. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 219, 476.e1-476.e12.	1.3	20
47	Continued pregnancy and vaginal delivery after 32 weeks of gestation for monoamniotic twins. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 194, 194-198.	1.1	19
48	Intraoperative adverse events associated with extremely preterm cesarean deliveries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 608-614.	2.8	18
49	Antibiotics for amniotic-fluid colonization by <i>Ureaplasma</i> and/or <i>Mycoplasma</i> spp. to prevent preterm birth: A randomized trial. <i>PLoS ONE</i> , 2018, 13, e0206290.	2.5	18
50	Neonatal Outcomes in Extremely Preterm Newborns Admitted to Intensive Care after No Active Antenatal Management: A Population-Based Cohort Study. <i>Journal of Pediatrics</i> , 2018, 203, 150-155.	1.8	18
51	Why women with previous caesarean and eligible for a trial of labour have an elective repeat caesarean delivery? A national study in France. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1664-1673.	2.3	16
52	Maternal Betamethasone for Prevention of Respiratory Distress Syndrome in Neonates: Population Pharmacokinetic and Pharmacodynamic Approach. <i>Clinical Pharmacology and Therapeutics</i> , 2020, 108, 1026-1035.	4.7	16
53	Is induction of labor a reasonable option for breech presentation?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 885-893.	2.8	15
54	Prognostic Value of Umbilical and Cerebral Doppler in Fetal Growth Restriction: Comparison of Dichorionic Twins and Singletons. <i>PLoS ONE</i> , 2015, 10, e0123067.	2.5	14

#	ARTICLE	IF	CITATIONS
55	Comparison of the performance of estimated fetal weight charts for the detection of small and large-for-gestational age newborns with adverse outcomes: a French population-based study. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 938-948.	2.3	14
56	Assessing sociodemographic differences (or lack thereof) in prenatal diagnosis of congenital heart defects: a population-based study. BMJ Open, 2016, 6, e009353.	1.9	13
57	Intensity of perinatal care, extreme prematurity and sensorimotor outcome at 2 years corrected age: evidence from the EPIPAGE-2 cohort study. BMC Medicine, 2018, 16, 227.	5.5	13
58	Predictive value of vaginal IL-6 and TNF- β bedside tests repeated until delivery for the prediction of maternal-fetal infection in cases of premature rupture of membranes. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 211, 8-14.	1.1	12
59	Monitoring quality of obstetric care from hospital discharge databases: A Delphi survey to propose a new set of indicators based on maternal health outcomes. PLoS ONE, 2019, 14, e0211955.	2.5	12
60	Perinatal outcome after planned vaginal delivery in monochorionic compared with dichorionic twin pregnancy. Ultrasound in Obstetrics and Gynecology, 2021, 57, 592-599.	1.7	12
61	Increased risk of severe maternal morbidity in women with twin pregnancies resulting from oocyte donation. Human Reproduction, 2020, 35, 1922-1932.	0.9	11
62	Outcomes of pregnancies achieved by double gamete donation: A comparison with pregnancies obtained by oocyte donation alone. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 222, 1-6.	1.1	10
63	Women and academic careers in obstetrics and gynaecology: aspirations and obstacles among postgraduate trainees – a mixed-methods study. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 770-777.	2.3	10
64	Impact of mode of delivery of twins on the pelvic floor 3 and 12 months post-partum” part II. International Urogynecology Journal, 2019, 30, 893-899.	1.4	10
65	Factors associated with neonatal hypoxic ischemic encephalopathy in infants with an umbilical artery pH less than 7.00. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 236, 69-74.	1.1	9
66	The impact of chorionicity on pregnancy outcome and neurodevelopment at 2 years old among twins born preterm: the EPIPAGE-2 cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 281-291.	2.3	9
67	Re: The risks of planned vaginal breech delivery versus planned caesarean section for term breech birth: a meta-analysis including observational studies. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 145-147.	2.3	8
68	More validation is needed before widespread adoption of INTERGROWTH-21st fetal growth reference standards in France. Ultrasound in Obstetrics and Gynecology, 2017, 49, 547-548.	1.7	8
69	Risk of cesarean after induction of labor in twin compared to singleton pregnancies. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 237, 68-73.	1.1	8
70	Risk factors and high-risk subgroups of severe acute maternal morbidity in twin pregnancy: A population-based study. PLoS ONE, 2020, 15, e0229612.	2.5	8
71	Fetal scalp blood sampling: Do pH and lactates provide the same information?. Journal of Gynecology Obstetrics and Human Reproduction, 2021, 50, 101964.	1.3	8
72	First nationwide web-based surveillance system for influenza-like illness in pregnant women: participation and representativeness of the French G-GrippeNet cohort. BMC Public Health, 2016, 16, 253.	2.9	7

#	ARTICLE	IF	CITATIONS
73	Comparison of effectiveness and safety of cervical ripening methods for induction of labour: A population-based study using coarsened exact matching. <i>Paediatric and Perinatal Epidemiology</i> , 2019, 33, 313-322.	1.7	7
74	Magnetic resonance imaging presentation of deep infiltrating endometriosis nodules before and after pregnancy: A case series. <i>PLoS ONE</i> , 2019, 14, e0223330.	2.5	7
75	Association between planned mode of delivery and severe maternal morbidity in women with breech presentations: A secondary analysis of the PREMODA prospective general population study. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2020, 49, 101662.	1.3	7
76	Adrenalectomy during pregnancy: A 15-year experience at a tertiary referral center. <i>Surgery</i> , 2020, 168, 335-339.	1.9	7
77	Severe maternal morbidity by mode of delivery in women with twin pregnancy and planned vaginal delivery. <i>Scientific Reports</i> , 2020, 10, 4944.	3.3	7
78	Frequency and determinants of misuse of augmentation of labor in France: A population-based study. <i>PLoS ONE</i> , 2021, 16, e0246729.	2.5	7
79	Recent historic increase of infant mortality in France: A time-series analysis, 2001 to 2019. <i>Lancet Regional Health - Europe</i> , 2022, 16, 100339.	5.6	7
80	Planned delivery route and outcomes of cephalic singletons born spontaneously at 24-31 weeks gestation: The ÉPIPAGE-2 cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1682-1690.	2.8	6
81	Methods of induction of labor and women's experience: a population-based cohort study with mediation analyses. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 621.	2.4	6
82	Unisex vs sex-specific estimated fetal weight charts for fetal growth monitoring: a population-based study. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2022, 4, 100527.	2.6	6
83	Intensity of perinatal care for extremely preterm babies and outcomes at a higher gestational age: evidence from the EPIPAGE-2 cohort study. <i>BMC Pediatrics</i> , 2020, 20, 8.	1.7	5
84	Fetal heart rate nadir during bradycardia and umbilical artery acidemia at birth. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 964-970.	2.8	5
85	<i>Streptococcus pyogenes</i> infects human endometrium by limiting the innate immune response. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	5
86	Contemporary duration of spontaneous labor and association with maternal characteristics: A French national population-based study. <i>Birth</i> , 2021, 48, 86-95.	2.2	5
87	Assessing the risk of preterm birth for newborns with congenital heart defects conceived following infertility treatments: a population-based study. <i>Open Heart</i> , 2018, 5, e000836.	2.3	4
88	Risk of new-onset urinary incontinence 3 and 12 months after vaginal or cesarean delivery of twins: Part I. <i>International Urogynecology Journal</i> , 2019, 30, 881-891.	1.4	4
89	Perinatal morbidity and mortality in dichorionic twin pregnancies according to the mode of conception. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 440-442.	1.3	3
90	Association between hospitals' cesarean delivery rates for breech presentation and their success rates for external cephalic version. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, 270, 156-163.	1.1	3

#	ARTICLE	IF	CITATIONS
91	Authors' reply re: Stabilising the caesarean rate: which target population?. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 1713-1714.	2.3	2
92	Target populations to reduce cesarean rates after induced labor: A national population-based cohort study. Acta Obstetrica Et Gynecologica Scandinavica, 2020, 99, 406-412.	2.8	2
93	Term prelabor rupture of the membranes with unfavorable cervix: Frequency and factors associated with spontaneous onset of labor after two days of expectant management. Journal of Gynecology Obstetrics and Human Reproduction, 2022, 51, 102270.	1.3	2
94	Benefits of the "en caul" technique for extremely preterm breech vaginal delivery. Journal of Gynecology Obstetrics and Human Reproduction, 2022, 51, 102284.	1.3	2
95	Nulliparous women with an unfavourable cervix at 41 weeks: Which women go into spontaneous labor during the expectant period?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 269, 35-40.	1.1	2
96	Respiratory morbidity in children with congenital heart disease. Archives De Pediatrie, 2021, 28, 525-529.	1.0	1
97	Are there specific factors associated with prenatally undiagnosed foetal macrosomia?. Journal of Gynecology Obstetrics and Human Reproduction, 2020, 49, 101802.	1.3	1
98	Current attitudes and beliefs toward perinatal care orientation before 25 weeks of gestation: The French perspective in 2020. Seminars in Perinatology, 2021, , 151533.	2.5	0
99	Title is missing!. , 2020, 15, e0229612.		0
100	Title is missing!. , 2020, 15, e0229612.		0
101	Title is missing!. , 2020, 15, e0229612.		0
102	Title is missing!. , 2020, 15, e0229612.		0