## FranÃ\sois Goffinet

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2223579/publications.pdf

Version: 2024-02-01

102 papers 3,963 citations

28 h-index 59 g-index

106 all docs

106
docs citations

106 times ranked 4331 citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Perinatal morbidity and mortality in dichorionic twin pregnancies according to the mode of conception. American Journal of Obstetrics and Gynecology, 2022, 226, 440-442.  | 1.3 | 3         |
| 2  | Unisex vs sex-specific estimated fetal weight charts for fetal growth monitoring: a population-based study. American Journal of Obstetrics & Synecology MFM, 2022, 4, 100527.  | 2.6 | 6         |
| 3  | Term prelabor rupture of the membranes with unfavorable cervix: Frequency and factors associated with spontaneous onset of labor after two days of expectant management. Journal of Gynecology Obstetrics and Human Reproduction, 2022, 51, 102270.                            | 1.3 | 2         |
| 4  | Comparison of the performance of estimated fetal weight charts for the detection of smallâ€and largeâ€forâ€gestational age newborns with adverse outcomes: a French populationâ€based study. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 938-948. | 2.3 | 14        |
| 5  | Benefits of the «en caul» technique for extremely preterm breech vaginal delivery. Journal of Gynecology Obstetrics and Human Reproduction, 2022, 51, 102284.  | 1.3 | 2         |
| 6  | Nulliparous women with an unfavourable cervix at 41Âweeks: Which women go into spontaneous labor during the expectant period?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 269, 35-40.  | 1.1 | 2         |
| 7  | Association between hospitals' cesarean delivery rates for breech presentation and their success rates for external cephalic version. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 270, 156-163.   | 1.1 | 3         |
| 8  | Recent historic increase of infant mortality in France: A time-series analysis, 2001 to 2019. Lancet Regional Health - Europe, The, 2022, 16, 100339.  | 5.6 | 7         |
| 9  | The impact of chorionicity on pregnancy outcome and neurodevelopment at 2 years old among twins born preterm: the EPIPAGEâ€2 cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 281-291.   | 2.3 | 9         |
| 10 | Perinatal outcome after planned vaginal delivery in monochorionic compared with dichorionic twin pregnancy. Ultrasound in Obstetrics and Gynecology, 2021, 57, 592-599.  | 1.7 | 12        |
| 11 | Fetal heart rate nadir during bradycardia and umbilical artery acidemia at birth. Acta Obstetricia Et<br>Gynecologica Scandinavica, 2021, 100, 964-970.  | 2.8 | 5         |
| 12 | Fetal scalp blood sampling: Do pH and lactates provide the same information?. Journal of Gynecology Obstetrics and Human Reproduction, 2021, 50, 101964.   | 1.3 | 8         |
| 13 | Frequency and determinants of misuse of augmentation of labor in France: A population-based study. PLoS ONE, 2021, 16, e0246729.   | 2.5 | 7         |
| 14 | Streptococcuspyogenes infects human endometrium by limiting the innate immune response. Journal of Clinical Investigation, 2021, 131, .  | 8.2 | 5         |
| 15 | Neurodevelopmental outcomes at age 5 among children born preterm: EPIPAGE-2 cohort study. BMJ, The, 2021, 373, n741.   | 6.0 | 125       |
| 16 | Cohort Profile: the Etude Epidémiologique sur les Petits Ages Gestationnels-2 (EPIPAGE-2) preterm birth cohort. International Journal of Epidemiology, 2021, 50, 1428-1429m.   | 1.9 | 24        |
| 17 | Respiratory morbidity in children with congenital heart disease. Archives De Pediatrie, 2021, 28, 525-529.   | 1.0 | 1         |
| 18 | Methods of induction of labor and women's experience: a population-based cohort study with mediation analyses. BMC Pregnancy and Childbirth, 2021, 21, 621.  | 2.4 | 6         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Contemporary duration of spontaneous labor and association with maternal characteristics: A French national populationâ€based study. Birth, 2021, 48, 86-95.  | 2.2 | 5         |
| 20 | Current attitudes and beliefs toward perinatal care orientation before 25 weeks of gestation: The French perspective in 2020. Seminars in Perinatology, 2021, , 151533.   | 2.5 | 0         |
| 21 | Target populations to reduce cesarean rates after induced labor: A national populationâ€based cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 406-412.   | 2.8 | 2         |
| 22 | Intensity of perinatal care for extremely preterm babies and outcomes at a higher gestational age: evidence from the EPIPAGE-2 cohort study. BMC Pediatrics, 2020, 20, 8.   | 1.7 | 5         |
| 23 | Association between planned mode of delivery and severe maternal morbidity in women with breech presentations: A secondary analysis of the PREMODA prospective general population study. Journal of Gynecology Obstetrics and Human Reproduction, 2020, 49, 101662. | 1.3 | 7         |
| 24 | Adrenalectomy during pregnancy: A 15-year experience at a tertiary referral center. Surgery, 2020, 168, 335-339.  | 1.9 | 7         |
| 25 | Maternal Betamethasone for Prevention of Respiratory Distress Syndrome in Neonates: Population Pharmacokinetic and Pharmacodynamic Approach. Clinical Pharmacology and Therapeutics, 2020, 108, 1026-1035.  | 4.7 | 16        |
| 26 | Association of Chorioamnionitis with Cerebral Palsy at Two Years after Spontaneous Very Preterm Birth: The EPIPAGE-2 Cohort Study. Journal of Pediatrics, 2020, 222, 71-78.e6.  | 1.8 | 21        |
| 27 | Planned delivery route and outcomes of cephalic singletons born spontaneously at 24â€31Âweeks'<br>gestation: The EPIPAGEâ€2 cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99,<br>1682-1690.  | 2.8 | 6         |
| 28 | Severe maternal morbidity by mode of delivery in women with twin pregnancy and planned vaginal delivery. Scientific Reports, 2020, 10, 4944.  | 3.3 | 7         |
| 29 | Increased risk of severe maternal morbidity in women with twin pregnancies resulting from oocyte donation. Human Reproduction, 2020, 35, 1922-1932.   | 0.9 | 11        |
| 30 | Risk factors and high-risk subgroups of severe acute maternal morbidity in twin pregnancy: A population-based study. PLoS ONE, 2020, 15, e0229612.  | 2.5 | 8         |
| 31 | Are there specific factors associated with prenatally undiagnosed foetal macrosomia?. Journal of Gynecology Obstetrics and Human Reproduction, 2020, 49, 101802.  | 1.3 | 1         |
| 32 | Title is missing!. , 2020, 15, e0229612.  |     | 0         |
| 33 | Title is missing!. , 2020, 15, e0229612.  |     | 0         |
| 34 | Title is missing!. , 2020, 15, e0229612.  |     | 0         |
| 35 | Title is missing!. , 2020, 15, e0229612.  |     | 0         |
| 36 | Comparison of effectiveness and safety of cervical ripening methods for induction of labour: A populationâ€based study using coarsened exact matching. Paediatric and Perinatal Epidemiology, 2019, 33, 313-322.  | 1.7 | 7         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Magnetic resonance imaging presentation of deep infiltrating endometriosis nodules before and after pregnancy: A case series. PLoS ONE, 2019, 14, e0223330.   | 2.5 | 7         |
| 38 | Factors associated with neonatal hypoxic ischemic encephalopathy in infants with an umbilical artery pH less than 7.00. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 236, 69-74.              | 1.1 | 9         |
| 39 | Risk of cesarean after induction of labor in twin compared to singleton pregnancies. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 237, 68-73.   | 1.1 | 8         |
| 40 | Risk of severe maternal morbidity associated with cesarean delivery and the role of maternal age: a population-based propensity score analysis. Cmaj, 2019, 191, E352-E360.   | 2.0 | 65        |
| 41 | Association between gestational age and severe maternal morbidity and mortality of preterm cesarean delivery: a population-based cohort study. American Journal of Obstetrics and Gynecology, 2019, 220, 399.e1-399.e9.     | 1.3 | 24        |
| 42 | Is induction of labor a reasonable option for breech presentation?. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 885-893.   | 2.8 | 15        |
| 43 | Monitoring quality of obstetric care from hospital discharge databases: A Delphi survey to propose a new set of indicators based on maternal health outcomes. PLoS ONE, 2019, 14, e0211955.                                 | 2.5 | 12        |
| 44 | Women and academic careers in obstetrics and gynaecology: aspirations and obstacles among postgraduate trainees – a mixedâ€methods study. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 770-777. | 2.3 | 10        |
| 45 | Impact of mode of delivery of twins on the pelvic floor 3 and 12Âmonths post-partum—part II.<br>International Urogynecology Journal, 2019, 30, 893-899.   | 1.4 | 10        |
| 46 | Risk of new-onset urinary incontinence 3 and 12Âmonths after vaginal or cesarean delivery of twins: Part I. International Urogynecology Journal, 2019, 30, 881-891.   | 1.4 | 4         |
| 47 | Intraoperative adverse events associated with extremely preterm cesarean deliveries. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 608-614.  | 2.8 | 18        |
| 48 | Neonatal morbidity associated with vaginal delivery ofÂnoncephalic second twins. American Journal of Obstetrics and Gynecology, 2018, 218, 449.e1-449.e13.  | 1.3 | 25        |
| 49 | Labour induction practices in France: A population-based declarative survey in 94 maternity units. Journal of Gynecology Obstetrics and Human Reproduction, 2018, 47, 57-62.  | 1.3 | 30        |
| 50 | Outcomes of pregnancies achieved by double gamete donation: A comparison with pregnancies obtained by oocyte donation alone. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 222, 1-6.           | 1.1 | 10        |
| 51 | Antibiotics for amniotic-fluid colonization by Ureaplasma and/or Mycoplasma spp. to prevent preterm birth: A randomized trial. PLoS ONE, 2018, 13, e0206290.  | 2.5 | 18        |
| 52 | Assessing the risk of preterm birth for newborns with congenital heart defects conceived following infertility treatments: a population-based study. Open Heart, 2018, 5, e000836.  | 2.3 | 4         |
| 53 | Intensity of perinatal care, extreme prematurity and sensorimotor outcome at 2 years corrected age: evidence from the EPIPAGE-2 cohort study. BMC Medicine, 2018, 16, 227.  | 5.5 | 13        |
| 54 | Cesarean delivery rate and staffing levels of the maternity unit. PLoS ONE, 2018, 13, e0207379.   | 2.5 | 23        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Neonatal Outcomes in Extremely Preterm Newborns Admitted to Intensive Care after No Active Antenatal Management: A Population-Based Cohort Study. Journal of Pediatrics, 2018, 203, 150-155.   | 1.8 | 18        |
| 56 | Leiomyomatous uterus and preterm birth: an exposed/unexposed monocentric cohort study. American Journal of Obstetrics and Gynecology, 2018, 219, 410.e1-410.e7.  | 1.3 | 23        |
| 57 | Comparison of the Hadlock and INTERGROWTH formulas Afor calculating estimated fetal weight in AaApreterm population in France. American Journal of Obstetrics and Gynecology, 2018, 219, 476.e1-476.e12.   | 1.3 | 20        |
| 58 | Preterm premature rupture of membranes at 22–25 weeks' gestation: perinatal and 2-year outcomes within a national population-based study (EPIPAGE-2). American Journal of Obstetrics and Gynecology, 2018, 219, 298.e1-298.e14.                                  | 1.3 | 62        |
| 59 | Undiagnosed abnormal postpartum blood loss: Incidence and risk factors. PLoS ONE, 2018, 13, e0190845.  | 2.5 | 27        |
| 60 | Risk factors of preterm birth in France in 2010 and changes since 1995: Results from the French National Perinatal Surveys. Journal of Gynecology Obstetrics and Human Reproduction, 2017, 46, 19-28.  | 1.3 | 31        |
| 61 | Impact of Latency Duration on the Prognosis of Preterm Infants after Preterm Premature Rupture of Membranes at 24 to 32 Weeks' Gestation: A National Population-Based Cohort Study. Journal of Pediatrics, 2017, 182, 47-52.e2.                                  | 1.8 | 57        |
| 62 | Clinical features and prognostic factors of listeriosis: the MONALISA national prospective cohort study. Lancet Infectious Diseases, The, 2017, 17, 510-519.   | 9.1 | 366       |
| 63 | Gestational age at diagnosis of earlyâ€onset fetal growth restriction and impact on management and survival: a populationâ€based cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 1899-1906.                               | 2.3 | 25        |
| 64 | Predictive value of vaginal IL-6 and TNFα bedside tests repeated until delivery for the prediction of maternal-fetal infection in cases of premature rupture of membranes. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 211, 8-14. | 1.1 | 12        |
| 65 | Fetal and neonatal outcomes of preterm infants born before 32 weeks ofÂgestation according to antenatal vs postnatal assessments of restrictedÂgrowth. American Journal of Obstetrics and Gynecology, 2017, 216, 516.e1-516.e10.                                 | 1.3 | 34        |
| 66 | Tocolysis after preterm premature rupture of membranes and neonatal outcome: a propensity-score analysis. American Journal of Obstetrics and Gynecology, 2017, 217, 212.e1-212.e12.  | 1.3 | 26        |
| 67 | Histologic Chorioamnionitis and Bronchopulmonary Dysplasia in Preterm Infants: The Epidemiologic Study on Low Gestational Ages 2 Cohort. Journal of Pediatrics, 2017, 187, 98-104.e3.  | 1.8 | 30        |
| 68 | More validation is needed before widespread adoption of INTERGROWTH-21stfetal growth reference standards in France. Ultrasound in Obstetrics and Gynecology, 2017, 49, 547-548.  | 1.7 | 8         |
| 69 | Immune Modifications in Fetal Membranes Overlying the Cervix Precede Parturition in Humans.<br>Journal of Immunology, 2017, 198, 1345-1356.  | 0.8 | 39        |
| 70 | Trends in perinatal health in metropolitan France from 1995 to 2016: Results from the French National Perinatal Surveys. Journal of Gynecology Obstetrics and Human Reproduction, 2017, 46, 701-713.   | 1.3 | 272       |
| 71 | Risk factors for chronic post-traumatic stress disorder development one year after vaginal delivery: a prospective, observational study. Scientific Reports, 2017, 7, 8724.  | 3.3 | 40        |
| 72 | Impact of prenatal diagnosis on survival of newborns with four congenital heart defects: a prospective, population-based cohort study in France (the EPICARD Study). BMJ Open, 2017, 7, e018285.   | 1.9 | 60        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Providing active antenatal care depends on the place of birth for extremely preterm births: the EPIPAGE 2 cohort study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2017, 102, F476-F482.   | 2.8 | 29        |
| 74 | Oocyte donation recipients of very advanced age: perinatal complications for singletons and twins. Fertility and Sterility, 2017, 107, 89-96.   | 1.0 | 20        |
| 75 | Comparison of postpartum haemorrhage guidelines: discrepancies underline our lack of knowledge.<br>BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 718-722.  | 2.3 | 47        |
| 76 | Neurodevelopmental outcome at 2 years for preterm children born at 22 to 34 weeks' gestation in France in 2011: EPIPAGE-2 cohort study. BMJ: British Medical Journal, 2017, 358, j3448.   | 2.3 | 317       |
| 77 | Re: The risks of planned vaginal breech delivery versus planned caesarean section for term breech birth: a metaâ€analysis including observational studies. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 145-147.                  | 2.3 | 8         |
| 78 | Why women with previous caesarean and eligible for a trial of labour have an elective repeat caesarean delivery? A national study in France. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 1664-1673.                              | 2.3 | 16        |
| 79 | Assessing sociodemographic differences (or lack thereof) in prenatal diagnosis of congenital heart defects: a population-based study. BMJ Open, 2016, 6, e009353.   | 1.9 | 13        |
| 80 | First nationwide web-based surveillance system for influenza-like illness in pregnant women: participation and representativeness of the French G-GrippeNet cohort. BMC Public Health, 2016, 16, 253.   | 2.9 | 7         |
| 81 | Maternal and perinatal outcomes of pregnancies in women with cystic fibrosis – A single centre case-control study. Respiratory Medicine, 2016, 113, 22-27.  | 2.9 | 22        |
| 82 | Increased rate of spontaneous miscarriages in endometriosis-affected women. Human Reproduction, 2016, 31, 1014-1023.  | 0.9 | 56        |
| 83 | Influenza during pregnancy: Incidence, vaccination coverage and attitudes toward vaccination in the French web-based cohort G-GrippeNet. Vaccine, 2016, 34, 2390-2396.  | 3.8 | 29        |
| 84 | Does the Presence of Risk Factors for Fetal Growth Restriction Increase the Probability of Antenatal Detection? A <scp>F</scp> rench National Study. Paediatric and Perinatal Epidemiology, 2016, 30, 46-55.  | 1.7 | 25        |
| 85 | Delivery room management of extremely preterm infants: the EPIPAGE-2 study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2016, 101, F384-F390.   | 2.8 | 50        |
| 86 | Placental Complications and Bronchopulmonary Dysplasia: EPIPAGE-2 Cohort Study. Pediatrics, 2016, 137, e20152163.   | 2.1 | 53        |
| 87 | Authors' reply re: Stabilising the caesarean rate: which target population?. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 1713-1714.  | 2.3 | 2         |
| 88 | Neonatal outcome of very preterm twins: policy of planned vaginal or cesarean delivery. American Journal of Obstetrics and Gynecology, 2015, 213, 73.e1-73.e7.  | 1.3 | 30        |
| 89 | Continued pregnancy and vaginal delivery after 32 weeks of gestation for monoamniotic twins. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 194, 194-198.   | 1.1 | 19        |
| 90 | Poor effectiveness of antenatal detection of fetal growth restriction and consequences for obstetric management and neonatal outcomes: a <scp>F</scp> rench national study. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 518-527. | 2.3 | 127       |

| #   | Article  | lF  | CITATION |
|-----|--|-----|----------|
| 91  | Mortality and morbidity in early preterm breech singletons: impact of a policy of planned vaginal delivery. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 192, 61-65. | 1.1 | 37       |
| 92  | Stabilising the caesarean rate: which target population?. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 690-699.  | 2.3 | 68       |
| 93  | Survival and Morbidity of Preterm Children Born at 22 Through 34 Weeks' Gestation in France in 2011. JAMA Pediatrics, 2015, 169, 230.  | 6.2 | 576      |
| 94  | Variation in transplacental transfer of tyrosine kinase inhibitors in the human perfused cotyledon model. Annals of Oncology, 2015, 26, 1500-1504.   | 1.2 | 24       |
| 95  | Tranexamic acid for the prevention and treatment of postpartum haemorrhage. British Journal of Anaesthesia, 2015, 114, 576-587.  | 3.4 | 97       |
| 96  | Endometriosis also affects the decidua in contact with the fetal membranes during pregnancy. Human Reproduction, 2015, 30, 392-405.  | 0.9 | 25       |
| 97  | The risk of prelabor and intrapartum cesareanÂdelivery among overweight and obese women: possible preventive actions. American Journal of Obstetrics and Gynecology, 2015, 212, 241.e1-241.e9.     | 1.3 | 37       |
| 98  | Prognostic Value of Umbilical and Cerebral Doppler in Fetal Growth Restriction: Comparison of Dichorionic Twins and Singletons. PLoS ONE, 2015, 10, e0123067.                                      | 2.5 | 14       |
| 99  | EPIPAGE 2: a preterm birth cohort in France in 2011. BMC Pediatrics, 2014, 14, 97.   | 1.7 | 123      |
| 100 | Pregnancy-associated breast cancer is as chemosensitive as non-pregnancy-associated breast cancer in the neoadjuvant setting. Annals of Oncology, 2011, 22, 1582-1587.                             | 1.2 | 25       |
| 101 | Taxanes for breast cancer during pregnancy: a systematic review. Annals of Oncology, 2010, 21, 425-426.  | 1.2 | 141      |
| 102 | O-198. Pregnancy rates after in-vitro fertilization in cases of tubal infertility with and without   | 0.9 | 36       |