

Fei Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2223913/publications.pdf>

Version: 2024-02-01

227
papers

8,007
citations

50276

46
h-index

58581

82
g-index

231
all docs

231
docs citations

231
times ranked

8542
citing authors

#	ARTICLE	IF	CITATIONS
1	Peroxydisulfate (PMS) activation by mackinawite for the degradation of organic pollutants: Underappreciated role of dissolved sulfur derivatives. <i>Science of the Total Environment</i> , 2022, 811, 151421.	8.0	22
2	Singlet oxygen-dominated electrocatalytic oxidation treatment for the high-salinity quaternary ammonium compound wastewater with Ti/(Ru)O ₂ anode. <i>Environmental Research</i> , 2022, 209, 112815.	7.5	13
3	Roburic Acid Targets TNF to Inhibit the NF- κ B Signaling Pathway and Suppress Human Colorectal Cancer Cell Growth. <i>Frontiers in Immunology</i> , 2022, 13, 853165.	4.8	8
4	Crystal structure of cubic Li _{7-3x} Ga _x La ₃ Zr ₂ O ₁₂ with space group of I-43d. <i>Ceramics International</i> , 2022, 48, 9371-9377.	4.8	8
5	Sulfide enhances the Fe(II)/Fe(III) cycle in Fe(III)-peroxydisulfate system for rapid removal of organic contaminants: Treatment efficiency, kinetics and mechanism. <i>Journal of Hazardous Materials</i> , 2022, 435, 128970.	12.4	24
6	All-solid-state lithium-sulfur batteries assembled by composite polymer electrolyte and amorphous sulfur/rGO composite cathode. <i>Solid State Ionics</i> , 2022, 380, 115926.	2.7	5
7	Astragaloside IV Ameliorates Cognitive Impairment and Neuroinflammation in an Oligomeric A β ² Induced Alzheimer's Disease Mouse Model & via Inhibition of Microglial Activation and NADPH Oxidase Expression. <i>Biological and Pharmaceutical Bulletin</i> , 2021, 44, 1688-1696.	1.4	17
8	Efficient decontamination of organic pollutants under high salinity conditions by a nonradical peroxydisulfate activation system. <i>Water Research</i> , 2021, 191, 116799.	11.3	259
9	Highly selective electrochemical nitrate reduction using copper phosphide self-supported copper foam electrode: Performance, mechanism, and application. <i>Water Research</i> , 2021, 193, 116881.	11.3	121
10	Free-standing In ₂ O ₃ (ZnO) _m superlattice microplates grown by optical vapor supersaturated precipitation. <i>Journal of Materials Science</i> , 2021, 56, 13723-13735.	3.7	2
11	Improving the Interfacial Contact between Li ₇ La ₃ Zr ₂ O ₁₂ and Lithium Anode by Depositing a Film of Silver. <i>Journal of the Electrochemical Society</i> , 2021, 168, 060515.	2.9	6
12	37.2: Invited Paper: Interfacial Engineering for Improving the Device Performance of Cadmium-Free Quantum Dot-based Electroluminescent Device. <i>Digest of Technical Papers SID International Symposium</i> , 2021, 52, 478-478.	0.3	0
13	Garnet-type solid electrolyte: Advances of ionic transport performance and its application in all-solid-state batteries. <i>Journal of Advanced Ceramics</i> , 2021, 10, 933-972.	17.4	64
14	S/MWCNT/LLZO composite electrode with e ⁻ /S/Li ⁺ conductive network for all-solid-state Lithium-Sulfur batteries. <i>Journal of Solid State Chemistry</i> , 2021, 301, 122341.	2.9	13
15	High utilization rate thermal batteries using PbCl ₂ as a cathode material. <i>Materials Letters</i> , 2021, 299, 130018.	2.6	4
16	From 0D to 3D: Dimensional Control of Bismuth for Potassium Storage with Superb Kinetics and Cycling Stability. <i>Advanced Energy Materials</i> , 2021, 11, 2102263.	19.5	38
17	Microstructural and diffusive properties of Cr solute in MgCl ₂ -NaCl-KCl eutectic: A First-Principles molecular dynamics study. <i>Journal of Molecular Liquids</i> , 2021, 341, 117321.	4.9	3
18	Enhancing thermal stability and photoluminescence of red-emitting Sr ₂ Si ₅ N ₈ :Eu phosphors via boron doping. <i>Journal of Materials Science and Technology</i> , 2021, 94, 130-135.	10.7	11

#	ARTICLE	IF	CITATIONS
19	Preparation and Electrochemical Properties of Bicontinuous Solid Electrolytes Derived from Porous $\text{Li}_{6.4}\text{La}_3\text{Zr}_{1.4}\text{Ta}_{0.6}\text{O}_{12}$ Incorporated with Succinonitrile. <i>Journal of the Electrochemical Society</i> , 2021, 168, 110537.	2.9	0
20	Tribocorrosion behavior of Ca ^P MAO coatings on Ti6Al4V alloy at various applied voltages. <i>Journal of Materials Research</i> , 2020, 35, 444-453.	2.6	8
21	Dual regulation of Li^{+} migration of $\text{Li}_{6.4}\text{La}_3\text{Zr}_{1.4}\text{M}_{0.6}\text{O}_{12}$ ($\text{M}=\text{Sb, Ta, Nb}$) by bottleneck size and bond length of $\text{M}^{\text{II}}\text{O}$. <i>Journal of the American Ceramic Society</i> , 2020, 103, 2483-2490.	3.8	29
22	Designing Multiscale Porous Metal by Simple Dealloying with 3D Morphological Evolution Mechanism Revealed via X-ray Nano-tomography. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 2793-2804.	8.0	23
23	Caffeine Targets G6PDH to Disrupt Redox Homeostasis and Inhibit Renal Cell Carcinoma Proliferation. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 556162.	3.7	5
24	Introducing a cell moisturizer: organogel nano-beads with rapid response to electrolytes for Prussian white analogue based non-aqueous potassium ion battery. <i>Chemical Communications</i> , 2020, 56, 9719-9722.	4.1	4
25	Influence of electric current on microstructure and electrical property of Al-doped ZnO ceramic consolidated by spark plasma sintering. <i>Ceramics International</i> , 2020, 46, 26539-26547.	4.8	5
26	The Influence of Alkaline Earth Elements on Electronic Properties of $\text{Li-Si}_3\text{N}_4$ via DFT Calculation. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2020, 35, 863-871.	1.0	4
27	Ellagic acid blocks RANKL ^{RANK} interaction and suppresses RANKL-induced osteoclastogenesis by inhibiting RANK signaling pathways. <i>Chemico-Biological Interactions</i> , 2020, 331, 109235.	4.0	16
28	Effect of bottleneck size on lithium migration in lithium garnets $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ (LLZO). <i>Ionics</i> , 2020, 26, 3193-3198.	2.4	10
29	Hollow sphere structured $\text{V}_2\text{O}_3@C$ as an anode material for high capacity potassium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 13261-13266.	10.3	45
30	Flame-retardant properties and synergistic effect of ammonium polyphosphate/aluminum hydroxide/mica/silicone rubber composites. <i>Fire and Materials</i> , 2020, 44, 673-682.	2.0	14
31	3D Morphology of Bimodal Porous Copper with Nano-Sized and Micron-Sized Pores to Enhance Transport Properties for Functional Applications. <i>ACS Applied Nano Materials</i> , 2020, 3, 7524-7534.	5.0	8
32	Blue quantum dot-based electroluminescent light-emitting diodes. <i>Materials Chemistry Frontiers</i> , 2020, 4, 1340-1365.	5.9	40
33	Crystal structure and lithium ionic transport behavior of Li site doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$. <i>Journal of the European Ceramic Society</i> , 2020, 40, 3065-3071.	5.7	44
34	Fabrication and Mechanical Behavior of High-Porosity Bulk Bimodal Porous Cu Via Chemical De-alloying of Cu-Al Alloys. <i>Journal of Materials Engineering and Performance</i> , 2020, 29, 1051-1059.	2.5	3
35	Discovery of novel dual c-Met/HDAC inhibitors as a promising strategy for cancer therapy. <i>Bioorganic Chemistry</i> , 2020, 101, 103970.	4.1	14
36	Microstructural evolution and mechanical properties of $(\text{Mg,Co,Ni,Cu,Zn})\text{O}$ high-entropy ceramics. <i>Journal of the American Ceramic Society</i> , 2019, 102, 2228-2237.	3.8	87

#	ARTICLE	IF	CITATIONS
37	Influence of Porosity on Mechanical Behavior of Porous Cu Fabricated via De-Alloying of Cu-Fe Alloy. <i>Metals and Materials International</i> , 2019, 25, 83-93.	3.4	8
38	Oxidation derivative of (-)-epigallocatechin-3-gallate (EGCG) inhibits RANKL-induced osteoclastogenesis by suppressing RANK signaling pathways in RAW 264.7 cells. <i>Biomedicine and Pharmacotherapy</i> , 2019, 118, 109237.	5.6	22
39	Microstructure and mechanical behavior of zirconia ceramics by graphene nano-platelets incorporation. <i>Materials Research Express</i> , 2019, 6, 095080.	1.6	1
40	Ring fusion attenuates the device performance: star-shaped long helical perylene diimide based non-fullerene acceptors. <i>Journal of Materials Chemistry C</i> , 2019, 7, 9564-9572.	5.5	25
41	Chemical evolution of target surfaces during RF magnetron sputtering and its effect on the performance of TCO films. <i>Applied Surface Science</i> , 2019, 493, 665-672.	6.1	6
42	Cooperative Atom Motion in Ni-Cu Nanoparticles during the Structural Evolution and the Implication in the High-Temperature Catalyst Design. <i>ACS Applied Energy Materials</i> , 2019, 2, 8894-8902.	5.1	20
43	Interactions between β -cyclodextrin and tea catechins, and potential anti-osteoclastogenesis activity of the (β)-epigallocatechin-3-gallate- β -cyclodextrin complex. <i>RSC Advances</i> , 2019, 9, 28006-28018.	3.6	5
44	Communication of Li ₇ La ₃ Zr ₂ O ₁₂ Interfacial Modification by Constructing a Layer of Cu-Li Alloy. <i>Journal of the Electrochemical Society</i> , 2019, 166, A3028-A3030.	2.9	15
45	Competing with other polyanionic cathode materials for potassium-ion batteries via fine structure design: new layered KVOPO ₄ with a tailored particle morphology. <i>Journal of Materials Chemistry A</i> , 2019, 7, 15244-15251.	10.3	72
46	Effect of the lithium ion concentration on the lithium ion conductivity of Ga-doped LLZO. <i>Materials Research Express</i> , 2019, 6, 085546.	1.6	26
47	Low-temperature preparation of porous SiC ceramics using phosphoric acid as a pore-forming agent and a binder. <i>Ceramics International</i> , 2019, 45, 16470-16475.	4.8	20
48	Highly-efficient and all-solution-processed red-emitting InP/ZnS-based quantum-dot light-emitting diodes enabled by compositional engineering of electron transport layers. <i>Journal of Materials Chemistry C</i> , 2019, 7, 7636-7642.	5.5	17
49	Genomics: cracking the mysteries of walnuts. <i>Journal of Genetics</i> , 2019, 98, 1.	0.7	12
50	Superior crystallinity, optical and electrical properties of carbon doped ZnO:Al films at low-temperature deposition. <i>Applied Surface Science</i> , 2019, 483, 545-550.	6.1	13
51	In situ formation of LiF decoration on a Li-rich material for long-cycle life and superb low-temperature performance. <i>Journal of Materials Chemistry A</i> , 2019, 7, 11513-11519.	10.3	67
52	Indirect electrochemical reduction of nitrate in water using zero-valent titanium anode: Factors, kinetics, and mechanism. <i>Water Research</i> , 2019, 157, 191-200.	11.3	95
53	Effect of caffeine on ovariectomy-induced osteoporosis in rats. <i>Biomedicine and Pharmacotherapy</i> , 2019, 112, 108650.	5.6	35
54	Cathode/electrolyte interface engineering via wet coating and hot pressing for all-solid-state lithium battery. <i>Solid State Ionics</i> , 2019, 330, 54-59.	2.7	31

#	ARTICLE	IF	CITATIONS
55	Seeded-mediated growth of ternary Ag ⁺ In ³⁺ S and quaternary Ag ⁺ In ³⁺ Zn ²⁺ S nanocrystals from binary Ag ₂ S seeds and the composition-tunable optical properties. <i>Journal of Materials Chemistry C</i> , 2019, 7, 1307-1315.	5.5	24
56	Synergistic regulation of garnet-type Ta-doped Li ₇ La ₃ Zr ₂ O ₁₂ solid electrolyte by Li ⁺ concentration and Li ⁺ transport channel size. <i>Electrochimica Acta</i> , 2019, 296, 823-829.	5.2	59
57	Hydrated lanthanum oxide-modified diatomite as highly efficient adsorbent for low-concentration phosphate removal from secondary effluents. <i>Journal of Environmental Management</i> , 2019, 231, 370-379.	7.8	140
58	Facile synthesis of In ₂ S ₃ /UiO-66 composite with enhanced adsorption performance and photocatalytic activity for the removal of tetracycline under visible light irradiation. <i>Journal of Colloid and Interface Science</i> , 2019, 535, 444-457.	9.4	120
59	Modeling, Preparation, and Elemental Doping of Li ₇ La ₃ Zr ₂ O ₁₂ Garnet-Type Solid Electrolytes: A Review. <i>Journal of the Korean Ceramic Society</i> , 2019, 56, 111-129.	2.3	50
60	Genomics: cracking the mysteries of walnuts. <i>Journal of Genetics</i> , 2019, 98, .	0.7	4
61	Simultaneously efficient adsorption and photocatalytic degradation of tetracycline by Fe-based MOFs. <i>Journal of Colloid and Interface Science</i> , 2018, 519, 273-284.	9.4	552
62	Tea polysaccharide inhibits RANKL-induced osteoclastogenesis in RAW264.7 cells and ameliorates ovariectomy-induced osteoporosis in rats. <i>Biomedicine and Pharmacotherapy</i> , 2018, 102, 539-548.	5.6	28
63	Rational Design of Carbon-Doped Carbon Nitride/Bi ₁₂ O ₁₇ Cl ₂ Composites: A Promising Candidate Photocatalyst for Boosting Visible-Light-Driven Photocatalytic Degradation of Tetracycline. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 6941-6949.	6.7	196
64	Influence of Cr removal on the microstructure and mechanical behaviour of a high-entropy Al _{0.8} Ti _{0.2} CoNiFeCr alloy fabricated by powder metallurgy. <i>Powder Metallurgy</i> , 2018, 61, 106-114.	1.7	8
65	Faradaically selective membrane for liquid metal displacement batteries. <i>Nature Energy</i> , 2018, 3, 127-131.	39.5	60
66	Understanding the impact of cationic polyacrylamide on anaerobic digestion of waste activated sludge. <i>Water Research</i> , 2018, 130, 281-290.	11.3	156
67	Regulation mechanism of bottleneck size on Li ⁺ migration activation energy in garnet-type Li ₇ La ₃ Zr ₂ O ₁₂ . <i>Electrochimica Acta</i> , 2018, 261, 137-142.	5.2	37
68	Origin of the Phase Transition in Lithium Garnets. <i>Journal of Physical Chemistry C</i> , 2018, 122, 1963-1972.	3.1	46
69	Synthesis and photoluminescence of ultra-pure ¹⁵¹ Ge ₃ N ₄ nanowires. <i>Ceramics International</i> , 2018, 44, 10858-10862.	4.8	3
70	BiOX (X = Cl, Br, I) photocatalytic nanomaterials: Applications for fuels and environmental management. <i>Advances in Colloid and Interface Science</i> , 2018, 254, 76-93.	14.7	422
71	Effectiveness and mechanisms of phosphate adsorption on iron-modified biochars derived from waste activated sludge. <i>Bioresource Technology</i> , 2018, 247, 537-544.	9.6	297
72	Enhancement of anticorrosion protection via inhibitor-loaded ZnAlCe-LDH nanocontainers embedded in sol-gel coatings. <i>Journal of Coatings Technology Research</i> , 2018, 15, 303-313.	2.5	32

#	ARTICLE	IF	CITATIONS
73	Nanostructure and device architecture engineering for high-performance quantum-dot light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2018, 6, 10958-10981.	5.5	32
74	All-Solid-State Lithium Battery Fitted with Polymer Electrolyte Enhanced by Solid Plasticizer and Conductive Ceramic Filler. <i>Journal of the Electrochemical Society</i> , 2018, 165, A3558-A3565.	2.9	39
75	realDB: a genome and transcriptome resource for the red algae (phylum Rhodophyta). <i>Database: the Journal of Biological Databases and Curation</i> , 2018, 2018, .	3.0	4
76	MGH: a genome hub for the medicinal plant maca (<i>Lepidium meyenii</i>). <i>Database: the Journal of Biological Databases and Curation</i> , 2018, 2018, .	3.0	5
77	Sulfate radical induced degradation of Methyl Violet azo dye with CuFe layered doubled hydroxide as heterogeneous photoactivator of persulfate. <i>Journal of Environmental Management</i> , 2018, 227, 406-414.	7.8	77
78	Quantitative Analysis of Damping Enhancement and Piezoelectric Effect Mechanism of CNTs/PMN/EP Composites. <i>Advances in Materials Science and Engineering</i> , 2018, 2018, 1-7.	1.8	3
79	Free ammonia-based pretreatment enhances phosphorus release and recovery from waste activated sludge. <i>Chemosphere</i> , 2018, 213, 276-284.	8.2	70
80	High-performance Li _{6.4} La ₃ Zr _{1.4} Ta _{0.6} O ₁₂ /Poly(ethylene oxide)/Succinonitrile composite electrolyte for solid-state lithium batteries. <i>Journal of Power Sources</i> , 2018, 397, 87-94.	7.8	117
81	Electronically conductive porous TiN ceramics with enhanced strength by aqueous gel casting. <i>Journal of the American Ceramic Society</i> , 2018, 101, 5309-5314.	3.8	5
82	Novel Star-Shaped Helical Perylene Diimide Electron Acceptors for Efficient Additive-Free Nonfullerene Organic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 27894-27901.	8.0	59
83	Li ⁺ transport channel size governing Li ⁺ migration in garnet-based all-solid-state lithium batteries. <i>Journal of Alloys and Compounds</i> , 2018, 767, 899-904.	5.5	26
84	Chloride-Passivated Mg-Doped ZnO Nanoparticles for Improving Performance of Cadmium-Free, Quantum-Dot Light-Emitting Diodes. <i>ACS Photonics</i> , 2018, 5, 3704-3711.	6.6	45
85	Synthesis and photoluminescence of doped Si ₃ N ₄ nanowires with various valence electron configurations. <i>Journal of Materials Science</i> , 2018, 53, 13573-13583.	3.7	12
86	Simulation and experimental research of hydraulic pressure and intake valve lift on a fully hydraulic variable valve system for a spark-ignition engine. <i>Advances in Mechanical Engineering</i> , 2018, 10, 168781401877315.	1.6	3
87	Theabrownin suppresses in vitro osteoclastogenesis and prevents bone loss in ovariectomized rats. <i>Biomedicine and Pharmacotherapy</i> , 2018, 106, 1339-1347.	5.6	25
88	Free nitrous acid promotes hydrogen production from dark fermentation of waste activated sludge. <i>Water Research</i> , 2018, 145, 113-124.	11.3	137
89	Influence of phase transformation on luminescence properties of CaSiN ₂ with Eu doping. <i>Journal of the American Ceramic Society</i> , 2018, 101, 4689-4698.	3.8	2
90	Perchlorate bioreduction linked to methane oxidation in a membrane biofilm reactor: Performance and microbial community structure. <i>Journal of Hazardous Materials</i> , 2018, 357, 244-252.	12.4	36

#	ARTICLE	IF	CITATIONS
91	The fate of cyanuric acid in biological wastewater treatment system and its impact on biological nutrient removal. <i>Journal of Environmental Management</i> , 2018, 206, 901-909.	7.8	24
92	Synthesis of AA7075-AA7075/B4C bilayer composite with enhanced mechanical strength via plasma activated sintering. <i>Journal of Alloys and Compounds</i> , 2017, 701, 416-424.	5.5	14
93	Electronic, optical and mechanical properties of SrSi ₆ N ₈ and SrSi ₆ N ₈ O via first-principles. <i>RSC Advances</i> , 2017, 7, 8779-8785.	3.6	4
94	Is denitrifying anaerobic methane oxidation-centered technologies a solution for the sustainable operation of wastewater treatment Plants?. <i>Bioresource Technology</i> , 2017, 234, 456-465.	9.6	117
95	Enhanced power factor of textured Al-doped ZnO ceramics by field-assisted deforming. <i>Journal of the American Ceramic Society</i> , 2017, 100, 1300-1305.	3.8	13
96	Effect of Mo ⁶⁺ Substitution on Microstructure and Lithium Ionic Conductivity of Garnet-Type Li ₇ La ₃ Zr ₂ O ₁₂ Solid Electrolytes by Field Assisted Sintering Technology. <i>Minerals, Metals and Materials Series</i> , 2017, , 115-123.	0.4	2
97	Potential impact of salinity on methane production from food waste anaerobic digestion. <i>Waste Management</i> , 2017, 67, 308-314.	7.4	123
98	High Capacity All-Solid-State Lithium Battery Using Cathodes with Three-Dimensional Li ⁺ Conductive Network. <i>Journal of the Electrochemical Society</i> , 2017, 164, A1695-A1702.	2.9	34
99	Triclocarban enhances short-chain fatty acids production from anaerobic fermentation of waste activated sludge. <i>Water Research</i> , 2017, 127, 150-161.	11.3	150
100	Precipitation phenomena in Al-Zn-Mg alloy matrix composites reinforced with B4C particles. <i>Scientific Reports</i> , 2017, 7, 9589.	3.3	31
101	Evaluating the potential impact of hydrochar on the production of short-chain fatty acid from sludge anaerobic digestion. <i>Bioresource Technology</i> , 2017, 246, 234-241.	9.6	52
102	Understanding and mitigating the toxicity of cadmium to the anaerobic fermentation of waste activated sludge. <i>Water Research</i> , 2017, 124, 269-279.	11.3	157
103	Solid polymer electrolytes incorporating cubic Li ₇ La ₃ Zr ₂ O ₁₂ for all-solid-state lithium rechargeable batteries. <i>Electrochimica Acta</i> , 2017, 258, 1106-1114.	5.2	193
104	The behavior of melamine in biological wastewater treatment system. <i>Journal of Hazardous Materials</i> , 2017, 322, 445-453.	12.4	41
105	Effective adsorption/electrocatalytic degradation of perchlorate using Pd/Pt supported on N-doped activated carbon fiber cathode. <i>Journal of Hazardous Materials</i> , 2017, 323, 602-610.	12.4	50
106	Effect of nickel on the flocculability, settleability, and dewaterability of activated sludge. <i>Bioresource Technology</i> , 2017, 224, 188-196.	9.6	55
107	Research on Stochastic Optimal Operation Strategy of Active Distribution Network Considering Intermittent Energy. <i>Energies</i> , 2017, 10, 522.	3.1	13
108	Plasma activated synthesis and photoluminescence of red phosphor Sr ₂ Si ₅ N ₈ :Eu ²⁺ . <i>Journal of Alloys and Compounds</i> , 2017, 720, 521-528.	5.5	20

#	ARTICLE	IF	CITATIONS
109	Thermal Reaction and Phase Evolution of $\text{APP/Al(OH)}_3/\text{SiO}_2$. Key Engineering Materials, 2016, 680, 547-552.	0.4	0
110	Microstructure and Electrical Properties of AZO/Graphene Nanosheets Fabricated by Spark Plasma Sintering. Materials, 2016, 9, 638.	2.9	8
111	Microstructure and mechanical behavior of NS/UFG aluminum prepared by cryomilling and spark plasma sintering. Journal of Alloys and Compounds, 2016, 679, 426-435.	5.5	14
112	Fabrication and mechanical behavior of porous Cu via chemical de-alloying of Cu ₂₅ Fe ₇₅ alloys. Journal of Alloys and Compounds, 2016, 689, 6-14.	5.5	15
113	Tough TiB_2 -Based Ceramic Composites Using Metallic Glass Powder as the Sintering Aid. Advanced Engineering Materials, 2016, 18, 1936-1943.	3.5	8
114	Yield symmetry and reduced strength differential in Mg-2.5Y alloy. Acta Materialia, 2016, 120, 75-85.	7.9	102
115	Influence of particle size and spatial distribution of B ₄ C reinforcement on the microstructure and mechanical behavior of precipitation strengthened Al alloy matrix composites. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 675, 421-430.	5.6	89
116	Linking photoluminescence of Si_3N_4 to intrinsic point defects via band structure modelling. RSC Advances, 2016, 6, 7568-7574.	3.6	10
117	Texture evolution and mechanical behavior of commercially pure Ti processed via pulsed electric current treatment. Journal of Materials Science, 2016, 51, 10608-10619.	3.7	17
118	Revealing the Underlying Mechanisms of How Sodium Chloride Affects Short-Chain Fatty Acid Production from the Cofermentation of Waste Activated Sludge and Food Waste. ACS Sustainable Chemistry and Engineering, 2016, 4, 4675-4684.	6.7	92
119	Enhanced Photocatalytic Degradation of Tetracycline by AgI/BiVO_4 Heterojunction under Visible-Light Irradiation: Mineralization Efficiency and Mechanism. ACS Applied Materials & Interfaces, 2016, 8, 32887-32900.	8.0	407
120	Synthesis and luminescent properties of ternary SiGeN nanowires. CrystEngComm, 2016, 18, 8787-8793.	2.6	4
121	Effect of Sintering Aids on the Properties of Porous YAG Ceramics. Key Engineering Materials, 2016, 697, 178-181.	0.4	2
122	Comprehensive optimization of electrical and optical properties for ATO films prepared by pulsed laser deposition. Journal Wuhan University of Technology, Materials Science Edition, 2016, 31, 20-26.	1.0	1
123	Data of microstructure and mechanical properties of carbon foams derived from sucrose/polyacrylamide hydrogel. Data in Brief, 2016, 7, 117-122.	1.0	6
124	Influencing mechanism and interaction of muscovite on thermal decomposition of ammonium polyphosphate. Journal Wuhan University of Technology, Materials Science Edition, 2016, 31, 334-339.	1.0	8
125	Photo-reduction of bromate in drinking water by metallic Ag and reduced graphene oxide (RGO) jointly modified BiVO_4 under visible light irradiation. Water Research, 2016, 101, 555-563.	11.3	170
126	Band structures and optical properties of Al-doped Si_3N_4 : theoretical and experimental studies. Ceramics International, 2016, 42, 3681-3686.	4.8	9

#	ARTICLE	IF	CITATIONS
127	Microstructure and electrical property of aluminum doped zinc oxide ceramics by isolating current under spark plasma sintering. <i>Journal of the European Ceramic Society</i> , 2016, 36, 1953-1959.	5.7	22
128	Fabrication of carbon foams with high mechanical properties derived from sucrose/polyacrylamide hydrogel. <i>Diamond and Related Materials</i> , 2016, 64, 153-162.	3.9	8
129	Preparation, characterization and electronic properties of fluorine-doped tin oxide films. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2016, 31, 48-51.	1.0	6
130	Fabrication and mechanical behavior of bulk nanoporous Cu via chemical de-alloying of Cu-Al alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 660, 241-250.	5.6	36
131	The ceramifying process and mechanical properties of silicone rubber/ ammonium polyphosphate/ aluminium hydroxide/ mica composites. <i>Polymer Degradation and Stability</i> , 2016, 126, 196-203.	5.8	56
132	Effect of lithium ion concentration on the microstructure evolution and its association with the ionic conductivity of cubic garnet-type nominal Li ₇ Al _{0.25} La ₃ Zr ₂ O ₁₂ solid electrolytes. <i>Solid State Ionics</i> , 2016, 284, 53-60.	2.7	60
133	Graphene Nano-Platelets Reinforced ZrO ₂ Consolidated by Spark Plasma Sintering. <i>Science of Advanced Materials</i> , 2016, 8, 312-317.	0.7	9
134	Field assisted sintering of graphene reinforced zirconia ceramics. <i>Ceramics International</i> , 2015, 41, 6113-6116.	4.8	48
135	Preparation of cubic Li ₇ La ₃ Zr ₂ O ₁₂ solid electrolyte using a nano-sized core-shell structured precursor. <i>Journal of Alloys and Compounds</i> , 2015, 644, 793-798.	5.5	27
136	Microstructure and mechanical behavior of a novel Co ₂₀ Ni ₂₀ Fe ₂₀ Al ₂₀ Ti ₂₀ alloy fabricated by mechanical alloying and spark plasma sintering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 644, 10-16.	5.6	46
137	Electronic and optical properties of Y-doped Si ₃ N ₄ by density functional theory. <i>Journal of Alloys and Compounds</i> , 2015, 637, 376-381.	5.5	19
138	Enhancement and optimization of ATO nano-crystalline films properties by the addition of acetylacetone as modifier in the sol-gel process. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2015, 30, 873-881.	1.0	3
139	Spark Plasma Sintering and Densification Mechanisms of Conductive Ceramics under Coupled Thermal/Electric Fields. <i>Journal of the American Ceramic Society</i> , 2015, 98, 732-740.	3.8	25
140	Carbon nanotube-reinforced Al alloy-based nanocomposites via spark plasma sintering. <i>Journal of Composite Materials</i> , 2015, 49, 1937-1946.	2.4	10
141	Pyrolysis Behavior of Boron-Containing Phenol-Formaldehyde Resin (BPFR) Modified by B ₂ O ₃ . <i>Key Engineering Materials</i> , 2014, 616, 315-318.	0.4	1
142	Optimizing low loss negative index metamaterial for visible spectrum using differential evolution: reply. <i>Optics Express</i> , 2014, 22, 3775.	3.4	0
143	Optimal structure of light trapping in thin-film solar cells: dielectric nanoparticles or multilayer antireflection coatings?. <i>Applied Optics</i> , 2014, 53, 5222.	1.8	12
144	Interfacial bond dependence of damping properties of carbon nanotubes enhanced polymers. <i>Polymer Composites</i> , 2014, 35, 548-556.	4.6	14

#	ARTICLE	IF	CITATIONS
145	Effect of Oxygen Flow Rate on Electrical and Optical Properties of ATO Thin Films Prepared by RF Magnetron Sputtering. Key Engineering Materials, 2014, 616, 178-182.	0.4	1
146	Effect of Al ₂ O ₃ on Microstructure and Ionic Conductivity of Li ₇ La ₃ Zr ₂ O ₁₂ Solid Electrolytes Prepared by Plasma Activated Sintering. Key Engineering Materials, 2014, 616, 217-222.	0.4	4
147	Preparation and Properties of YAG Powder and Porous Ceramics. Advanced Materials Research, 2014, 1058, 217-220.	0.3	0
148	Surface passivation of nanocrystalline silicon powder derived from cryomilling. Journal Wuhan University of Technology, Materials Science Edition, 2014, 29, 65-69.	1.0	5
149	Effect of plasma activated sintering parameters on microstructure and mechanical properties of Al-7075/B 4 C composites. Journal of Alloys and Compounds, 2014, 615, 276-282.	5.5	55
150	Field assisted sintering of dense Al-substituted cubic phase Li ₇ La ₃ Zr ₂ O ₁₂ solid electrolytes. Journal of Power Sources, 2014, 268, 960-964.	7.8	151
151	Synthesis and photoluminescence of heavily La-doped $\hat{\pm}$ -Si ₃ N ₄ nanowires via nitriding cryomilled nanocrystalline La-doped silicon powder. Journal of Luminescence, 2014, 151, 66-70.	3.1	9
152	OPTIMAL DESIGN OF GRADED REFRACTIVE INDEX PROFILE FOR BROADBAND OMNIDIRECTIONAL ANTIREFLECTION COATINGS USING GENETIC PROGRAMMING. Progress in Electromagnetics Research, 2014, 145, 39-48.	4.4	16
153	Cold spray and pressureless sintering of zirconium phosphate bonded silicon nitride ceramics with porous gradient structure. Journal of Physics: Conference Series, 2013, 419, 012006.	0.4	2
154	Suicide gene-mediated ablation of tumor-initiating mouse pluripotent stem cells. Biomaterials, 2013, 34, 1701-1711.	11.4	31
155	Effect of post-annealing on the electrical conductivity of spark plasma sintered antimony-doped tin oxide (ATO) ceramics. Scripta Materialia, 2013, 68, 297-300.	5.2	19
156	Spark Plasma Sintering and Densification Mechanisms of Antimony-Doped Tin Oxide Nanoceramics. Journal of Nanomaterials, 2013, 2013, 1-7.	2.7	8
157	Preparation and mechanical properties of SiO ₂ /BN composites with quasi-sandwich structure for wave transparency. Journal of Composite Materials, 2013, 47, 2299-2305.	2.4	4
158	Fabrication of ATO/Graphene Multi-layered Transparent Conducting Thin Films. Journal of Physics: Conference Series, 2013, 419, 012032.	0.4	1
159	Preparation and properties of ATO films and their effects on the TiO ₂ /ATO system. Journal of Physics: Conference Series, 2013, 419, 012012.	0.4	0
160	Foaming of CNTs/PMMA Nanocomposite with Supercritical Carbon Dioxide. Key Engineering Materials, 2012, 508, 61-64.	0.4	6
161	Low Cost Chemical Synthesis of Ammonia Borane Complex for Hydrogen Storage. Key Engineering Materials, 2012, 519, 92-95.	0.4	0
162	Thermal Conductivity Design and Evaluation of Zirconium Phosphate Bonded Silicon Nitride Porous Ceramics. Key Engineering Materials, 2012, 508, 21-26.	0.4	1

#	ARTICLE	IF	CITATIONS
163	Light-trapping design of graphene transparent electrodes for efficient thin-film silicon solar cells. Applied Optics, 2012, 51, 6245.	1.8	7
164	Optimal design of light trapping in thin-film solar cells enhanced with graded SiN _x and SiO _x N _y structure. Optics Express, 2012, 20, 11121.	3.4	14
165	Epitaxial Integration of (100) Bi ₄ Ti ₃ SO ₁₂ with (0001) ZnO through Long-Range Lattice Matching. Applied Physics Express, 2012, 5, 085801.	2.4	3
166	Mechanical and dielectric properties of silicon nitride ceramics with high and hierarchical porosity. Materials & Design, 2012, 40, 562-566.	5.1	38
167	Creep and strength of ZrP ₂ O ₇ bonded Si ₃ N ₄ porous ceramics at 800–1000°C. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2012, 553, 200-203.	5.6	3
168	Fabrication of transparent conducting ATO films using the ATO sintered targets by pulsed laser deposition. Solar Energy Materials and Solar Cells, 2012, 105, 153-158.	6.2	20
169	Pressureless Sintering of Silicon Nitride Porous Ceramics with High Porosity and Bimodal Pore Structure. Key Engineering Materials, 2012, 512-515, 873-877.	0.4	1
170	Fabrication and properties of SiNO continuous fiber reinforced BN wave-transparent composites. Materials Science-Poland, 2012, 30, 137-142.	1.0	2
171	High strength retention and dimensional stability of silicone/alumina composite panel under fire. Fire and Materials, 2012, 36, 254-263.	2.0	26
172	Macro/micro structure dependence of mechanical strength of low temperature sintered silicon carbide ceramic foams. Ceramics International, 2012, 38, 5223-5229.	4.8	31
173	Preparation and characterization of transparent Bi _{3.6} Ho _{0.4} Ti ₃ O ₁₂ /ZnO:Al ferroelectric-semiconductor heterostructure by pulsed laser deposition. Materials Letters, 2012, 79, 173-176.	2.6	6
174	Optimizing low loss silver nanowires structure metamaterial at yellow light spectrum with differential evolution. Physics Letters, Section A: General, Atomic and Solid State Physics, 2012, 376, 252-256.	2.1	5
175	Optimizing low loss negative index metamaterial for visible spectrum using differential evolution. Optics Express, 2011, 19, 11605.	3.4	19
176	THE MICROSTRUCTURE DESIGN OPTIMIZATION OF NEGATIVE INDEX METAMATERIALS USING GENETIC ALGORITHM. Progress in Electromagnetics Research Letters, 2011, 22, 95-108.	0.7	18
177	Pressureless sintering of silicon nitride ceramics with porous gradient structure for gas filter application. International Journal of Materials and Product Technology, 2011, 42, 3.	0.2	6
178	Fabrication of Si ₃ N ₄ -based seal coating on porous Si ₃ N ₄ ceramics. International Journal of Materials and Product Technology, 2011, 42, 12.	0.2	6
179	Pore structure control of starch processed silicon nitride porous ceramics with near-zero shrinkage. Materials Letters, 2011, 65, 1410-1412.	2.6	23
180	Research on Quantitative Model of the Bullwhip Effect Based on AR(1) Demand. , 2011, , .		1

#	ARTICLE	IF	CITATIONS
181	Low temperature sintering of Si ₃ N ₄ ceramics by spark plasma sintering technique. <i>Advances in Applied Ceramics</i> , 2011, 110, 20-24.	1.1	11
182	Preparation and Thermoelectric Properties of Bi-Doped Mg ₂ Si _{0.8} Sn _{0.2} Compound. <i>Materials Transactions</i> , 2010, 51, 288-291.	1.2	25
183	Gas Pressure Sintering of Arbitrary Porous Silicon Nitride Ceramics with High Mechanical Strength. <i>Journal of the American Ceramic Society</i> , 2010, 93, 1565-1568.	3.8	34
184	ELECTROMAGNETIC OPTIMAL DESIGN AND PREPARATION OF BROADBAND CERAMIC RADOME MATERIAL WITH GRADED POROUS STRUCTURE. <i>Progress in Electromagnetics Research</i> , 2010, 105, 445-461.	4.4	81
185	High Temperature Ceramifying Behavior of SR/Al ₂ O ₃ Composites. <i>Advanced Materials Research</i> , 2010, 105-106, 168-170.	0.3	0
186	Synthesis of Single-Crystalline Silicon Nitride (Si ₃ N ₄) Nanowires with Controlled Diameters by Nitriding Cryomilled Nanocrystalline Silicon Powder. <i>Materials Research Society Symposia Proceedings</i> , 2010, 1279, 1.	0.1	1
187	Afterglow phosphor materials Y ₂ O ₃ : Eu, Mg, Ti doped with various Gd concentrations. <i>Journal of Alloys and Compounds</i> , 2010, 502, 180-183.	5.5	28
188	Optimal design and preparation of silicon nitride ceramic radome material with gradient porous structure. <i>International Journal of Materials and Product Technology</i> , 2010, 39, 72.	0.2	1
189	The Effect of Surface Hydroxyl Groups on the Properties of SR/Al ₂ O ₃ Composites. <i>Advanced Materials Research</i> , 2009, 66, 277-279.	0.3	1
190	Erosion Resistance of Al ₂ Ti ₅ Al ₂ O ₃ Composites to Molten Aluminum. <i>Advanced Materials Research</i> , 2009, 66, 93-95.	0.3	1
191	Optimal Design for Ceramic Radomes with A-Sandwich Structure. <i>Advanced Materials Research</i> , 2009, 66, 29-32.	0.3	1
192	Synthesis of Si ₃ N ₄ single-crystalline nanowires by nitriding cryomilled nanocrystalline silicon powder. <i>Scripta Materialia</i> , 2009, 60, 737-740.	5.2	28
193	Fabrication and thermoelectric properties of Mg ₂ Si _{1-x} Sn _x (0 ≤ x ≤ 1.0) solid solutions by solid state reaction and spark plasma sintering. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 157, 96-100.	3.5	56
194	Plasma nitrided titanium as a bipolar plate for proton exchange membrane fuel cell. <i>Journal of Power Sources</i> , 2009, 187, 500-504.	7.8	28
195	Change of phase compositions in calcia stabilized zirconia ceramics using a boric acid additive. <i>Journal of the Ceramic Society of Japan</i> , 2009, 117, 449-451.	1.1	1
196	Fabrication of TZ-3Y20A/Mo multilayer composites by particle sedimentation method. <i>Journal of Materials Processing Technology</i> , 2008, 199, 37-40.	6.3	5
197	Sintering behavior in zirconium phosphate bonded silicon nitride porous ceramics. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 497, 495-500.	5.6	11
198	Synthesis and Pressureless Sintering of Zirconium Phosphate Ceramics. <i>Journal of the American Ceramic Society</i> , 2008, 91, 3173-3180.	3.8	14

#	ARTICLE	IF	CITATIONS
199	Spark plasma sintering of Si_3N_4 ceramics with MgO and AlPO_4 as sintering additives. <i>Materials Chemistry and Physics</i> , 2008, 107, 67-71.	4.0	20
200	Fabrication of Silicon Nitride Ceramics with Pore Gradient Structure. <i>AIP Conference Proceedings</i> , 2008, , .	0.4	1
201	One-Step Fabrication of CdS Nanorod Arrays via Solution Chemistry. <i>Journal of Physical Chemistry C</i> , 2008, 112, 13457-13462.	3.1	90
202	Thermal Stress Calculation and Fabrication of $60\text{SiC}-35\text{Al}-5\text{Si}$ Graded Materials by Spark Plasma Sintering. <i>AIP Conference Proceedings</i> , 2008, , .	0.4	0
203	Preparation of Silicon Nitride Multilayer Ceramic Radome Material and Optimal Design of the Wall Structure. <i>AIP Conference Proceedings</i> , 2008, , .	0.4	8
204	Pressureless Sintering of Si_3N_4 Porous Ceramics Using a H_3PO_4 Pore-Forming Agent. <i>Journal of the American Ceramic Society</i> , 2007, 90, 2379-2383.	3.8	69
205	Preparation of zirconium pyrophosphate bonded silicon nitride porous ceramics. <i>Materials Science and Technology</i> , 2006, 22, 915-918.	1.6	56
206	Plant regeneration via somatic embryogenesis of <i>Elymus sibiricus</i> cv. "chuancao No. 2"™. <i>Plant Cell, Tissue and Organ Culture</i> , 2006, 84, 285-292.	2.3	5
207	Liquid phase sintering (LPS) and dielectric constant of Si_3N_4 ceramic. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2006, 21, 98-100.	1.0	8
208	Thermal Shock Behavior of Calcia Stabilized Zirconia Ceramics with Porosity Gradient Structure. <i>Materials Science Forum</i> , 0, 631-632, 435-440.	0.3	0
209	Effect of Sintering Temperature on the Properties of Porous Silicon Nitride Ceramics. <i>Advanced Materials Research</i> , 0, 66, 85-88.	0.3	0
210	Effects of Coated Nano-BN Particles on Microstructure and Properties of BN-AlN Composite. <i>Advanced Materials Research</i> , 0, 66, 89-92.	0.3	0
211	Effect of Processing Parameters on the Microstructure of Silicon Nitride Coatings by Chemical Vapor Deposition. <i>Advanced Materials Research</i> , 0, 66, 175-178.	0.3	0
212	Thermo-Mechanical Analysis of Si_3N_4 -Based Seal Coatings on Si_3N_4 Substrate. <i>Key Engineering Materials</i> , 0, 508, 42-47.	0.4	0
213	Synthesis and Optical Properties of Single-Crystalline Silicon Nitride Nanowires with Controlled Dimensionality. <i>Key Engineering Materials</i> , 0, 512-515, 106-109.	0.4	2
214	Densification of ATO Nanoceramics by Spark Plasma Sintering. <i>Key Engineering Materials</i> , 0, 508, 230-234.	0.4	0
215	Effect of Annealing Treatment on Electrical and Optical Properties of ATO Thin Films by Pulsed Laser Deposition. <i>Key Engineering Materials</i> , 0, 519, 236-239.	0.4	0
216	Effect of Sb_2O_3 Doping Ratio on Electrical and Optical Properties of ATO Films by Pulsed Laser Deposition. <i>Key Engineering Materials</i> , 0, 508, 211-214.	0.4	2

#	ARTICLE	IF	CITATIONS
217	Preparation of SiNO _f /BN High Temperature Wave-Transparent Composites by Precursor Infiltration and Pyrolysis Method. Key Engineering Materials, 0, 508, 11-16.	0.4	4
218	Mechanical Properties of Silicon Nitride Porous Ceramics with Bimodal Porosity. Key Engineering Materials, 0, 508, 69-75.	0.4	1
219	Effect of Hydrolysis Modifier on the Properties of ATO Films Prepared by Spin Coating. Key Engineering Materials, 0, 537, 155-160.	0.4	0
220	Antimony-Doped SnO ₂ Nanoparticles with Controlled Doping Level via Nonaqueous Sol-Gel Procedure. Materials Science Forum, 0, 745-746, 685-689.	0.3	0
221	Preparation of Zirconium Phosphate Bonded Silicon Nitride Ceramic Coatings by Cold Spray and Pressureless Sintering. Key Engineering Materials, 0, 616, 47-51.	0.4	0
222	Effect of Cryomilling on Microstructure and Bonding Mechanism of Mg/B Composite Powders. Key Engineering Materials, 0, 616, 310-314.	0.4	1
223	Preparation of ATO Thin Films from SPS-Derived Large Size ATO Ceramic Targets by PVD Methods. Materials Science Forum, 0, 783-786, 1973-1978.	0.3	1
224	Microstructure and Mechanical Properties of Multiscale Zirconia Ceramics Prepared by Field Assisted Sintering Technique. Key Engineering Materials, 0, 697, 354-359.	0.4	0
225	The Mechanism of Controlling Pore Microstructure for YAG Porous Ceramics. Key Engineering Materials, 0, 680, 216-219.	0.4	4
226	Simplified Synthesis and Luminous Mechanism of Eu ²⁺ -Doped $\hat{\pm}$ -Si ₃ N ₄ Nanowires with Strong Green Luminescent Properties. Key Engineering Materials, 0, 727, 635-641.	0.4	5
227	Low-Temperature Sintering of Porous Silicon Carbide Ceramics with H ₃ PO ₄ as an Additive. Solid State Phenomena, 0, 281, 311-315.	0.3	3