

Diego Rubiales

List of Publications by Year
in descending order

Source: <https://exaly.com/author-pdf/2224483/publications.pdf>

Version: 2024-02-01

366
papers

14,092
citations

23567
58
h-index

48315
88
g-index

376
all docs

376
docs citations

376
times ranked

7764
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolomics profile responses to changing environments in a common bean (<i>Phaseolus vulgaris</i> L.) germplasm collection. <i>Food Chemistry</i> , 2022, 370, 131003.	8.2	9
2	Genomic regions associated with herbicide tolerance in a worldwide faba bean (<i>Vicia faba</i> L.) collection. <i>Scientific Reports</i> , 2022, 12, 158.	3.3	10
3	Development of Quantitative Real-Time PCR Assays to Quantify <i>Erysiphe pisi</i> and <i>Erysiphe trifolii</i> and Its Implementation for Monitoring Their Relative Prevalence in Pea Crops in Spain and Tunisia. <i>Agronomy</i> , 2022, 12, 334.	3.0	4
4	Adaptability and Stability of Faba Bean (<i>Vicia faba</i> L.) Accessions under Diverse Environments and Herbicide Treatments. <i>Plants</i> , 2022, 11, 251.	3.5	11
5	Application of Crop Growth Models to Assist Breeding for Intercropping: Opportunities and Challenges. <i>Frontiers in Plant Science</i> , 2022, 13, 720486.	3.6	7
6	Advances in disease and pest resistance in faba bean. <i>Theoretical and Applied Genetics</i> , 2022, 135, 3735-3756.	3.6	19
7	Searching for Abiotic Tolerant and Biotic Stress Resistant Wild Lentils for Introgression Breeding Through Predictive Characterization. <i>Frontiers in Plant Science</i> , 2022, 13, 817849.	3.6	11
8	Association Mapping of <i>Lathyrus sativus</i> Disease Response to <i>Uromyces pisi</i> Reveals Novel Loci Underlying Partial Resistance. <i>Frontiers in Plant Science</i> , 2022, 13, 842545.	3.6	7
9	Integrating Phenotypic and Gene Expression Linkage Mapping to Dissect Rust Resistance in Chickling Pea. <i>Frontiers in Plant Science</i> , 2022, 13, 837613.	3.6	3
10	Portuguese Common Bean Natural Variation Helps to Clarify the Genetic Architecture of the Legume's Nutritional Composition and Protein Quality. <i>Plants</i> , 2022, 11, 26.	3.5	5
11	Antraquinones and their analogues as potential biocontrol agents of rust and powdery mildew diseases of field crops. <i>Pest Management Science</i> , 2022, , .	3.4	5
12	Evaluation of performance and stability of new sources for tolerance to post-emergence herbicides		

#	ARTICLE	IF	CITATIONS
19	Advances in understanding plant root response to weedy root parasites. Burleigh Dodds Series in Agricultural Science, 2021, , 215-230.	0.2	1
20	Omics resources and omics-enabled approaches for achieving high productivity and improved quality in pea (<i>Pisum sativum</i> L.). Theoretical and Applied Genetics, 2021, 134, 755-776.	3.6	28
21	Faba bean. , 2021, , 452-481.		20
22	A diversity of resistance sources to <i>Fusarium oxysporum</i> f. sp. pisi found within grass pea germplasm. Plant and Soil, 2021, 463, 19-38.	3.7	12
23	Grain Yield Stability of Cereal-Legume Intercrops Is Greater Than Sole Crops in More Productive Conditions. Agriculture (Switzerland), 2021, 11, 255.	3.1	31
24	Characterization of the Resistance to Powdery Mildew and Leaf Rust Carried by the Bread Wheat Cultivar Victo. International Journal of Molecular Sciences, 2021, 22, 3109.	4.1	4
25	Pea Breeding Lines Adapted to Autumn Sowings in Broomrape Prone Mediterranean Environments. Agronomy, 2021, 11, 769.	3.0	9
26	Crop Diversification to Control Powdery Mildew in Pea. Agronomy, 2021, 11, 690.	3.0	12
27	The <i>MLO1</i> powdery mildew susceptibility gene in <i>Lathyrus</i> species: The power of high-density linkage maps in comparative mapping and synteny analysis. Plant Genome, 2021, 14, e20090.	2.8	8
28	Identification of tolerance to metribuzin and imazethapyr herbicides in faba bean. Crop Science, 2021, 61, 2593-2611.	1.8	13
29	Shared and tailored common bean transcriptomic responses to combined fusarium wilt and water deficit. Horticulture Research, 2021, 8, 149.	6.3	10
30	Effects of crop mixtures on rust development on faba bean grown in Mediterranean climates. Crop Protection, 2021, 146, 105686.	2.1	11
31	Heat Waves and Broomrape Are the Major Constraints for Lentil Cultivation in Southern Spain. Agronomy, 2021, 11, 1871.	3.0	6
32	Development of Pea Breeding Lines with Resistance to <i>Orobanche crenata</i> Derived from Pea Landraces and Wild <i>Pisum</i> spp.. Agronomy, 2021, 11, 36.	3.0	13
33	Grass pea natural variation reveals oligogenic resistance to <i>Fusarium oxysporum</i> f. sp. <i>pisi</i> . Plant Genome, 2021, 14, e20154.	2.8	5
34	Photosystem II Repair Cycle in Faba Bean May Play a Role in Its Resistance to <i>Botrytis fabae</i> Infection. Agronomy, 2021, 11, 2247.	3.0	3
35	Legume Breeding for the Agroecological Transition of Global Agri-Food Systems: A European Perspective. Frontiers in Plant Science, 2021, 12, 782574.	3.6	25
36	Natural Variation in Portuguese Common Bean Germplasm Reveals New Sources of Resistance Against <i>Fusarium oxysporum</i> f. sp. <i>phaseoli</i> and Resistance-Associated Candidate Genes. Phytopathology, 2020, 110, 633-647.	2.2	28

#	ARTICLE	IF	CITATIONS
37	Identification of quantitative trait loci (QTL) controlling resistance to pea weevil (<i>Bruchus pisorum</i>) in a high-density integrated DArTseq SNP-based genetic map of pea. <i>Scientific Reports</i> , 2020, 10, 33.	3.3	18
38	Identification of potential candidate genes controlling pea aphid tolerance in a high-density integrated DArTseq SNP-based genetic map. <i>Pest Management Science</i> , 2020, 76, 1731-1742.	3.4	11
39	Resistance to Anthracnose (<i>Colletotrichum lentis</i> , Race 0) in <i>Lens</i> spp. <i>Germplasm. Agronomy</i> , 2020, 10, 1799.	3.0	10
40	Broomrape Threat to Agriculture. <i>Outlooks on Pest Management</i> , 2020, 31, 141-145.	0.2	8
41	Fusarium Wilt Management in Legume Crops. <i>Agronomy</i> , 2020, 10, 1073.	3.0	32
42	Broomrape as a Major Constraint for Grass Pea (<i>Lathyrus sativus</i>) Production in Mediterranean Rain-Fed Environments. <i>Agronomy</i> , 2020, 10, 1931.	3.0	6
43	Adaptation of Grass Pea (<i>Lathyrus sativus</i>) to Mediterranean Environments. <i>Agronomy</i> , 2020, 10, 1295.	3.0	9
44	Legume Crops and Biotrophic Pathogen Interactions: A Continuous Cross-Talk of a Multilayered Array of Defense Mechanisms. <i>Plants</i> , 2020, 9, 1460.	3.5	15
45	Partial Resistance Against <i>Erysiphe pisi</i> and <i>E. trifolii</i> Under Different Genetic Control in <i>Lathyrus cicera</i> : Outcomes from a Linkage Mapping Approach. <i>Plant Disease</i> , 2020, 104, 2875-2884.	1.4	10
46	Quantitative Analysis of Target Peptides Related to Resistance Against <i>Ascochyta</i> Blight (<i>Peyronellaea pinodes</i>) in Pea. <i>Journal of Proteome Research</i> , 2020, 19, 1000-1012.	3.7	31
47	Adaptation of One-Flowered Vetch (<i>Vicia articulata</i> Hornem.) to Mediterranean Rain Fed Conditions. <i>Agronomy</i> , 2020, 10, 383.	3.0	2
48	Abiotic and Biotic Stresses Interaction in Fabaceae Plants. Contributions from the Grain Legumes/Soilborne Vascular Diseases/Drought Stress Triangle. , 2020, , 237-260.		2
49	Impact of fungal and plant metabolites application on early development stages of pea powdery mildew. <i>Pest Management Science</i> , 2019, 75, 2464-2473.	3.4	9
50	Flower and Pod Source Influence on Pea Weevil (<i>Bruchus pisorum</i>) Oviposition Capacity and Preference. <i>Frontiers in Plant Science</i> , 2019, 10, 491.	3.6	8
51	Genetic diversity and structure of <i>Fusarium oxysporum</i> f.sp. <i>lentis</i> isolates from Iran, Syria and Algeria. <i>European Journal of Plant Pathology</i> , 2019, 153, 1019-1029.	1.7	8
52	Antifeedant activity of long-chain alcohols, and fungal and plant metabolites against pea aphid (<i>Acyrtosiphon pisum</i>) as potential biocontrol strategy. <i>Natural Product Research</i> , 2019, 33, 2471-2479.	1.8	20
53	Advances in pea breeding. <i>Burleigh Dodds Series in Agricultural Science</i> , 2019, , 575-606.	0.2	10
54	Identification and characterisation of antixenosis and antibiosis to pea aphid (<i>Acyrtosiphon</i>) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 6	2.5	10

#	ARTICLE	IF	CITATIONS
55	Identification and multi-environment validation of resistance to pea weevil (<i>Bruchus pisorum</i>) in <i>Pisum</i> germplasm. <i>Journal of Pest Science</i> , 2018, 91, 505-514.	3.7	22
56	Pisatin involvement in the variation of inhibition of <i>Fusarium oxysporum</i> f. sp. <i>pisi</i> spore germination by root exudates of <i>Pisum</i> spp. germplasm. <i>Plant Pathology</i> , 2018, 67, 1046-1054.	2.4	22
57	Allelopathy for Parasitic Plant Management. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.5	6
58	Expressional and positional candidate genes for resistance to <i>Peyronellaea pinodes</i> in pea. <i>Euphytica</i> , 2018, 214, 1.	1.2	3
59	First genetic linkage map of <i>Lathyrus cicera</i> based on RNA sequencing-derived markers: Key tool for genetic mapping of disease resistance. <i>Horticulture Research</i> , 2018, 5, 45.	6.3	19
60	Multi-Environmental Trials Reveal Genetic Plasticity of Oat Agronomic Traits Associated With Climate Variable Changes. <i>Frontiers in Plant Science</i> , 2018, 9, 1358.	3.6	12
61	Er3 gene, conferring resistance to powdery mildew in pea, is located in pea LGIV. <i>Euphytica</i> , 2018, 214, 1.	1.2	21
62	Fatty Acid Profile Changes During Gradual Soil Water Depletion in Oats Suggests a Role for Jasmonates in Coping With Drought. <i>Frontiers in Plant Science</i> , 2018, 9, 1077.	3.6	69
63	Editorial: Advances in Ascochyta Research. <i>Frontiers in Plant Science</i> , 2018, 9, 22.	3.6	19
64	A High-Density Integrated DARTseq SNP-Based Genetic Map of <i>Pisum fulvum</i> and Identification of QTLs Controlling Rust Resistance. <i>Frontiers in Plant Science</i> , 2018, 9, 167.	3.6	58
65	Physical and Chemical Barriers in Root Tissues Contribute to Quantitative Resistance to <i>Fusarium oxysporum</i> f. sp. <i>pisi</i> in Pea. <i>Frontiers in Plant Science</i> , 2018, 9, 199.	3.6	58
66	Editorial: Advances in Parasitic Weed Research. <i>Frontiers in Plant Science</i> , 2018, 9, 236.	3.6	11
67	Editorial: Advances in Legume Research. <i>Frontiers in Plant Science</i> , 2018, 9, 501.	3.6	8
68	Developing pest- and disease-resistant cultivars of grain legumes. <i>Burleigh Dodds Series in Agricultural Science</i> , 2018, , 155-176.	0.2	0
69	Cytoskeleton reorganization/disorganization is a key feature of induced inaccessibility for defence to successive pathogen attacks. <i>Molecular Plant Pathology</i> , 2017, 18, 662-671.	4.2	7
70	Higher rust resistance and similar yield of oat landraces versus cultivars under high temperature and drought. <i>Agronomy for Sustainable Development</i> , 2017, 37, 1.	5.3	31
71	Reduced nitric oxide levels during drought stress promote drought tolerance in barley and is associated with elevated polyamine biosynthesis. <i>Scientific Reports</i> , 2017, 7, 13311.	3.3	79
72	Complexation of sesquiterpene lactones with cyclodextrins: synthesis and effects on their activities on parasitic weeds. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 6500-6510.	2.8	23

#	ARTICLE	IF	CITATIONS
73	Identification and multi-environment validation of resistance to rust (<i>Uromyces viciae-fabae</i>) in <i>Vicia faba</i> . <i>Crop and Pasture Science</i> , 2017, 68, 1013.	1.5	12
74	High productivity of dry pea genotypes resistant to crenate broomrape in Mediterranean environments. <i>Agronomy for Sustainable Development</i> , 2017, 37, 1.	5.3	11
75	Histopathology of the infection on resistant and susceptible lentil accessions by two contrasting pathotypes of <i>Fusarium oxysporum</i> f.sp. <i>lentis</i> . <i>European Journal of Plant Pathology</i> , 2017, 148, 53-63.	1.7	26
76	Inhibition of early development stages of rust fungi by the two fungal metabolites cyclopaldic acid and cyclopoformin. <i>Pest Management Science</i> , 2017, 73, 1161-1168.	3.4	18
77	Legumes in sustainable agriculture. <i>Crop and Pasture Science</i> , 2017, 68, i.	1.5	16
78	Assessment of field pea (<i>Pisum sativum</i> L.) grain yield, aerial biomass and flowering date stability in Mediterranean environments. <i>Crop and Pasture Science</i> , 2017, 68, 915.	1.5	13
79	Inhibition of Spore Germination and Appressorium Formation of Rust Species by Plant and Fungal Metabolites. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.5	5
80	Las leguminosas grano en la agricultura española y europea. <i>Arbor</i> , 2016, 192, a311.	0.3	6
81	Clarification on Host Range of <i>Didymella pinodes</i> the Causal Agent of Pea <i>Ascochyta</i> Blight. <i>Frontiers in Plant Science</i> , 2016, 7, 592.	3.6	28
82	The Effect of <i>Orobanche crenata</i> Infection Severity in Faba Bean, Field Pea, and Grass Pea Productivity. <i>Frontiers in Plant Science</i> , 2016, 7, 1409.	3.6	52
83	Compromised Photosynthetic Electron Flow and H ₂ O ₂ Generation Correlate with Genotype-Specific Stomatal Dysfunctions during Resistance against Powdery Mildew in Oats. <i>Frontiers in Plant Science</i> , 2016, 7, 1660.	3.6	4
84	Characterization of Resistance Mechanisms in Faba Bean (<i>Vicia faba</i>) against Broomrape Species (<i>Orobanche</i> and <i>Phelipanche</i> spp.). <i>Frontiers in Plant Science</i> , 2016, 7, 1747.	3.6	21
85	Differences in Crenate Broomrape Parasitism Dynamics on Three Legume Crops Using a Thermal Time Model. <i>Frontiers in Plant Science</i> , 2016, 7, 1910.	3.6	18
86	Phthalimide-derived strigolactone mimics as germinating agents for seeds of parasitic weeds. <i>Pest Management Science</i> , 2016, 72, 2069-2081.	3.4	21
87	QTLs for ascochyta blight resistance in faba bean (<i>Vicia faba</i> L.): validation in field and controlled conditions. <i>Crop and Pasture Science</i> , 2016, 67, 216.	1.5	25
88	Label-free quantitative proteomic analysis of tolerance to drought in <i>Pisum sativum</i> . <i>Proteomics</i> , 2016, 16, 2776-2787.	2.2	12
89	Genome-wide identification and comparison of legume MLO gene family. <i>Scientific Reports</i> , 2016, 6, 32673.	3.3	41
90	Induction of Haustorium Development by Sphaeropsidones in Radicles of the Parasitic Weeds <i>Striga</i> and <i>Orobanche</i> . A Structure-Activity Relationship Study. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 5188-5196.	5.2	29

#	ARTICLE	IF	CITATIONS
91	Free polyamine and polyamine regulation during pre-penetration and penetration resistance events in oat against crown rust (<i>Puccinia coronata</i> f. sp. <i>avenae</i>). Plant Pathology, 2016, 65, 392-401.	2.4	16
92	Identification of pathotypes in <i>Fusarium oxysporum</i> f.sp. <i>lentis</i> . European Journal of Plant Pathology, 2016, 144, 539-549.	1.7	22
93	Inhibition of Spore Germination and Appressorium Formation of Rust Species by Plant and Fungal Metabolites. Natural Product Communications, 2016, 11, 1343-1347.	0.5	8
94	Resistance reaction of <i>Medicago truncatula</i> genotypes to <i>Fusarium oxysporum</i> : effect of plant age, substrate and inoculation method. Crop and Pasture Science, 2015, 66, 506.	1.5	17
95	Temperature and water stress during conditioning and incubation phase affecting <i>Orobanche crenata</i> seed germination and radicle growth. Frontiers in Plant Science, 2015, 6, 408.	3.6	11
96	Transcriptional profiling of <i>Medicago truncatula</i> during <i>Erysiphe pisi</i> infection. Frontiers in Plant Science, 2015, 6, 517.	3.6	10
97	BTH and BABA induce resistance in pea against rust (<i>Uromyces pisi</i>) involving differential phytoalexin accumulation. Planta, 2015, 242, 1095-1106.	3.2	26
98	Identification of resistance to <i>Fusarium oxysporum</i> f.sp. <i>lentis</i> in Spanish lentil germplasm. European Journal of Plant Pathology, 2015, 143, 399-405.	1.7	16
99	A metabolomic study in oats (<i>Avena sativa</i>) highlights a drought tolerance mechanism based upon salicylate signalling pathways and the modulation of carbon, antioxidant and photo-oxidative metabolism. Plant, Cell and Environment, 2015, 38, 1434-1452.	5.7	73
100	Understanding pea resistance mechanisms in response to <i>Fusarium oxysporum</i> through proteomic analysis. Phytochemistry, 2015, 115, 44-58.	2.9	47
101	Penetration resistance to <i>Erysiphe pisi</i> in pea mediated by <i>er1</i> gene is associated with protein cross-linking but not with callose apposition or hypersensitive response. Euphytica, 2015, 201, 381-387.	1.2	20
102	Genome-wide association study for crown rust (<i>Puccinia coronata</i> f. sp. <i>avenae</i>) and powdery mildew (<i>Blumeria graminis</i> f. sp. <i>avenae</i>) resistance in an oat (<i>Avena sativa</i>) collection of commercial varieties and landraces. Frontiers in Plant Science, 2015, 6, 103.	3.6	43
103	<i>Lathyrus sativus</i> transcriptome resistance response to <i>Ascochyta lathyri</i> investigated by deepSuperSAGE analysis. Frontiers in Plant Science, 2015, 6, 178.	3.6	43
104	Rapid and Efficient Estimation of Pea Resistance to the Soil-Borne Pathogen <i>Fusarium oxysporum</i> by Infrared Imaging. Sensors, 2015, 15, 3988-4000.	3.8	12
105	Quantitative Trait Loci Associated to Drought Adaptation in Pea (<i>Pisum sativum</i> L.). Plant Molecular Biology Reporter, 2015, 33, 1768-1778.	1.8	51
106	Grass Pea. Handbook of Plant Breeding, 2015, , 251-265.	0.1	5
107	Introduction: Legumes in Sustainable Agriculture. Critical Reviews in Plant Sciences, 2015, 34, 2-3.	5.7	73
108	Molecular and cytogenetic characterization of a common wheat- <i>Agropyron cristatum</i> chromosome translocation conferring resistance to leaf rust. Euphytica, 2015, 201, 89-95.	1.2	35

#	ARTICLE	IF	CITATIONS
109	Models, Developments, and Perspectives of Mutual Legume Intercropping. <i>Advances in Agronomy</i> , 2015, 130, 337-419.	5.2	27
110	Ryecyanatines A and B and ryecarbonitrilines A and B, substituted cyanatophenol, cyanatobenzo[1,3]dioxole, and benzo[1,3]dioxolecarbonitriles from rye (<i>Secale cereale</i> L.) root exudates: Novel metabolites with allelopathic activity on <i>Orobanch</i> seed germination and radicle growth. <i>Phytochemistry</i> , 2015, 109, 57-65.	2.9	25
111	Genetic analysis of root morphological traits in wheat. <i>Molecular Genetics and Genomics</i> , 2015, 290, 785-806.	2.1	37
112	Achievements and Challenges in Legume Breeding for Pest and Disease Resistance. <i>Critical Reviews in Plant Sciences</i> , 2015, 34, 195-236.	5.7	153
113	Plant Defense Responses in <i>Medicago truncatula</i> Unveiled by Microarray Analysis. <i>Plant Molecular Biology Reporter</i> , 2015, 33, 569-583.	1.8	8
114	Legume breeding for broomrape resistance. <i>Czech Journal of Genetics and Plant Breeding</i> , 2014, 50, 144-150.	0.8	15
115	Resistance to rusts (<i>Uromyces pisi</i> and <i>U. viciae-fabae</i>) in pea. <i>Czech Journal of Genetics and Plant Breeding</i> , 2014, 50, 135-143.	0.8	13
116	Resistance to rust and powdery mildew in <i>Lathyrus</i> crops. <i>Czech Journal of Genetics and Plant Breeding</i> , 2014, 50, 116-122.	0.8	10
117	Response of <i>Vicia</i> species to <i>Ascochyta fabae</i> and <i>Uromyces viciae-fabae</i> . <i>Czech Journal of Genetics and Plant Breeding</i> , 2014, 50, 109-115.	0.8	4
118	Identification and mapping of quantitative trait loci for leaf rust resistance derived from a tetraploid wheat <i>Triticum dicoccum</i> accession. <i>Molecular Breeding</i> , 2014, 34, 1659-1675.	2.1	33
119	Allelic diversity in the transcriptomes of contrasting rust-infected genotypes of <i>Lathyrus sativus</i> , a lasting resource for smart breeding. <i>BMC Plant Biology</i> , 2014, 14, 376.	3.6	37
120	Unveiling common responses of <i>Medicago truncatula</i> to appropriate and inappropriate rust species. <i>Frontiers in Plant Science</i> , 2014, 5, 618.	3.6	7
121	Identification of Sources of Quantitative Resistance to <i>Fusarium oxysporum</i> f. sp. <i>medicaginis</i> in <i>Medicago truncatula</i> . <i>Plant Disease</i> , 2014, 98, 667-673.	1.4	27
122	<i>Lathyrus</i> diversity: available resources with relevance to crop improvement – <i>L. sativus</i> and <i>L. cicera</i> as case studies. <i>Annals of Botany</i> , 2014, 113, 895-908.	2.9	74
123	Differential gene transcript accumulation in peas in response to powdery mildew (<i>Erysiphe pisi</i>) attack. <i>Euphytica</i> , 2014, 198, 13-28.	1.2	17
124	Identification of Genes Involved in Resistance to <i>Didymella pinodes</i> in Pea by deepSuperSAGE Transcriptome Profiling. <i>Plant Molecular Biology Reporter</i> , 2014, 32, 258-269.	1.8	24
125	Transferability of molecular markers from major legumes to <i>Lathyrus</i> spp. for their application in mapping and diversity studies. <i>Molecular Biology Reports</i> , 2014, 41, 269-283.	2.3	34
126	Changes in polyamine profile in host and non-host oat – powdery mildew interactions. <i>Phytochemistry Letters</i> , 2014, 8, 207-212.	1.2	10

#	ARTICLE	IF	CITATIONS
127	Proteomic Analysis of Pea (<i>Pisum sativum</i> L.) Response During Compatible and Incompatible Interactions with the Pea Aphid (<i>Acyrtosiphon pisum</i> H.). <i>Plant Molecular Biology Reporter</i> , 2014, 32, 697-718.	1.8	35
128	Quantum Dot and Superparamagnetic Nanoparticle Interaction with Pathogenic Fungi: Internalization and Toxicity Profile. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 9100-9110.	8.0	71
129	Effect of Fungal and Plant Metabolites on Broomrapes (<i>Orobanche</i> and <i>Phelipanche</i> spp.) Seed Germination and Radicle Growth. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 10485-10492.	5.2	43
130	Low Strigolactone Root Exudation: A Novel Mechanism of Broomrape (<i>Orobanche</i> and) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627</i> Chemistry, 2014, 62, 7063-7071.	5.2	62
131	Identification of quantitative trait loci and candidate genes for specific cellular resistance responses against <i>Didymella pinodes</i> in pea. <i>Plant Cell Reports</i> , 2014, 33, 1133-1145.	5.6	53
132	Detection of partial resistance quantitative trait loci against <i>Didymella pinodes</i> in <i>Medicago truncatula</i> . <i>Molecular Breeding</i> , 2014, 33, 589-599.	2.1	7
133	Characterization of Transcription Factors Following Expression Profiling of <i>Medicago truncatula</i> "Botrytis spp. Interactions. <i>Plant Molecular Biology Reporter</i> , 2014, 32, 1030-1040.	1.8	7
134	Identification and multi-environment validation of resistance against broomrapes (<i>Orobanche</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462</i>	5.1	44
135	Adaptation of oat (<i>Avena sativa</i>) cultivars to autumn sowings in Mediterranean environments. <i>Field Crops Research</i> , 2014, 156, 111-122.	5.1	44
136	Identification of the Main Toxins Isolated from <i>Fusarium oxysporum</i> f. sp. <i>pisi</i> Race 2 and Their Relation with Isolates' Pathogenicity. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 2574-2580.	5.2	40
137	QTLs for <i>Orobanche</i> spp. resistance in faba bean: identification and validation across different environments. <i>Molecular Breeding</i> , 2013, 32, 909-922.	2.1	39
138	Genetic Diversity and Population Structure Among Oat Cultivars and Landraces. <i>Plant Molecular Biology Reporter</i> , 2013, 31, 1305-1314.	1.8	55
139	Adaptation of spring faba bean types across European climates. <i>Field Crops Research</i> , 2013, 145, 1-9.	5.1	52
140	Characterization of mechanisms of resistance against <i>Didymella pinodes</i> in <i>Pisum</i> spp.. <i>European Journal of Plant Pathology</i> , 2013, 135, 761-769.	1.7	51
141	Genetic basis of qualitative and quantitative resistance to powdery mildew in wheat: from consensus regions to candidate genes. <i>BMC Genomics</i> , 2013, 14, 562.	2.8	84
142	<i>Erysiphe trifolii</i> is able to overcome <i>er1</i> and <i>Er3</i> , but not <i>er2</i> , resistance genes in pea. <i>European Journal of Plant Pathology</i> , 2013, 136, 557-563.	1.7	29
143	Inhibition of <i>Orobanche crenata</i> Seed Germination and Radicle Growth by Allelochemicals Identified in Cereals. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 9797-9803.	5.2	37
144	Response of vetches (<i>Vicia</i> spp.) to specialized forms of <i>Uromyces vicia-fabae</i> and to <i>Uromyces pisi</i> . <i>Crop Protection</i> , 2013, 46, 38-43.	2.1	22

#	ARTICLE	IF	CITATIONS
145	Didymella pinodes and its management in field pea: Challenges and opportunities. Field Crops Research, 2013, 148, 61-77.	5.1	51
146	Lentisone, a New Phytotoxic Anthraquinone Produced by Ascochyta lentis, the Causal Agent of Ascochyta Blight in Lens culinaris. Journal of Agricultural and Food Chemistry, 2013, 61, 7301-7308.	5.2	23
147	Identification of pre- and posthaustorial resistance to rust (<i>Uromyces viciae-fabae</i>) in lentil (<i>Lens culinaris</i>) germplasm. Plant Breeding, 2013, 132, 676-680.	1.9	18
148	Identification of resistance to rust (<i>Uromyces appendiculatus</i>) and powdery mildew (<i>Erysiphe diffusa</i>) in Portuguese common bean germplasm. Plant Breeding, 2013, 132, 654-657.	1.9	10
149	Proteomic analysis by two-dimensional differential in gel electrophoresis (2D DIGE) of the early response of Pisum sativum to Orobanche crenata. Journal of Experimental Botany, 2012, 63, 107-119.	4.8	33
150	Future Prospects for Ascochyta Blight Resistance Breeding in Cool Season Food Legumes. Frontiers in Plant Science, 2012, 3, 27.	3.6	48
151	Targeting sources of drought tolerance within an Avena spp. collection through multivariate approaches. Planta, 2012, 236, 1529-1545.	3.2	18
152	Identification of quantitative trait loci involved in resistance to Pseudomonas syringae pv. syringae in pea (Pisum sativum L.). Euphytica, 2012, 186, 805-812.	1.2	23
153	Genetic resistance to powdery mildew in common bean. Euphytica, 2012, 186, 875-882.	1.2	23
154	Resistance against broomrapes (Orobanche and Phelipanche spp.) in faba bean (Vicia faba) based in low induction of broomrape seed germination. Euphytica, 2012, 186, 897-905.	1.2	45
155	Identification and characterization of resistance to rust (Uromyces ciceris-arietini (Grognot) Jacz.) Tj ETQq1 1 0.784314 rgBT / Overlook	1.2	18
156	Comparative proteomic analysis of BTH and BABA-induced resistance in pea (Pisum sativum) toward infection with pea rust (Uromyces pisi). Journal of Proteomics, 2012, 75, 5189-5205.	2.4	30
157	Pinolide, a New Nonenolide Produced by Didymella pinodes, the Causal Agent of Ascochyta Blight on Pisum sativum. Journal of Agricultural and Food Chemistry, 2012, 60, 5273-5278.	5.2	30
158	Characterization of wheat DArT markers: genetic and functional features. Molecular Genetics and Genomics, 2012, 287, 741-753.	2.1	46
159	Pea (Pisum sativum L.) in the Genomic Era. Agronomy, 2012, 2, 74-115.	3.0	172
160	Powdery mildew control in pea. A review. Agronomy for Sustainable Development, 2012, 32, 401-409.	5.3	84
161	Innovations in parasitic weeds management in legume crops. A review. Agronomy for Sustainable Development, 2012, 32, 433-449.	5.3	109
162	Faba bean adaptation to autumn sowing under European climates. Agronomy for Sustainable Development, 2012, 32, 727-734.	5.3	49

#	ARTICLE	IF	CITATIONS
163	Identification and characterization of sources of resistance in <i>Avena sativa</i> , <i>A. abyssinica</i> and <i>A. strigosa</i> germplasm against a pathotype of <i>Puccinia coronata</i> f.sp. <i>avenae</i> with virulence against the <i>Pc94</i> resistance gene. Plant Pathology, 2012, 61, 315-322.	2.4	22
164	A detailed evaluation method to identify sources of quantitative resistance to <i>Fusarium oxysporum</i> f. sp. <i>pisi</i> race 2 within a <i>Pisum</i> spp. germplasm collection. Plant Pathology, 2012, 61, 532-542.	2.4	52
165	Escape and true resistance to crenate broomrape (<i>Orobancha crenata</i> Forsk.) in grass pea (<i>Lathyrus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 5.1 29	5.1	29
166	Identification and multi-environment validation of resistance to <i>Ascochyta fabae</i> in faba bean (<i>Vicia</i>) Tj ETQq0 0 0 rgBT /Overlock 8.1 53	8.1	53
167	Differential response of pea (<i>Pisum sativum</i>) to <i>Orobancha crenata</i> , <i>Orobancha foetida</i> and <i>Phelipanche aegyptiaca</i> . Crop Protection, 2012, 31, 27-30.	2.1	12
168	Induction of systemic acquired resistance against rust, ascochyta blight and broomrape in faba bean by exogenous application of salicylic acid and benzothiadiazole. Crop Protection, 2012, 34, 65-69.	2.1	48
169	Clarification on rust species potentially infecting pea (<i>Pisum sativum</i> L.) crop and host range of <i>Uromyces pisi</i> (Pers.) Wint. Crop Protection, 2012, 37, 65-70.	2.1	18
170	Identification of resistance to tan spot (<i>Pyrenophora tritici-repentis</i>) in <i>Hordeum chilense</i> and its expression in its amphiploids with diploid, tetraploid and hexaploid <i>Triticum</i> species. Plant Breeding, 2012, 131, 579-583.	1.9	0
171	Screening faba bean for chocolate spot resistance: evaluation methods and effects of age of host tissue and temperature. European Journal of Plant Pathology, 2012, 132, 443-453.	1.7	28
172	Botrytone, a New Naphthalenone Pentaketide Produced by <i>Botrytis fabae</i> , the Causal Agent of Chocolate Spot Disease on <i>Vicia faba</i> . Journal of Agricultural and Food Chemistry, 2011, 59, 9201-9206.	5.2	27
173	The role of strigolactones in host specificity of <i>Orobancha</i> and <i>Phelipanche</i> seed germination. Seed Science Research, 2011, 21, 55-61.	1.7	92
174	Agronomic, breeding, and biotechnological approaches to parasitic plant management through manipulation of germination stimulant levels in agricultural soils. Botany, 2011, 89, 813-826.	1.0	40
175	Phylogenetic Analysis of <i>Uromyces</i> Species Infecting Grain and Forage Legumes by Sequence analysis of Nuclear Ribosomal Internal Transcribed Spacer Region. Journal of Phytopathology, 2011, 159, 137-145.	1.0	21
176	Confirmation that the <i>Er3</i> gene, conferring resistance to <i>Erysiphe pisi</i> in pea, is a different gene from <i>er1</i> and <i>er2</i> genes. Plant Breeding, 2011, 130, 281-282.	1.9	44
177	Resistance of <i>Hordeum chilense</i> against loose smuts of wheat and barley (<i>Ustilago tritici</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 1.9 5	1.9	5
178	Resistance to powdery mildew (<i>Blumeria graminis</i> f.sp. <i>avenae</i>) in oat seedlings and adult plants. Plant Pathology, 2011, 60, 846-856.	2.4	35
179	Identification and characterisation of resistance against rust (<i>Puccinia allii</i>) in garlic (<i>Allium</i> sp.) germplasm. Annals of Applied Biology, 2011, 159, 93-98.	2.5	7
180	Transformation and regeneration of the holoparasitic plant <i>Phelipanche aegyptiaca</i> . Plant Methods, 2011, 7, 36.	4.3	32

#	ARTICLE	IF	CITATIONS
181	Chemical control of faba bean rust (<i>Uromyces viciae-fabae</i>). <i>Crop Protection</i> , 2011, 30, 907-912.	2.1	39
182	Effects of crop mixtures on chocolate spot development on faba bean grown in mediterranean climates. <i>Crop Protection</i> , 2011, 30, 1015-1023.	2.1	39
183	Multiple-disease resistance in <i>Vicia faba</i> : Multi-environment field testing for identification of combined resistance to rust and chocolate spot. <i>Field Crops Research</i> , 2011, 124, 59-65.	5.1	21
184	Legume breeding for rust resistance: lessons to learn from the model <i>Medicago truncatula</i> . <i>Euphytica</i> , 2011, 180, 89-98.	1.2	28
185	Identification of common genomic regions controlling resistance to <i>Mycosphaerella pinodes</i> , earliness and architectural traits in different pea genetic backgrounds. <i>Euphytica</i> , 2011, 182, 43-52.	1.2	50
186	Identification of genes differentially expressed in a resistant reaction to <i>Mycosphaerella pinodes</i> in pea using microarray technology. <i>BMC Genomics</i> , 2011, 12, 28.	2.8	77
187	Soyasapogenol B and <i>trans</i> - Δ^2 -dehydrocampesterol from common vetch (<i>Vicia sativa</i> L.) root exudates stimulate broomrape seed germination. <i>Pest Management Science</i> , 2011, 67, 1015-1022.	3.4	41
188	Regiolone and Isosclerone, Two Enantiomeric Phytotoxic Naphthalenone Pentaketides: Computational Assignment of Absolute Configuration and Its Relationship with Phytotoxic Activity. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 5564-5570.	2.4	60
189	Cereal Landraces for Sustainable Agriculture. , 2011, , 147-186.		19
190	The legume manifesto: (Net)workers on Fabaceae, unite!. <i>Ratarstvo I Povrtarstvo</i> , 2011, 48, 253-258.	0.5	5
191	Transcription factor profiling leading to the identification of putative transcription factors involved in the <i>Medicago truncatula</i> – <i>Uromyces striatus</i> interaction. <i>Theoretical and Applied Genetics</i> , 2010, 121, 1311-1321.	3.6	17
192	Identification of quantitative trait loci for specific mechanisms of resistance to <i>Orobanche crenata</i> Forsk. in pea (<i>Pisum sativum</i> L.). <i>Molecular Breeding</i> , 2010, 25, 259-272.	2.1	60
193	Benzothiadiazole and BABA improve resistance to <i>Uromyces pisi</i> (Pers.) Wint. in <i>Pisum sativum</i> L. with an enhancement of enzymatic activities and total phenolic content. <i>European Journal of Plant Pathology</i> , 2010, 128, 483-493.	1.7	40
194	Characterisation of resistance to crenate broomrape (<i>Orobanche crenata</i> Forsk.) in <i>Lathyrus cicera</i> L.. <i>Euphytica</i> , 2010, 173, 77-84.	1.2	21
195	Mapping of quantitative trait loci controlling partial resistance against rust incited by <i>Uromyces pisi</i> (Pers.) Wint. in a <i>Pisum fulvum</i> L. intraspecific cross. <i>Euphytica</i> , 2010, 175, 151-159.	1.2	54
196	Intercropping reduces <i>Mycosphaerella pinodes</i> severity and delays upward progress on the pea plant. <i>Crop Protection</i> , 2010, 29, 744-750.	2.1	48
197	Inter-cropping with berseem clover (<i>Trifolium alexandrinum</i>) reduces infection by <i>Orobanche crenata</i> in legumes. <i>Crop Protection</i> , 2010, 29, 867-871.	2.1	48
198	Absorption and translocation to the aerial part of magnetic carbon-coated nanoparticles through the root of different crop plants. <i>Journal of Nanobiotechnology</i> , 2010, 8, 26.	9.1	159

#	ARTICLE	IF	CITATIONS
199	Two-dimensional gel electrophoresis-based proteomic analysis of the <i>Medicago truncatula</i> –rust (<i>Uromyces striatus</i>) interaction. <i>Annals of Applied Biology</i> , 2010, 157, 243-257.	2.5	19
200	Parasitic plant infection is partially controlled through symbiotic pathways. <i>Weed Research</i> , 2010, 50, 76-82.	1.7	21
201	Colonisation of field pea roots by arbuscular mycorrhizal fungi reduces <i>Orobanch</i> and <i>Phelipanche</i> species seed germination. <i>Weed Research</i> , 2010, 50, 262-268.	1.7	57
202	Induction of Systemic Acquired Resistance in Pea against Rust (<i>Uromyces pisi</i>) by Exogenous Application of Biotic and Abiotic Inducers. <i>Journal of Phytopathology</i> , 2010, 158, 30-34.	1.0	26
203	Cereal landraces for sustainable agriculture. A review. <i>Agronomy for Sustainable Development</i> , 2010, 30, 237-269.	5.3	197
204	Two-Dimensional Electrophoresis Based Proteomic Analysis of the Pea (<i>Pisum sativum</i>) in Response to <i>Mycosphaerella pinodes</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 12822-12832.	5.2	44
205	Broomrape management in faba bean. <i>Field Crops Research</i> , 2010, 115, 319-328.	5.1	79
206	Model legumes contribute to faba bean breeding. <i>Field Crops Research</i> , 2010, 115, 253-269.	5.1	64
207	Integrated pest management in faba bean. <i>Field Crops Research</i> , 2010, 115, 308-318.	5.1	174
208	Faba bean breeding for disease resistance. <i>Field Crops Research</i> , 2010, 115, 297-307.	5.1	128
209	Polyphenols, Including the New Peapolyphenols A ⁺ C, from Pea Root Exudates Stimulate <i>Orobanch</i> foetida Seed Germination. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 2902-2907.	5.2	49
210	Disease resistance in pea (<i>Pisum sativum</i> L.) types for autumn sowings in Mediterranean environments - a review. <i>Czech Journal of Genetics and Plant Breeding</i> , 2009, 45, 135-142.	0.8	27
211	Nanoparticle penetration and transport in living pumpkin plants: in situsubcellular identification. <i>BMC Plant Biology</i> , 2009, 9, 45.	3.6	331
212	Resistance to broomrape species (<i>Orobanch</i> spp.) in common vetch (<i>Vicia sativa</i> L.). <i>Crop Protection</i> , 2009, 28, 7-12.	2.1	36
213	Differential response of pea (<i>Pisum sativum</i>) to rusts incited by <i>Uromyces viciae-fabae</i> and <i>U. pisi</i> . <i>Crop Protection</i> , 2009, 28, 980-986.	2.1	33
214	Genetic analysis of durable resistance against leaf rust in durum wheat. <i>Molecular Breeding</i> , 2009, 24, 25-39.	2.1	41
215	Pre and posthaustorial resistance to rusts in <i>Lathyrus cicera</i> L.. <i>Euphytica</i> , 2009, 165, 27-34.	1.2	24
216	Nanotechnology for parasitic plant control. <i>Pest Management Science</i> , 2009, 65, 540-545.	3.4	347

#	ARTICLE	IF	CITATIONS
217	Breeding approaches for crenate broomrape (<i>Orobanche crenata</i> Forsk.) management in pea (<i>Pisum sativum</i> L.). Pest Management Science, 2009, 65, 553-559.	3.4	71
218	Understanding <i>Orobanche</i> and <i>Phelipanche</i> “host plant interactions and developing resistance. Weed Research, 2009, 49, 8-22.	1.7	60
219	Extent and pattern of genetic differentiation within and between European populations of <i>Phelipanche ramosa</i> revealed by amplified fragment length polymorphism analysis. Weed Research, 2009, 49, 48-55.	1.7	12
220	Parasitic plant management in sustainable agriculture. Weed Research, 2009, 49, 1-5.	1.7	69
221	Revisiting strategies for reducing the seedbank of <i>Orobanche</i> and <i>Phelipanche</i> spp.. Weed Research, 2009, 49, 23-33.	1.7	103
222	Gene expression profiling of <i>Medicago truncatula</i> roots in response to the parasitic plant <i>Orobanche crenata</i> . Weed Research, 2009, 49, 66-80.	1.7	26
223	Comparative proteomic analysis of <i>Orobanche</i> and <i>Phelipanche</i> species inferred from seed proteins. Weed Research, 2009, 49, 81-87.	1.7	11
224	Resistance to broomrape in wild lentils (<i>Lens</i> spp.). Plant Breeding, 2009, 128, 266-270.	1.9	40
225	Identification and characterization of partial resistance to rust in a germplasm collection of <i>Lathyrus sativus</i> L.. Plant Breeding, 2009, 128, 495-500.	1.9	33
226	Characterization of resistance response of pea (<i>Pisum</i> spp.) against rust (<i>Uromyces pisi</i>). Plant Breeding, 2009, 128, 665-670.	1.9	42
227	Peagol and peagoldione, two new strigolactone-like metabolites isolated from pea root exudates. Tetrahedron Letters, 2009, 50, 6955-6958.	1.4	52
228	Population genetics in weedy species of <i>Orobanche</i> . Australasian Plant Pathology, 2009, 38, 228.	1.0	25
229	New Chemical Clues for Broomrape-Sunflower Host-Parasite Interactions: Synthesis of Guaianestrigolactones. Journal of Agricultural and Food Chemistry, 2009, 57, 5853-5864.	5.2	29
230	Field response of <i>Lathyrus cicera</i> germplasm to crenate broomrape (<i>Orobanche crenata</i>). Field Crops Research, 2009, 113, 321-327.	5.1	38
231	Identification and multi-environment validation of resistance to <i>Botrytis fabae</i> in <i>Vicia faba</i> . Field Crops Research, 2009, 114, 84-90.	5.1	50
232	Identification of resistance to <i>Uromyces pisi</i> (Pers.) Wint. in <i>Pisum</i> spp. germplasm. Field Crops Research, 2009, 114, 198-203.	5.1	39
233	Recognition of root exudates by seeds of broomrape (<i>Orobanche</i> and <i>Phelipanche</i>) species. Annals of Botany, 2009, 103, 423-431.	2.9	110
234	Characterization of Resistance Mechanisms to Powdery Mildew (<i>Erysiphe betae</i>) in Beet (<i>Beta</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	2.2	10

#	ARTICLE	IF	CITATIONS
235	Diseases and their management.. , 2009, , 262-281.		12
236	First Report of Crenate Broomrape (<i>Orobanche crenata</i>) on White Lupine (<i>Lupinus albus</i>) Growing in Alkaline Soils in Spain and Egypt. Plant Disease, 2009, 93, 970-970.	1.4	5
237	Mapping of quantitative trait loci for resistance to <i>Mycosphaerella pinodes</i> in <i>Pisum sativum</i> subsp. <i>syriacum</i> . Molecular Breeding, 2008, 21, 439-454.	2.1	62
238	Identification and validation of RAPD and SCAR markers linked to the gene Er3 conferring resistance to <i>Erysiphe pisi</i> DC in pea. Molecular Breeding, 2008, 22, 193-200.	2.1	59
239	Mechanism and molecular markers associated with rust resistance in a chickpea interspecific cross (<i>Cicer arietinum</i> Å— <i>Cicer reticulatum</i>). European Journal of Plant Pathology, 2008, 121, 43-53.	1.7	54
240	Host plant resistance against broomrapes (<i>Orobanche</i> spp.): defence reactions and mechanisms of resistance. Annals of Applied Biology, 2008, 152, 131-141.	2.5	55
241	Variability of interactions between barrel medic (<i>Medicago truncatula</i>) genotypes and <i>Orobanche</i> species. Annals of Applied Biology, 2008, 153, 117-126.	2.5	35
242	Genetic Variation Among and Within <i>Uromyces</i> Species Infecting Legumes. Journal of Phytopathology, 2008, 156, 419-424.	1.0	22
243	Fenugreek root exudates show species-specific stimulation of <i>Orobanche</i> seed germination. Weed Research, 2008, 48, 163-168.	1.7	33
244	Identification of sources of resistance to crenate broomrape (<i>Orobanche crenata</i>) in Spanish lentil (<i>Lens culinaris</i>) germplasm. Weed Research, 2008, 48, 85-94.	1.7	47
245	Genetic diversity of Moroccan populations of <i>Orobanche foetida</i> : evolving from parasitising wild hosts to crop plants. Weed Research, 2008, 48, 179-186.	1.7	34
246	Control of <i>Orobanche crenata</i> in legumes intercropped with fenugreek (<i>Trigonella foenum-graecum</i>). Crop Protection, 2008, 27, 653-659.	2.1	50
247	Nanoparticles as Smart Treatment-delivery Systems in Plants: Assessment of Different Techniques of Microscopy for their Visualization in Plant Tissues. Annals of Botany, 2008, 101, 187-195.	2.9	303
248	Stimulation of Seed Germination of <i>Orobanche</i> Species by Ophiobolin A and Fusicoccin Derivatives. Journal of Agricultural and Food Chemistry, 2008, 56, 8343-8347.	5.2	33
249	First Report of Crenate Broomrape (<i>Orobanche crenata</i>) on Lentil (<i>Lens culinaris</i>) and Common Vetch (<i>Vicia sativa</i>) in Salamanca Province, Spain. Plant Disease, 2008, 92, 1368-1368.	1.4	11
250	<i>Medicago truncatula</i> as a Model for Nonhost Resistance in Legume-Parasitic Plant Interactions. Plant Physiology, 2007, 145, 437-449.	4.8	52
251	Genetic diversity in two variants of <i>Orobanche gracilis</i> Sm. [var. <i>gracilis</i> and var. <i>deludens</i> (Beck) A. Pujadas] (Orobanchaceae) from different regions of Spain. Electronic Journal of Biotechnology, 2007, 10, 0-0.	2.2	10
252	Effects of Phenylpropanoid and Energetic Metabolism Inhibition on Faba Bean Resistance Mechanisms to Rust. Phytopathology, 2007, 97, 60-65.	2.2	14

#	ARTICLE	IF	CITATIONS
253	Differential Effects of Phenylalanine Ammonia Lyase, Cinnamyl Alcohol Dehydrogenase, and Energetic Metabolism Inhibition on Resistance of Appropriate Host and Nonhost Cereal-Rust Interactions. <i>Phytopathology</i> , 2007, 97, 1578-1583.	2.2	17
254	Characterization of Resistance Mechanisms to <i>Erysiphe pisi</i> in <i>Medicago truncatula</i> . <i>Phytopathology</i> , 2007, 97, 1049-1053.	2.2	29
255	Identification by suppression subtractive hybridization and expression analysis of <i>Medicago truncatula</i> putative defence genes in response to <i>Orobanche crenata</i> parasitization. <i>Physiological and Molecular Plant Pathology</i> , 2007, 70, 49-59.	2.5	37
256	Host differentiation in <i>Orobanche foetida</i> Poir. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2007, 202, 201-208.	1.2	35
257	Identification of a New Gene for Resistance to Powdery Mildew in <i>Pisum fulvum</i> , a Wild Relative of Pea. <i>Breeding Science</i> , 2007, 57, 181-184.	1.9	84
258	Biology and Management of Weedy Root Parasites. , 2007, , 267-349.		154
259	Constitutive Coumarin Accumulation on Sunflower Leaf Surface Prevents Rust Germ Tube Growth and Appressorium Differentiation. <i>Crop Science</i> , 2007, 47, 1119-1124.	1.8	33
260	Identification and characterization of sources of resistance to <i>Erysiphe pisi</i> Syd. in <i>Pisum</i> spp.. <i>Plant Breeding</i> , 2007, 126, 113-119.	1.9	56
261	Resistance to leaf rust in cultivars of bread wheat and durum wheat grown in Spain. <i>Plant Breeding</i> , 2007, 126, 13-18.	1.9	19
262	The resistance to leaf rust and powdery mildew of recombinant lines of barley (<i>Hordeum vulgare</i> L.) derived from $H.vulgare \times H.bulbosum$ crosses. <i>Plant Breeding</i> , 2007, 126, 259-267.	1.9	35
263	Plant resistance to parasitic plants: molecular approaches to an old foe. <i>New Phytologist</i> , 2007, 173, 703-712.	7.3	89
264	Identification and expression analysis of a MYB family transcription factor in the parasitic plant <i>Orobanche ramosa</i> . <i>Annals of Applied Biology</i> , 2007, 150, 123-130.	2.5	5
265	Resistance to broomrape (<i>Orobanche crenata</i>) in faba bean (<i>Vicia faba</i>): cell wall changes associated with prehaustorial defensive mechanisms. <i>Annals of Applied Biology</i> , 2007, 151, 89-98.	2.5	50
266	Intercropping with cereals reduces infection by <i>Orobanche crenata</i> in legumes. <i>Crop Protection</i> , 2007, 26, 1166-1172.	2.1	83
267	Inheritance of resistance to <i>Mycosphaerella pinodes</i> in two wild accessions of <i>Pisum</i> . <i>European Journal of Plant Pathology</i> , 2007, 119, 53-58.	1.7	19
268	Resistance reaction to powdery mildew (<i>Erysiphe pisi</i>) in a germplasm collection of <i>Lathyrus cicera</i> from Iberian origin. <i>Genetic Resources and Crop Evolution</i> , 2007, 54, 1517-1521.	1.6	21
269	Antifungal Activity of a New Phenolic Compound from Capitulum of a Head Rot-resistant Sunflower Genotype. <i>Journal of Chemical Ecology</i> , 2007, 33, 2245-2253.	1.8	24
270	Trigoxazonane, a monosubstituted trioxazonane from <i>Trigonella foenum-graecum</i> root exudate, inhibits <i>Orobanche crenata</i> seed germination. <i>Phytochemistry</i> , 2007, 68, 2487-2492.	2.9	49

#	ARTICLE	IF	CITATIONS
271	Inheritance of resistance to <i>Mycosphaerella pinodes</i> in two wild accessions of <i>Pisum</i> . , 2007, , 53-58.		4
272	Diseases and their management.. , 2007, , 497-519.		18
273	Genomic Constitution and Expression of Disease Resistance in <i>Agropyron cristatum</i> * Durum Wheat Derivatives. <i>Breeding Science</i> , 2007, 57, 17-21.	1.9	9
274	Cellular basis of resistance to different formae speciales of <i>Blumeria graminis</i> in <i>Hordeum chilense</i> , wheat, and tritordeum and agroticum amphiploids. <i>Canadian Journal of Plant Pathology</i> , 2006, 28, 577-587.	1.4	3
275	Protein cross-linking, peroxidase and β -1,3-endoglucanase involved in resistance of pea against <i>Orobanche crenata</i> . <i>Journal of Experimental Botany</i> , 2006, 57, 1461-1469.	4.8	75
276	Registration of RIL58â€¦LC72/Cr5, a Chickpea Germplasm Line with Rust and Ascochyta Blight Resistance. <i>Crop Science</i> , 2006, 46, 2331-2332.	1.8	14
277	A proteomic approach to study pea (<i>Pisum sativum</i>) responses to powdery mildew (<i>Erysiphe pisi</i>). <i>Proteomics</i> , 2006, 6, S163-S174.	2.2	90
278	Characterization of resistance to powdery mildew (<i>Erysiphe pisi</i>) in a germplasm collection of <i>Lathyrus sativus</i> . <i>Plant Breeding</i> , 2006, 125, 308-310.	1.9	35
279	Search for partial resistance against <i>Puccinia hordei</i> in barley landraces from the Fertile Crescent. <i>Plant Breeding</i> , 2006, 125, 343-346.	1.9	6
280	Macroscopic and Histological Characterisation of Genes <i>er1</i> and <i>er2</i> for Powdery Mildew Resistance in Pea. <i>European Journal of Plant Pathology</i> , 2006, 115, 309-321.	1.7	89
281	Identification of a new pathotype of <i>Puccinia hordei</i> with virulence for the resistance gene <i>Rph7</i> . <i>European Journal of Plant Pathology</i> , 2006, 116, 103-106.	1.7	8
282	Proteomics: a promising approach to study biotic interaction in legumes. A review. <i>Euphytica</i> , 2006, 147, 37-47.	1.2	55
283	Screening techniques and sources of resistance to foliar diseases caused by major necrotrophic fungi in grain legumes. <i>Euphytica</i> , 2006, 147, 223-253.	1.2	154
284	<i>Lathyrus</i> improvement for resistance against biotic and abiotic stresses: From classical breeding to marker assisted selection. <i>Euphytica</i> , 2006, 147, 133-147.	1.2	133
285	Faba bean breeding for resistance against biotic stresses: Towards application of marker technology. <i>Euphytica</i> , 2006, 147, 67-80.	1.2	104
286	Biotechnology approaches to overcome biotic and abiotic stress constraints in legumes. <i>Euphytica</i> , 2006, 147, 1-24.	1.2	214
287	Screening techniques and sources of resistance to rusts and mildews in grain legumes. <i>Euphytica</i> , 2006, 147, 255-272.	1.2	90
288	Screening techniques and sources of resistance against parasitic weeds in grain legumes. <i>Euphytica</i> , 2006, 147, 187-199.	1.2	137

#	ARTICLE	IF	CITATIONS
289	Identification of QTLs for powdery mildew and scald resistance in barley. <i>Euphytica</i> , 2006, 151, 421-429.	1.2	37
290	Mucilage production during the incompatible interaction between <i>Orobanche crenata</i> and <i>Vicia sativa</i> . <i>Journal of Experimental Botany</i> , 2006, 57, 931-942.	4.8	74
291	Screening for Resistance to Leaf Rust (<i>Puccinia hordei</i>) in a Collection of Spanish Barleys. <i>Breeding Science</i> , 2006, 56, 173-177.	1.9	6
292	Infection Structures of Host-Specialized Isolates of <i>Uromyces viciae-fabae</i> and of Other Species of <i>Uromyces</i> Infecting Leguminous Crops. <i>Plant Disease</i> , 2005, 89, 17-22.	1.4	49
293	Pathogenic Specialization of <i>Puccinia triticina</i> in Andalusia from 1998 to 2000. <i>Journal of Phytopathology</i> , 2005, 153, 344-349.	1.0	32
294	Response to <i>Mycosphaerella pinodes</i> in a germplasm collection of <i>Pisum</i> spp. <i>Plant Breeding</i> , 2005, 124, 313-315.	1.9	86
295	<i>Orobanche crenata</i> resistance and avoidance in pea (<i>Pisum</i> spp.) operate at different developmental stages of the parasite. <i>Weed Research</i> , 2005, 45, 379-387.	1.7	107
296	Genetic mapping of QTLs controlling horticultural traits in diploid roses. <i>Theoretical and Applied Genetics</i> , 2005, 111, 511-520.	3.6	88
297	Search for Resistance to Crenate Broomrape (<i>Orobanche crenata</i> Forsk.) in Pea Germplasm. <i>Genetic Resources and Crop Evolution</i> , 2005, 52, 853-861.	1.6	60
298	Determinate Faba Bean Young Pod Response to Glyphosate and Crenate Broomrape (<i>Orobanche</i>) Tj ETQq0 0 0 rgBTj/Overlock 10 Tf 50 6	0.9	6
299	Sources of Resistance to Crenate Broomrape Among Species of <i>Vicia</i> . <i>Plant Disease</i> , 2005, 89, 23-27.	1.4	43
300	Interaction between <i>Orobanche crenata</i> and its Host Legumes: Unsuccessful Haustorial Penetration and Necrosis of the Developing Parasite. <i>Annals of Botany</i> , 2005, 95, 935-942.	2.9	93
301	First Report of <i>Orobanche foetida</i> on Common Vetch (<i>Vicia sativa</i>) in Morocco. <i>Plant Disease</i> , 2005, 89, 528-528.	1.4	36
302	Effect of Host Plant Resistance on Haustorium Formation in Cereal Rust Fungi. <i>Journal of Phytopathology</i> , 2004, 152, 381-382.	1.0	8
303	Characterization of the <i>Orobanche-Medicago truncatula</i> association for studying early stages of the parasite-host interaction. <i>Weed Research</i> , 2004, 44, 218-223.	1.7	29
304	Effect of sowing date and host resistance on the establishment and development of <i>Orobanche crenata</i> in faba bean and common vetch. <i>Weed Research</i> , 2004, 44, 282-288.	1.7	37
305	Locating quantitative trait loci associated with <i>Orobanche crenata</i> resistance in pea. <i>Weed Research</i> , 2004, 44, 323-328.	1.7	53
306	Hybrids Between <i>Hordeum vulgare</i> and Tetra-, Hexa-, and Octoploid Tritordeums (Amphiploid H.) Tj ETQq0 0 0 rgBTj/Overlock 10 Tf 50 6	1.4	7

#	ARTICLE	IF	CITATIONS
307	Expression of Resistance to <i>Blumeria Graminis</i> f.sp. <i>Tritici</i> in "Chinese Spring"™ Wheat Addition Lines Containing Chromosomes from <i>Hordeum Vulgare</i> and <i>H. Chilense</i> . <i>Hereditas</i> , 2004, 134, 53-57.	1.4	3
308	Characterization of Lr46, a Gene Conferring Partial Resistance to Wheat Leaf Rust. <i>Hereditas</i> , 2004, 135, 111-114.	1.4	56
309	A Fertile Amphiploid between Durum Wheat (<i>Triticum Turgidum</i>) and the "Agroticum Amphiploid (<i>Agropyron cristatum</i> "T. Tauschii). <i>Hereditas</i> , 2004, 135, 183-186.	1.4	15
310	Search for Partial Resistance to Leaf Rust in a Collection of Ancient Spanish Wheats. <i>Hereditas</i> , 2004, 135, 193-197.	1.4	10
311	Partial Resistance to Leaf Rust in a Collection of Ancient Spanish Barleys. <i>Hereditas</i> , 2004, 135, 199-203.	1.4	8
312	Prospects for Exploitation of Disease Resistance from <i>Hordeum Chilense</i> in Cultivated Cereals. <i>Hereditas</i> , 2004, 135, 161-169.	1.4	12
313	Abnormal germling development by brown rust and powdery mildew on cer barley mutants. <i>Hereditas</i> , 2004, 135, 271-276.	1.4	16
314	Prehaustorial Resistance against Alfalfa Rust (<i>Uromyces striatus</i>) in <i>Medicago truncatula</i> . <i>European Journal of Plant Pathology</i> , 2004, 110, 239-243.	1.7	33
315	Crenate broomrape control in pea by foliar application of benzothiadiazole (BTH). <i>Phytoparasitica</i> , 2004, 32, 21-29.	1.2	37
316	Isolate and organ-specific QTLs for ascochyta blight resistance in faba bean (<i>Vicia faba</i> L).. <i>Theoretical and Applied Genetics</i> , 2004, 108, 1071-1078.	3.6	94
317	Variation in resistance to <i>Orobanche crenata</i> in species of <i>Cicer</i> . <i>Weed Research</i> , 2004, 44, 27-32.	1.7	40
318	A proteomic approach to studying plant response to crenate broomrape (<i>Orobanche crenata</i>) in pea (<i>Pisum sativum</i>). <i>Phytochemistry</i> , 2004, 65, 1817-1828.	2.9	83
319	<i>Uromyces Viciae-fabae</i> Haustorium Formation in Susceptible and Resistant Faba Bean Lines. <i>European Journal of Plant Pathology</i> , 2003, 109, 71-73.	1.7	15
320	QTL mapping provides evidence for lack of association of the avoidance of leaf rust in <i>Hordeum chilense</i> with stomata density. <i>Theoretical and Applied Genetics</i> , 2003, 106, 1283-1292.	3.6	17
321	Identification of RAPD markers linked to the <i>Uvf-1</i> gene conferring hypersensitive resistance against rust (<i>Uromyces viciae-fabae</i>) in <i>Vicia faba</i> L.. <i>Theoretical and Applied Genetics</i> , 2003, 107, 353-358.	3.6	77
322	Mildew-resistant mutants induced in North American two- and six-rowed malting barley cultivars. <i>Theoretical and Applied Genetics</i> , 2003, 107, 1278-1287.	3.6	13
323	Parasitic plants, wild relatives and the nature of resistance. <i>New Phytologist</i> , 2003, 160, 459-461.	7.3	68
324	Genetic Relationships among <i>Orobanche</i> Species as Revealed by RAPD Analysis. <i>Annals of Botany</i> , 2003, 91, 637-642.	2.9	45

#	ARTICLE	IF	CITATIONS
325	Crenate broomrape (<i>Orobanche crenata</i>) infection in field pea cultivars. <i>Crop Protection</i> , 2003, 22, 865-872.	2.1	78
326	Characterization of resistance in chickpea to crenate broomrape (<i>Orobanche crenata</i>). <i>Weed Science</i> , 2003, 51, 702-707.	1.5	86
327	Locating genes associated with <i>Ascochyta fabae</i> resistance in <i>Vicia faba</i> . <i>Australian Journal of Agricultural Research</i> , 2003, 54, 85.	1.5	61
328	Infection of chickpea (<i>Cicer arietinum</i>) by crenate broomrape (<i>Orobanche crenata</i>) as influenced by sowing date and weather conditions. <i>Agronomy for Sustainable Development</i> , 2003, 23, 359-362.	0.8	48
329	Variation Among and Within Populations of the Parasitic Weed <i>Orobanche crenata</i> from Spain and Israel Revealed by Inter Simple Sequence Repeat Markers. <i>Phytopathology</i> , 2002, 92, 1262-1266.	2.2	46
330	Histological Characterization of Resistance to <i>Uromyces viciae-fabae</i> in Faba Bean. <i>Phytopathology</i> , 2002, 92, 294-299.	2.2	78
331	Mapping of quantitative trait loci controlling broomrape (<i>Orobanche crenata</i> Forsk.) resistance in faba bean (<i>Vicia faba</i> L.). <i>Genome</i> , 2002, 45, 1057-1063.	2.0	103
332	Acibenzolar-S-methyl-induced resistance to sunflower rust (<i>Puccinia helianthi</i>) is associated with an enhancement of coumarins on foliar surface. <i>Physiological and Molecular Plant Pathology</i> , 2002, 60, 155-162.	2.5	65
333	Occurrence of <i>Didymella fabae</i> , the Teleomorph of <i>Ascochyta fabae</i> , on Faba Bean Straw in Spain. <i>Journal of Phytopathology</i> , 2002, 150, 146-148.	1.0	14
334	Potentially durable resistance mechanisms in plants to specialised fungal pathogens. <i>Euphytica</i> , 2002, 124, 201-216.	1.2	136
335	Morphology and AFLP markers suggest three <i>Hordeum chilense</i> ecotypes that differ in avoidance to rust fungi. <i>Canadian Journal of Botany</i> , 2001, 79, 204-213.	1.1	32
336	Genetic diversity in <i>Orobanche crenata</i> populations from southern Spain. <i>Theoretical and Applied Genetics</i> , 2001, 103, 1108-1114.	3.6	42
337	Identification of resistance to <i>Ascochyta fabae</i> in <i>Vicia faba</i> germplasm. <i>Plant Breeding</i> , 2001, 120, 529-531.	1.9	29
338	Title is missing!. <i>Euphytica</i> , 2001, 122, 369-372.	1.2	8
339	Morphology and AFLP markers suggest three <i>Hordeum chilense</i> ecotypes that differ in avoidance to rust fungi. <i>Canadian Journal of Botany</i> , 2001, 79, 204-213.	1.1	32
340	Characterization of new sources of resistance to <i>Uromyces viciae-fabae</i> in a germplasm collection of <i>Vicia faba</i> . <i>Plant Pathology</i> , 2000, 49, 389-395.	2.4	57
341	Title is missing!. <i>Euphytica</i> , 2000, 115, 221-224.	1.2	15
342	Defence reactions of <i>Hordeum chilense</i> accessions to three formae speciales of cereal powdery mildew fungi. <i>Canadian Journal of Botany</i> , 2000, 78, 1561-1570.	1.1	11

#	ARTICLE	IF	CITATIONS
343	Resistance against barley leaf rust (<i>Puccinia hordei</i>) in West-European spring barley germplasm. <i>Agronomy for Sustainable Development</i> , 2000, 20, 769-782.	0.8	53
344	Defence reactions of <i>Hordeum chilense</i> accessions to three formae speciales of cereal powdery mildew fungi. <i>Canadian Journal of Botany</i> , 2000, 78, 1561-1570.	1.1	23
345	A fertile amphiploid between diploid wheat (<i>Triticum tauschii</i>) and crested wheatgrass (<i>Agropyron cristatum</i>). <i>Genome</i> , 1999, 42, 519-524.	2.0	32
346	Title is missing!. <i>Euphytica</i> , 1999, 109, 157-159.	1.2	10
347	A Fertile Amphiploid between a Wild Barley (<i>Hordeum chilense</i>) and Crested Wheatgrass (<i>Agropyron cristatum</i>). <i>International Journal of Plant Sciences</i> , 1999, 160, 783-786.	1.3	9
348	A fertile amphiploid between diploid wheat (&i>Triticum tauschii&i>) and crested wheatgrass (&i>Agropyron cristatum&i>). <i>Genome</i> , 1999, 42, 519-524.	2.0	19
349	Meiotic Pairing in a Trigeneric Hybrid <i>Triticum Tauschii</i> - <i>Agropyron Cristatum</i> - <i>Hordeum Chilense</i> . <i>Hereditas</i> , 1998, 129, 113-118.	1.4	13
350	Avoidance of rust infection by some genotypes of <i>Hordeum chilense</i> due to their relative inability to induce the formation of appressoria. <i>Physiological and Molecular Plant Pathology</i> , 1996, 49, 89-101.	2.5	49
351	Avoidance of leaf rust fungi in wild relatives of cultivated cereals. <i>Euphytica</i> , 1996, 87, 1-6.	1.2	14
352	Reaction of tritordeum to <i>Fusarium culmorum</i> and <i>Septoria nodorum</i> . <i>Euphytica</i> , 1996, 88, 165-174.	1.2	13
353	Short Communication Resistance to common bunt in <i>Hordeum chilense</i> X <i>Triticum</i> spp. Amphiploids. <i>Plant Breeding</i> , 1996, 115, 416-418.	1.9	11
354	Tritordeum: Triticale's New Brother Cereal. <i>Developments in Plant Breeding</i> , 1996, , 57-72.	0.2	43
355	Characterization of <i>Lr34</i> , a Major Gene Conferring Nonhypersensitive Resistance to Wheat Leaf Rust. <i>Plant Disease</i> , 1995, 79, 1208.	1.4	128
356	Avirulence factors corresponding to barley genes Pa3 and Pa7 which confer resistance against <i>Puccinia hordei</i> in rust fungi other than <i>P. hordei</i> . <i>Physiological and Molecular Plant Pathology</i> , 1994, 45, 321-331.	2.5	17
357	Role of partial resistance to <i>Puccinia hordei</i> in barley in the defence of barley to inappropriate rust fungi. <i>Physiological and Molecular Plant Pathology</i> , 1994, 45, 219-228.	2.5	12
358	Potential of Tritordeum as a New Cereal Crop. , 1994, , 443-445.		0
359	<i>Hordeum chilense</i> resistance to powdery mildew and its potential use in cereal breeding. <i>Euphytica</i> , 1993, 67, 215-220.	1.2	37
360	Histology of the infection of tritordeum and its parents by cereal brown rusts. <i>Plant Pathology</i> , 1993, 42, 93-99.	2.4	10

#	ARTICLE	IF	CITATIONS
361	The contribution of <i>Hordeum chilense</i> to partial resistance of tritordeum to wheat brown rust. <i>Euphytica</i> , 1992, 59, 129-133.	1.2	5
362	Resistance to <i>Septoria tritici</i> in <i>Hordeum chilense</i> x <i>Triticum</i> spp. Amphiploids. <i>Plant Breeding</i> , 1992, 109, 281-286.	1.9	21
363	Histological responses in <i>Hordeum chilense</i> to brown and yellow rust fungi. <i>Plant Pathology</i> , 1992, 41, 611-617.	2.4	15
364	Low Appressorium Formation by Rust Fungi on <i>Hordeum chilense</i> Lines. <i>Phytopathology</i> , 1992, 82, 1007.	2.2	28
365	The reaction of x <i>Tritordeum</i> and its <i>Triticum</i> spp. and <i>Hordeum chilense</i> parents to rust diseases. <i>Euphytica</i> , 1991, 54, 75-81.	1.2	22
366	Aleksandar Mikić, the legume (re)searcher. , 0, , .		0