
Stephen D Ryder

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2226657/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Effect of Covid-19 on Alcohol Use Disorder and the Role of Universal Alcohol Screening in an Inpatient Setting: A Retrospective Cohort Control Study. Alcohol and Alcoholism, 2022, 57, 203-210.	1.6	8
2	Transient Elastography in Community Alcohol Services: Can It Detect Significant Liver Disease and Impact Drinking Behaviour?. Biomedicines, 2022, 10, 477.	3.2	4
3	Global change in hepatitis C virus prevalence and cascade of care between 2015 and 2020: a modelling study. The Lancet Gastroenterology and Hepatology, 2022, 7, 396-415.	8.1	237
4	Characteristics of alcohol recovery narratives: Systematic review and narrative synthesis. PLoS ONE, 2022, 17, e0268034.	2.5	3
5	Incidence and prevalence of venous thromboembolism in chronic liver disease: A systematic review and meta-analysis. Thrombosis Research, 2022, 215, 19-29.	1.7	4
6	The relationship between disease activity and UDCA response criteria in primary biliary cholangitis: A cohort study. EBioMedicine, 2022, 80, 104068.	6.1	3
7	Alcoholâ€related liver disease mortality and missed opportunities in secondary care: A United Kingdom retrospective observational study. Drug and Alcohol Review, 2022, 41, 1331-1340.	2.1	4
8	Persistent Hepatitis E virus infection across England and Wales 2009â€⊋017: Demography, virology and outcomes. Journal of Viral Hepatitis, 2021, 28, 420-430.	2.0	12
9	PREDICT identifies precipitating events associated with the clinical course of acutely decompensated cirrhosis. Journal of Hepatology, 2021, 74, 1097-1108.	3.7	149
10	The impact of direct acting antivirals on hepatitis C virus disease burden and associated costs in four european countries. Liver International, 2021, 41, 934-948.	3.9	18
11	A Randomized Trial of Albumin Infusions in Hospitalized Patients with Cirrhosis. New England Journal of Medicine, 2021, 384, 808-817.	27.0	181
12	Disease burden and economic impact of diagnosed non-alcoholic steatohepatitis (NASH) in the United Kingdom (UK) in 2018. European Journal of Health Economics, 2021, 22, 505-518.	2.8	16
13	Disease burden and economic impact of diagnosed nonâ€alcoholic steatohepatitis in five European countries in 2018: A costâ€ofâ€ilness analysis. Liver International, 2021, 41, 1227-1242.	3.9	76
14	Strategic treatment optimization for HCV (STOPHCV1): a randomised controlled trial of ultrashort duration therapy for chronic hepatitis C. Wellcome Open Research, 2021, 6, 93.	1.8	1
15	Reply to Smith <i>etÂal.</i> Regarding â€~Does Advice Based on Biomarkers of Liver Injury or Non-Invasive Tests of Liver Fibrosis Impact High-Risk Drinking Behaviour: A Systematic Review with Meta-Analysis'. Alcohol and Alcoholism, 2021, 56, 626-627.	1.6	0
16	New dimensions for hospital services and early detection of disease: a Review from the Lancet Commission into liver disease in the UK. Lancet, The, 2021, 397, 1770-1780.	13.7	18
17	Engagement with community liver disease management across the UK: a cross-sectional survey. BJGP Open, 2021, 5, BJGPO.2021.0085.	1.8	6
18	Strategic treatment optimization for HCV (STOPHCV1): a randomised controlled trial of ultrashort duration therapy for chronic benatitis C. Wellcome Open Research, 2021, 6, 93	1.8	7

#	Article	IF	CITATIONS
19	How to interpret and manage abnormal liver blood test results in older people. British Journal of Hospital Medicine (London, England: 2005), 2021, 82, 1-8.	0.5	3
20	Targeted Albumin Therapy Does Not Improve Short-Term Outcome in Hyponatremic Patients Hospitalized With Complications of Cirrhosis: Data From the ATTIRE Trial. American Journal of Gastroenterology, 2021, 116, 2292-2295.	0.4	12
21	Long-term outcomes of liver transplant recipients followed up in non-transplant centres: Care closer to home. Clinical Medicine, 2021, 21, e32-e38.	1.9	4
22	Does Advice Based on Biomarkers of Liver Injury or Non-Invasive Tests of Liver Fibrosis Impact High-Risk Drinking Behaviour: A Systematic Review With Meta-analysis. Alcohol and Alcoholism, 2021, 56, 185-200.	1.6	22
23	Mapping of population disparities in the cholangiocarcinoma urinary metabolome. Scientific Reports, 2021, 11, 21286.	3.3	2
24	Variable short duration treatment versus standard treatment, with and without adjunctive ribavirin, for chronic hepatitis C: the STOP-HCV-1 non-inferiority, factorial RCT. Efficacy and Mechanism Evaluation, 2021, 8, 1-90.	0.7	0
25	Does knowledge of liver fibrosis affect high-risk drinking behaviour (KLIFAD)? protocol for a feasibility randomised controlled trial. BMJ Open, 2021, 11, e054954.	1.9	6
26	Characterisation of the Serum Metabolic Signature of Cholangiocarcinoma in a United Kingdom Cohort. Journal of Clinical and Experimental Hepatology, 2020, 10, 17-29.	0.9	12
27	Long-Term Obeticholic Acid Therapy Improves Histological Endpoints in Patients With Primary Biliary Cholangitis. Clinical Gastroenterology and Hepatology, 2020, 18, 1170-1178.e6.	4.4	61
28	Commentary: elastography as a predictor of portal hypertension. Alimentary Pharmacology and Therapeutics, 2020, 51, 204-205.	3.7	1
29	Will the COVID-19 pandemic affect HCV disease burden?. Digestive and Liver Disease, 2020, 52, 947-949.	0.9	15
30	The PREDICT study uncovers three clinical courses of acutely decompensated cirrhosis that have distinct pathophysiology. Journal of Hepatology, 2020, 73, 842-854.	3.7	282
31	Home based care pathway for the stratified treatment of HCV infection. Journal of Hepatology, 2020, 73, S22-S23.	3.7	Ο
32	Treatment with tenofovir disoproxil fumarate or entecavir in chronic hepatitis B virusâ€infected patients with renal impairment: results from a 7â€year, multicentre retrospective cohort study. Alimentary Pharmacology and Therapeutics, 2020, 52, 500-512.	3.7	9
33	Clinical performance of Determine HBsAg 2 rapid test for Hepatitis B detection. Journal of Medical Virology, 2020, 92, 3403-3411.	5.0	14
34	ACG Clinical Guideline for Alcoholic Liver Disease: The MELD Threshold for Corticosteroid Treatment has Yet to be Established. American Journal of Gastroenterology, 2019, 114, 175-176.	0.4	6
35	Baseline neutrophilâ€ŧo″ymphocyte ratio predicts response to corticosteroids and is associated with infection and renal dysfunction in alcoholic hepatitis. Alimentary Pharmacology and Therapeutics, 2019, 50, 442-453.	3.7	48
36	FRI-033-Long-term obeticholic acid treatment is associated with improvements in collagen morphometry in patients with primary biliary cholangitis. Journal of Hepatology, 2019, 70, e398.	3.7	0

#	Article	IF	CITATIONS
37	The Hepatitis C Awareness Through to Treatment (HepCATT) study: improving the cascade of care for hepatitis C virusâ€infected people who inject drugs in England. Addiction, 2019, 114, 1113-1122.	3.3	33
38	Sofosbuvir/velpatasvir for 12†weeks in hepatitis C virus-infected patients with end-stage renal disease undergoing dialysis. Journal of Hepatology, 2019, 71, 660-665.	3.7	93
39	<p>Characterization of the urinary metabolic profile of cholangiocarcinoma in a United Kingdom population</p> . Hepatic Medicine: Evidence and Research, 2019, Volume 11, 47-67.	2.5	10
40	PTU-009â€Long-term effects of obeticholic acid in patients with primary biliary cholangitis on inflammatory markers. , 2019, , .		0
41	ATU-09â€Obeticholic acid treatment is associated with improved collagen morphometry in patients with primary biliary cholangitis. , 2019, , .		0
42	Glecaprevir/Pibrentasvir in patients with chronic <scp>HCV</scp> genotype 3 infection: An integrated phase 2/3 analysis. Journal of Viral Hepatitis, 2019, 26, 337-349.	2.0	32
43	Short-term changes observed in multiparametric liver MRI following therapy with direct-acting antivirals in chronic hepatitis C virus patients. European Radiology, 2019, 29, 3100-3107.	4.5	11
44	Reply to: "The long-term prognosis of alcoholic hepatitis is poor and independent of disease severity for patients surviving an acute episode― Journal of Hepatology, 2018, 68, 1332.	3.7	0
45	Elbasvir/grazoprevir and sofosbuvir for hepatitis C virus genotype 3 infection with compensated cirrhosis: A randomized trial. Hepatology, 2018, 67, 2113-2126.	7.3	22
46	Nlâ€0801, an anti hemokine (Câ€X motif) ligand 10 antibody, in patients with primary biliary cholangitis and an incomplete response to ursodeoxycholic acid. Hepatology Communications, 2018, 2, 492-503.	4.3	35
47	Global prevalence, treatment, and prevention of hepatitis B virus infection in 2016: a modelling study. The Lancet Gastroenterology and Hepatology, 2018, 3, 383-403.	8.1	1,241
48	Obesity and type 2 diabetes are important risk factors underlying previously undiagnosed cirrhosis in general practice: a crossâ€sectional study using transient elastography. Alimentary Pharmacology and Therapeutics, 2018, 47, 504-515.	3.7	49
49	Application of prognostic scores in the STOPAH trial: Discriminant function is no longer the optimal scoring system in alcoholic hepatitis. Journal of Hepatology, 2018, 68, 511-518.	3.7	73
50	Inequity of care provision and outcome disparity in autoimmune hepatitis in the United Kingdom. Alimentary Pharmacology and Therapeutics, 2018, 48, 951-960.	3.7	34
51	Risk-stratified screening for chronic liver disease using vibration-controlled transient elastography (Fibroscan). Gastrointestinal Nursing, 2018, 16, S15-S22.	0.1	3
52	IDDF2018-ABS-0107â€Efficacy and safety of TENOFOVIR ALAFENAMIDE (TAF) at 96 weeks in chronic HBV (CHB) patients with risk factors for use of TENOFOVIR DISOPROXIL FUMARATE (TDF). , 2018, , .		1
53	Pretreatment prediction of response to ursodeoxycholic acid in primary biliary cholangitis: development and validation of the UDCA Response Score. The Lancet Gastroenterology and Hepatology, 2018, 3, 626-634.	8.1	103
54	Prevalent acute-on-chronic liver failure and response to corticosteroids in alcoholic hepatitis. Journal of Hepatology, 2018, 69, 1200-1201.	3.7	21

#	Article	IF	CITATIONS
55	Global prevalence and genotype distribution of hepatitis C virus infection in 2015: a modelling study. The Lancet Gastroenterology and Hepatology, 2017, 2, 161-176.	8.1	1,619
56	The impact of rifaximin- $\hat{l}\pm$ on the hospital resource use associated with the management of patients with hepatic encephalopathy: a retrospective observational study (IMPRESS). Frontline Gastroenterology, 2017, 8, 243-251.	1.8	26
57	Hepatitis C virus prevalence and level of intervention required to achieve the WHO targets for elimination in the European Union by 2030: a modelling study. The Lancet Gastroenterology and Hepatology, 2017, 2, 325-336.	8.1	208
58	In Patients With Severe Alcoholic Hepatitis, Prednisolone Increases Susceptibility to Infection and Infection-Related Mortality, and Is Associated With High Circulating Levels ofÂBacterial DNA. Gastroenterology, 2017, 152, 1068-1077.e4.	1.3	141
59	New metrics for the Lancet Standing Commission on Liver Disease in the UK. Lancet, The, 2017, 389, 2053-2080.	13.7	33
60	Screening for hepatocellular carcinoma: patient selection and perspectives. Journal of Hepatocellular Carcinoma, 2017, Volume 4, 71-79.	3.7	27
61	Healthcare costs of transarterial chemoembolization in the treatment of hepatocellular carcinoma. Journal of Hepatocellular Carcinoma, 2017, Volume 4, 123-130.	3.7	8
62	Urinary Metabotyping of Hepatocellular Carcinoma in a UK Cohort Using Proton Nuclear Magnetic Resonance Spectroscopy. Journal of Clinical and Experimental Hepatology, 2016, 6, 186-194.	0.9	13
63	The hepatitis C revolution part 1. Current Opinion in Infectious Diseases, 2015, 28, 563-571.	3.1	17
64	The hepatitis C revolution part 2. Current Opinion in Infectious Diseases, 2015, 28, 572-575.	3.1	0
65	Implementation of the Lancet Standing Commission on Liver Disease in the UK. Lancet, The, 2015, 386, 2098-2111.	13.7	76
66	Twenty-eight day safety, antiviral activity, and pharmacokinetics of tenofovir alafenamide for treatment of chronic hepatitis B infection. Journal of Hepatology, 2015, 62, 533-540.	3.7	161
67	Prednisolone or Pentoxifylline for Alcoholic Hepatitis. New England Journal of Medicine, 2015, 372, 1619-1628.	27.0	602
68	Chronic hepatitis C – what do the new drugs offer and who should get them first?. Clinical Medicine, 2015, 15, 197-200.	1.9	5
69	Direct targeting of risk factors significantly increases the detection of liver cirrhosis in primary care: a cross-sectional diagnostic study utilising transient elastography. BMJ Open, 2015, 5, e007516-e007516.	1.9	86
70	The clinical effectiveness and cost-effectiveness of STeroids Or Pentoxifylline for Alcoholic Hepatitis (STOPAH): a 2 × 2 factorial randomised controlled trial. Health Technology Assessment, 2015, 19, 1-1	04 ^{2.8}	34
71	Addressing liver disease in the UK: a blueprint for attaining excellence in health care and reducing premature mortality from lifestyle issues of excess consumption of alcohol, obesity, and viral hepatitis. Lancet, The, 2014, 384, 1953-1997.	13.7	492
72	Steroids or pentoxifylline for alcoholic hepatitis (STOPAH): study protocol for a randomised controlled trial. Trials, 2013, 14, 262.	1.6	62

#	Article	IF	CITATIONS
73	Validation of terminal peptide of procollagen III for the detection and assessment of nonalcoholic steatohepatitis in patients with nonalcoholic fatty liver disease. Hepatology, 2013, 57, 103-111.	7.3	103
74	The performance of transient elastography compared to clinical acumen and routine tests – what is the incremental diagnostic value?. Liver International, 2013, 33, 172-179.	3.9	7
75	The Diversity and Management of Chronic Hepatitis B Virus Infections in the United Kingdom: A Wake-up Call. Clinical Infectious Diseases, 2013, 56, 951-960.	5.8	35
76	Economic modelling of early transjugular intrahepatic portosystemic shunt insertion for acute variceal haemorrhage. European Journal of Gastroenterology and Hepatology, 2013, 25, 201-207.	1.6	14
77	Hepatitis B virus part 2: treatment options and the role of the specialist nurse. Gastrointestinal Nursing, 2013, 11, 33-40.	0.1	Ο
78	The Utility of Scoring Systems in Predicting Early and Late Mortality in Alcoholic Hepatitis: Whose Score Is It Anyway?. International Journal of Hepatology, 2012, 2012, 1-5.	1.1	24
79	Getting involved in clinical trials research in the UK: how can Clinical Research Networks help?. Frontline Gastroenterology, 2012, 3, 66-71.	1.8	2
80	Randomized clinical trial. European Journal of Gastroenterology and Hepatology, 2012, 24, 543-550.	1.6	6
81	The Utility of Liver Function Tests for Mortality Prediction within One Year in Primary Care Using the Algorithm for Liver Function Investigations (ALFI). PLoS ONE, 2012, 7, e50965.	2.5	12
82	Portal inflammation is associated with advanced histological changes in alcoholic and non-alcoholic fatty liver disease. Journal of Clinical Pathology, 2010, 63, 790-795.	2.0	51
83	Health outcomes following liver function testing in primary care: a retrospective cohort study. Family Practice, 2009, 26, 251-259.	1.9	23
84	Cost-effectiveness of pegylated interferon and ribavirin for patients with chronic hepatitis C treated in routine clinical practice. International Journal of Technology Assessment in Health Care, 2009, 25, 171-180.	0.5	41
85	Randomized, Placebo-Controlled Trial of Pioglitazone in Nondiabetic Subjects With Nonalcoholic Steatohepatitis. Gastroenterology, 2008, 135, 1176-1184.	1.3	636
86	Surveillance of cirrhosis for hepatocellular carcinoma: a cost–utility analysis. British Journal of Cancer, 2008, 98, 1166-1175.	6.4	121
87	Do high lipids help clearance of hepatitis C?. Gut, 2007, 56, 1044-1045.	12.1	3
88	The natural history of hepatitis C with severe hepatic fibrosis. Journal of Hepatology, 2007, 47, 37-45.	3.7	45
89	Outcome of hepatitis C infection: Bleak or benign?. Journal of Hepatology, 2007, 47, 4-6.	3.7	10
90	Mannan binding lectin and viral hepatitis. Immunology Letters, 2007, 108, 34-44.	2.5	62

#	Article	IF	CITATIONS
91	Development of a decision support tool to facilitate primary care management of patients with abnormal liver function tests without clinically apparent liver disease [HTA03/38/02]. Abnormal Liver Function Investigations Evaluation (ALFIE). BMC Health Services Research, 2007, 7, 54.	2.2	13
92	Progression of hepatic fibrosis in chronic hepatitis C and the need for treatment in mild disease. European Journal of Gastroenterology and Hepatology, 2006, 18, 343-347.	1.6	0
93	Association of non-alcoholic steatohepatitis without significant fibrosis with hepatocellular carcinoma. Journal of Hepatology, 2004, 41, 685-686.	3.7	88
94	Magnetic resonance cholangiopancreatography versus endoscopic retrograde cholangiopancreatography in the diagnosis of choledocholithiasis. European Journal of Gastroenterology and Hepatology, 2003, 15, 809-813.	1.6	11
95	Alcohol-related liver disease. Practitioner, 2003, 247, 414-7.	0.3	1
96	Findings on liver biopsy to investigate abnormal liver function tests in the absence of diagnostic serology. Journal of Hepatology, 2001, 35, 195-199.	3.7	300
97	Directex vivo comparison of the breadth and specificity of the T cells in the liver and peripheral blood of patients with chronic HCV infection. European Journal of Immunology, 2001, 31, 2388-2394.	2.9	118
98	Mycophenolate mofetil for maintenance of remission in autoimmune hepatitis in patients resistant to or intolerant of azathioprine. Journal of Hepatology, 2000, 33, 371-375.	3.7	197
99	The Effect of Lectins on Crypt Cell Proliferation in Organ Culture. , 1998, 9, 475-482.		0