

# EÃ³in J Killackey

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2226715/publications.pdf>

Version: 2024-02-01

149  
papers

9,920  
citations

61984

43  
h-index

38395

95  
g-index

152  
all docs

152  
docs citations

152  
times ranked

7907  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mapping the Onset of Psychosis: The Comprehensive Assessment of At-Risk Mental States. Australian and New Zealand Journal of Psychiatry, 2005, 39, 964-971.	2.3	1,677
2	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. Lancet Psychiatry, 2019, 6, 675-712.	7.4	815
3	Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for the management of schizophrenia and related disorders. Australian and New Zealand Journal of Psychiatry, 2016, 50, 410-472.	2.3	571
4	Early intervention in psychosis: concepts, evidence and future directions. World Psychiatry, 2008, 7, 148-156.	10.4	402
5	Risk factors for relapse following treatment for first episode psychosis: A systematic review and meta-analysis of longitudinal studies. Schizophrenia Research, 2012, 139, 116-128.	2.0	384
6	Validation of "prodromal" criteria to detect individuals at ultra high risk of psychosis: 2-year follow-up. Schizophrenia Research, 2008, 105, 10-17.	2.0	325
7	Supported employment for people with severe mental illness: Systematic review and meta-analysis of the international evidence. British Journal of Psychiatry, 2016, 209, 14-22.	2.8	291
8	Vocational intervention in first-episode psychosis: Individual placement and support vs. treatment as usual. British Journal of Psychiatry, 2008, 193, 114-120.	2.8	264
9	Testing the Ultra High Risk (prodromal) criteria for the prediction of psychosis in a clinical sample of young people. Schizophrenia Research, 2006, 84, 57-66.	2.0	242
10	Psychotic-Like Experiences in Nonpsychotic Help-Seekers: Associations With Distress, Depression, and Disability. Schizophrenia Bulletin, 2006, 32, 352-359.	4.3	220
11	On the HORYZON: Moderated online social therapy for long-term recovery in first episode psychosis. Schizophrenia Research, 2013, 143, 143-149.	2.0	206
12	Mapping the onset of psychosis: the Comprehensive Assessment of At-Risk Mental States. Australian and New Zealand Journal of Psychiatry, 2005, 39, 964-971.	2.3	198
13	First episode psychosis and employment: A review. International Review of Psychiatry, 2010, 22, 148-162.	2.8	174
14	Road to full recovery: longitudinal relationship between symptomatic remission and psychosocial recovery in first-episode psychosis over 7.5 years. Psychological Medicine, 2012, 42, 595-606.	4.5	169
15	Designing and scaling up integrated youth mental health care. World Psychiatry, 2022, 21, 61-76.	10.4	161
16	Cognition at illness onset as a predictor of later functional outcome in early psychosis: Systematic review and methodological critique. Schizophrenia Research, 2011, 125, 221-235.	2.0	159
17	Early intervention in psychotic disorders: detection and treatment of the first episode and the critical early stages. Medical Journal of Australia, 2007, 187, S8-10.	1.7	124
18	Exciting Career Opportunity Beckons! Early Intervention and Vocational Rehabilitation in First-Episode Psychosis: Employing Cautious Optimism. Australian and New Zealand Journal of Psychiatry, 2006, 40, 951-962.	2.3	123

#	ARTICLE	IF	CITATIONS
19	Association between psychotic experiences and depression in a clinical sample over 6 months. <i>Schizophrenia Research</i> , 2007, 91, 246-253.	2.0	122
20	Life and treatment goals of individuals hospitalized for first-episode nonaffective psychosis. <i>Psychiatry Research</i> , 2011, 189, 344-348.	3.3	122
21	Acute-phase and 1-year follow-up results of a randomized controlled trial of CBT versus Befriending for first-episode psychosis: the ACE project. <i>Psychological Medicine</i> , 2008, 38, 725-735.	4.5	120
22	Effectiveness of early intervention in psychosis. <i>Current Opinion in Psychiatry</i> , 2007, 20, 121-125.	6.3	106
23	Quality of information sources about mental disorders: a comparison of Wikipedia with centrally controlled web and printed sources. <i>Psychological Medicine</i> , 2012, 42, 1753-1762.	4.5	102
24	Enhancing social functioning in young people at Ultra High Risk (UHR) for psychosis: A pilot study of a novel strengths and mindfulness-based online social therapy. <i>Schizophrenia Research</i> , 2018, 202, 369-377.	2.0	99
25	The prevention of schizophrenia. <i>International Review of Psychiatry</i> , 2007, 19, 633-646.	2.8	74
26	Beyond Clinical Remission in First Episode Psychosis: Thoughts on Antipsychotic Maintenance vs. Guided Discontinuation in the Functional Recovery Era. <i>CNS Drugs</i> , 2016, 30, 357-368.	5.9	67
27	Prediction of a single psychotic episode: A 7.5-year, prospective study in first-episode psychosis. <i>Schizophrenia Research</i> , 2011, 125, 236-246.	2.0	65
28	HORIZONS trial: protocol for a randomised controlled trial of a moderated online social therapy to maintain treatment effects from first-episode psychosis services. <i>BMJ Open</i> , 2019, 9, e024104.	1.9	65
29	Individual placement and support for vocational recovery in first-episode psychosis: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2019, 214, 76-82.	2.8	65
30	A meta-regression of the impact of policy on the efficacy of individual placement and support. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 206-220.	4.5	65
31	The Horyzons project: a randomized controlled trial of a novel online social therapy to maintain treatment effects from specialist first-episode psychosis services. <i>World Psychiatry</i> , 2021, 20, 233-243.	10.4	62
32	Global research priorities for youth mental health. <i>Microbial Biotechnology</i> , 2020, 14, 3-13.	1.7	60
33	Early intervention in psychosis: a new evidence based paradigm. <i>Epidemiology and Psychiatric Sciences</i> , 2002, 11, 237-247.	3.9	59
34	Antipsychotic Medication During the Critical Period Following Remission From First-Episode Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 898.	11.0	59
35	The Longitudinal Association of Adolescent Dating Violence With Psychiatric Disorders and Functioning. <i>Journal of Interpersonal Violence</i> , 2009, 24, 1964-1979.	2.0	58
36	Adolescents and young adults who are not in employment, education, or training. <i>BMJ</i> , 2013, 347, f5270-f5270.	6.0	57

#	ARTICLE	IF	CITATIONS
37	Demographic and clinical characteristics of young people seeking help at youth mental health services: baseline findings of the <scp>T</scp>ransitions <scp>S</scp>tudy. Microbial Biotechnology, 2015, 9, 487-497.	1.7	55
38	Summary Australian and New Zealand Clinical Practice Guideline for the Treatment of Schizophrenia 2003. Australasian Psychiatry, 2003, 11, 136-147.	0.7	54
39	The relative contribution of neurocognition and social cognition to 6-month vocational outcomes following Individual Placement and Support in first-episode psychosis. Schizophrenia Research, 2013, 150, 136-143.	2.0	52
40	Clinical and demographic predictors of continuing remission or relapse following discontinuation of antipsychotic medication after a first episode of psychosis. A systematic review. Schizophrenia Research, 2018, 197, 9-18.	2.0	51
41	A controlled trial of cognitively oriented psychotherapy for early psychosis (COPE) with four-year follow-up readmission data. Psychological Medicine, 2005, 35, 1295-1306.	4.5	50
42	Impact of Co-Occurring Substance use on 6 Month Outcomes for Young People Seeking Mental Health Treatment. Australian and New Zealand Journal of Psychiatry, 2007, 41, 896-902.	2.3	49
43	Rates and predictors of relapse following discontinuation of antipsychotic medication after a first episode of psychosis. Schizophrenia Research, 2018, 195, 231-236.	2.0	49
44	Exploring cognitive heterogeneity in first-episode psychosis: What cluster analysis can reveal. Psychiatry Research, 2015, 229, 819-827.	3.3	48
45	Can receipt of a regular postcard reduce suicide-related behaviour in young help seekers? A randomized controlled trial. Microbial Biotechnology, 2012, 6, 145-152.	1.7	47
46	Mental health starts with physical health: current status and future directions of non-pharmacological interventions to improve physical health in first-episode psychosis. Lancet Psychiatry, the, 2015, 2, 726-742.	7.4	47
47	Cognitive clusters in first-episode psychosis: Overlap with healthy controls and relationship to concurrent and prospective symptoms and functioning.. Neuropsychology, 2017, 31, 787-797.	1.3	47
48	A place to live: Housing needs for people with psychotic disorders identified in the second Australian national survey of psychosis. Australian and New Zealand Journal of Psychiatry, 2012, 46, 840-850.	2.3	44
49	A randomized controlled trial of vocational intervention for young people with first-episode psychosis: method. Microbial Biotechnology, 2013, 7, 329-337.	1.7	44
50	Early intervention services in psychosis: from evidence to wide implementation. Microbial Biotechnology, 2016, 10, 540-546.	1.7	44
51	Social cognition training as an intervention for improving functional outcome in first-episode psychosis: a feasibility study. Microbial Biotechnology, 2013, 7, 421-426.	1.7	42
52	Introducing â€ˆJourneys Homeâ€™. Australian Economic Review, 2012, 45, 368-378.	0.7	41
53	Substance use in youth at risk for psychosis. Schizophrenia Research, 2017, 181, 23-29.	2.0	41
54	Predictors of vocational recovery among young people with first-episode psychosis: Findings from a randomized controlled trial.. Psychiatric Rehabilitation Journal, 2012, 35, 421-427.	1.1	38

#	ARTICLE	IF	CITATIONS
55	The Credibility and Acceptability of Befriending as a Control Therapy in a Randomized Controlled Trial of Cognitive Behaviour Therapy for Acute First Episode Psychosis. Behavioural and Cognitive Psychotherapy, 2006, 34, 277-291.	1.2	37
56	Patient predictors of symptom and functional outcome following cognitive behaviour therapy or befriending in first-episode psychosis. Schizophrenia Research, 2011, 132, 125-130.	2.0	36
57	The challenge of integrating employment services with public mental health services in Australia: Progress at the first demonstration site.. Psychiatric Rehabilitation Journal, 2008, 32, 63-66.	1.1	35
58	Fidelity scales and performance measures to support implementation and quality assurance for first episode psychosis services. Microbial Biotechnology, 2018, 12, 1235-1242.	1.7	35
59	Compensatory Interventions for Cognitive Impairments in Psychosis: A Systematic Review and Meta-Analysis. Schizophrenia Bulletin, 2020, 46, 869-883.	4.3	33
60	<scp>T</scp>ransitions <scp>S</scp>tudy of predictors of illness progression in young people with mental ill health: study methodology. Microbial Biotechnology, 2015, 9, 38-47.	1.7	32
61	Met and unmet need in youth mental health. Journal of Mental Health, 2008, 17, 618-628.	1.9	29
62	A prospective cohort study of depression course, functional disability, and NEET status in help-seeking young adults. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1395-1404.	3.1	29
63	Depressed mood as a risk factor for unprotected sex in young people. Australasian Psychiatry, 2006, 14, 310-312.	0.7	28
64	Individual placement and support, supported education in young people with mental illness: an exploratory feasibility study. Microbial Biotechnology, 2017, 11, 526-531.	1.7	27
65	Principles for designing the built environment of mental health services. Lancet Psychiatry,the, 2020, 7, 915-920.	7.4	27
66	What is social inclusion? A thematic analysis of professional opinion.. Psychiatric Rehabilitation Journal, 2018, 41, 183-195.	1.1	27
67	Motives for substance use among young people seeking mental health treatment. Microbial Biotechnology, 2008, 2, 188-194.	1.7	26
68	Perceived stress and psychosis: The effect of perceived stress on psychoticâ€like experiences in a community sample of adolescents. Microbial Biotechnology, 2019, 13, 1465-1469.	1.7	25
69	Social inclusion and its interrelationships with social cognition and social functioning in firstâ€episode psychosis. Microbial Biotechnology, 2019, 13, 477-487.	1.7	24
70	Validation of a short adaptation of the Mood and Anxiety Symptoms Questionnaire (MASQ) in adolescents and young adults. Psychiatry Research, 2014, 215, 778-783.	3.3	23
71	The 2016 Royal Australian and New Zealand College of Psychiatrists guidelines for the management of schizophrenia and related disorders. Medical Journal of Australia, 2017, 206, 501-505.	1.7	22
72	The social inclusion of young people with serious mental illness: A narrative review of the literature and suggested future directions. Australian and New Zealand Journal of Psychiatry, 2019, 53, 15-26.	2.3	22

#	ARTICLE	IF	CITATIONS
73	Sexual functioning and experiences in young people affected by mental health disorders. <i>Psychiatry Research</i> , 2017, 253, 249-255.	3.3	21
74	Neurocognitive and social cognitive predictors of cannabis use in first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 168, 231-237.	2.0	20
75	The relationship between impulsivity and vocational outcome in outpatient youth with borderline personality features. <i>Microbial Biotechnology</i> , 2011, 5, 249-253.	1.7	19
76	Development and Validation of a New Measure of Everyday Adolescent Functioning: The Multidimensional Adolescent Functioning Scale. <i>Journal of Adolescent Health</i> , 2013, 52, 195-200.	2.5	19
77	Understanding what it means to be socially included for people with a lived experience of mental illness. <i>International Journal of Social Psychiatry</i> , 2019, 65, 413-424.	3.1	19
78	Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled-trial of antipsychotic dose reduction. The reduce trial: Study protocol. <i>Microbial Biotechnology</i> , 2019, 13, 1345-1356.	1.7	19
79	The psychometric validity of the Center for Epidemiological Studies "Depression Scale (CES-D) in first episode schizophrenia spectrum. <i>Psychiatry Research</i> , 2017, 252, 16-22.	3.3	18
80	Managing disclosure following recent-onset psychosis: utilizing the individual placement and support model. <i>Microbial Biotechnology</i> , 2013, 7, 338-344.	1.7	17
81	The effect of comorbid depression on facial and prosody emotion recognition in first-episode schizophrenia spectrum. <i>Journal of Affective Disorders</i> , 2017, 208, 223-229.	4.1	17
82	An examination of sex differences in neurocognition and social cognition in first-episode psychosis. <i>Psychiatry Research</i> , 2018, 259, 36-43.	3.3	17
83	High-risk sexual behaviour in young people with mental health disorders. <i>Microbial Biotechnology</i> , 2019, 13, 867-873.	1.7	17
84	Patterns of Current Comorbidity in Young Help-Seekers: Implications for Service Planning and Delivery. <i>Australasian Psychiatry</i> , 2005, 13, 379-383.	0.7	16
85	Development of guidelines for tertiary education institutions to assist them in supporting students with a mental illness: a Delphi consensus study with Australian professionals and consumers. <i>PeerJ</i> , 2013, 1, e43.	2.0	16
86	Feasibility and acceptability of cognitive adaptation training for first-episode psychosis. <i>Microbial Biotechnology</i> , 2016, 10, 476-484.	1.7	14
87	Contribution of neurocognition to 18-month employment outcomes in first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 453-460.	1.7	14
88	Implementation of the Enhanced Moderated Online Social Therapy (MOST+) Model Within a National Youth E-Mental Health Service (ehadspace): Protocol for a Single Group Pilot Study for Help-Seeking Young People. <i>JMIR Research Protocols</i> , 2018, 7, e48.	1.0	14
89	Do We Do What We Know Works, and if Not Why Not?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 439-444.	2.3	13
90	Improving vocational outcomes in first-episode psychosis by addressing cognitive impairments using Cognitive Adaptation Training. <i>Work</i> , 2017, 56, 581-589.	1.1	13

#	ARTICLE	IF	CITATIONS
91	Emerging psychosis in young people - Part 3 - key issues for prolonged recovery. Australian Family Physician, 2006, 35, 329-33.	0.5	13
92	Implementing individual placement and support (IPS): the experiences of employment specialists in the early implementation phase of IPS in Northern Norway. The IPSNOR study. BMC Psychiatry, 2021, 21, 632.	2.6	13
93	Utilising Individual Placement and Support to address unemployment and low education rates among individuals with psychotic disorders. Australian and New Zealand Journal of Psychiatry, 2013, 47, 521-523.	2.3	11
94	A Comparison of Vocational Engagement Among Young People with Psychosis, Depression and Borderline Personality Pathology. Community Mental Health Journal, 2018, 54, 831-841.	2.0	11
95	The role of coping in the association between subclinical psychotic experiences and functioning: A within study replication in two independent adolescent samples. Schizophrenia Research, 2018, 201, 91-97.	2.0	11
96	Evidence-based supported employment for people with psychiatric disabilities in Australia: Progress in the past 15 years.. Psychiatric Rehabilitation Journal, 2020, 43, 32-39.	1.1	11
97	Relationship between vocational status and perceived stress and daily hassles in first-episode psychosis: an exploratory study. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1045-1052.	3.1	10
98	Relationship between duration of untreated psychosis and neurocognition and social cognition in first-episode psychosis. Schizophrenia Research, 2016, 176, 529-532.	2.0	10
99	Co-morbid depressive disorder is associated with better neurocognitive performance in first episode schizophrenia spectrum. Journal of Affective Disorders, 2018, 229, 498-505.	4.1	10
100	Development of an implementation guide to facilitate the roll-out of early intervention services for psychosis. Microbial Biotechnology, 2018, 12, 1100-1111.	1.7	10
101	An fMRI study of theory of mind in individuals with first episode psychosis. Psychiatry Research - Neuroimaging, 2018, 281, 1-11.	1.8	10
102	Exploring the use of the Hinting Task in first-episode psychosis. Cognitive Neuropsychiatry, 2019, 24, 65-79.	1.3	10
103	Individual Vocational and Educational Support Trial (INVEST) for young people with borderline personality disorder: study protocol for a randomised controlled trial. Trials, 2020, 21, 583.	1.6	10
104	Something for everyone: employment interventions in psychotic illness. Acta Neuropsychiatrica, 2008, 20, 277-279.	2.1	9
105	Therapy Contamination as a Measure of Therapist Treatment Adherence in a Trial of Cognitive Behaviour Therapy versus Befriending for Psychosis. Behavioural and Cognitive Psychotherapy, 2015, 43, 314-327.	1.2	9
106	The relationship between cognition, job complexity, and employment duration in first-episode psychosis.. Psychiatric Rehabilitation Journal, 2015, 38, 210-217.	1.1	8
107	Enabling choice, recovery and participation: evidence-based early intervention support for psychosocial disability in the National Disability Insurance Scheme. Australasian Psychiatry, 2018, 26, 578-585.	0.7	8
108	International application of standards for health care quality, access and evaluation of services for early intervention in psychotic disorders. Microbial Biotechnology, 2021, 15, 723-730.	1.7	8

#	ARTICLE	IF	CITATIONS
109	Factors associated with vocational disengagement among young people entering mental health treatment. <i>Microbial Biotechnology</i> , 2019, 13, 961-968.	1.7	7
110	Can youth at high risk of illness progression be identified by measures of rumination and sleep-wake disturbance. <i>Microbial Biotechnology</i> , 2019, 13, 1214-1219.	1.7	7
111	Discontinuation of antipsychotic medication—time to rethink trial design. <i>Lancet Psychiatry</i> , 2020, 7, 841-842.	7.4	7
112	The 2016 RANZCP Guidelines for the Management of Schizophrenia and Related Disorders — what's next?. <i>Australasian Psychiatry</i> , 2017, 25, 600-602.	0.7	6
113	Need for clinical neuropsychological assessment in headspace youth mental health services: A national survey of providers. <i>Australian Journal of Psychology</i> , 2019, 71, 108-116.	2.8	6
114	Rates, determinants and outcomes associated with the use of community treatment orders in young people experiencing first episode psychosis. <i>International Journal of Law and Psychiatry</i> , 2019, 62, 85-89.	0.9	6
115	Physical health assistance in early recovery of psychosis: Study protocol for a randomized controlled trial. <i>Microbial Biotechnology</i> , 2020, 14, 587-593.	1.7	6
116	The value of early intervention in creating the new mental health system: Response to Allison et al. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 667-669.	2.3	6
117	Tobacco smoking in young people seeking treatment for mental ill-health: what are their attitudes, knowledge and behaviours towards quitting?. <i>Irish Journal of Psychological Medicine</i> , 2021, 38, 30-39.	1.0	6
118	Preliminary psychometric properties of a measure of social inclusion for young adults aged 18 to 25 with serious mental illness.. <i>Psychiatric Rehabilitation Journal</i> , 2020, 43, 156-169.	1.1	6
119	Developing and testing the F-SIM, a measure of social inclusion for people with mental illness. <i>Psychiatry Research</i> , 2019, 279, 1-8.	3.3	5
120	Group differences in social inclusion between young adults aged 18 to 25 with serious mental illness and same-aged peers from the general community. <i>International Journal of Social Psychiatry</i> , 2019, 65, 631-642.	3.1	5
121	Vocational engagement among young people entering mental health treatment compared with their general population peers. <i>Microbial Biotechnology</i> , 2019, 13, 692-696.	1.7	5
122	Thematic analysis of youth mental health providers' perceptions of neuropsychological assessment services. <i>Microbial Biotechnology</i> , 2020, 14, 220-227.	1.7	5
123	A certificate in youth psychiatry: meeting the training needs of psychiatrists. <i>Australasian Psychiatry</i> , 2021, 29, 97-100.	0.7	5
124	Quality of life in first episode psychosis: a cluster analytic approach. <i>Quality of Life Research</i> , 2022, 31, 1807-1817.	3.1	5
125	Pilot study of client outcomes from exercise physiology in a youth mental health service. <i>Microbial Biotechnology</i> , 2018, 12, 734-739.	1.7	4
126	Youth-oriented outcomes of education, employment and training interventions for upcoming youth: Protocol for a discrete choice experiment. <i>Microbial Biotechnology</i> , 2021, 15, 942-948.	1.7	4

#	ARTICLE	IF	CITATIONS
127	Perceived need for neuropsychological assessment according to geographic location: A survey of Australian youth mental health clinicians. <i>Applied Neuropsychology: Child</i> , 2021, 10, 123-132.	1.4	4
128	The youth online training and employment system: Study protocol for a randomized controlled trial of an online vocational intervention for young people with mental ill health. <i>Microbial Biotechnology</i> , 2021, 15, 1602-1611.	1.7	4
129	Psychosocial Interventions for Youth Mental Health. , 2019, , 241-260.		3
130	Creating the Best Pathways to Care for First-Episode Psychosis. <i>Psychiatric Services</i> , 2019, 70, 641-641.	2.0	3
131	Early psychosis workforce development: Core competencies for mental health professionals working in the early psychosis field. <i>Microbial Biotechnology</i> , 2019, 13, 217-223.	1.7	3
132	Youth access clinics in Gippsland: Barriers and enablers to service accessibility in rural settings. <i>Microbial Biotechnology</i> , 2020, 14, 734-740.	1.7	3
133	The utility of a fidelity measure to monitor implementation of new early psychosis services across Australia. <i>Microbial Biotechnology</i> , 2021, 15, 1382-1388.	1.7	3
134	Are attitudes in employees of public employment service in line with the principles of individual placement and support? A questionnaire-based survey. <i>Social Policy and Administration</i> , 2022, 56, 681-692.	3.0	3
135	Pattern of Lifetime Axis I Morbidity among a Treated Sample of First-Episode Psychosis Patients. <i>Psychopathology</i> , 2008, 41, 90-95.	1.5	2
136	Review: more research needed on early intervention for psychosis. <i>Evidence-Based Mental Health</i> , 2012, 15, 23-23.	4.5	2
137	Dose reduction, relapse and functional recovery in first episode psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 638-639.	2.3	2
138	Setting up an exercise physiology clinic in youth mental health: staff and student perspectives. <i>Advances in Mental Health</i> , 2021, 19, 4-16.	0.7	2
139	Sedentary behaviour in young people presenting with a first episode of psychosis before and during the covid-19 pandemic restrictions. <i>Schizophrenia Research</i> , 2021, 233, 31-33.	2.0	2
140	The contribution of employment duration to 18-month neurocognitive outcomes in first-episode psychosis.. <i>Psychiatric Rehabilitation Journal</i> , 2018, 41, 319-327.	1.1	2
141	Individual placement and support for people with severe mental illness wishing to enter competitive employment improved vocational outcomes and reduced hospital admissions. <i>Australian Occupational Therapy Journal</i> , 2008, 55, 291-293.	1.1	1
142	All in a day's work: opportunities and challenges for vocational interventions in early intervention settings. <i>Microbial Biotechnology</i> , 2010, 4, 267-269.	1.7	1
143	Depression course, functional disability, and NEET status in young adults with mental health problems. <i>European Psychiatry</i> , 2016, 33, S176-S177.	0.2	1
144	Why is the educational attainment of people with schizophrenia lagging so far behind?. <i>Lancet Psychiatry</i> ,the, 2022, 9, 528-529.	7.4	1

#	ARTICLE	IF	CITATIONS
145	A clinician's quick guide of evidence-based approaches: Psychotic disorders. <i>Clinical Psychologist</i> , 2013, 17, 131-132.	0.8	0
146	Getting in Early: Early Intervention Services for Psychosis. , 2020, , 561-588.		0
147	Early Intervention and Youth Mental Health: Synergistic Paradigms to Transform Mental Health Outcomes. , 2020, , 1-11.		0
148	Early Intervention and Youth Mental Health: Synergistic Paradigms to Transform Mental Health Outcomes. , 2021, , 929-939.		0
149	Review: early intervention services can be clinically beneficial for people with early psychosis. <i>Evidence-Based Mental Health</i> , 2011, 14, 50-50.	4.5	0