

Chang-Gyu Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2229249/publications.pdf>

Version: 2024-02-01

256
papers

3,921
citations

201674

27
h-index

189892

50
g-index

262
all docs

262
docs citations

262
times ranked

5739
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy and Safety of SID142 in Patients With Peripheral Arterial Disease: A Multicenter, Randomized, Double-Blind, Active-Controlled, Parallel-Group, Phase III Clinical Trial. <i>Clinical Therapeutics</i> , 2022, 44, 508-528.	2.5	0
2	Impact of Drug-Eluting Stent-associated Coronary Artery Spasm on 3-Year Clinical Outcomes: A Propensity Score Matching Analysis. <i>Indian Heart Journal</i> , 2022, , .	0.5	0
3	A relationship between unrecognized anaemia and the development of type 2 diabetes mellitus in patient with cardiovascular risks. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2021, 48, 455-462.	1.9	0
4	Telmisartan Plus S-Amlodipine Single-Pill Combination Therapy is Safe and Effective in Patients with Hypertension from Large-Scale Nationwide Surveillance Data in Korea (NOVEL) Study. <i>Advances in Therapy</i> , 2021, 38, 304-315.	2.9	1
5	Role of arterial stiffness in the association between hand grip strength and cardiovascular events: the Korean Genome and Epidemiology Study. <i>Journal of Hypertension</i> , 2021, 39, 1203-1209.	0.5	7
6	New onset diabetes mellitus and cardiovascular events in Korean patients with acute myocardial infarction receiving high-intensity statins. <i>BMC Pharmacology & Toxicology</i> , 2021, 22, 11.	2.4	1
7	Socioeconomic Status and Outcomes in Heart Failure With Reduced Ejection Fraction From Asia. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021, 14, e006962.	2.2	13
8	Age and sex dependent association of uric acid and incident hypertension. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1200-1208.	2.6	11
9	Stenting versus balloon angioplasty alone in patients with below-the-knee disease: A propensity score-matched analysis. <i>PLoS ONE</i> , 2021, 16, e0251755.	2.5	3
10	Long-term outcomes after renal denervation in an Asian population: results from the Global SYMPPLICITY Registry in South Korea (GSR Korea). <i>Hypertension Research</i> , 2021, 44, 1099-1104.	2.7	18
11	Percutaneous Coronary Intervention for Chronic Total Occlusion in Single Coronary Arteries. <i>Texas Heart Institute Journal</i> , 2021, 48, .	0.3	5
12	Comparison of the Efficacy and Safety of Atorvastatin 40 mg/î‰-3 Fatty Acids 4 g Fixed-dose Combination and Atorvastatin 40 mg Monotherapy in Hypertriglyceridemic Patients who Poorly Respond to Atorvastatin 40 mg Monotherapy: An 8-week, Multicenter, Randomized, Double-blind Phase III Study. <i>Clinical Therapeutics</i> , 2021, 43, 1419-1430.	2.5	3
13	Stress-associated neurobiological activity is linked with acute plaque instability via enhanced macrophage activity: a prospective serial 18F-FDG-PET/CT imaging assessment. <i>European Heart Journal</i> , 2021, 42, 1883-1895.	2.2	33
14	An Open-label, Single-arm, Multicenter Feasibility Study Evaluating the Safety of Catheter-based Renal Denervation with DENEXâ„¢ in Patients with Uncontrolled Hypertension on Standard Medical Therapy. <i>Korean Circulation Journal</i> , 2021, 51, 43.	1.9	5
15	A Smartphone App (AnSim) With Various Types and Forms of Messages Using the Transtheoretical Model for Cardiac Rehabilitation in Patients With Coronary Artery Disease: Development and Usability Study. <i>JMIR Medical Informatics</i> , 2021, 9, e23285.	2.6	4
16	Abstract 11193: Incremental Diabetogenic Effect of Statin According to Its Intensity in Acute Myocardial Infarction Patients Following Successful Percutaneous Coronary Intervention. <i>Circulation</i> , 2021, 144, .	1.6	0
17	Abstract 12930: The Prognostic Value of Korean vs. Western Nomogram for Exercise Capacity in Korean Patients With Cardiovascular Disease. <i>Circulation</i> , 2021, 144, .	1.6	0
18	Abstract 12825: Immediate versus Staged Complete Revascularization in Acute ST-segment Elevation Myocardial Infarction Patients With Multi-Vessel Disease Undergoing Primary Percutaneous Coronary Intervention: Prospective, Randomized, Multicenter Trial of Complete versus Culprit Lesion Revascularization in Acute ST-segment Elevation Myocardial Infarction Patients With Multivessel Disease Undergoing Primary Percutaneous Coronary Intervention With Everolimus Eluting Stent (cocua Trial). <i>Circulation</i> , 2021, 144, .	1.6	1

#	ARTICLE	IF	CITATIONS
19	Abstract 12823: Efficacy, Optimal Duration and Safety of Adjunctive Cilostazol in Acute ST-elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention With Drug-Eluting Stents; a Multicenter, Randomized, Open Label, Phase 4 Trial. <i>Circulation</i> , 2021, 144, .	1.6	0
20	Assessment of Sex Differences in 5-Year Clinical Outcomes Following Endovascular Revascularization for Peripheral Artery Disease. <i>Cardiovascular Revascularization Medicine</i> , 2020, 21, 110-115.	0.8	10
21	Central hemodynamic characteristics of young adults with isolated systolic hypertension: an ambulatory blood pressure monitoring-based study of real-world clinical patients. <i>Hypertension Research</i> , 2020, 43, 197-206.	2.7	4
22	Patterns of Circadian Variation in 24-Hour Ambulatory Blood Pressure, Heart Rate, and Sympathetic Tone Correlate with Cardiovascular Disease Risk: A Cluster Analysis. <i>Cardiovascular Therapeutics</i> , 2020, 2020, 1-9.	2.5	5
23	Impact of Catheter Ablation on Sleep Quality and Relationship Between Sleep Stability and Recurrence of Paroxysmal Atrial Fibrillation After Successful Ablation: 24-Hour Holter-Based Cardiopulmonary Coupling Analysis. <i>Journal of the American Heart Association</i> , 2020, 9, e017016.	3.7	7
24	Relationship between arterial stiffness and variability of home blood pressure monitoring. <i>Medicine (United States)</i> , 2020, 99, e21227.	1.0	9
25	Cardiovascular and Bleeding Risks Associated With Nonsteroidal Anti-Inflammatory Drugs After Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2020, 76, 518-529.	2.8	21
26	Efficacy and safety of co-administered telmisartan/amlodipine and rosuvastatin in subjects with hypertension and dyslipidemia. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1835-1845.	2.0	7
27	Comparison of nebivolol versus diltiazem in improving coronary artery spasm and quality of life in patients with hypertension and vasospastic angina: A prospective, randomized, double-blind pilot study. <i>PLoS ONE</i> , 2020, 15, e0239039.	2.5	11
28	Handgrip Strength as a Predictor of Exercise Capacity in Coronary Heart Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2020, 40, E10-E13.	2.1	8
29	Impact of Sleep-Disordered Breathing on Functional Outcomes in Ischemic Stroke. <i>Stroke</i> , 2020, 51, 2188-2196.	2.0	6
30	Validation of FRIEND and ACSM Equations for Cardiorespiratory Fitness: Comparison to Direct Measurement in CAD Patients. <i>Journal of Clinical Medicine</i> , 2020, 9, 1889.	2.4	12
31	Risk of insulin resistance with statin therapy in individuals without dyslipidemia: A propensity-matched analysis in a registry population. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2020, 47, 947-954.	1.9	3
32	Cilostazol-based triple versus potent P2Y12 inhibitor-based dual antiplatelet therapy in patients with acute myocardial infarction undergoing percutaneous coronary intervention. <i>Heart and Vessels</i> , 2020, 35, 1181-1192.	1.2	9
33	Comparison between calcium channel blocker with angiotensin converting enzyme inhibitor or angiotensin II type 1 receptor blocker combination on the development of new-onset diabetes in hypertensive Korean patients. <i>Journal of Diabetes and Metabolic Disorders</i> , 2020, 19, 405-413.	1.9	0
34	A randomized, double-blind clinical trial to evaluate the efficacy and safety of a fixed-dose combination of amlodipine/rosuvastatin in patients with dyslipidemia and hypertension. <i>Journal of Clinical Hypertension</i> , 2020, 22, 261-269.	2.0	12
35	Comparison of the Major Clinical Outcomes for the Use of Endeavor [®] and Resolute Integrity [®] Zotarolimus-Eluting Stents During a Three-Year Follow-up. <i>Global Heart</i> , 2020, 15, 4.	2.3	0
36	Title is missing!. , 2020, 15, e0239039.		0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0239039.		0
38	Title is missing!. , 2020, 15, e0239039.		0
39	Title is missing!. , 2020, 15, e0239039.		0
40	Efficacy and Safety of a Fixed-Dose Combination of Candesartan and Rosuvastatin on Blood Pressure and Cholesterol in Patients With Hypertension and Hypercholesterolemia: A Multicenter, Randomized, Double-Blind, Parallel Phase III Clinical Study. <i>Clinical Therapeutics</i> , 2019, 41, 1508-1521.	2.5	8
41	Comparison of Two-Year Outcomes of Acute Myocardial Infarction Caused by Coronary Artery Spasm Versus that Caused by Coronary Atherosclerosis. <i>American Journal of Cardiology</i> , 2019, 124, 1493-1500.	1.6	5
42	Prognostic Impact of Low Skeletal Muscle Mass on Major Adverse Cardiovascular Events in Coronary Artery Disease: A Propensity Score-Matched Analysis of a Single Center All-Comer Cohort. <i>Journal of Clinical Medicine</i> , 2019, 8, 712.	2.4	48
43	Comparison of 24-Hour Ambulatory Central Blood Pressure Reduction Efficacy Between Fixed Amlodipine or Up-Titrated Hydrochlorothiazide Plus Losartan: The K-Central Study. <i>American Journal of Hypertension</i> , 2019, 32, 992-1002.	2.0	4
44	<p>Efficacy of a fixed dose combination of irbesartan and atorvastatin (Rovelito<sup>&reg;</sup>) in Korean adults with hypertension and hypercholesterolemia</p>. <i>Drug Design, Development and Therapy</i> , 2019, Volume 13, 633-645.	4.3	3
45	Time-dependent prognostic effect of high sensitivity C-reactive protein with statin therapy in acute myocardial infarction. <i>Journal of Cardiology</i> , 2019, 74, 74-83.	1.9	12
46	Relationship between arterial stiffness and circadian pattern of blood pressure. <i>Medicine (United Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	1.0	13
47	Reference Values for Cardiorespiratory Fitness in Healthy Koreans. <i>Journal of Clinical Medicine</i> , 2019, 8, 2191.	2.4	14
48	The association of smoothness index of central blood pressure with ambulatory carotid femoral pulse wave velocity after 20-week treatment with losartan in combination with amlodipine versus hydrochlorothiazide. <i>Journal of Hypertension</i> , 2019, 37, 2490-2497.	0.5	2
49	Roles of Achieved Levels of Low-Density Lipoprotein Cholesterol and High-Sensitivity C-Reactive Protein on Cardiovascular Outcome in Statin Therapy. <i>Cardiovascular Therapeutics</i> , 2019, 2019, 1-10.	2.5	4
50	Irreversible effects of long-term chronic smoking on arterial stiffness: An analysis focusing on ex-smokers among otherwise healthy middle-aged men. <i>Clinical and Experimental Hypertension</i> , 2019, 41, 766-773.	1.3	5
51	Frequency and Severity of Hypoglycemia in Type 2 Diabetes Mellitus Patients Treated with a Sulfonylurea-Based Regimen at University-Affiliated Hospitals in Korea: The Naturalistic Evaluation of Hypoglycemic Events in Diabetic Subjects Study. <i>Korean Journal of Family Medicine</i> , 2019, 40, 212-219.	1.2	3
52	Calcium channel blocker monotherapy versus combination with renin-angiotensin system inhibitors on the development of new-onset diabetes mellitus in hypertensive Korean patients. <i>Journal of Geriatric Cardiology</i> , 2019, 16, 439-447.	0.2	2
53	The association of chronic air pollutants with coronary artery spasm, vasospastic angina, and endothelial dysfunction. <i>Coronary Artery Disease</i> , 2018, 29, 336-343.	0.7	5
54	The impact of myocardial bridge on coronary artery spasm and long-term clinical outcomes in patients without significant atherosclerotic stenosis. <i>Atherosclerosis</i> , 2018, 270, 8-12.	0.8	30

#	ARTICLE	IF	CITATIONS
55	Hyperuricaemia and development of type 2 diabetes mellitus in Asian population. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2018, 45, 499-506.	1.9	29
56	Selective ÅŸ1-Blockers Are Not Associated With New-onset Diabetes Mellitus in Hypertensive Patients. <i>Journal of Cardiovascular Pharmacology</i> , 2018, 71, 38-45.	1.9	2
57	Consensus Document on Improving Hypertension Management in Asian Patients, Taking Into Account Asian Characteristics. <i>Hypertension</i> , 2018, 71, 375-382.	2.7	94
58	Routine angiographic follow-up versus clinical follow-up in patients with diabetes following percutaneous coronary intervention with drug-eluting stents in Korean population. <i>Diabetes Research and Clinical Practice</i> , 2018, 138, 138-148.	2.8	4
59	Five-year major clinical outcomes according to severity of coronary artery spasm as assessed by intracoronary acetylcholine provocation test. <i>Archives of Cardiovascular Diseases</i> , 2018, 111, 144-154.	1.6	2
60	Impact of diabetes mellitus on 5-year clinical outcomes in patients with chronic total occlusion lesions. <i>Coronary Artery Disease</i> , 2018, 29, 119-126.	0.7	12
61	Clinical characteristics and outcomes of patients with coronary artery spasm who initially presented with acute myocardial infarction. <i>Coronary Artery Disease</i> , 2018, 29, 60-67.	0.7	7
62	Impact of Trimetazidine Treatment on 5-year Clinical Outcomes in Patients with Significant Coronary Artery Spasm: A Propensity Score Matching Study. <i>American Journal of Cardiovascular Drugs</i> , 2018, 18, 117-127.	2.2	2
63	Impact of alcohol drinking on acetylcholine-induced coronary artery spasm in Korean populations. <i>Atherosclerosis</i> , 2018, 268, 163-169.	0.8	10
64	Impact of serum lipoprotein(a) on endothelium-dependent coronary vasomotor response assessed by intracoronary acetylcholine provocation. <i>Coronary Artery Disease</i> , 2018, 29, 516-525.	0.7	3
65	Impact of chronic total occlusion lesion length on six-month angiographic and 2-year clinical outcomes. <i>PLoS ONE</i> , 2018, 13, e0198571.	2.5	13
66	Comparison of efficacy and safety between two different irbesartan, generic vs branded, in the treatment of Korean patients with mild-to-moderate hypertension: an 8-week, multicenter, randomized, open-label, Phase IV clinical study. <i>Drug Design, Development and Therapy</i> , 2018, Volume 12, 4217-4229.	4.3	0
67	The Impact of Prediabetes on Two-Year Clinical Outcomes in Patients Undergoing Elective Percutaneous Coronary Intervention. <i>Yonsei Medical Journal</i> , 2018, 59, 489.	2.2	9
68	Impact of left ventricular hypertrophy on long-term clinical outcomes in hypertensive patients who underwent successful percutaneous coronary intervention with drug-eluting stents. <i>Medicine (United States)</i> , 2018, 97, e12067.	1.0	7
69	Efficacy and Safety of Ezetimibe and Rosuvastatin Combination Therapy Versus Those of Rosuvastatin Monotherapy in Patients With Primary Hypercholesterolemia. <i>Clinical Therapeutics</i> , 2018, 40, 993-1013.	2.5	17
70	Effect of Pitavastatin Compared with Atorvastatin and Rosuvastatin on New-Onset Diabetes Mellitus in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2018, 122, 922-928.	1.6	23
71	Five-Year Outcomes of Successful Percutaneous Coronary Intervention with Drug-Eluting Stents versus Medical Therapy for Chronic Total Occlusions. <i>Yonsei Medical Journal</i> , 2018, 59, 602.	2.2	10
72	Five-year major clinical outcomes between first-generation and second-generation drug-eluting stents in acute myocardial infarction patients underwent percutaneous coronary intervention. <i>Journal of Geriatric Cardiology</i> , 2018, 15, 523-533.	0.2	5

#	ARTICLE	IF	CITATIONS
73	Three-year follow-up of patients with acetylcholine-induced coronary artery spasm combined with insignificant coronary stenosis. <i>International Journal of Cardiology</i> , 2017, 238, 66-71.	1.7	11
74	Combination Therapy of Rosuvastatin and Ezetimibe in Patients with High Cardiovascular Risk. <i>Clinical Therapeutics</i> , 2017, 39, 107-117.	2.5	37
75	Vascular aging and hypertension: Implications for the clinical application of central blood pressure. <i>International Journal of Cardiology</i> , 2017, 230, 209-213.	1.7	46
76	Comparison of Fixed-dose Combinations of Amlodipine/Losartan Potassium/Chlorthalidone and Amlodipine/Losartan Potassium in Patients With Stage 2 Hypertension Inadequately Controlled With Amlodipine/Losartan Potassium: A Randomized, Double-blind, Multicenter, Phase III Study. <i>Clinical Therapeutics</i> , 2017, 39, 2049-2060.	2.5	9
77	Role of ambulatory blood pressure monitoring for the management of hypertension in Asian populations. <i>Journal of Clinical Hypertension</i> , 2017, 19, 1240-1245.	2.0	23
78	Percutaneous Coronary Intervention Versus Optimal Medical Therapy for Chronic Total Coronary Occlusion With Well-Developed Collaterals. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	26
79	Routine angiographic follow-up versus clinical follow-up in patients with multivessel coronary artery diseases following percutaneous coronary intervention with drug-eluting stents. <i>Coronary Artery Disease</i> , 2017, 28, 307-314.	0.7	3
80	Angiotensin-converting enzyme inhibitors versus angiotensin II receptor blockers in acute ST-segment elevation myocardial infarction patients with diabetes mellitus undergoing percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2017, 249, 48-54.	1.7	18
81	Influence of Sex on the Association Between Epicardial Adipose Tissue and Left Atrial Transport Function in Patients With Atrial Fibrillation: A Multislice Computed Tomography Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	16
82	Changes in Left Atrial Transport Function in Patients Who Maintained Sinus Rhythm After Successful Radiofrequency Catheter Ablation for Atrial Fibrillation: A 1-Year Follow-Up Multislice Computed Tomography Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 167-176.	1.7	11
83	Impact of vasomotion type on prognosis of coronary artery spasm induced by acetylcholine provocation test of left coronary artery. <i>Atherosclerosis</i> , 2017, 257, 195-200.	0.8	17
84	Three-Year Major Clinical Outcomes of Angiography-Guided Single Stenting Technique in Non-Complex Left Main Coronary Artery Diseases. <i>International Heart Journal</i> , 2017, 58, 704-713.	1.0	11
85	Comparison of effects between calcium channel blocker and diuretics in combination with angiotensin II receptor blocker on 24-h central blood pressure and vascular hemodynamic parameters in hypertensive patients: study design for a multicenter, double-blinded, active-controlled, phase 4, randomized trial. <i>Clinical Hypertension</i> , 2017, 23, 18.	2.0	6
86	Management of Hypertension in Patients with Chronic Kidney Disease in Asia. <i>Current Hypertension Reviews</i> , 2017, 12, 181-185.	0.9	8
87	Impact of Diltiazem Alone versus Diltiazem with Nitrate on Five-Year Clinical Outcomes in Patients with Significant Coronary Artery Spasm. <i>Yonsei Medical Journal</i> , 2017, 58, 90.	2.2	12
88	Routine Angiographic Follow-Up versus Clinical Follow-Up after Percutaneous Coronary Intervention in Acute Myocardial Infarction. <i>Yonsei Medical Journal</i> , 2017, 58, 720.	2.2	9
89	Impact of Angiotensin Converting Enzyme Inhibitor versus Angiotensin Receptor Blocker on Incidence of New-Onset Diabetes Mellitus in Asians. <i>Yonsei Medical Journal</i> , 2016, 57, 180.	2.2	9
90	Impact of Cigarette Smoking: a 3-Year Clinical Outcome of Vasospastic Angina Patients. <i>Korean Circulation Journal</i> , 2016, 46, 632.	1.9	18

#	ARTICLE	IF	CITATIONS
91	Target Blood Pressure in Patients with Diabetes: Asian Perspective. <i>Yonsei Medical Journal</i> , 2016, 57, 1307.	2.2	11
92	Safety of the Up-titration of Nifedipine GITS and Valsartan or Low-dose Combination in Uncontrolled Hypertension: the FOCUS Study. <i>Clinical Therapeutics</i> , 2016, 38, 832-842.	2.5	2
93	Comparison of the Efficacy and Safety of Fixed-dose S-Amlodipine/Telmisartan and Telmisartan in Hypertensive Patients Inadequately Controlled with Telmisartan: A Randomized, Double-blind, Multicenter Study. <i>Clinical Therapeutics</i> , 2016, 38, 2185-2194.	2.5	11
94	Impact of Renin-Angiotensin System Inhibitors on Long-Term Clinical Outcomes of Patients With Coronary Artery Spasm. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	19
95	The changes of individual carotid artery wall layer by aging and carotid intima-media thickness value for high risk. <i>Cardiovascular Therapeutics</i> , 2016, 34, 397-403.	2.5	11
96	Clinical implication of body size phenotype on heart rate variability. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1589-1596.	3.4	16
97	Blood Pressure and Cholesterol-lowering Efficacy of a Fixed-dose Combination With Irbesartan and Atorvastatin in Patients With Hypertension and Hypercholesterolemia: A Randomized, Double-blind, Factorial, Multicenter Phase III Study. <i>Clinical Therapeutics</i> , 2016, 38, 2171-2184.	2.5	20
98	Efficacy and Safety of DP-R202 in Patients with Chronic Artery Occlusive Disease: Multicenter Randomized Double-blind Active-controlled Parallel Group Phase III Clinical Study. <i>Clinical Therapeutics</i> , 2016, 38, 557-573.	2.5	2
99	Impact of Statin Use on Development of New-Onset Diabetes Mellitus in Asian Population. <i>American Journal of Cardiology</i> , 2016, 117, 382-387.	1.6	29
100	Treatment Considerations of Clinical Physician on Hypertension Management in Asia. <i>Current Hypertension Reviews</i> , 2016, 12, 164-168.	0.9	11
101	Impact of old age on clinical and angiographic characteristics of coronary artery spasm as assessed by acetylcholine provocation test. <i>Journal of Geriatric Cardiology</i> , 2016, 13, 824-829.	0.2	3
102	Comparison of 12-month clinical outcomes in diabetic and nondiabetic patients with chronic total occlusion lesions. <i>Coronary Artery Disease</i> , 2015, 26, 699-705.	0.7	16
103	Impact of uncontrolled hypertension on 12-month clinical outcomes following below-the-knee arteries (BTK) interventions in patients with critical limb ischemia. <i>Clinical Hypertension</i> , 2015, 22, 9.	2.0	4
104	Prevalence and characteristics of resistant hypertension at primary clinics in Korea: a nationwide cross-sectional study. <i>Clinical Hypertension</i> , 2015, 22, 4.	2.0	4
105	Prevalence of Gastrointestinal Diseases and Treatment Status in Noncardiac Chest Pain Patients. <i>Korean Circulation Journal</i> , 2015, 45, 469.	1.9	19
106	Adjusted Left Atrial Emptying Fraction as a Predictor of Procedural Outcome after Catheter Ablation for Atrial Fibrillation. <i>Texas Heart Institute Journal</i> , 2015, 42, 216-225.	0.3	6
107	Efficacy of fimasartan/hydrochlorothiazide combination in hypertensive patients inadequately controlled by fimasartan monotherapy. <i>Drug Design, Development and Therapy</i> , 2015, 9, 2847.	4.3	11
108	Impact of low dose atorvastatin on development of new-onset diabetes mellitus in Asian population: Three-year clinical outcomes. <i>International Journal of Cardiology</i> , 2015, 184, 502-506.	1.7	19

#	ARTICLE	IF	CITATIONS
109	Sodium Excretion and Cardiovascular Structure and Function in the Nonhypertensive Population: The Korean Genome and Epidemiology Study. <i>American Journal of Hypertension</i> , 2015, 28, 1010-1016.	2.0	11
110	Five-year clinical outcomes in patients with significant coronary artery spasm: A propensity score-matched analysis. <i>International Journal of Cardiology</i> , 2015, 184, 533-539.	1.7	27
111	Impact of high lipoprotein(a) levels on in-stent restenosis and long-term clinical outcomes of angina pectoris patients undergoing percutaneous coronary intervention with drug-eluting stents in Asian population. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2015, 42, 588-595.	1.9	14
112	A multicenter, non-comparative study to evaluate the efficacy and safety of fixed-dose olmesartan/amlodipine in Korean patients with hypertension who are naïve or non-responders to anti-hypertensive monotherapy (ACE-HY study). <i>Clinical and Experimental Hypertension</i> , 2015, 37, 482-489.	1.3	5
113	Relationship between uric acid and blood pressure in different age groups. <i>Clinical Hypertension</i> , 2015, 21, 14.	2.0	51
114	Evaluation of the Efficacy and Safety of the Lercanidipine/Valsartan Combination in Korean Patients With Essential Hypertension Not Adequately Controlled With Lercanidipine Monotherapy: A Randomized, Multicenter, Parallel Design, Phase III Clinical Trial. <i>Clinical Therapeutics</i> , 2015, 37, 1726-1739.	2.5	2
115	Concurrent Carotid Inflammation in Acute Coronary Syndrome as Assessed by 18F-FDG PET/CT: A Possible Mechanistic Link for Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 2547-2554.	1.6	13
116	Does isolation of the left atrial posterior wall improve clinical outcomes after radiofrequency catheter ablation for persistent atrial fibrillation?. <i>International Journal of Cardiology</i> , 2015, 181, 277-283.	1.7	110
117	Absolute change in fasting plasma glucose over 12 months is associated with 2-year and 5-year major adverse cardiovascular events in patients with drug-eluting stent implants. <i>International Journal of Cardiology</i> , 2015, 179, 146-152.	1.7	7
118	Gender-Based Differences on the Association between Salt-Sensitive Genes and Obesity in Korean Children Aged between 8 and 9 Years. <i>PLoS ONE</i> , 2015, 10, e0120111.	2.5	31
119	Interatrial septal thickness as a marker of structural and functional remodeling of the left atrium in patients with atrial fibrillation. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 808-820.	1.7	8
120	Clinical outcomes of patients with critical limb ischemia who undergo routine coronary angiography and subsequent percutaneous coronary intervention. <i>Journal of Invasive Cardiology</i> , 2015, 27, 213-7.	0.4	12
121	An Adult Case of Tetralogy of Fallot Accompanied by Multiple Anomalies Including Multidirectional Coronary Artery Fistulas. <i>Korean Circulation Journal</i> , 2014, 44, 196.	1.9	2
122	Is amlodipine more cardioprotective than other antihypertensive drug classes?. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 301.	1.7	2
123	Impact of global risk assessment on the evaluation of hypertensive patients treated by primary care physicians in Korea. <i>Hypertension Research</i> , 2014, 37, 665-671.	2.7	4
124	Coronary Stent Fracture Complicated Multiple Aneurysms Confirmed by 3-Dimensional Reconstruction of Intravascular-Optical Coherence Tomography in a Patient Treated With Open-Cell Designed Drug-Eluting Stent. <i>Circulation</i> , 2014, 129, e24-7.	1.6	15
125	Efficacy of losartan and carvedilol on central hemodynamics in hypertensives: a prospective, randomized, open, blinded end point, multicenter study. <i>Hypertension Research</i> , 2014, 37, 50-56.	2.7	22
126	Does the amount of atrial mass reduction improve clinical outcomes after radiofrequency catheter ablation for long-standing persistent atrial fibrillation? Comparison between linear ablation and defragmentation. <i>International Journal of Cardiology</i> , 2014, 171, 37-43.	1.7	23

#	ARTICLE	IF	CITATIONS
127	One-year clinical outcomes of everolimus- versus sirolimus-eluting stents in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2014, 176, 583-588.	1.7	5
128	Diabetes mellitus is not a risk factor for coronary artery spasm as assessed by an intracoronary acetylcholine provocation test: angiographic and clinical characteristics of 986 patients. <i>Journal of Invasive Cardiology</i> , 2014, 26, 234-9.	0.4	8
129	Effect of StentBoost imaging guided percutaneous coronary intervention on mid-term angiographic and clinical outcomes. <i>International Journal of Cardiology</i> , 2013, 168, 1479-1484.	1.7	13
130	Results of a 14-Week, Multicenter, Prospective, Randomized, Open-Label, Noninferiority Clinical Trial Comparing the Antihypertensive Effect and Edema Incidence of Lacidipine and Amlodipine in Older Korean Patients with Mild-to-Moderate Hypertension. <i>Current Therapeutic Research</i> , 2013, 74, 54-61.	1.2	5
131	Comparison of Antiplatelet Efficacy and Tolerability of Clopidogrel Napadisilate With Clopidogrel Bisulfate in Coronary Artery Disease Patients After Percutaneous Coronary Intervention: A Prospective, Multicenter, Randomized, Open-Label, Phase IV, Noninferiority Trial. <i>Clinical Therapeutics</i> , 2013, 35, 28-37.e4.	2.5	8
132	Impact of Ischemic EKG Changes During the Acetylcholine Provocation Test on 12-month Clinical Outcomes in Patients with Vasospastic Angina. <i>American Journal of Cardiology</i> , 2013, 111, 92B.	1.6	1
133	Usefulness of neutrophil/lymphocyte ratio in predicting early recurrence after radiofrequency catheter ablation in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2013, 168, 4398-4400.	1.7	25
134	Effects of Iatrogenic Myocardial Injury on Coronary Microvascular Function in Patients Undergoing Radiofrequency Catheter Ablation of Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 318-326.	4.8	17
135	Angiographic and Clinical Characteristics according to Intracoronary Acetylcholine Dose in Patients with Myocardial Bridge. <i>Cardiology</i> , 2013, 125, 250-257.	1.4	13
136	Extracellular fluid adjusted for body size is contracted in hypertension. <i>Hypertension Research</i> , 2013, 36, 916-921.	2.7	5
137	Obesity phenotype and incident hypertension. <i>Journal of Hypertension</i> , 2013, 31, 145-151.	0.5	80
138	Serum Adiponectin and Type 2 Diabetes: A 6-Year Follow-Up Cohort Study. <i>Diabetes and Metabolism Journal</i> , 2013, 37, 252.	4.7	14
139	Significant Response to Lower Acetylcholine Dose Is Associated with Worse Clinical and Angiographic Characteristics in Patients with Vasospastic Angina. <i>Korean Circulation Journal</i> , 2013, 43, 468.	1.9	3
140	The Impact of High Sensitivity C-Reactive Protein Level on Coronary Artery Spasm as Assessed by Intracoronary Acetylcholine Provocation Test. <i>Yonsei Medical Journal</i> , 2013, 54, 1299.	2.2	10
141	Can Pulse Pressure Predict the White-Coat Effect in Treated Hypertensive Patients?. <i>Clinical and Experimental Hypertension</i> , 2012, 34, 555-560.	1.3	8
142	A comparison between central blood pressure values obtained by the Gaon system and the SphygmoCor system. <i>Hypertension Research</i> , 2012, 35, 329-333.	2.7	9
143	Impact of low-dose aspirin on coronary artery spasm as assessed by intracoronary acetylcholine provocation test in Korean patients. <i>Journal of Cardiology</i> , 2012, 60, 187-191.	1.9	28
144	Evaluation of the Dose-Response Relationship of Amlodipine and Losartan Combination in Patients with Essential Hypertension. <i>American Journal of Cardiovascular Drugs</i> , 2012, 12, 35-47.	2.2	13

#	ARTICLE	IF	CITATIONS
145	Comparison of the Efficacy and Safety of Fixed-Dose Amlodipine/Losartan and Losartan in Hypertensive Patients Inadequately Controlled with Losartan. <i>American Journal of Cardiovascular Drugs</i> , 2012, 12, 189-195.	2.2	16
146	Unrestricted Use of 2 New-Generation Drug-Eluting Stents in Patients With Acute Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 936-945.	2.9	19
147	Impact of Heterogeneous Overlapping Drug-Eluting Stents on the Arterial Responses of Rabbit Iliac Arteries: A Comparison With Overlapping Bare Metal Stents. <i>Korean Circulation Journal</i> , 2012, 42, 397.	1.9	4
148	Prevalence of Dyslipidemia among Korean Adults: Korea National Health and Nutrition Survey 1998-2005. <i>Diabetes and Metabolism Journal</i> , 2012, 36, 43.	4.7	65
149	A simplified method to determine left atrial volume and transport function using multi-slice computed tomography in patients with atrial fibrillation: comparison with transthoracic echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1205-1216.	1.5	8
150	Efficacy and Tolerability of Fimasartan, a New Angiotensin Receptor Blocker, Compared With Losartan (50/100 mg): A 12-Week, Phase III, Multicenter, Prospective, Randomized, Double-Blind, Parallel-Group, Dose Escalation Clinical Trial With an Optional 12-Week Extension Phase in Adult Korean Patients With Mild-to-Moderate Hypertension. <i>Clinical Therapeutics</i> , 2012, 34, 552-568.e9.	2.5	53
151	Use of dihydropyridine calcium channel blockers in the management of hypertension in Eastern Asians: A scientific statement from the Asian Pacific Heart Association. <i>Hypertension Research</i> , 2011, 34, 423-430.	2.7	72
152	Standard versus high loading doses of clopidogrel in Asian ST-segment elevation myocardial infarction patients undergoing percutaneous coronary intervention: Insights from the Korea Acute Myocardial Infarction Registry. <i>American Heart Journal</i> , 2011, 161, 373-382.e3.	2.7	16
153	Response to the letter regarding the article "Do East Asians have different hypercoagulable states compared with Western population?" <i>American Heart Journal</i> , 2011, 162, e21-e22.	2.7	0
154	Association between aortic calcification and stable obstructive coronary artery disease. <i>International Journal of Cardiology</i> , 2011, 153, 192-195.	1.7	10
155	Morning Hypertension in Treated Hypertensives: Baseline Characteristics and Clinical Implications. <i>Korean Circulation Journal</i> , 2011, 41, 733.	1.9	6
156	The Significance of the J-Curve in Hypertension and Coronary Artery Diseases. <i>Korean Circulation Journal</i> , 2011, 41, 349.	1.9	6
157	Telmisartan Versus Valsartan in Patients With Hypertension: Effects on Cardiovascular, Metabolic, and Inflammatory Parameters. <i>Korean Circulation Journal</i> , 2011, 41, 583.	1.9	8
158	Detection of Masked Hypertension and the Mask Effect' in Patients With Well-Controlled Office Blood Pressure. <i>Circulation Journal</i> , 2011, 75, 357-365.	1.6	15
159	Multivessel versus single vessel spasm, as assessed by the intracoronary acetylcholine provocation test, in Korean patients. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2011, 38, 819-823.	1.9	6
160	Improved Endothelial Function in Patients with Atrial Fibrillation through Maintenance of Sinus Rhythm by Successful Catheter Ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2011, 22, 376-382.	1.7	52
161	Total and Interatrial Epicardial Adipose Tissues Are Independently Associated With Left Atrial Remodeling in Patients With Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2011, 22, 647-655.	1.7	111
162	Impaired Transport Function of the Left Atrium in Patients with Lone Paroxysmal Atrial Fibrillation. <i>Echocardiography</i> , 2011, 28, 44-51.	0.9	9

#	ARTICLE	IF	CITATIONS
163	Comparative Efficacy and Safety Profile of Amlodipine 5 mg/Losartan 50 mg Fixed-Dose Combination and Amlodipine 10 mg Monotherapy in Hypertensive Patients Who Respond Poorly to Amlodipine 5 mg Monotherapy: An 8-Week, Multicenter, Randomized, Double-Blind Phase III Noninferiority Study. <i>Clinical Therapeutics</i> , 2011, 33, 1953-1963.	2.5	16
164	Can mean platelet volume predict coronary vasospasm?. <i>Platelets</i> , 2011, 22, 173-178.	2.3	7
165	Early Abnormalities of Cardiovascular Structure and Function in Middle-Aged Korean Adults With Prehypertension: The Korean Genome Epidemiology Study. <i>American Journal of Hypertension</i> , 2011, 24, 218-224.	2.0	27
166	Impaired transport function of the left atrium and left atrial appendage in cryptogenic stroke patients with atrial septal aneurysm and without patent foramen ovale. <i>European Journal of Echocardiography</i> , 2011, 12, 140-147.	2.3	16
167	Unusual dominant course of left circumflex coronary artery to right coronary artery territory with absent right coronary artery. <i>Journal of Cardiology</i> , 2010, 55, 117-119.	1.9	14
168	Comparing the probability of stroke by the Framingham risk score in hypertensive Korean patients visiting private clinics and tertiary hospitals. <i>BMC Neurology</i> , 2010, 10, 78.	1.8	2
169	Update on Newer Antihypertensive Medicines. <i>Journal of the Korean Medical Association</i> , 2010, 53, 717.	0.3	0
170	Response to Letter Regarding Article, "Triple Versus Dual Antiplatelet Therapy in Patients With Acute ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention". <i>Circulation</i> , 2010, 121, .	1.6	0
171	Are Metabolic Risk Factors and Target Organ Damage More Frequent in Masked Hypertension Than in White Coat Hypertension?. <i>Clinical and Experimental Hypertension</i> , 2010, 32, 480-485.	1.3	13
172	Relative contributions of different cardiovascular risk factors to significant arterial stiffness. <i>International Journal of Cardiology</i> , 2010, 139, 263-268.	1.7	26
173	The optimal timing for non-cardiac surgery after percutaneous coronary intervention with drug-eluting stents. <i>International Journal of Cardiology</i> , 2010, 139, 313-316.	1.7	5
174	Coronary endothelial dysfunction associated with a depressive mood in patients with atypical angina but angiographically normal coronary artery. <i>International Journal of Cardiology</i> , 2010, 143, 154-157.	1.7	18
175	Low-molecular-weight heparin versus unfractionated heparin in acute ST-segment elevation myocardial infarction patients undergoing primary percutaneous coronary intervention with drug-eluting stents. <i>American Heart Journal</i> , 2010, 159, 684-690.e1.	2.7	26
176	Response to the letter regarding the article "Low-molecular-weight heparin versus unfractionated heparin in acute ST-segment elevation myocardial infarction patients undergoing primary percutaneous coronary intervention with drug-eluting stents". <i>American Heart Journal</i> , 2010, 160, e15-e16.	2.7	0
177	Response to letter regarding the article "Low-molecular-weight heparin versus unfractionated heparin in acute ST-segment elevation myocardial infarction patients undergoing primary percutaneous coronary intervention with drug-eluting stents". <i>American Heart Journal</i> , 2010, 160, e27.	2.7	0
178	Differing effects of aging on central and peripheral blood pressures and pulse wave velocity: a direct intraarterial study. <i>Journal of Hypertension</i> , 2010, 28, 1252-1260.	0.5	35
179	Cardiovascular Disease in Masked Hypertension: Clinical Implications. <i>Current Hypertension Reviews</i> , 2010, 6, 254-259.	0.9	0
180	Triple Versus Dual Antiplatelet Therapy in Patients With Acute ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation</i> , 2009, 119, 3207-3214.	1.6	434

#	ARTICLE	IF	CITATIONS
181	Mid-term angiographic benefit of sirolimus-eluting stents compared with paclitaxel-eluting stents in patients with acute myocardial infarction. <i>Journal of Cardiology</i> , 2009, 54, 80-85.	1.9	1
182	Bare-metal stents versus drug-eluting stents in large (≥3.5mm) single coronary artery: Angiographic and clinical outcomes at 6 months. <i>Journal of Cardiology</i> , 2009, 54, 108-114.	1.9	12
183	Estimating the probability of stroke in Korean hypertensive patients visiting tertiary hospitals using a risk profile from the framingham study. <i>BMC Neurology</i> , 2009, 9, 16.	1.8	4
184	Aortic Upper Wall Tissue Doppler Image Velocity: Relation to Aortic Elasticity and Left Ventricular Diastolic Function. <i>Echocardiography</i> , 2009, 26, 1069-1074.	0.9	18
185	Peripheral arterial disease is associated with coronary artery spasm as assessed by an intracoronary acetylcholine provocation test. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009, 36, e78-82.	1.9	7
186	Unexpected coronary perforation following adjunctive balloon postdilation after overlapping drug-eluting stent implantation rescued by successful stent graft implantation. <i>International Journal of Cardiology</i> , 2009, 132, e11-e13.	1.7	2
187	Congenital absence of left circumflex coronary artery presented with vasospastic angina and myocardial bridge in single left coronary artery. <i>International Journal of Cardiology</i> , 2009, 131, e108-e111.	1.7	10
188	A Prospective, Randomized, 6-Month Comparison of the Coronary Vasomotor Response Associated With a Zotarolimus- Versus a Sirolimus-Eluting Stent. <i>Journal of the American College of Cardiology</i> , 2009, 53, 1653-1659.	2.8	100
189	Lack of Clinical Benefit of Improved Angiographic Results With Sirolimus-Eluting Stents Compared With Paclitaxel and Zotarolimus-Eluting Stents in Patients With Acute Myocardial Infarction Undergoing Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2009, 73, 2229-2235.	1.6	10
190	Reproducibility of Regional Pulse Wave Velocity in Healthy Subjects. <i>Korean Journal of Internal Medicine</i> , 2009, 24, 19.	1.7	12
191	Six-Month Comparison of Coronary Endothelial Dysfunction Associated With Sirolimus-Eluting Stent Versus Paclitaxel-Eluting Stent. <i>JACC: Cardiovascular Interventions</i> , 2008, 1, 65-71.	2.9	83
192	Relationship Between Lipoprotein(a) and Spontaneous Recanalization of Infarct-related Arteries in the Early Phase of Acute Myocardial Infarction. <i>Clinical Cardiology</i> , 2008, 31, 211-216.	1.8	9
193	Extensive exfoliative dermatitis induced by non-ionic contrast medium Iodixanol (Visipaque®) used during percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2008, 124, e25-e27.	1.7	7
194	Endocardial fibroelastosis demonstrated on multidetector computed tomography. <i>International Journal of Cardiology</i> , 2008, 124, e51-e52.	1.7	5
195	Role of three-dimensional multidetector computed tomography for a huge superior mesenteric artery aneurysm management. <i>International Journal of Cardiology</i> , 2008, 127, e12-e15.	1.7	6
196	Mechanisms responsible for the initiation and maintenance of atrial fibrillation assessed by non-contact mapping system. <i>International Journal of Cardiology</i> , 2008, 124, 218-226.	1.7	26
197	Bilateral coronary artery fistula and communication between two fistulas identified on multidetector computed tomography in patient with coronary artery disease. <i>International Journal of Cardiology</i> , 2008, 127, e118-e121.	1.7	3
198	Randomized Comparison of Cilostazol vs Clopidogrel After Drug-Eluting Stenting in Diabetic Patients Cilostazol for Diabetic Patients in Drug-Eluting Stent (CIDES) Trial. <i>Circulation Journal</i> , 2008, 72, 35-39.	1.6	46

#	ARTICLE	IF	CITATIONS
199	The efficacy of adjunctive balloon postdilation at the overlapping site of drug-eluting stent in diffuse long coronary lesion. <i>Coronary Artery Disease</i> , 2008, 19, 211-215.	0.7	0
200	Macrophage Depletion by Clodronate Liposomes Suppresses Neointimal Formation After Carotid Artery Injury in Apolipoprotein E-Deficient Mice. <i>Korean Circulation Journal</i> , 2008, 38, 244.	1.9	1
201	Recent Update on Fixed Combinations of Antihypertensive Agents. <i>Korean Circulation Journal</i> , 2008, 38, 237.	1.9	2
202	In vivo real-time vessel imaging and ex vivo 3D reconstruction of atherosclerotic plaque in apolipoprotein E-knockout mice using synchrotron radiation microscopy. <i>International Journal of Cardiology</i> , 2007, 114, 166-171.	1.7	11
203	Aneurysm of circumflex coronary artery caused by cardiac vein and fistulous connection to the left ventricle identified on MDCT. <i>International Journal of Cardiology</i> , 2007, 114, E3-E4.	1.7	6
204	Acute myocardial infarction following scrub typhus infection. <i>International Journal of Cardiology</i> , 2007, 114, E18-E20.	1.7	21
205	Spontaneous coronary dissection associated with sleep deprivation presenting with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2007, 115, e78-e79.	1.7	15
206	Coronary stent fracture and restenosis in the drug-eluting stent era: Do we have clues of management?. <i>International Journal of Cardiology</i> , 2007, 120, 417-419.	1.7	28
207	Cardiogenic shock caused by simultaneous subacute stent thrombosis after implantation of sirolimus-eluting stents. <i>International Journal of Cardiology</i> , 2007, 120, 423-425.	1.7	9
208	A complete metal jacket case using ten paclitaxel-eluting stents for multiple de novo coronary artery lesions. <i>International Journal of Cardiology</i> , 2007, 115, e97-e98.	1.7	4
209	Complete angiographic resolution of spontaneous coronary artery dissection associated with sleep deprivation. <i>International Journal of Cardiology</i> , 2007, 119, e38-e39.	1.7	2
210	The Effect of Isosorbide Dinitrate Intravenous Injection on the Hemodynamics and Arterial Stiffness of Patients with Isolated Systolic Hypertension. <i>Korean Circulation Journal</i> , 2007, 37, 359.	1.9	0
211	Comparison of Frequency of Coronary Spasm in Korean Patients With Versus Without Myocardial Bridging. <i>American Journal of Cardiology</i> , 2007, 100, 1083-1086.	1.6	40
212	Acute myocardial infarction in a 14-year old boy by thrombotic occlusion of the left main coronary ostium. <i>International Journal of Cardiology</i> , 2006, 107, 430-431.	1.7	3
213	Neutropenia associated with clopidogrel use in a patient with chronic renal failure who underwent percutaneous coronary and peripheral intervention. <i>International Journal of Cardiology</i> , 2006, 112, 383-385.	1.7	9
214	The usefulness of three-dimensional multidetector computed tomography to delineate pericardial calcification in constrictive pericarditis. <i>International Journal of Cardiology</i> , 2006, 113, 414-416.	1.7	22
215	Spontaneous resolution of neoaneurysm following implantation of a paclitaxel-eluting coronary stent. <i>International Journal of Cardiology</i> , 2006, 112, E12-E13.	1.7	9
216	Decrease in Plasma Adiponectin Concentrations in Patients with Vasospastic Angina. <i>Korean Circulation Journal</i> , 2006, 36, 255.	1.9	1

#	ARTICLE	IF	CITATIONS
217	Hypertension and Vascular Aging. Korean Circulation Journal, 2006, 36, 477.	1.9	7
218	Impact of Smoking and Smoking-Related Parameters on Acetylcholine-Induced Coronary Artery Spasm. Korean Circulation Journal, 2006, 36, 661.	1.9	4
219	Decrease in Plasma Adiponectin Concentrations in Patients With Variant Angina Pectoris. Circulation Journal, 2006, 70, 414-418.	1.6	19
220	Reducing Stroke Risk in Hypertensive Patients: Asian Consensus Conference Recommendations. International Journal of Stroke, 2006, 1, 150-157.	5.9	13
221	Successful Percutaneous Renal Intervention in a Patient With Acute Traumatic Renal Artery Thrombosis. Circulation, 2006, 114, e583-5.	1.6	13
222	Efficacy of Irbesartan on Left Ventricular Mass and Arterial Stiffness in Hypertensive Patients. Korean Journal of Internal Medicine, 2006, 21, 103.	1.7	2
223	Serially increasing change in lipoprotein(a) concentration has predictive value in acute vascular events. Annals of Clinical Biochemistry, 2005, 42, 285-291.	1.6	3
224	Percutaneous coronary intervention with drug-eluting stent implantation vs. minimally invasive direct coronary artery bypass (MIDCAB) in patients with left anterior descending coronary artery stenosis. Catheterization and Cardiovascular Interventions, 2005, 64, 75-81.	1.7	80
225	Chest stab wound-related coronary artery pseudoaneurysm sealed with a polytetrafluoroethylene-covered stent. Heart and Vessels, 2005, 20, 233-235.	1.2	5
226	Acute and chronic effects of cigarette smoking on arterial stiffness. Blood Pressure, 2005, 14, 80-85.	1.5	83
227	Effect of Central Losartan on DOCA-Salt Hypertension Rats. Sunhwan'gi, 2004, 34, 84.	0.3	0
228	Relation between Pulse Wave Velocity, Left Ventricular Diastolic Function, and Circadian Variation of Blood Pressure in Patients with Never Treated Essential Hypertension. Sunhwan'gi, 2004, 34, 1099.	0.3	1
229	An Appraisal of the Electrocardiographic Criteria for Diagnosis of Left Ventricular Hypertrophy in Koreans: Comparison to Echocardiographic Measurement of Left Ventricular Mass. Sunhwan'gi, 2004, 34, 775.	0.3	4
230	Aortic pulse wave velocity as an independent marker of coronary artery disease. Blood Pressure, 2004, 13, 369-375.	1.5	51
231	Associations among plasma adiponectin, hypertension, left ventricular diastolic function and left ventricular mass index. Blood Pressure, 2004, 13, 236-242.	1.5	108
232	Effects of Cilostazol on Platelet Activation in Coronary Stenting Patients Who Already Treated with Aspirin and Clopidogrel. Korean Journal of Internal Medicine, 2004, 19, 230-236.	1.7	19
233	Effects of Estrogen in the Myocardium of Aged Ovariectomized Rats. Sunhwan'gi, 2002, 32, 1004.	0.3	0
234	Vessel Size and Long-Term Clinical and Angiographic Outcome after Primary Stenting in Acute Myocardial Infarction. Sunhwan'gi, 2002, 32, 233.	0.3	1

#	ARTICLE	IF	CITATIONS
235	Significance of Atrio-Ventricular Block Following Atrio-His Jump in the Diagnosis of Dual Atrioventricular Nodal Physiology with Adenosine Infusion. <i>Sunhwan'gi</i> , 2002, 32, 241.	0.3	0
236	Vascular Remodeling by a Guidewire Insertion in the Normal Rabbit Iliac Artery. <i>Sunhwan'gi</i> , 2001, 31, 930.	0.3	0
237	Effects of Centrally Administered Losartan on Deoxycorticosterone-salt Hypertension Rats. <i>Journal of Korean Medical Science</i> , 2001, 16, 553.	2.5	43
238	The Prevalence and Awareness of Hypertension and the Relationship between Hypertension and Snoring in the Korean Population. <i>Korean Journal of Internal Medicine</i> , 2001, 16, 62-68.	1.7	11
239	A Prospective Study of Reperfusion Arrhythmias in Primary Coronary Angioplasty for Acute Myocardial Infarction. <i>Sunhwan'gi</i> , 2000, 30, 295.	0.3	2
240	Chronic Chlamydia pneumoniae Infection as a Risk Factor for Acute Myocardial Infarction in Korea. <i>Sunhwan'gi</i> , 2000, 30, 407.	0.3	2
241	Relation between Coronary Flow Reserve and Myocardial Perfusion State and Change of Coronary Flow Reserve in Acute Myocardial Infarction. <i>Sunhwan'gi</i> , 1999, 29, 1289.	0.3	4
242	Feasibility of Low-Molecular-Weight-Heparin (Fraxiparine) for Primary Stenting in Acute Myocardial Infarction. <i>Sunhwan'gi</i> , 1999, 29, 560.	0.3	0
243	Electrical Remodeling in Human Atrial Fibrillation Influences Post-Cardioversion Atrial Mechanical Dysfunction and Early Relapse. <i>Sunhwan'gi</i> , 1999, 29, 788.	0.3	5
244	Relation between Perfusion of Infarcted Myocardium and Exercise-induced ST Shift in Acute Myocardial Infarction. <i>Sunhwan'gi</i> , 1998, 28, 715.	0.3	0
245	Response of the Rat Heart to Bilateral Ovariectomy and Estrogen. <i>Sunhwan'gi</i> , 1998, 28, 1350.	0.3	1
246	Changes of Mitral Inflow According to Position in Patients with Dilated Cardiomyopathy. <i>Journal of the Korean Society of Echocardiography</i> , 1998, 6, 5.	0.0	1
247	Effect of L-Arginine on Post-Ischemic Myocardial and Vascular Stunning in Open-Chest Dogs. <i>Sunhwan'gi</i> , 1996, 26, 88.	0.3	0
248	Pharmacologically Inducible Coronary Vasospastic Changes in Patient with Ischemic Heart Diseases with Normal Angiogram or Insignificant Coronary Lesion and Its Relationships with Risk Factors. <i>Sunhwan'gi</i> , 1996, 26, 1152.	0.3	4
249	Associations of Intima-Media Thickness of Common Carotid Artery, Coronary Artery Atherosclerosis and Atherosclerotic Risk Factors. <i>Journal of the Korean Society of Echocardiography</i> , 1996, 4, 130.	0.0	0
250	Effects of L-Arginine on the Change of Myocardial Stunning. <i>Journal of the Korean Society of Echocardiography</i> , 1996, 4, 5.	0.0	0
251	The Characteristics and Risk Factors of Coronary Artery Spasm Induced by Acetylcholine. <i>Sunhwan'gi</i> , 1995, 25, 1122.	0.3	2
252	Diagnostic Value of QT and JT Dispersion in Exercise ECG. <i>Sunhwan'gi</i> , 1995, 25, 560.	0.3	5

#	ARTICLE	IF	CITATIONS
253	Relation Between Residual Stenosis of Infarct-related Artery and Left Ventricular Dilatation After Acute Myocardial Infarction. Journal of the Korean Society of Echocardiography, 1995, 3, 1.	0.0	0
254	Comparison Study of Myocardial contrast Echocardiography and Tc99m MIBI SPECT in Assessing Myocardial Perfusion. Journal of the Korean Society of Echocardiography, 1995, 3, 130.	0.0	0
255	Effects of Nitroglycerin and Dipyridamole on Myocardial Perfusion during Total and Graded Partial Coronary Occlusion in Open Chest Dogs. Sunhwan'gi, 1994, 24, 695.	0.3	0
256	Ventricular Remodeling after Acute Myocardial Infarction. Sunhwan'gi, 1993, 23, 921.	0.3	0