

Rafał, Wolny

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2232472/publications.pdf>

Version: 2024-02-01

33
papers

194
citations

1163117

8
h-index

1125743

13
g-index

39
all docs

39
docs citations

39
times ranked

309
citing authors

#	ARTICLE	IF	CITATIONS
1	Coronary CTA co-registration for guiding antegrade dissection re-entry in chronic total occlusion percutaneous coronary intervention. <i>Journal of Cardiovascular Computed Tomography</i> , 2022, 16, e14-e16.	1.3	2
2	Intravascular Lithotripsy for the Treatment of Stent Underexpansion: The Multicenter IVL-DRAGON Registry. <i>Journal of Clinical Medicine</i> , 2022, 11, 1779.	2.4	16
3	Left coronary artery calcification patterns after coronary bypass graft surgery: An <i>in vivo</i> optical coherence tomography study. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, 483-491.	1.7	4
4	Mechanisms, Prevention and Treatment of Saphenous Vein Graft Disease. <i>American Journal of Cardiology</i> , 2021, 154, 41-47.	1.6	4
5	Long-Term Outcomes Following Drug-Eluting Balloons Versus Thin-Strut Drug-Eluting Stents for Treatment of In-Stent Restenosis (DEB-DRAGON-Registry). <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e010868.	3.9	9
6	Accuracy of RESOLVE score derived from coronary computed tomography versus visual angiography to predict side branch occlusion in percutaneous bifurcation intervention. <i>Journal of Cardiovascular Computed Tomography</i> , 2020, 14, 258-265.	1.3	9
7	Inter-ethnic differences in normal coronary anatomy between Caucasian (Polish) and Asian (Korean) populations. <i>European Journal of Radiology</i> , 2020, 130, 109185.	2.6	9
8	Intravascular Ultrasound Assessment of In-Stent Restenosis in Saphenous Vein Grafts. <i>American Journal of Cardiology</i> , 2019, 123, 1052-1059.	1.6	6
9	Measurements of Lumen Areas and Diameters of Proximal and Middle Coronary Artery Segments in Subjects Without Coronary Atherosclerosis. <i>American Journal of Cardiology</i> , 2018, 121, 917-923.	1.6	6
10	TCT-614 The Obesity Paradox Revisited: Body Mass Index and Long-Term Outcomes After PCI From a Large Pooled Patient-Level Database. <i>Journal of the American College of Cardiology</i> , 2018, 72, B246.	2.8	0
11	Computed tomography angiography versus angiography for guiding percutaneous coronary interventions in bifurcation lesions – A prospective randomized pilot study. <i>Journal of Cardiovascular Computed Tomography</i> , 2017, 11, 119-128.	1.3	9
12	Left aberrant subclavian artery. Systematic study in adult patients. <i>International Journal of Cardiology</i> , 2017, 240, 183-186.	1.7	18
13	Acute myocardial infarction due to embolisation from the thrombosed coronary artery fistula between the right coronary artery and the left atrium. <i>Kardiologia Polska</i> , 2017, 75, 720-720.	0.6	1
14	Pentafurcation of left main coronary artery. <i>Postępy W Kardiologii Interwencyjnej</i> , 2016, 4, 377-379.	0.2	1
15	Comparison of Plaque Burden and Vessel Remodeling in Obstructive Saphenous Vein Graft Lesions as Assessed by Intravascular Ultrasound and Dual-source Computed Tomography. <i>Journal of Thoracic Imaging</i> , 2016, 31, 49-55.	1.5	0
16	Coronary computed tomography angiography for the assessment of SYNTAX score. <i>Kardiologia Polska</i> , 2016, 74, 40-46.	0.6	4
17	Response to the letter concerning the article “Coronary computed tomography angiography for the assessment of SYNTAX score”: <i>Kardiologia Polska</i> , 2016, 74, 100-100.	0.6	0
18	Ruptured plaque in the left main coronary artery. A benign phenomenon?. <i>Kardiologia Polska</i> , 2016, 74, 390-390.	0.6	0

#	ARTICLE	IF	CITATIONS
19	Early occlusion of the non-infarct-related coronary artery following successful primary percutaneous coronary intervention in ST-elevation myocardial infarction. <i>Postepy W Kardiologii Interwencyjnej</i> , 2015, 2, 136-140.	0.2	2
20	Immunomodulatory effects of inosine pranobex on cytokine production by human lymphocytes. <i>Acta Pharmaceutica</i> , 2015, 65, 171-180.	2.0	36
21	Cardiovascular imaging Slow-flow phenomenon after elective percutaneous coronary intervention of computed tomography-detected vulnerable coronary lesion. <i>Postepy W Kardiologii Interwencyjnej</i> , 2014, 3, 181-184.	0.2	1
22	StentBoost imaging for the assessment of optimal stent deployment and coverage of side branch ostium in coronary bifurcation intervention. <i>International Journal of Cardiology</i> , 2014, 172, e458-e460.	1.7	1
23	The clinical significance and management of patients with incomplete coronary angiography and the value of additional computed tomography coronary angiography. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 825-832.	1.5	4
24	Synergistic antitumor effect of JAWSII dendritic cells and interleukin 12 in a melanoma mouse model. <i>Oncology Reports</i> , 2013, 29, 1208-1214.	2.6	11
25	Coronary computed tomography angiography in planning of percutaneous coronary interventions in bifurcation lesions – study design and rationale. <i>Postepy W Kardiologii Interwencyjnej</i> , 2013, 2, 155-159.	0.2	3
26	Lidocaine bolus may facilitate computed tomographic coronary angiography in patients with frequent premature ventricular contractions. <i>Postepy W Kardiologii Interwencyjnej</i> , 2013, 3, 199-204.	0.2	1
27	Relation between coronary plaque calcium deposits as described by computed tomography coronary angiography and acute results of stent deployment as assessed by intravascular ultrasound. <i>Postepy W Kardiologii Interwencyjnej</i> , 2013, 2, 115-120.	0.2	4
28	Synergistic cytotoxic effect of sulindac and pyrrolidine dithiocarbamate against ovarian cancer cells. <i>Oncology Reports</i> , 2012, 27, 1245-1250.	2.6	4
29	Abrupt vessel closure after diagnostic contrast injection at the site of coronary computed tomography angiography identified silent plaque rupture. <i>Postepy W Kardiologii Interwencyjnej</i> , 2012, 3, 244-245.	0.2	0
30	Comparison of safety and efficacy of paclitaxel-eluting stents with durable versus biodegradable polymer implanted in saphenous vein graft lesions. Nine-month angiographic and intravascular ultrasound follow-up. <i>Postepy W Kardiologii Interwencyjnej</i> , 2012, 4, 269-274.	0.2	0
31	Evolution of ruptured and vulnerable atheromatic plaques. <i>Postepy W Kardiologii Interwencyjnej</i> , 2011, 2, 156-164.	0.2	0
32	Comparison of Intravascular Ultrasound, Quantitative Coronary Angiography, and Dual-Source 64-Slice Computed Tomography in the Preprocedural Assessment of Significant Saphenous Vein Graft Lesions. <i>American Journal of Cardiology</i> , 2011, 107, 1453-1459.	1.6	9
33	Comparison of Usefulness of Percutaneous Coronary Intervention Guided by Angiography plus Computed Tomography Versus Angiography Alone Using Intravascular Ultrasound End Points. <i>American Journal of Cardiology</i> , 2011, 108, 1728-1734.	1.6	19