

John Arnold

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2236958/publications.pdf>

Version: 2024-02-01

296
papers

11,525
citations

22132

59
h-index

56687

83
g-index

329
all docs

329
docs citations

329
times ranked

7156
citing authors

#	ARTICLE	IF	CITATIONS
1	Surface-Enhanced Raman Spectroscopy for Trace Arsenic Detection in Contaminated Water. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 6456-6460.	7.2	258
2	Proton-Catalyzed Hydroamination and Hydroarylation Reactions of Anilines and Alkenes: A Dramatic Effect of Counteranions on Reaction Efficiency. <i>Journal of the American Chemical Society</i> , 2005, 127, 14542-14543.	6.6	241
3	Gated proton transport in aligned mesoporous silica films. <i>Nature Materials</i> , 2008, 7, 303-307.	13.3	223
4	Synthesis, Structure, and Properties of 1,1'-Diamino- and 1,1'-Diazidoferrrocene. <i>Organometallics</i> , 2000, 19, 3978-3982.	1.1	157
5	On the non-innocence of β -Nacnac ligand-based reactivity in $\hat{\text{I}}^2$ -diketiminate supported coordination compounds. <i>Dalton Transactions</i> , 2016, 45, 14462-14498.	1.6	154
6	Mono-guanidinate complexes of lanthanum: synthesis, structure and their use in lactide polymerization. <i>Dalton Transactions RSC</i> , 2001, , 923-927.	2.3	149
7	Titanium(II), -(III), and -(IV) Complexes Supported by Benzamidinate Ligands. <i>Organometallics</i> , 1998, 17, 1355-1368.	1.1	148
8	A Comparison of 4 <i>f</i> vs 5 <i>f</i> Metal-Metal Bonds in $(\text{CpSiMe}_3)_3\text{M}^+\text{ECp}^*$ (M = Nd, U; E = Al, Ga; Cp* = C ₅ Me ₅): Synthesis, Thermodynamics, Magnetism, and Electronic Structure. <i>Journal of the American Chemical Society</i> , 2009, 131, 13767-13783.	6.6	131
9	An overview and recent progress in the chemistry of uranium extraction from seawater. <i>Dalton Transactions</i> , 2018, 47, 639-644.	1.6	130
10	The Chemistry of Metal Complexes with Selenolate and Tellurolate Ligands. <i>Progress in Inorganic Chemistry</i> , 0, , 353-417.	3.0	121
11	Suggested Modifications to a Distillation-Free Solvent Purification System. <i>Journal of Chemical Education</i> , 2001, 78, 64.	1.1	117
12	Catalytic Hydroamination of Alkynes and Norbornene with Neutral and Cationic Tantalum Imido Complexes. <i>Organic Letters</i> , 2004, 6, 2519-2522.	2.4	114
13	Synthesis and characterization of gold(I) thiolates, selenolates, and tellurolates: x-ray crystal structures of Au ₄ [TeC(SiMe ₃) ₃] ₄ , Au ₄ [SC(SiMe ₃) ₃] ₄ , and Ph ₃ PAu[TeC(SiMe ₃) ₃]. <i>Inorganic Chemistry</i> , 1993, 32, 5126-5131.	1.9	113
14	Recent developments in the chemistry of early transition metal porphyrin compounds. <i>Coordination Chemistry Reviews</i> , 1995, 140, 137-168.	9.5	113
15	Selective Semihydrogenation of Alkynes Catalyzed by a Cationic Vanadium Bisimido Complex. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 3900-3903.	7.2	113
16	A Heterobimetallic Complex With an Unsupported Uranium(III)-Aluminum(I) Bond: $(\text{CpSiMe}_3)_3\text{U}^+\text{AlCp}^*$ (Cp* = C ₅ Me ₅). <i>Journal of the American Chemical Society</i> , 2008, 130, 10086-10087.	6.6	112
17	Tethered Bis-Amidates as Supporting Ligands: A Concerted Elimination/1,3- σ -Rearrangement Reaction Forming an Unusual Titanium Arene Complex. <i>Angewandte Chemie - International Edition</i> , 1998, 37, 1729-1731.	7.2	111
18	Origin of the unusually strong and selective binding of vanadium by polyamidoximes in seawater. <i>Nature Communications</i> , 2017, 8, 1560.	5.8	110

#	ARTICLE	IF	CITATIONS
19	Synthesis and characterization of lithium, sodium, and potassium porphyrin complexes. X-ray crystal structures of Li ₂ (C ₆ H ₁₂ O ₂) ₂ TMPP, Na ₂ (THF) ₄ OEP, and K ₂ (pyridine) ₄ OEP. <i>Journal of the American Chemical Society</i> , 1993, 115, 2707-2713.	6.6	102
20	Uranium and thorium complexes of the phosphoethynolate ion. <i>Chemical Science</i> , 2015, 6, 6379-6384.	3.7	102
21	Low-Valent Chemistry of Titanium Benzamidates Leading to New Ti ^{IV} -N ₂ , ^{IV} -O, Alkyl Derivatives, and the Cyclometalation of TMEDA. <i>Journal of the American Chemical Society</i> , 1996, 118, 893-894.	6.6	101
22	Reactivity of a Titanium Dinitrogen Complex Supported by Guanidinate Ligands: A Investigation of Solution Behavior and a Novel Rearrangement of Guanidinate Ligands. <i>Inorganic Chemistry</i> , 2001, 40, 6952-6963.	1.9	99
23	Synthesis, Structural Investigation, and Reactivity of Neutral and Cationic Bis(guanidinato)zirconium(IV) Complexes. <i>Organometallics</i> , 2001, 20, 1808-1819.	1.1	98
24	Synthesis, structure, and reactivity of homoleptic tin(II) and lead(II) chalcogenolates and conversion to metal chalcogenides. X-ray crystal structures of {Sn[TeSi(SiMe ₃) ₃] ₂ } ₂ and (PMe ₃)Sn[TeSi(SiMe ₃) ₃] ₂ . <i>Journal of the American Chemical Society</i> , 1993, 115, 8214-8220.	6.6	92
25	Silylated 1,1'-Diaminoferrocene: A Ti and Zr Complexes of a New Chelating Diamide Ligand. <i>Organometallics</i> , 2001, 20, 1365-1369.	1.1	88
26	Preparation of Scandium Complexes with Benzamidinate Ligands: Synthesis and Reactivity of Alkyl and Hydrido Derivatives. <i>Organometallics</i> , 1996, 15, 984-991.	1.1	86
27	Stabilization of a Cationic Ti Center by a Ferrocene Moiety: A Remarkably Short Ti ^{IV} -Fe Interaction in the Diamide {[^{IV} -C ₅ H ₄ NSiMe ₃) ₂ Fe]TiCl} ₂ ⁺ . <i>Journal of the American Chemical Society</i> , 2001, 123, 9212-9213.	6.6	86
28	Siderophore-inspired chelator hijacks uranium from aqueous medium. <i>Nature Communications</i> , 2019, 10, 819.	5.8	84
29	Zinc, cadmium, and mercury tellurolates: hydrocarbon solubility and low coordination numbers enforced by sterically encumbered silyltellurolate ligands. <i>Inorganic Chemistry</i> , 1992, 31, 2508-2514.	1.9	83
30	Z-Selective, Catalytic Internal Alkyne Semihydrogenation under H ₂ /CO Mixtures by a Niobium(III) Imido Complex. <i>Journal of the American Chemical Society</i> , 2011, 133, 14904-14907.	6.6	82
31	Synthesis, Structure, and Coordination Chemistry of a Tridentate, Six-Electron-Donor Amidinate Ligand. <i>Organometallics</i> , 1999, 18, 5360-5366.	1.1	80
32	Preparation and characterization of tris(trimethylsilyl)silyl derivatives of zinc, cadmium, and mercury. X-ray crystal structure of Zn[Si(SiMe ₃) ₃] ₂ . <i>Inorganic Chemistry</i> , 1987, 26, 2106-2109.	1.9	79
33	Highly Isospecific Polymerization of Methyl Methacrylate with a Bis(pyrrolylaldiminato)samarium Hydrocarbyl Complex. <i>Organometallics</i> , 2003, 22, 3357-3359.	1.1	79
34	Tris(trimethylsilyl)silane tellurol: preparation, characterization, and synthetic utility of a remarkably stable tellurol. <i>Journal of the American Chemical Society</i> , 1991, 113, 3186-3188.	6.6	78
35	Synthesis and characterization of a new class of chelating bis(amidinate) ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 1249-1256.	1.1	78
36	Synthesis and Characterization of Divalent Lanthanide Selenolates and Tellurolates. X-ray Crystal Structures of Yb[SeSi(SiMe ₃) ₃] ₂ (TMEDA) ₂ and {Eu[TeSi(SiMe ₃) ₃] ₂ (DMPE) ₂ }. <i>Inorganic Chemistry</i> , 1994, 33, 1791-1796.	1.9	77

#	ARTICLE	IF	CITATIONS
37	Neutral and Cationic Aluminum Complexes Supported by Sterically Bulky Amidinate Ligands. <i>Organometallics</i> , 2002, 21, 2306-2313.	1.1	77
38	Carbon Radical Generation by dOTantalum Complexes with $\hat{I}\pm$ -Diimine Ligands through Ligand-Centered Redox Processes. <i>Journal of the American Chemical Society</i> , 2011, 133, 18673-18683.	6.6	75
39	Nonprecious Metal Catalysts for Fuel Cell Applications: Electrochemical Dioxygen Activation by a Series of First Row Transition Metal Tris(2-pyridylmethyl)amine Complexes. <i>Inorganic Chemistry</i> , 2012, 51, 4694-4706.	1.9	75
40	Preparation, characterization, and reactivity of scandium octaethylporphyrin complexes. X-ray crystal structures of (OEP)ScCH ₃ , (OEP)ScCH(SiMe ₃) ₂ , (OEP)Sc(.eta.5-C ₉ H ₇), and [(OEP)Sc] ₂ (.mu.-OH) ₂ . <i>Organometallics</i> , 1993, 12, 3645-3654.	1.1	72
41	New reagents for the synthesis of compounds containing metal-tellurium bonds: sterically hindered silyltelluroate derivatives and the x-ray crystal structures of [(THF) ₂ LiTeSi(SiMe ₃) ₃] ₂ and [(12-crown-4)2Li][TeSi(SiMe ₃) ₃]. <i>Journal of the American Chemical Society</i> , 1992, 114, 5209-5214.	6.6	71
42	Zirconium Chemistry Involving Benzamidinate Ligands. Reduction of [PhC(NSiMe ₃) ₂] ₂ ZrCl ₂ to form an Imido-Iminoacyl Compound by Carbon-Nitrogen Bond Cleavage. <i>Organometallics</i> , 1994, 13, 4670-4672.	1.1	71
43	Mono-amidinate complexes stabilized by a new sterically-hindered amidine. <i>Chemical Communications</i> , 1999, , 2149-2150.	2.2	71
44	Synthesis and characterization of a series of sterically-hindered amidines and their lithium and magnesium complexes. <i>Dalton Transactions RSC</i> , 2002, , 2890-2899.	2.3	71
45	Halo, Alkyl, Aryl, and Bis(imido) Complexes of Niobium Supported by the \hat{I}^2 -Diketiminato Ligand. <i>Organometallics</i> , 2010, 29, 2926-2942.	1.1	71
46	Chemistry of Reduced Monomeric and Dimeric Cobalt Complexes Supported by a PNP Pincer Ligand. <i>Inorganic Chemistry</i> , 2013, 52, 11544-11550.	1.9	71
47	Early transition metal porphyrins: synthesis, characterization, and reactivity of novel out-of-plane cis-ligated zirconium porphyrin derivatives. <i>Organometallics</i> , 1993, 12, 3655-3665.	1.1	69
48	Transition metal dinitrogen complexes supported by a versatile monoanionic [N ₂ P ₂] ligand. <i>Chemical Communications</i> , 2007, , 4797.	2.2	68
49	Photochemical Route to Actinide-Transition Metal Bonds: Synthesis, Characterization and Reactivity of a Series of Thorium and Uranium Heterobimetallic Complexes. <i>Journal of the American Chemical Society</i> , 2014, 136, 3647-3654.	6.6	68
50	Reactions of N,N,N-trimethyl-1,4,7-triazacyclononane with butyllithium reagents. <i>Dalton Transactions RSC</i> , 2002, , 3273-3274.	2.3	67
51	Ferrocene-Based Olefin Polymerization Catalysts: Activation, Structure, and Intermediates. <i>Organometallics</i> , 2003, 22, 567-575.	1.1	67
52	Synthesis of Bifunctional Polymer Nanotubes from Silicon Nanowire Templates via Atom Transfer Radical Polymerization. <i>Journal of the American Chemical Society</i> , 2005, 127, 16040-16041.	6.6	66
53	Preparation of lanthanide tellurolates and evidence for the formation of cluster intermediates in their thermal decomposition to bulk metal tellurides. <i>Journal of the American Chemical Society</i> , 1993, 115, 2520-2521.	6.6	65
54	Synthesis and characterization of sterically encumbered Li, Na, and K aryl tellurolates, and some Pt(II), Ir(I), and Cd(II) derivatives. <i>Journal of Organometallic Chemistry</i> , 1993, 449, 147-157.	0.8	64

#	ARTICLE	IF	CITATIONS
55	Evaluating σ -Element Bonding from Structure and Thermodynamics. <i>Chemistry - A European Journal</i> , 2011, 17, 12234-12245.	1.7	64
56	New Early Transition Metal Porphyrins: A New Route to Diorgano Complexes of Zirconium and Hafnium and the Preparation of Cationic Derivatives. <i>Organometallics</i> , 1994, 13, 4469-4473.	1.1	63
57	Trivalent Lanthanide Selenolates and Tellurolates Incorporating Sterically Hindered Ligands and Their Characterization by Multinuclear NMR Spectroscopy and X-ray Crystallography. <i>Journal of the American Chemical Society</i> , 1995, 117, 3492-3501.	6.6	63
58	Preparation and Properties of Magnesium, Calcium, Strontium, and Barium Selenolates and Tellurolates. <i>Inorganic Chemistry</i> , 1994, 33, 6293-6299.	1.9	62
59	A New Supporting Ligand in Actinide Chemistry Leads to Reactive Bis(NHC)borate-Supported Thorium Complexes. <i>Organometallics</i> , 2016, 35, 2915-2922.	1.1	61
60	Alkyl-, silyl-, and germyl-substituted thiolate, selenolate, and tellurolate derivatives and interconversion of silyl species by chalcogen metathesis. <i>Journal of the American Chemical Society</i> , 1993, 115, 6777-6781.	6.6	60
61	Organotantalum Bis(amidinate) Complexes: Synthesis and Characterization of Methyl, Methylidene, Benzyl, and Imido Derivatives. <i>Organometallics</i> , 1997, 16, 1111-1113.	1.1	60
62	Synthesis and Characterization of Thorium(IV) and Uranium(IV) Corrole Complexes. <i>Journal of the American Chemical Society</i> , 2013, 135, 13965-13971.	6.6	60
63	Carbon-fluorine bond cleavage in fluoroarenes via a niobium(III) imido complex: from stoichiometric to catalytic hydrodefluorination. <i>Chemical Science</i> , 2014, 5, 2517.	3.7	60
64	Covalent Lanthanide Chemistry Near the Limit of Weak Bonding: Observation of $(\text{CpSiMe}_3)_3\text{Ce}^+\text{ECp}^*$ and a Comprehensive Density Functional Theory Analysis of $(\text{Cp})_3\text{Ln}^+\text{ECp}$ (E = Al, Ga). <i>Inorganic Chemistry</i> , 2011, 50, 345-357.	1.9	58
65	Synthesis and Characterization of Group 13 and 15 Selenolates and Tellurolates and the x-ray Crystal Structures of $\text{Ga}[\text{TeSi}(\text{SiMe}_3)_3]_3$, $\text{In}[\text{SeC}(\text{SiMe}_3)_3]_3$, $\{\text{In}[\text{SeSi}(\text{SiMe}_3)_3]_3\}_2(\mu\text{-DMPE})$, and $\text{P}[\text{SeSi}(\text{SiMe}_3)_3]_3$. <i>Inorganic Chemistry</i> , 1995, 34, 4854-4861.	1.9	57
66	Ferrocene-Substituted Amidinate Derivatives: Syntheses and Crystal Structures of Lithium, Iron(II), and Cobalt(II) Complexes. <i>Inorganic Chemistry</i> , 1997, 36, 132-133.	1.9	57
67	Metal complexes of Co, Ni and Cu with the pincer ligand $\text{HN}(\text{CH}_2\text{CH}_2\text{PiPr}_2)_2$: preparation, characterization and electrochemistry. <i>Dalton Transactions</i> , 2011, 40, 10397.	1.6	57
68	Synthesis of reactive homoleptic tellurolates of zirconium and hafnium and their conversion to terminal tellurides: a model for the first step in a molecule-to-solid transformation. <i>Journal of the American Chemical Society</i> , 1992, 114, 6240-6242.	6.6	56
69	Synthesis and Characterization of Copper(I) and Silver(I) Tellurolates and Selenolates. The X-ray Crystal Structures of $\{\text{Cu}[\text{SeC}(\text{SiMe}_3)_3]\text{PCy}_3\}_2$ and the Homoleptic Silver Selenolate $\text{Ag}_4[\text{SeC}(\text{SiMe}_3)_3]_4$. <i>Inorganic Chemistry</i> , 1994, 33, 1797-1802.	1.9	56
70	Synthesis, Characterization, and Reactions of Isolable $(\eta^2\text{-Diketiminato})\text{niobium(III) Imido Complexes}$. <i>Organometallics</i> , 2010, 29, 5010-5025.	1.1	56
71	Diniobium Inverted Sandwich Complexes with $\eta^4\text{-}(\text{C}_6\text{H}_6)_2\text{-Arene Ligands}$: Synthesis, Kinetics of Formation, and Electronic Structure. <i>Journal of the American Chemical Society</i> , 2013, 135, 3224-3236.	6.6	56
72	A novel synthetic route to scandium porphyrin derivatives and the first structurally characterized metalloporphyrin- η^5 -cyclopentadienyl sandwich compound. <i>Journal of the American Chemical Society</i> , 1990, 112, 8620-8621.	6.6	54

#	ARTICLE	IF	CITATIONS
73	Formation of Monomeric Terminal Chalcogenides by Template-Induced Disilylchalcogenide Elimination; the Crystal Structures of [ETa{(Me ₃ SiNCH ₂ CH ₂) ₃ N}] (E = Se, Te). <i>Angewandte Chemie International Edition in English</i> , 1993, 32, 1450-1452.	4.4	54
74	Unusual activation of H ₂ by reduced cobalt complexes supported by a PNP pincer ligand. <i>Chemical Communications</i> , 2014, 50, 2612.	2.2	54
75	Structural and Electronic Noninnocence of $\hat{1}\pm$ -Diimine Ligands on Niobium for Reductive C=Cl Bond Activation and Catalytic Radical Addition Reactions. <i>Journal of the American Chemical Society</i> , 2017, 139, 6494-6505.	6.6	54
76	Preparation of new zirconium benzamidinates: alkyl derivatives and low-valent chemistry yielding metallacycles via coupling of alkynes and ethylene. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 3087-3096.	1.1	53
77	Synthesis and characterization of mono $\hat{1}^2$ -diketiminatosamarium amides and hydrocarbyls. <i>Dalton Transactions</i> , 2005, , 1387-1393.	1.6	53
78	Activation of White Phosphorus by Low-Valent Group 5 Complexes: Formation and Reactivity of $\langle i \rangle$ cyclo $\langle i \rangle$ -P $\langle sub \rangle 4 \langle /sub \rangle$ Inverted Sandwich Compounds. <i>Journal of the American Chemical Society</i> , 2014, 136, 17652-17661.	6.6	52
79	Early transition metal porphyrins. Synthesis and reactivity of some novel zirconium derivatives and the x-ray crystal structure of the first metalloporphyrin cis-dialkyl: (OEP)Zr(CH ₂ SiMe ₃) ₂ . <i>Journal of the American Chemical Society</i> , 1992, 114, 2266-2267.	6.6	51
80	Synthesis, Structure, and Reactivity of Three-Coordinate Vanadium(III) Chalcogenolates and Vanadium(V) Chalcogenide Chalcogenolates. <i>Inorganic Chemistry</i> , 1996, 35, 5770-5780.	1.9	51
81	Preparation of Complexes Containing TiE, Ti ₂ ($\hat{1}^1/4$ -E) ₂ , and Ti($\hat{1}^2$ -E ₂) (E = O, S) Functionalities from a Reactive Titanium Dinitrogen Complex. <i>Inorganic Chemistry</i> , 1997, 36, 2928-2929.	1.9	51
82	New Lithium Porphyrin Derivatives: Synthesis of Li ₂ (P)(Et ₂ O) ₂ (P = TTP, TBPP) and Solution Structure of Li ₂ (TTP)(Et ₂ O) ₂ by ⁷ Li and ¹⁵ N NMR. <i>Inorganic Chemistry</i> , 1994, 33, 4334-4337.	1.9	50
83	Alkali-metal guanidates: solid-state structural diversity in solvent-free derivatives. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 3601-3604.	1.1	50
84	Neutral and Cationic Alkyl Tantalum Imido Complexes: \hat{A} Synthesis and Migratory Insertion Reactions. <i>Organometallics</i> , 2006, 25, 3394-3406.	1.1	50
85	Lanthanide corroles: a new class of macrocyclic lanthanide complexes. <i>Chemical Communications</i> , 2013, 49, 3104.	2.2	50
86	Preparation and reaction chemistry of trimethylsilyl derivatives of niobium. Redox chemistry of (η -5-C ₅ H ₅) ₂ Nb(SiMe ₃)Cl and x-ray structures of (η -5-C ₅ H ₅) ₂ Nb(SiMe ₃)(η -2-C ₂ H ₄) and [(η -5-C ₅ H ₅) ₂ Nb(CH ₂ SiMe ₃)Cl]PF ₆ . <i>Organometallics</i> , 1987, 6, 473-479.	1.1	49
87	Preparation of stable magnesium, calcium, strontium, and barium tellurolates and the x-ray crystal structures of Mg[TeSi(SiMe ₃) ₃] ₂ (THF) ₂ and Ca[TeSi(SiMe ₃) ₃] ₂ (THF) ₄ . <i>Journal of the American Chemical Society</i> , 1992, 114, 6242-6243.	6.6	49
88	Crystal Packing Forces Dictate $\hat{1}^1$ - versus $\hat{1}^2$ -Coordination of Benzyl Groups in [Guanidinate]Zr(CH ₂ Ph) ₃ . <i>Organometallics</i> , 2000, 19, 2809-2812.	1.1	49
89	Reactivity of terminal imido complexes of group 4 $\hat{6}$ metals: Stoichiometric and catalytic reactions involving cycloaddition with unsaturated organic molecules. <i>Coordination Chemistry Reviews</i> , 2020, 407, 213118.	9.5	49
90	Carbonylation chemistry of the tantalum silyl (η -5-C ₅ Me ₅)Cl ₃ TaSiMe ₃ . Synthesis, characterization, and reaction chemistry of (η -5-C ₅ Me ₅)Cl ₃ Ta(η -2-COSiMe ₃) and derivatives. <i>Journal of the American Chemical Society</i> , 1989, 111, 149-164.	6.6	48

#	ARTICLE	IF	CITATIONS
91	Growth of II-VI thin films from single-source precursors based on sterically encumbered sited ligands. <i>Journal of Crystal Growth</i> , 1992, 124, 647-653.	0.7	48
92	Nitrene Metathesis and Catalytic Nitrene Transfer Promoted by Niobium Bis(imido) Complexes. <i>Journal of the American Chemical Society</i> , 2016, 138, 52-55.	6.6	48
93	Metalorganic Chemical Vapor Deposition of Semiconducting III/VI In ₂ Se ₃ Thin Films from the Single-Source Precursor: In[SeC(SiMe ₃) ₃] ₃ . <i>Chemistry of Materials</i> , 1995, 7, 2273-2276.	3.2	47
94	Phenoxytriimine complexes of yttrium: synthesis, structure and use in the polymerization of lactide and μ -caprolactone. <i>Dalton Transactions</i> , 2006, , 4155-4163.	1.6	47
95	Reaction of (Bisimido)niobium(V) Complexes with Organic Azides: [3 + 2] Cycloaddition and Reversible Cleavage of β^2 -Diketiminato Ligands Involving Nitrene Transfer. <i>Journal of the American Chemical Society</i> , 2014, 136, 2994-2997.	6.6	47
96	Structural and spectroscopic studies of a rare non-oxido V(κ -scp) complex crystallized from aqueous solution. <i>Chemical Science</i> , 2016, 7, 2775-2786.	3.7	47
97	The Diogene 4 π detector at Saturne. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1987, 261, 379-398.	0.7	46
98	Formation of 1:1 complexes of ferrocene-containing salen ligands with Mg, Ti and Zr. <i>Dalton Transactions RSC</i> , 2002, , 555-560.	2.3	46
99	Facile Reduction of a Dialkyl Zirconium(IV) Octaethylporphyrin (OEP) Complex by H ₂ : Crystal Structure and Spectroscopic Characterization of [(OEP)ZrCH ₂ SiMe ₃]. <i>Angewandte Chemie International Edition in English</i> , 1994, 33, 95-97.	4.4	45
100	Preparation and characterization of tris(trimethylsilyl)silyl and tris(trimethylsilyl)germyl derivatives of zirconium and hafnium. X-ray crystal structures of (η -5-C ₅ Me ₅)Cl ₂ HfSi(SiMe ₃) ₃ and (η -5-C ₅ Me ₅)Cl ₂ HfGe(SiMe ₃) ₃ . <i>Inorganic Chemistry</i> , 1988, 27, 3510-3514.	1.9	44
101	Recent developments in out-of-plane metallocorrole chemistry across the periodic table. <i>Dalton Transactions</i> , 2015, 44, 30-36.	1.6	44
102	Tantalum Porphyrin Chemistry. Synthesis and Reactivity of Organometallic Derivatives and the X-ray Crystal Structure of the Sandwich Compound [Ta(OEP) ₂][TaCl ₆]. <i>Journal of the American Chemical Society</i> , 1994, 116, 9797-9798.	6.6	43
103	Synthesis and Reactivity of Metal Complexes Supported by the Tetradentate Monoanionic Ligand Bis(2-picoyl)(2-hydroxy-3,5-di- <i>tert</i> -butylbenzyl)amide (BPPA). <i>Inorganic Chemistry</i> , 2007, 46, 7199-7209.	1.9	43
104	Group 5 chemistry supported by β^2 -diketiminato ligands. <i>Dalton Transactions</i> , 2016, 45, 15725-15745.	1.6	43
105	Thorium Metallacycle Facilitates Catalytic Alkyne Hydrophosphination. <i>Journal of the American Chemical Society</i> , 2017, 139, 12935-12938.	6.6	43
106	The first structurally characterized alkali metal porphyrin: ⁷ Li NMR behaviour and X-ray crystal structure of the dilithium salt of octaethylporphyrin(2?). <i>Journal of the Chemical Society Chemical Communications</i> , 1990, , 976.	2.0	42
107	Synthesis and Reactivity of Group 4 Homoleptic Selenolates and Tellurolates: A Lewis Base Induced Conversion to Terminal and Bridging Chalcogenides. <i>Inorganic Chemistry</i> , 1996, 35, 2758-2766.	1.9	42
108	Pyrolysis of dimethylhydrazine and its co-pyrolysis with triethylgallium. <i>Journal of Crystal Growth</i> , 2000, 217, 47-54.	0.7	40

#	ARTICLE	IF	CITATIONS
109	Synthesis and reactivity of bis-pentamethylcyclopentadienyl diiododialane (Cp*AlI) ₂ : an aluminium(ii) precursor to (Cp*Al) ₄ . <i>Chemical Communications</i> , 2008, , 4043.	2.2	39
110	Synthesis of lithium corrole and its use as a reagent for the preparation of cyclopentadienyl zirconium and titanium corrole complexes. <i>Chemical Communications</i> , 2012, 48, 10766.	2.2	39
111	First-row transition metal complexes of sterically-hindered amidinates. <i>Dalton Transactions RSC</i> , 2002, , 3454-3461.	2.3	38
112	A metalloporphyrin-carborane sandwich compound: synthesis and x-ray crystal structure of (OEP)Zr(.eta.5-1,2-C2B9H11). <i>Journal of the American Chemical Society</i> , 1992, 114, 3996-3997.	6.6	37
113	Synthesis, structure, and reactivity of Group 4 metallocene tellurolates. X-ray crystal structures of Cp2Zr[TeSi(SiMe3)3]2, Cp2Ti[TeSi(SiMe3)3]2, Cp2Zr(.eta.2-COMe)[TeSi(SiMe3)3], and Cp2Ti[TeSi(SiMe3)3]PMe3. <i>Journal of the American Chemical Society</i> , 1993, 115, 10545-10552.	6.6	37
114	A Ga4N8 cage structure formed by reaction of trimethylgallium with phenylhydrazine. <i>Chemical Communications</i> , 1998, , 753-754.	2.2	37
115	Dis-assembly of a Benzylic CF3 Group Mediated by a Niobium(III) Imido Complex. <i>Journal of the American Chemical Society</i> , 2013, 135, 8145-8148.	6.6	37
116	Reactions of trialkylgalliums with substituted hydrazines leading to the formation of rings and cages: X-ray structures of (iPr2GaHNHMe2) ₂ and (MeGaNHNTBu) ₄ . <i>Journal of Organometallic Chemistry</i> , 1999, 582, 108-115.	0.8	36
117	Divalent Lanthanide Metal Complexes of a Triazacyclononane-Functionalized Tetramethylcyclopentadienyl Ligand: X-ray Crystal Structures of [C5Me4SiMe2(iPr2-tacn)]Ln (Ln = Sm,) <i>TJ ETQq11i10.784334 rgBT</i>		
118	Reductive Elimination of Diphosphine from a Thorium-η ⁵ -NHC-η ⁵ -Bis(phosphido) Complex. <i>Organometallics</i> , 2017, 36, 4511-4514.	1.1	36
119	The synthesis and versatile reducing power of low-valent uranium complexes. <i>Dalton Transactions</i> , 2020, 49, 15124-15138.	1.6	36
120	Carbon Monoxide, Isocyanide, and Nitrile Complexes of Cationic, d ⁰ Vanadium Bisimides: π-Back Bonding Derived from the π Symmetry, Bonding Metal Bisimido Ligand Orbitals. <i>Inorganic Chemistry</i> , 2012, 51, 13334-13344.	1.9	35
121	Group 5 Imides and Bis(imide)s as Selective Hydrogenation Catalysts. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 3771-3783.	1.0	35
122	Carbon-Nitrogen Bond Cleavage by a Thorium-η ⁵ -NHC-η ⁵ -bpy Complex. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 13789-13792.	7.2	35
123	Insertion of ethylene into zirconium-silicon and hafnium-silicon bonds. <i>Organometallics</i> , 1989, 8, 2284-2286.	1.1	34
124	Reactions of dimesityldioxo-osmium(VI) with donor ligands; reactions of MO ₂ (2,4,6-Me ₃ C ₆ H ₂) ₂ , M = Os or Re, with nitrogen oxides. X-Ray crystal structures of [2,4,6-Me ₃ C ₆ H ₂ N ₂] ⁺ [OsO ₂ (ONO ₂) ₂ (2,4,6-Me ₃ C ₆ H ₂)] ⁻ , OsO(NBut)(2,4,6-Me ₃ C ₆ H ₂) ₂ , OsO ₃ (NBut), and ReO ₃ [N(2,4,6-Me ₃ C ₆ H ₂) ₂]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 2465-2475.	1.1	34
125	Double Group Transfer Reactions of an Unsaturated Tantalum Methylidene Complex with Pyridine N-Oxides. <i>Organometallics</i> , 1999, 18, 4465-4467.	1.1	34
126	An Unusually Diverse Array of Products Formed upon Carbonylation of a Dialkylniobium Complex. <i>Journal of the American Chemical Society</i> , 2008, 130, 11262-11263.	6.6	34

#	ARTICLE	IF	CITATIONS
127	Use of Tetradentate Monoanionic Ligands for Stabilizing Reactive Metal Complexes. Chemistry - A European Journal, 2009, 15, 2020-2030.	1.7	34
128	Bimetallic Ruthenium PNP Pincer Complex As a Platform to Model Proposed Intermediates in Dinitrogen Reduction to Ammonia. Inorganic Chemistry, 2012, 51, 9730-9739.	1.9	34
129	A Thorium Chalcogenolate Series Generated by Atom Insertion into Thorium- α -Carbon Bonds. Journal of the American Chemical Society, 2017, 139, 6261-6269.	6.6	34
130	Chemical structure and bonding in a thorium(α)-aluminum heterobimetallic complex. Chemical Science, 2018, 9, 4317-4324.	3.7	34
131	A Uranium(II) Arene Complex That Acts as a Uranium(I) Synthon. Journal of the American Chemical Society, 2021, 143, 19748-19760.	6.6	34
132	Zirconium complexes incorporating diaryldiamidoferrocene ligands: generation of cationic derivatives and polymerization activity towards ethylene and 1-hexene. Inorganica Chimica Acta, 2003, 345, 216-220.	1.2	32
133	Chromium Complexes Supported by the Multidentate Monoanionic N_2P_2 Ligand: Reduction Chemistry and Reactivity with Ethylene. Organometallics, 2009, 28, 6243-6253.	1.1	32
134	Preparation, Characterization, and Postsynthetic Modification of Metal-Organic Frameworks: Synthetic Experiments for an Undergraduate Laboratory Course in Inorganic Chemistry. Journal of Chemical Education, 2011, 88, 92-94.	1.1	32
135	Thorium lends a fiery hand. Nature Chemistry, 2014, 6, 554-554.	6.6	32
136	A Homoleptic Uranium(III) Tris(aryl) Complex. Journal of the American Chemical Society, 2016, 138, 15865-15868.	6.6	32
137	Synthesis and characterization of first-row transition metal tellurolates. X-ray crystal structures of $Mn[TeSi(SiMe_3)_3]_2(dmpe)$, $Fe[TeSi(SiMe_3)_3]_2(dmpe)_2$, $Fe[TeSi(SiMe_3)_3](Cl)(dmpe)_2$, and $Co[TeSi(SiMe_3)_3](PMe_3)_3$. Inorganic Chemistry, 1993, 32, 5813-5820.	1.9	31
138	Synthesis, Characterization, and Properties of a Lithium 21-Thiaporphyrin Complex. Inorganic Chemistry, 2000, 39, 3424-3427.	1.9	31
139	Reactions of a Triazacyclononane-Supported Tantalum-Lithium Bridging Alkylidene with Organic Substrates. Organometallics, 2002, 21, 3426-3433.	1.1	31
140	Reactivity of a Co(I) $[N_2P_2]$ complex with azides: evidence for a transient Co(III) imido species. Chemical Communications, 2008, , 3648.	2.2	31
141	Synthesis and characterization of manganese and iron complexes supported by multidentate $[N_2P_2]$ ligands. Dalton Transactions, 2009, , 1714.	1.6	31
142	Preparation, Characterization, and Kinetic Studies of Group 4 Metallocene Complexes with Triphenylsilanetellurolate Ligands. Organometallics, 1994, 13, 4462-4468.	1.1	29
143	Stereochemical Control in Metalloporphyrin Chemistry: Synthesis and Characterization of cis- and trans-Sn(porphyrin)Ph ₂ . Journal of the American Chemical Society, 1996, 118, 6082-6083.	6.6	29
144	Synthesis and Structure of a Linked-Bis(amidate) Ligand and Some Complexes with Titanium. Inorganic Chemistry, 2001, 40, 6069-6072.	1.9	29

#	ARTICLE	IF	CITATIONS
145	Synthesis and reactivity of cationic niobium and tantalum methyl complexes supported by imido and $\hat{\text{I}}^2$ -diketiminato ligands. <i>Dalton Transactions</i> , 2011, 40, 7718.	1.6	29
146	Alkali metal tellurolates: synthesis and X-ray crystal structures of monomeric sodium and potassium tellurolates with sterically hindered aryls. <i>Journal of the Chemical Society Chemical Communications</i> , 1990, , 1299.	2.0	28
147	Synthesis, reactivity, and crystal structures of ferrocene-substituted amidinate derivatives. <i>Journal of Organometallic Chemistry</i> , 2001, 637-639, 521-530.	0.8	28
148	In-Plane Thorium(IV), Uranium(IV), and Neptunium(IV) Expanded Porphyrin Complexes. <i>Journal of the American Chemical Society</i> , 2019, 141, 17867-17874.	6.6	28
149	Structural, Electrochemical, and Magnetic Studies of Bulky Uranium(III) and Uranium(IV) Metallocenes. <i>Inorganic Chemistry</i> , 2019, 58, 16629-16641.	1.9	28
150	Heterotetrametallic $\text{Re}^{\text{I}}\text{Zn}^{\text{II}}\text{Zn}^{\text{II}}\text{Re}$ Complex Generated by an Anionic Rhenium(I) $\hat{\text{I}}^2$ -Diketimate. <i>Journal of the American Chemical Society</i> , 2019, 141, 800-804.	6.6	28
151	Lewis acid capping of a uranium(IV) nitride <i>via</i> a uranium(III) azide molecular square. <i>Chemical Communications</i> , 2020, 56, 4535-4538.	2.2	28
152	Synthesis and Reactivity of Titanium and Zirconium Complexes Supported by a Multidentate Monoanionic $[\text{N}_2\text{P}_2]$ Ligand. <i>Organometallics</i> , 2009, 28, 3338-3349.	1.1	27
153	Synthesis, structure and reactivity of group 4 corrole complexes. <i>Chemical Communications</i> , 2014, 50, 2922.	2.2	27
154	Reduction of $\text{BuN}^+\text{NbCl}_3(\text{py})_2$ in a Salt-Free Manner for Generating Nb(IV) Dinuclear Complexes and Their Reactivity toward Benzo[c]cinnoline. <i>Inorganic Chemistry</i> , 2015, 54, 6004-6009.	1.9	27
155	Spectroscopic characterization of zirconium(IV) and hafnium(IV) sandwich porphyrin complexes. <i>The Journal of Physical Chemistry</i> , 1993, 97, 1332-1338.	2.9	26
156	Atom-Transfer Radical Polymerization on Zinc Oxide Nanowires. <i>Chemistry of Materials</i> , 2006, 18, 5045-5051.	3.2	26
157	New supporting ligands in actinide chemistry: tetramethyltetraazaannulene complexes with thorium and uranium. <i>Dalton Transactions</i> , 2017, 46, 13768-13782.	1.6	26
158	Insertion of organic carbonyls into the tantalum-silicon bond of $(\eta^5\text{-C}_5\text{Me}_5)\text{Cl}_3\text{TaSiMe}_3$. Preparation and characterization of the α -silylalkoxides $(\eta^5\text{-C}_5\text{Me}_5)\text{Cl}_3\text{TaOCRR'SiMe}_3$. <i>Journal of the American Chemical Society</i> , 1987, 109, 3318-3322.	6.6	25
159	Synthesis and Reactivity of a Vanadium(III) $\hat{\text{I}}^2$ -Methyl Complex Stabilized by Hexamethylsilazanate Ligands. <i>Organometallics</i> , 1996, 15, 5260-5262.	1.1	25
160	Reactivity of a Tantalum $\hat{\text{I}}^2$ -Lithium Alkylidene Supported by an Anionic Triazacyclononane Ligand. <i>Journal of the American Chemical Society</i> , 2001, 123, 8424-8425.	6.6	25
161	First-Row Transition Metal $\hat{\text{I}}^2$ -Halide Complexes Supported by a Monoanionic $[\text{N}_2\text{P}_2]$ Ligand. <i>Inorganic Chemistry</i> , 2008, 47, 373-380.	1.9	25
162	Oxygen Atom Transfer and Intramolecular Nitrene Transfer in a Rhenium $\hat{\text{I}}^2$ -Diketimate Complex. <i>Inorganic Chemistry</i> , 2016, 55, 11993-12000.	1.9	25

#	ARTICLE	IF	CITATIONS
163	Reactivity of the homoleptic osmium aryl Os(2-MeC ₆ H ₄) ₄ : ligand-induced reductive coupling, σ -to- π -rearrangement, and ortho-hydrogen activation. <i>Organometallics</i> , 1989, 8, 1362-1369.	1.1	24
164	Zirconium complexes of a tacn-derived amido ligand and ring-opening to form a new diamido-amino pincer. <i>Chemical Communications</i> , 2000, , 2135-2136.	2.2	24
165	Alkyl and Alkylidene Tantalum~Lithium Complexes Supported by an Anionic Triazacyclononane Ligand. <i>Organometallics</i> , 2001, 20, 1062-1064.	1.1	24
166	Photo-activation of d ⁰ niobium imido azides: en route to nitrido complexes. <i>Chemical Communications</i> , 2016, 52, 5538-5541.	2.2	24
167	Chemical Vapor Deposition of Phase~Pure Uranium Dioxide Thin Films from Uranium(IV) Amidate Precursors. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 5749-5753.	7.2	24
168	Ether cleavage following insertion of carbon monoxide into the tantalum-silicon bond of (η -5-C ₅ Me ₅)Ta(SiMe ₃)Cl ₃ . <i>Journal of the American Chemical Society</i> , 1985, 107, 6409-6410.	6.6	23
169	Regioselective [2+2] and [4+2] cycloaddition reactivity in an asymmetric niobium(bisimido) moiety towards unsaturated organic molecules. <i>Chemical Communications</i> , 2015, 51, 1278-1281.	2.2	23
170	Oxidation Reactions of [(Me ₃ Si) ₂ N] ₂ VX(THF) (X = Cl, Me, Ph) with CuCl, PhCH(O)CH ₂ , and Ph ₂ CN ₂ and the Syntheses and Structures of the Vanadium(III) Anions {[(Me ₃ Si) ₂ N]X ₂ } ⁻ (X = Cl, Me). <i>Organometallics</i> , 1997, 16, 5148-5157.	1.1	22
171	Neutral $\dot{\text{C}}$ -radicals of lithium porphyrins: synthesis and characterization. <i>Dalton Transactions RSC</i> , 2000, , 111-112.	2.3	22
172	Olefination and group transfer reactions of an electron deficient tantalum methylidene complex. <i>Dalton Transactions</i> , 2006, , 203-212.	1.6	22
173	Platinum Group Thiophenoxyimine Complexes:~Syntheses and Crystallographic/Computational Studies. <i>Organometallics</i> , 2007, 26, 897-909.	1.1	22
174	Electron localization in a mixed-valence diniohium benzene complex. <i>Chemical Science</i> , 2015, 6, 993-1003.	3.7	22
175	A Peptoid-Based Combinatorial and Computational Approach to Developing Ligands for Uranyl Sequestration from Seawater. <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 4187-4194.	1.8	22
176	A Uranium Tri-Rhenium Triple Inverse Sandwich Compound. <i>Journal of the American Chemical Society</i> , 2019, 141, 5144-5148.	6.6	22
177	Controlling dinitrogen functionalization at rhenium through alkali metal ion pairing. <i>Dalton Transactions</i> , 2019, 48, 17936-17944.	1.6	22
178	Structural properties of ultra-small thorium and uranium dioxide nanoparticles embedded in a covalent organic framework. <i>Chemical Science</i> , 2020, 11, 4648-4668.	3.7	22
179	Anionic triazacyclononanes: new supporting ligands in main group and transition metal organometallic chemistry. <i>Chemical Communications</i> , 2003, , 1025-1033.	2.2	21
180	Corroles That ~Click~ Modular Synthesis of Azido- and Propargyl-Functionalized Metallo-corrole Complexes and Convergent Synthesis of a Bis-corrole Scaffold. <i>Inorganic Chemistry</i> , 2014, 53, 7941-7950.	1.9	21

#	ARTICLE	IF	CITATIONS
181	Theory and X-ray Absorption Spectroscopy for Aluminum Coordination Complexes – Al K-Edge Studies of Charge and Bonding in (BDI)Al, (BDI)AlR ₂ , and (BDI)AlX ₂ Complexes. <i>Journal of the American Chemical Society</i> , 2015, 137, 10304-10316.	6.6	21
182	Thermodynamic, Structural, and Computational Investigation on the Complexation between UO ₂ ²⁺ and Amine-Functionalized Diacetamide Ligands in Aqueous Solution. <i>Inorganic Chemistry</i> , 2018, 57, 2122-2131.	1.9	21
183	Two-electron oxidation of a homoleptic U(III) guanidinate complex by diphenyldiazomethane. <i>Chemical Communications</i> , 2018, 54, 10913-10916.	2.2	21
184	Synthesis of N(SiMe ₃) ₂ supported vanadium(III) complexes, including hydrocarbyl, tetrahydroborate and azaalkenylidene derivatives. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 4795-4806.	1.1	20
185	Oxygen-Centered Hexatantalum Tetradecaimido Cluster Complexes. <i>Inorganic Chemistry</i> , 2008, 47, 1053-1066.	1.9	20
186	Substitution and Reaction Chemistry of Cobalt Complexes Supported by [N ₂ P ₂] Ligands. <i>Inorganic Chemistry</i> , 2009, 48, 3274-3286.	1.9	20
187	Tetrahedral Lewis base adducts of an acyl. Preparation and x-ray structure of the pyridine adduct (.eta. ⁵ -C ₅ Me ₅)Cl ₃ Ta[.eta. ² -OC(SiMe ₃)(NC ₅ H ₅)]. <i>Journal of the American Chemical Society</i> , 1986, 108, 5355-5356.	6.6	19
188	Generation of low-valent tantalum species by reversible C-H activation in a cyclometallated tantalum hydride complex. <i>Dalton Transactions</i> , 2014, 43, 10046.	1.6	19
189	Hydride oxidation from a titanium-aluminum bimetallic complex: insertion, thermal and electrochemical reactivity. <i>Chemical Science</i> , 2017, 8, 5153-5160.	3.7	19
190	Insertion, protonolysis and photolysis reactivity of a thorium monoalkyl amidinate complex. <i>Chemical Science</i> , 2018, 9, 2831-2841.	3.7	19
191	Recent Advances in Nuclear Forensic Chemistry. <i>Analytical Chemistry</i> , 2021, 93, 3-22.	3.2	19
192	Synthesis and X-ray crystal structure of tetra(2-methylphenyl)molybdenum(IV), Mo(2-MeC ₆ H ₄) ₄ . Redox chemistry of M(2-MeC ₆ H ₄) ₄ compounds of molybdenum, rhenium, ruthenium, and osmium. <i>Journal of the Chemical Society Dalton Transactions</i> , 1989, , 2149.	1.1	18
193	Synthese monomerer terminaler Chalkogenide durch templatinduzierte Disilylchalkogenid-Eliminierung; die Struktur von [ETa{(Me) ₃ SiNCH ₂ CH ₂ }) ₃ N]} (E = ¼ Se, Te). <i>Angewandte Chemie</i> , 1993, 105, 1551-1553.	1.6	18
194	Benzoquinonoid-bridged dinuclear actinide complexes. <i>Dalton Transactions</i> , 2017, 46, 11615-11625.	1.6	18
195	Preparation and reaction chemistry of trimethylsilyl derivatives of tantalum. X-ray structures of d ⁰ (.eta. ⁵ -C ₅ Me ₅)Ta(SiMe ₃)Cl ₃ and d ¹ (.eta. ⁵ -C ₅ Me ₅)Ta(SiMe ₃)(PMe ₃)Cl ₂ . <i>Organometallics</i> , 1986, 5, 2037-2044.	1.1	17
196	An unsolvated lithium trihydroaluminate and the corresponding trialkynylaluminates supported by an anionic triazacyclononane ligand. <i>Dalton Transactions RSC</i> , 2002, , 2992-2994.	2.3	17
197	Complexation-assisted reduction: complexes of glutaroimide-dioxime with tetravalent actinides (Np(IV) and Th(IV)). <i>Dalton Transactions</i> , 2018, 47, 8134-8141.	1.6	17
198	H ₂ Activation and Direct Access to Terminal Nitride and cyclo-P ₃ Complexes by an Acceptor-Free Rhenium(II) ² -Diketiminato. <i>Inorganic Chemistry</i> , 2019, 58, 13492-13501.	1.9	17

#	ARTICLE	IF	CITATIONS
199	1,2-Addition and cycloaddition reactions of niobium bis(imido) and oxo imido complexes. <i>Chemical Science</i> , 2020, 11, 11613-11632.	3.7	17
200	Alkali-metal complexes of a triazacyclononane-functionalized tetramethylcyclopentadienyl ligand. <i>Dalton Transactions RSC</i> , 2000, , 4018-4020.	2.3	16
201	Structures, Physicochemical Properties, and Reactivities of Cobalt(II) Complexes Supported by a Homoscorpionate (Tris(pyrazolyl)borate) Ligand Tp ^{Ph,Me} . <i>Organometallics</i> , 2012, 31, 372-380.	1.1	16
202	Synthesis and reactivity of tantalum corrole complexes. <i>Dalton Transactions</i> , 2017, 46, 780-785.	1.6	16
203	Olefin-Supported Rhenium(III) Terminal Oxo Complexes Generated by Nucleophilic Addition to a Cyclopentadienyl Ligand. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 14241-14245.	7.2	16
204	Hydroboration Reactivity of Niobium Bis(N-heterocyclic carbene)borate Complexes. <i>Inorganic Chemistry</i> , 2018, 57, 5213-5224.	1.9	16
205	Redox chemistry of the homoleptic aryl Os(2-MeC ₆ H ₄) ₄ : synthesis and characterization of the first osmium(V) organometallic [Os(2-MeC ₆ H ₄) ₄][CF ₃ SO ₃]. <i>Journal of the Chemical Society Chemical Communications</i> , 1988, , 1349.	2.0	15
206	Aryl and aryne complexes of chromium, molybdenum, and tungsten. X-Ray crystal structures of [Cr(2-MeC ₆ H ₄)(μ-2-MeC ₆ H ₄)(PMe ₃) ₂] ₂ , Mo(η-2-2-MeC ₆ H ₃)(2-MeC ₆ H ₄) ₂ (PMe ₂ Ph) ₂ , and W(η-2-2,5-Me ₂ C ₆ H ₂)(2,5-Me ₂ C ₆ H ₃) ₂ (PMe ₃) ₂ . <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 3427-3433.	1.1	15
207	Ionic versus Covalent Bonding in Dilithium Porphyrins: X-ray Structure of Dilithium Tetraphenylporphyrin Bis(etherate). <i>Journal of Porphyrins and Phthalocyanines</i> , 1997, 01, 121-124.	0.4	15
208	A cationic aluminum methyl complex supported by an anionic tacn ligand. <i>Inorganica Chimica Acta</i> , 2003, 351, 404-408.	1.2	14
209	Synthesis and characterization of coordinatively unsaturated nickel(ii) and manganese(ii) alkyl complexes supported by the hydrotris(3-phenyl-5-methylpyrazolyl)borate (TpPh,Me) ligand. <i>Dalton Transactions</i> , 2013, 42, 10525.	1.6	14
210	Kinetics of complexation of V(v), U(vi), and Fe(iii) with glutaroimide-dioxime: studies by stopped-flow and conventional absorption spectroscopy. <i>Dalton Transactions</i> , 2017, 46, 11084-11096.	1.6	14
211	Interactions of vanadium(IV) with amidoxime ligands: redox reactivity. <i>Dalton Transactions</i> , 2018, 47, 5695-5702.	1.6	14
212	Metal Bonding with 3d and 6d Orbitals: An EPR and ENDOR Spectroscopic Investigation of Ti ³⁺ and Th ³⁺ Al Heterobimetallic Complexes. <i>Inorganic Chemistry</i> , 2019, 58, 7978-7988.	1.9	14
213	Reaction of an early-transition metal η ² -silaacyl complex with pyridine. Diastereoselectivity in the formation of a (2-pyridyl)silyl methoxy ligand. <i>Organometallics</i> , 1988, 7, 2045-2049.	1.1	13
214	Stoichiometric carbon-carbon bond formation mediated by well defined Nb(III) complexes. <i>Polyhedron</i> , 2014, 84, 19-23.	1.0	13
215	C-F sp ² bond functionalization mediated by niobium complexes. <i>Dalton Transactions</i> , 2015, 44, 19494-19500.	1.6	13
216	Control of clustering behavior in anionic cerium(III) corrole complexes: from oligomers to monomers. <i>Dalton Transactions</i> , 2016, 45, 18653-18660.	1.6	13

#	ARTICLE	IF	CITATIONS
217	Nâ€N bond cleavage in a nitrous oxideâ€NHC adduct promoted by a PNP pincer cobalt(I) complex. <i>Polyhedron</i> , 2016, 103, 157-163.	1.0	13
218	Hydrodehalogenation of alkyl halides catalyzed by a trichloroniobium complex with a redox active Î±-diimine ligand. <i>Chemical Communications</i> , 2019, 55, 7247-7250.	2.2	13
219	Structural diversity in multinuclear tantalum polyhydrides formed via reductive hydrogenolysis of metalâ€carbon bonds. <i>Chemical Communications</i> , 2019, 55, 13263-13266.	2.2	13
220	Synthesis and Structure of Uraniumâ€Silylene Complexes. <i>Chemistry - A European Journal</i> , 2020, 26, 2360-2364.	1.7	13
221	Synthesis of tantalum fluoride complexes supported by bis(trimethylsilyl)benzamidinate ligands. X-ray structures of [PhC(NSiMe ₃) ₂] ₂ TaF ₃ and [PhC(NSiMe ₃) ₂] ₂ TaFPh ₂ . <i>Journal of Organometallic Chemistry</i> , 2000, 607, 227-232.	0.8	12
222	Preparation and characterization of a tungsten(V) corrole dichloride complex. <i>Journal of Porphyrins and Phthalocyanines</i> , 2015, 19, 150-153.	0.4	12
223	Chemical and Morphological Inhomogeneity of Aluminum Metal and Oxides from Soft X-ray Spectromicroscopy. <i>Inorganic Chemistry</i> , 2017, 56, 5710-5719.	1.9	12
224	f-Block complexes of a <i>m</i> -terphenyl dithiocarboxylate ligand. <i>Dalton Transactions</i> , 2018, 47, 96-104.	1.6	12
225	Uranium Metallocene Azides, Isocyanates, and Their Borane-Capped Lewis Adducts. <i>Inorganic Chemistry</i> , 2020, 59, 8580-8588.	1.9	12
226	Synthesis and Properties of Oxygen-Centered Tetradecaimido Hexatantalum Clusters. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 369-372.	7.2	11
227	Unusual Î¹ coordination of a Î²-diketiminate ligand in niobium complexes. <i>Dalton Transactions</i> , 2016, 45, 12661-12668.	1.6	11
228	Synthesis and X-ray structures of metallocenium diamines of iron and cobalt. <i>Polyhedron</i> , 2004, 23, 2937-2942.	1.0	10
229	Electrochemical Redox Catalysis for Electrochemical Dehydrogenation of Liquid Hydrogen Carrier Fuels for Energy Storage and Conversion. <i>Journal of the Electrochemical Society</i> , 2013, 160, C3152-C3158.	1.3	10
230	Synthesis, characterization, and epoxide ring-opening reactivity of thorium-NHC-bpy complexes. <i>Journal of Organometallic Chemistry</i> , 2018, 857, 10-15.	0.8	10
231	Complexation of NpO ₂ ⁺ with Amine-Functionalized Diacetamide Ligands in Aqueous Solution: Thermodynamic, Structural, and Computational Studies. <i>Inorganic Chemistry</i> , 2018, 57, 6965-6972.	1.9	10
232	Reductions of a Rhenium(III) Terminal Oxo Complex by Isocyanides and Carbon Monoxide. <i>Organometallics</i> , 2018, 37, 3552-3557.	1.1	10
233	Coordination of 2,2â€(Trifluoroazanediy)bis(<i>N,N</i> -dimethylacetamide) with U(VI), Nd(III), and Np(V): A Thermodynamic and Structural Study. <i>Inorganic Chemistry</i> , 2019, 58, 15962-15970.	1.9	10
234	Diverse Reactivity of a Rhenium(V) Oxo Imido Complex: [2 + 2] Cycloadditions, Chalcogen Metathesis, Oxygen Atom Transfer, and Protic and Hydridic 1,2-Additions. <i>Inorganic Chemistry</i> , 2020, 59, 11096-11107.	1.9	10

#	ARTICLE	IF	CITATIONS
235	Electronic Structures of Rhenium(II) $\hat{\text{I}}^2$ -Diketiminates Probed by EPR Spectroscopy: Direct Comparison of an Acceptor-Free Complex to Its Dinitrogen, Isocyanide, and Carbon Monoxide Adducts. <i>Journal of the American Chemical Society</i> , 2020, 142, 13805-13813.	6.6	10
236	Electron acceptors promote proton $\hat{\text{e}}$ hydride tautomerism in low valent rhenium $\hat{\text{I}}^2$ -diketiminates. <i>Chemical Communications</i> , 2020, 56, 3761-3764.	2.2	10
237	Highly diastereoselective reduction of ferrocene bis-imines with methyl lithium and the formation of C ₂ -symmetric Zr complexes Electronic supplementary information (ESI) available: experimental procedures and characterization data for all new compounds. See http://www.rsc.org/suppdata/cc/b3/b308360h/ . <i>Chemical Communications</i> , 2003, . 2598.	2.2	9
238	Bis[N,N $\hat{\text{e}}$ ² -bis(trimethylsilyl)ferrocene-1,1 $\hat{\text{e}}$ ² -diaminato]uranium(IV). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, m2303-m2304.	0.2	9
239	Vanadium Bisimide Bonding Investigated by X-ray Crystallography, ⁵¹ V and ¹³ C Nuclear Magnetic Resonance Spectroscopy, and V L _{3,2} -Edge X-ray Absorption Near-Edge Structure Spectroscopy. <i>Inorganic Chemistry</i> , 2013, 52, 11650-11660.	1.9	9
240	Synthesis and characterization of group 5 imido complexes supported by the 2,6-dichloroaryl $\hat{\text{I}}^2$ -diketiminato ligand. <i>Inorganica Chimica Acta</i> , 2014, 422, 114-119.	1.2	9
241	Carbon $\hat{\text{e}}$ Nitrogen Bond Cleavage by a Thorium $\hat{\text{e}}$ NHC $\hat{\text{e}}$ by Complex. <i>Angewandte Chemie</i> , 2016, 128, 13993-13996.	1.6	9
242	Redox-Initiated Reactivity of Dinuclear $\hat{\text{I}}^2$ -Diketiminatoniobium Imido Complexes. <i>Inorganic Chemistry</i> , 2017, 56, 1626-1637.	1.9	9
243	Homoleptic U($\hat{\text{I}}^3$) and U($\hat{\text{I}}^4$) amidate complexes. <i>Dalton Transactions</i> , 2018, 47, 1772-1776.	1.6	9
244	V IV O and V IV Species Formed in Aqueous Solution by the Tridentate Glutaroimide $\hat{\text{e}}$ Dioxime Ligand $\hat{\text{e}}$ An Instrumental and Computational Characterization. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 1805-1816.	1.0	9
245	Structure and magnetism of a tetrahedral uranium($\hat{\text{I}}^3$) $\hat{\text{I}}^2$ -diketimate complex. <i>Dalton Transactions</i> , 2020, 49, 7938-7944.	1.6	9
246	$\hat{\text{I}}^f$ or $\hat{\text{I}}^e$? Bonding interactions in a series of rhenium metallotetrylenes. <i>Dalton Transactions</i> , 2021, 50, 2083-2092.	1.6	9
247	Applications of Low-Valent Transition Metalates: Development of a Reactive Noncarbonyl Rhenium(I) Anion. <i>Accounts of Chemical Research</i> , 2022, 55, 783-793.	7.6	9
248	An Arbuzov-like reaction in the trimethyl phosphite- η^2 -silaacyl adduct (η^5 -C ₅ Me ₅)Cl ₃ Ta[η^2 -OC(SiMe ₃)]P(OMe) ₃]. <i>Inorganic Chemistry</i> , 1987, 26, 2556-2559.	1.9	8
249	Carbonylation of osmium and ruthenium oxo complexes. X-ray crystal structures of [Me ₄ N] ₂ [Os(O) ₂ (COOMe) ₂ ($\hat{\text{I}}^4$ -OMe)] ₂ and [nPr ₄ N][fac-Ru(O ₂ CMe) ₃ (CO) ₃]. <i>Polyhedron</i> , 1989, 8, 597-602.	1.0	8
250	Single Source Precursors for the Growth of Metal-Chalcogenide Thin Films. <i>Materials Research Society Symposia Proceedings</i> , 1992, 282, 665.	0.1	8
251	A uranium(IV) imido amido triazenido complex formed via addition of a C H bond across a U N multiple bond. <i>Polyhedron</i> , 2018, 155, 149-152.	1.0	8
252	Amidinate Supporting Ligands Influence Molecularity in Formation of Uranium Nitrides. <i>Inorganic Chemistry</i> , 2021, 60, 6672-6679.	1.9	8

#	ARTICLE	IF	CITATIONS
253	Formation of a rhenium benzyne derivative by facile ligand-induced ortho-hydrogen abstraction in a homoleptic rhenium aryl; X-ray crystal structure of $\text{Re}(\eta^2\text{-}2\text{-MeC}_6\text{H}_3)(2\text{-MeC}_6\text{H}_4)_2(\text{PMe}_2\text{Ph})_2$. <i>Journal of the Chemical Society Chemical Communications</i> , 1988, , 704-705.	2.0	7
254	Comparison of homoleptic d1 and d2 transition-metal tellurolates: syntheses and crystal structures of $[\text{M}\{\text{TeSi}(\text{SiMe}_3)_3\}_4]$ (M = V, Mo). <i>Chemical Communications</i> , 1996, , 2565.	2.2	7
255	Aluminium, zinc, gallium, and cadmium complexes supported by a monoanionic $[\text{N}^{\langle 2 \rangle}\text{P}^{\langle 2 \rangle}]$ ligand. <i>Dalton Transactions</i> , 2009, , 106-110.	1.6	7
256	Synthesis and Redox Chemistry of a Tantalum Alkylidene Complex Bearing a Metallaimidazole Ring. <i>Organometallics</i> , 2017, 36, 3520-3529.	1.1	7
257	A Diverse Array of C-C Bonds Formed at a Tantalum Metal Center. <i>Inorganic Chemistry</i> , 2021, 60, 9912-9931.	1.9	7
258	Porphyroid actinide complexes. <i>Chemical Society Reviews</i> , 2022, 51, 3735-3758.	18.7	7
259	Does Reduction-Induced Isomerization of a Uranium(III) Aryl Complex Proceed via H Oxidative Addition and Reductive Elimination across the Uranium(II/IV) Redox Couple?. <i>Inorganic Chemistry</i> , 2022, 61, 8955-8965.	1.9	7
260	Homoleptic Selenolates of Vanadium(II), -(III), and -(IV): Generation, Trapping, and Disproportionation of Tris[tris(trimethylsilyl)silylselenolate]vanadium. <i>Inorganic Chemistry</i> , 1998, 37, 2393-2399.	1.9	6
261	Isocyanide adducts of tri- and tetravalent uranium metallocenes supported by tetra(isopropyl)cyclopentadienyl ligands. <i>Dalton Transactions</i> , 2020, 49, 11971-11977.	1.6	6
262	Exclusive measurements of light fragment production at forward angles in $\text{Ne}^{\langle - \rangle}$ -Pb and $\text{Ne}^{\langle - \rangle}$ -NaF collisions at. <i>Nuclear Physics A</i> , 1990, 506, 637-654.	0.6	5
263	Formation of a niobium-aluminum heterobimetallic complex via supporting ligand exchange. <i>Polyhedron</i> , 2016, 114, 53-55.	1.0	5
264	η^2 -Diimine-Niobium Complex-Catalyzed Deoxychlorination of Benzyl Ethers with Silicon Tetrachloride. <i>Inorganic Chemistry</i> , 2019, 58, 12825-12831.	1.9	5
265	Facile Activation of Triarylboranes by Rhenium(V) Oxo Imido Complexes. <i>Inorganic Chemistry</i> , 2020, 59, 7216-7226.	1.9	5
266	Chlorobis(η^5 -cyclopentadienyl)[N-(2,6-diisopropylphenyl)-N-(1-phenylvinyl)amide]zirconium(IV). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, m950-m951.	0.2	4
267	Chloro(p -tolylimido- η^2 N)[N,N $\langle 2 \rangle$ -(trimethylsilyl)ferrocene-1,1 $\langle 2 \rangle$ -diaminato- η^2 N,N $\langle 2 \rangle$]vanadium(V). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, m2272-m2273.	0.2	4
268	Dual roles of f electrons in mixing Al 3p character into d-orbital conduction bands for lanthanide and actinide dialuminides. <i>Physical Review B</i> , 2018, 97, .	1.1	4
269	Isolation of a TMTAA-Based Radical in Uranium bis-TMTAA Complexes. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 16136-16140.	7.2	4
270	Access to Corrole-Appended Persubstituted Benzofurans by a Multicomponent Reaction: The Dual Role of <i>p</i> -Chloranil. <i>Organic Letters</i> , 2020, 22, 8139-8143.	2.4	4

#	ARTICLE	IF	CITATIONS
271	[3 + 2] Cycloadditions and Retrocycloadditions of Niobium Imido Complexes: An Experimental and Computational Mechanistic Study. <i>Inorganic Chemistry</i> , 2022, 61, 6574-6583.	1.9	4
272	Engendering reactivity at group 5-heteroatom multiple bonds via σ -loading. <i>Chemical Science</i> , 2022, 13, 8224-8242.	3.7	4
273	Control of the UTI 100C quadrupole mass spectrometer with an inexpensive microcomputer. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1983, 1, 81-83.	0.9	3
274	Formation of the novel benzophenone sila-acylhydrazonato complex (η -5-C ₅ Me ₅)Cl ₃ Ta[OC(SiMe ₃)NNCPh ₂] following addition of diphenyldiazomethane to an η -2-sila-acyl ligand. <i>Journal of the Chemical Society Chemical Communications</i> , 1987, , 793-794.	2.0	3
275	Electronic structure of chalcogenols: photoelectron spectroscopic and theoretical studies of tris(trimethylsilyl)silyl chalcogenols. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 4029-4034.	1.1	3
276	Activation of heteroallenes by coordinatively unsaturated nickel(ii) alkyl complexes supported by the hydrotris(3-phenyl-5-methyl)pyrazolyl borate (TpPh,Me) ligand. <i>Dalton Transactions</i> , 2016, 45, 14581-14590.	1.6	3
277	2016 New talent Americas across academia and the U.S. National Laboratories. <i>Dalton Transactions</i> , 2016, 45, 9743-9743.	1.6	3
278	Dioxygen reacts with metal-carbon bonds in thorium dialkyls to produce bis(alkoxides). <i>Dalton Transactions</i> , 2019, 48, 5569-5573.	1.6	3
279	Perturbation of σ -C-F Coupling in Carbon-Fluorine Bonds on Coordination to Lewis Acids: A Structural, Spectroscopic, and Computational Study. <i>Inorganic Chemistry</i> , 2020, 59, 17259-17267.	1.9	3
280	Spectroscopic, Magnetic, and Computational Investigations on a Series of Rhenium(III) Cyclopentadienide η -diketiminato Halide and Pseudohalide Complexes. <i>Organometallics</i> , 0, , .	1.1	3
281	An enigmatic trailblazer on the frontier of discovery: Richard A. Andersen. <i>Chemical Communications</i> , 2018, 54, 12131-12132.	2.2	2
282	Isolation of a TMTAA-Based Radical in Uranium bis-TMTAA Complexes. <i>Angewandte Chemie</i> , 2018, 130, 16368-16372.	1.6	2
283	Thorium amidates function as single-source molecular precursors for thorium dioxide. <i>Chemical Communications</i> , 2021, 57, 4954-4957.	2.2	2
284	Tin(II) Sulfide and Tin(II) Selenide. <i>Inorganic Syntheses</i> , 2007, , 86-91.	0.3	1
285	Tris(trimethylsilyl)silyl Lithium Tris(tetrahydrofuran), Lithium Tris(trimethylsilyl)silyltelluroate Bis(tetrahydrofuran), and Tris(trimethylsilyl)silyltellurol. <i>Inorganic Syntheses</i> , 2007, , 162-166.	0.3	1
286	d ₀ organometallics in catalysis. <i>Dalton Transactions</i> , 2011, 40, 7665.	1.6	1
287	New talent: Americas. <i>Dalton Transactions</i> , 2012, 41, 7781.	1.6	1
288	The influence of Michael Lappert on the chemistry landscape. <i>Dalton Transactions</i> , 2014, 43, 16553-16556.	1.6	1

#	ARTICLE	IF	CITATIONS
289	Olefin-supported Rhenium(III) Terminal Oxo Complexes Generated by Nucleophilic Addition to a Cyclopentadienyl Ligand. <i>Angewandte Chemie</i> , 2017, 129, 14429-14433.	1.6	1
290	Chemical Vapor Deposition of Phase-pure Uranium Dioxide Thin Films from Uranium(IV) Amidate Precursors. <i>Angewandte Chemie</i> , 2019, 131, 5805-5809.	1.6	1
291	Tethered Bis-Amidates as Supporting Ligands: A Concerted Elimination/1,2-Wittig Rearrangement Reaction Forming an Unusual Titanium Arene Complex. <i>Angewandte Chemie - International Edition</i> , 1998, 37, 1729-1731.	7.2	1
292	cis,trans-Dichlorido{N-[3,5-di-tert-butyl-2-(trimethylsilyloxy)benzyl]-N,N-bis(2-pyridylmethyl)amine}(dimethyl) Tj ETQq0.0.0 rgBT /Overlock Reports Online, 2009, 65, m1371-m1372.	0.2	1
293	Growth of II-VI Thin-Films from Single-Source Precursors Based on Sterically Encumbered Sited Ligands. , 0, , .		0
294	Anionic Triazacyclononanes: New Supporting Ligands in Main Group and Transition Metal Organometallic Chemistry. <i>ChemInform</i> , 2003, 34, no.	0.1	0
295	Catalytic Hydroamination of Alkynes and Norbornene with Neutral and Cationic Tantalum Imido Complexes.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
296	N-[1-(2,4,6-Trimethylanilino)-1-ferrocenyl]-N-(2,4,6-trimethylphenyl)thiocarbamoyl chloride. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, m2014-m2015.	0.2	0