
## **Chao-Hung Wang**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/223853/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Metabolic Disturbances Identified in Plasma Are Associated With Outcomes inÂPatients With Heart Failure. Journal of the American College of Cardiology, 2015, 65, 1509-1520.	2.8	242
2	Late-Outgrowth Endothelial Cells Attenuate Intimal Hyperplasia Contributed by Mesenchymal Stem Cells After Vascular Injury. Arteriosclerosis, Thrombosis, and Vascular Biology, 2008, 28, 54-60.	2.4	109
3	Pioglitazone increases the numbers and improves the functional capacity of endothelial progenitor cells in patients with diabetes mellitus. American Heart Journal, 2006, 152, 1051.e1-1051.e8.	2.7	105
4	Enalapril increases ischemia-induced endothelial progenitor cell mobilization through manipulation of the CD26 system. Journal of Molecular and Cellular Cardiology, 2006, 41, 34-43.	1.9	97
5	Indoxyl sulfate suppresses endothelial progenitor cell–mediated neovascularization. Kidney International, 2016, 89, 574-585.	5.2	83
6	Coronary vasospasm as a possible cause of elevated cardiac troponin I in patients with acute coronary syndrome and insignificant coronary artery disease. American Heart Journal, 2002, 144, 275-281.	2.7	82
7	Stem Cell Factor Deficiency Is Vasculoprotective. Circulation Research, 2006, 99, 617-625.	4.5	73
8	Understanding the Epidemiology of Heart Failure to Improve Management Practices: An Asia-Pacific Perspective. Journal of Cardiac Failure, 2017, 23, 327-339.	1.7	72
9	Stem Cell Factor Attenuates Vascular Smooth Muscle Apoptosis and Increases Intimal Hyperplasia After Vascular Injury. Arteriosclerosis, Thrombosis, and Vascular Biology, 2007, 27, 540-547.	2.4	56
10	2019 Focused Update of the Guidelines of the Taiwan Society of Cardiology for the Diagnosis and Treatment of Heart Failure. Acta Cardiologica Sinica, 2019, 35, 244-283.	0.2	50
11	Lipidomics reveals accumulation of the oxidized cholesterol in erythrocytes of heart failure patients. Redox Biology, 2018, 14, 499-508.	9.0	48
12	Phenylalanine- and leucine-defined metabolic types identify high mortality risk in patients with severe infection. International Journal of Infectious Diseases, 2019, 85, 143-149.	3.3	39
13	Effect of multidisciplinary disease management for hospitalized heart failure under a national health insurance programme. Journal of Cardiovascular Medicine, 2015, 16, 616-624.	1.5	37
14	Cyclosporine increases ischemia-induced endothelial progenitor cell mobilization through manipulation of the CD26 system. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2008, 294, R811-R818.	1.8	36
15	Elevated plasma phenylalanine predicts mortality in critical patients with heart failure. ESC Heart Failure, 2020, 7, 2884-2893.	3.1	32
16	Amino Acid-Based Metabolic Panel Provides Robust Prognostic Value Additive to B-Natriuretic Peptide and Traditional Risk Factors in Heart Failure. Disease Markers, 2018, 2018, 1-11.	1.3	28
17	High-fructose and high-fat feeding correspondingly lead to the development of lysoPC-associated apoptotic cardiomyopathy and adrenergic signaling-related cardiac hypertrophy. International Journal of Cardiology, 2016, 215, 65-76.	1.7	27
18	Simplified plasma essential amino acid-based profiling provides metabolic information and prognostic value additive to traditional risk factors in heart failure. Amino Acids, 2018, 50, 1739-1748.	2.7	27

CHAO-HUNG WANG

#	Article	IF	CITATIONS
19	Increased p-cresyl sulfate level is independently associated with poor outcomes in patients with heart failure. Heart and Vessels, 2016, 31, 1100-1108.	1.2	24
20	High-intensity interval training enhances mitochondrial bioenergetics of platelets in patients with heart failure. International Journal of Cardiology, 2019, 274, 214-220.	1.7	24
21	Surface Markers of Heterogeneous Peripheral Blood–Derived Smooth Muscle Progenitor Cells. Arteriosclerosis, Thrombosis, and Vascular Biology, 2012, 32, 1875-1883.	2.4	21
22	Outcomes and Characteristics of Patients Undergoing Percutaneous Angioplasty Followed by Below-Knee or Above-Knee Amputation for Peripheral Artery Disease. PLoS ONE, 2014, 9, e111130.	2.5	19
23	Factors associated with purity, biological function, and activation potential of endothelial colony-forming cells. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2011, 300, R586-R594.	1.8	18
24	Docosapentaenoic acid and docosahexaenoic acid are positively associated with insulin sensitivity in rats fed highâ€fat and highâ€fructose diets. Journal of Diabetes, 2017, 9, 936-946.	1.8	18
25	Activation of lymphocyte autophagy/apoptosis reflects haemodynamic inefficiency and functional aerobic impairment in patients with heart failure. Clinical Science, 2014, 127, 589-602.	4.3	17
26	Myocardial triglyceride content at 3ÂT cardiovascular magnetic resonance and left ventricular systolic function: a cross-sectional study in patients hospitalized with acute heart failure. Journal of Cardiovascular Magnetic Resonance, 2016, 18, 9.	3.3	14
27	Validation of a new simple scale to measure symptoms in heart failure from traditional Chinese medicine view: a cross-sectional questionnaire study. BMC Complementary and Alternative Medicine, 2016, 16, 342.	3.7	14
28	Metabolic profile provides prognostic value better than galectin-3 in patients with heart failure. Journal of Cardiology, 2017, 70, 92-98.	1.9	14
29	<p>Amino Acid-Based Metabolic Indexes Identify Patients With Chronic Obstructive Pulmonary Disease And Further Discriminates Patients In Advanced BODE Stages</p> . International Journal of COPD, 2019, Volume 14, 2257-2266.	2.3	14
30	Characteristic of Metabolic Status in Heart Failure and Its Impact in Outcome Perspective. Metabolites, 2020, 10, 437.	2.9	14
31	Assessment of mouse hind limb endothelial function by measuring femoral artery blood flow responses. Journal of Vascular Surgery, 2011, 53, 1350-1358.	1.1	13
32	Bone Marrow Rejuvenation Accelerates Re-Endothelialization and Attenuates Intimal Hyperplasia After Vascular Injury in Aging Mice. Circulation Journal, 2013, 77, 3045-3053.	1.6	13
33	Clinical outcomes of drug-eluting stents versus bare-metal stents in patients with cardiogenic shock complicating acute myocardial infarction. International Journal of Cardiology, 2016, 215, 98-104.	1.7	13
34	Recovery of lipid metabolic alterations in hepatitis C patients after viral clearance: Incomplete restoration with accelerated ω-oxidation. Journal of Clinical Lipidology, 2018, 12, 756-766.	1.5	12
35	The association between low protein diet and body composition, muscle function, inflammation, and amino acid-based metabolic profile in chronic kidney disease stage 3–5 patients. Clinical Nutrition ESPEN, 2021, 46, 405-415.	1.2	12
36	Differentiation profile of peripheral blood-derived vascular progenitor cell predicts intimal hyperplasia after coronary stenting. Heart and Vessels, 2012, 27, 10-19.	1.2	11

CHAO-HUNG WANG

#	Article	IF	CITATIONS
37	Benefits of Intraaortic Balloon Support for Myocardial Infarction Patients in Severe Cardiogenic Shock Undergoing Coronary Revascularization. PLoS ONE, 2016, 11, e0160070.	2.5	11
38	Effects of a multidisciplinary disease management programme with or without exercise training for heart failure patients: Secondary analysis of a randomized controlled trial. International Journal of Nursing Studies, 2018, 87, 94-102.	5.6	11
39	Factors associated with elevated plasma phenylalanine in patients with heart failure. Amino Acids, 2021, 53, 149-157.	2.7	11
40	Decreases in Circulating Concentrations of Short-Chain Acylcarnitines are Associated with Systolic Function Improvement After Decompensated Heart Failure. International Heart Journal, 2020, 61, 1014-1021.	1.0	10
41	Estimating systemic fibrosis by combining galectin-3 and ST2 provides powerful risk stratification value for patients after acute decompensated heart failure. Cardiology Journal, 2016, 23, 563-572.	1.2	10
42	Cardiopulmonary Resuscitation During Coronary Vasospasm Induced by Tilt Table Testing. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 2138-2140.	1.2	9
43	Large Right Atrial Thrombus with Pulmonary Embolism. Echocardiography, 2000, 17, 329-334.	0.9	9
44	Drawbacks to stem cell therapy in cardiovascular diseases. Future Cardiology, 2008, 4, 399-408.	1.2	9
45	VE-Cadherinlow.ALPHASmooth Muscle Actin+ Component of Vascular Progenitor Cells Correlates With the Coronary Artery Gensini Score. Circulation Journal, 2012, 76, 477-484.	1.6	9
46	Activation of heme oxygenase-1 by Ginkgo biloba extract differentially modulates endothelial and smooth muscle-like progenitor cells for vascular repair. Scientific Reports, 2019, 9, 17316.	3.3	9
47	Predictors of long-term survival prior to permanent pacemaker implantation in octogenarians or older. Aging Clinical and Experimental Research, 2019, 31, 1001-1009.	2.9	9
48	Left Ventricular Function and Myocardial Triglyceride Content on 3T Cardiac MR Predict Major Cardiovascular Adverse Events and Readmission in Patients Hospitalized with Acute Heart Failure. Journal of Clinical Medicine, 2020, 9, 169.	2.4	9
49	Effects of Verapamil in Normal Elderly Individuals with Left Ventricular Diastolic Dysfunction. Echocardiography, 2001, 18, 123-129.	0.9	8
50	Amino Acid-Based Metabolic Profile Provides Functional Assessment and Prognostic Value for Heart Failure Outpatients. Disease Markers, 2019, 2019, 1-10.	1.3	8
51	Cardiovascular outcomes of vildagliptin in patients with typeÂ2 diabetes mellitus after acute coronary syndrome or acute ischemic stroke. Journal of Diabetes Investigation, 2020, 11, 110-124.	2.4	8
52	Comparison of Baseline versus Posttreatment Left Ventricular Ejection Fraction in Patients with Acute Decompensated Heart Failure for Predicting Cardiovascular Outcome: Implications from Single-Center Systolic Heart Failure Cohort. PLoS ONE, 2016, 11, e0145514.	2.5	8
53	Relationship of symptom stress, care needs, social support, and meaning in life to quality of life in patients with heart failure from the acute to chronic stages: a longitudinal study. Health and Quality of Life Outcomes, 2021, 19, 252.	2.4	8
54	Predictors of infection-related rehospitalization in heart failure patients and its impact on long-term survival. Journal of Cardiovascular Medicine, 2020, 21, 889-896.	1.5	6

CHAO-HUNG WANG

#	Article	IF	CITATIONS
55	Therapeutic potential of cPLA2 inhibitor to counteract dilated-cardiomyopathy in cholesterol-treated H9C2 cardiomyocyte and MUNO rat. Pharmacological Research, 2020, 160, 105201.	7.1	6
56	Mice lacking MBNL1 and MBNL2 exhibit sudden cardiac death and molecular signatures recapitulating myotonic dystrophy. Human Molecular Genetics, 2022, 31, 3144-3160.	2.9	6
57	Relationship Between Dobutamine Echocardiography and the Elevation of Cardiac Troponin I in Patients with Acute Coronary Syndromes. Echocardiography, 2001, 18, 573-579.	0.9	5
58	Clinical Application of Endothelial Progenitor Cell: Are We Ready?. Acta Cardiologica Sinica, 2013, 29, 479-87.	0.2	5
59	Cardiovascular risk of sitagliptin in ischemic stroke patients with type 2 diabetes and chronic kidney disease. Medicine (United States), 2018, 97, e13844.	1.0	4
60	Early Imaging Biomarker of Myocardial Glucose Adaptations in High-Fat-Diet-Induced Insulin Resistance Model by Using 18F-FDG PET and [U-13C]glucose Nuclear Magnetic Resonance Tracer. Contrast Media and Molecular Imaging, 2018, 2018, 1-10.	0.8	3
61	Care needs, social support and meaning in life in patients after acute heart failure hospitalisation: a longitudinal study. European Journal of Cardiovascular Nursing, 2021, 20, 106-114.	0.9	3
62	Cardiac Rehabilitation in Patients with Heart Failure. Acta Cardiologica Sinica, 2014, 30, 353-9.	0.2	3
63	U-Shape Relationship between Plasma Leucine Level and Mortality in the Intensive Care Unit. Disease Markers, 2022, 2022, 1-9.	1.3	2
64	Optimal analysis of intravenous myocardial contrast echocardiography for predicting myocardial functional recovery in patients with acute myocardial infarction. Journal of the American Society of Echocardiography, 2002, 15, 1262-1268.	2.8	1
65	DIRECTED ACYCLIC GRAPH-BASED PATIENT EDUCATION SYSTEM FOR CARDIOVASCULAR PATIENTS IN TAIWAN. Journal of Mechanics in Medicine and Biology, 2016, 16, 1640011.	0.7	1
66	Detection of exercise periodic breathing using thermal flowmeter in patients with heart failure. Medical and Biological Engineering and Computing, 2017, 55, 1189-1198.	2.8	1
67	Factors Associated With Inadequate Effectiveness of a Multidisciplinary Disease Management Program in Heart Failure Patients Stratified by Galectin 3 Level. Biological Research for Nursing, 2017, 19, 77-86.	1.9	1
68	Autonomous exercise rehabilitation for heart failure patients based on six-minute walk test through Internet-of-Thing devices. , 2017, , .		1
69	Clinical outcomes of second-generation limus-eluting stents compared to paclitaxel-eluting stents for acute myocardial infarction with cardiogenic shock. PLoS ONE, 2019, 14, e0214417.	2.5	1
70	Oxygen-sensitive T2* magnetic resonance imaging to correlate heart function and ischemic etiology of post-hospitalized chronic heart failure patients. European Journal of Radiology, 2020, 128, 109036.	2.6	1
71	Treatment-Interval Changes in Serum Levels of Albumin and Histidine Correlated with Treatment Interruption in Patients with Locally Advanced Head and Neck Squamous Cell Carcinoma Completing Chemoradiotherapy under Recommended Calorie and Protein Provision. Cancers, 2022, 14, 3112.	3.7	1
72	Malignant Lymphoma Presenting as Right Heart Failure. Echocardiography, 2000, 17, 49-51.	0.9	0

73 Application of PrefixSpan Algorithms for Disease Pattern Analysis. , 2016, , . 0	#	Article	IF	CITATIONS
	73	Application of PrefixSpan Algorithms for Disease Pattern Analysis. , 2016, , .		0