

# OLe Seberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2238936/publications.pdf>

Version: 2024-02-01

103  
papers

6,251  
citations

126907  
33  
h-index

71685  
76  
g-index

106  
all docs

106  
docs citations

106  
times ranked

6244  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genes from oxidative phosphorylation complexes II-V and two dual-function subunits of complex I are transcribed in <i>Viscum album</i> despite absence of the entire mitochondrial holo-complex I. <i>Mitochondrion</i> , 2022, 62, 1-12.	3.4	7
2	Multilateral benefit-sharing from digital sequence information will support both science and biodiversity conservation. <i>Nature Communications</i> , 2022, 13, 1086.	12.8	34
3	The genomic basis of the plant island syndrome in Darwinâ€™s giant daisies. <i>Nature Communications</i> , 2022, 13, .	12.8	6
4	Mitochondrial genome evolution in parasitic plants. <i>BMC Evolutionary Biology</i> , 2019, 19, 87.	3.2	42
5	Phylogenetics of <i>Dendrochilum</i> (Orchidaceae): Evidence of pronounced morphological homoplasy and predominantly centric endemism. <i>Taxon</i> , 2019, 68, 1173-1188.	0.7	5
6	Phylogenetics and systematics of <i>Eria</i> and related genera (Orchidaceae: Podochileae). <i>Botanical Journal of the Linnean Society</i> , 2018, 186, 179-201.	1.6	16
7	Genome Reports: Contracted Genes and Dwarfed Plastome in Mycoheterotrophic <i>Sciaphila thaidanica</i> (Triuridaceae, Pandanales). <i>Genome Biology and Evolution</i> , 2018, 10, 976-981.	2.5	17
8	Evolution and diversity of PAPhy—a phytase in the genepool of wheat ( <i>Triticum aestivum</i> L., Poaceae). <i>Genetic Resources and Crop Evolution</i> , 2017, 64, 2115-2126.	1.6	6
9	Mitochondrial genome evolution in Alismatales: Size reduction and extensive loss of ribosomal protein genes. <i>PLoS ONE</i> , 2017, 12, e0177606.	2.5	36
10	Localized Retroprocessing as a Model of Intron Loss in the Plant Mitochondrial Genome. <i>Genome Biology and Evolution</i> , 2016, 8, 2176-2189.	2.5	26
11	Plastid phylogenomics and molecular evolution of Alismatales. <i>Cladistics</i> , 2016, 32, 160-178.	3.3	98
12	Phylogeny of the Alismatales (Monocotyledons) and the relationship of <i><scp>A</scp>corus</i> (<scp>A</scp>corales?). <i>Cladistics</i> , 2016, 32, 141-159.	3.3	28
13	Plastome Evolution in Hemiparasitic Mistletoes. <i>Genome Biology and Evolution</i> , 2015, 7, 2520-2532.	2.5	68
14	Evolution of <i>Asparagus</i> L. (Asparagaceae): Out-of-South-Africa and multiple origins of sexual dimorphism. <i>Molecular Phylogenetics and Evolution</i> , 2015, 92, 25-44.	2.7	35
15	Identification of common horsetail ( <i>Equisetum arvense</i> L.; Equisetaceae) using Thin Layer Chromatography versus DNA barcoding. <i>Scientific Reports</i> , 2015, 5, 11942.	3.3	36
16	Complete genomic congruence but nonâ€¢monophyly of <i>Cymodocea</i> (Cymodoceaceae), a small group of seagrasses. <i>Taxon</i> , 2014, 63, 3-8.	0.7	14
17	The Global Genome Biodiversity Network (GGBN) Data Portal. <i>Nucleic Acids Research</i> , 2014, 42, D607-D612.	14.5	87
18	Phylogeny of the Liliales (Monocotyledons) with special emphasis on data partition congruence and RNA editing. <i>Cladistics</i> , 2013, 29, 274-295.	3.3	26

#	ARTICLE	IF	CITATIONS
19	Revision of the genus <i>Ulvella</i> (Ulvellaceae, Ulvophyceae) based on morphology and <i>tufA</i> gene sequences of species in culture, with <i>Acrochaete</i> and <i>Pringsheimiella</i> placed in synonymy. <i>Phycologia</i> , 2013, 52, 37-56.	1.4	27
20	The aberrant millipede genus <i>Pteridoiulus</i> and its position in a revised molecular phylogeny of the family Julidae (Diplopoda : Julida). <i>Invertebrate Systematics</i> , 2013, 27, 515.	1.3	15
21	To aitch or not to aitch: <i>Ripogonum</i> ( <i>Ripigonaceae</i> ) or <i>Rhipogonum</i> ( <i>Rhipigonaceae</i> )?. <i>Taxon</i> , 2013, 62, 606-608.	0.7	1
22	Corrigendum to "To aitch or not to aitch: <i>Ripogonum</i> ( <i>Ripigonaceae</i> ) or <i>Rhipogonum</i> ( <i>Rhipigonaceae</i> )?". <i>Taxon</i> , 2013, 62, 1364-1364.	0.7	0
23	The Complete Sequence of the Mitochondrial Genome of <i>Butomus umbellatus</i> – A Member of an Early Branching Lineage of Monocotyledons. <i>PLoS ONE</i> , 2013, 8, e61552.	2.5	13
24	Phylogeny of the Asparagales based on three plastid and two mitochondrial genes. <i>American Journal of Botany</i> , 2012, 99, 875-889.	1.7	84
25	Genes and Processed Paralogs Co-exist in Plant Mitochondria. <i>Journal of Molecular Evolution</i> , 2012, 74, 158-169.	1.8	13
26	The controversy over the retypification of <i>Acacia</i> Mill. with an Australian type: A pragmatic view. <i>Taxon</i> , 2011, 60, 194-198.	0.7	33
27	A phylogenetic analysis of the genus <i>Colchicum</i> L. (Colchicaceae) based on sequences from six plastid regions. <i>Taxon</i> , 2011, 60, 1349-1365.	0.7	8
28	DNA Damage in Plant Herbarium Tissue. <i>PLoS ONE</i> , 2011, 6, e28448.	2.5	166
29	When is enough, enough in phylogenetics? A case in point from <i>Hordeum</i> (Poaceae). <i>Cladistics</i> , 2011, 27, 428-446.	3.3	23
30	Chris Humphries (1947-2009): botanist, cladist and biogeographer: an appreciation. <i>Cladistics</i> , 2011, 27, 223-229.	3.3	0
31	Phylogenetic relationships in the millipede family Julidae. <i>Cladistics</i> , 2011, 27, 606-616.	3.3	17
32	The origin of the H, St, W, and Y genomes in allotetraploid species of <i>Elymus</i> L. and <i>Stenostachys</i> Turcz. (Poaceae: Triticeae). <i>Plant Systematics and Evolution</i> , 2011, 291, 197-210.	0.9	16
33	Are substitution rates and RNA editing correlated?. <i>BMC Evolutionary Biology</i> , 2010, 10, 349.	3.2	33
34	Alignment, clade robustness and fungal phylogenetics – Crepidotaceae and sister families revisited. <i>Cladistics</i> , 2010, 26, 62-71.	3.3	16
35	How Many Loci Does it Take to DNA Barcode a Crocus?. <i>PLoS ONE</i> , 2009, 4, e4598.	2.5	122
36	A unified classification system for eukaryotic transposable elements should reflect their phylogeny. <i>Nature Reviews Genetics</i> , 2009, 10, 276-276.	16.3	69

#	ARTICLE	IF	CITATIONS
37	<i>Stowaway</i> MITEs in <i>Hordeum</i> (Poaceae): evolutionary history, ancestral elements and classification. Cladistics, 2009, 25, 198-208.	3.3	11
38	A DNA barcode for land plants. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 12794-12797.	7.1	2,120
39	Phylogenetic relationships of allotetraploid <i>Hordelymus europaeus</i> (L.) Harz (Poaceae: Triticeae). Plant Systematics and Evolution, 2008, 273, 87-95.	0.9	18
40	Phylogenetic analysis of the Triticeae (Poaceae). Hereditas, 2008, 116, 15-19.	1.4	31
41	A proposal for a standardised protocol to barcode all land plants. Taxon, 2007, 56, 295-299.	0.7	457
42	Phylogeny of Triticeae (Poaceae) Based on Three Organelle Genes, Two Single-Copy Nuclear Genes, and Morphology. Aliso, 2007, 23, 362-371.	0.2	17
43	Are mitochondrial genes useful for the analysis of monocot relationships?. Taxon, 2006, 55, 857-870.	0.7	37
44	RNA editing and phylogenetic reconstruction in two monocot mitochondrial genes. Taxon, 2006, 55, 871-886.	0.7	42
45	Carbon stable isotope composition of DNA isolated from an incipient paleosol. Geology, 2006, 34, 381.	4.4	4
46	Phylogenetic relationships of Triticum and Aegilops and evidence for the origin of the A, B, and D genomes of common wheat ( <i>Triticum aestivum</i> ). Molecular Phylogenetics and Evolution, 2006, 39, 70-82.	2.7	331
47	Mitochondrial DNA Sequences in Plant Phylogenetics and Evolutionâ€”symposium at XVII IBC, Vienna, Austria. Taxon, 2006, 55, 833-835.	0.7	4
48	Mitochondrial Data in Monocot Phylogenetics. Aliso, 2006, 22, 52-62.	0.2	21
49	Phylogeny, Genome Size, and Chromosome Evolution of Asparagales. Aliso, 2006, 22, 287-304.	0.2	57
50	Sequence length variation, indel costs, and congruence in sensitivity analysis. Cladistics, 2005, 21, 15-30.	3.3	54
51	DNA Taxonomyâ€”the Riddle of <i>OxychloÃ«</i> (Juncaceae). Systematic Botany, 2005, 30, 284-289.	0.5	21
52	Investigation of Genetic and Morphological Variation in the Sago Palm ( <i>Metroxylon sagu</i> ; Arecaceae) in Papua New Guinea. Annals of Botany, 2004, 94, 109-117.	2.9	41
53	The Giemsa C-banded Karyotype of <i>Crithopsis Delileana</i> (Poaceae; Triticeae). Hereditas, 2004, 130, 51-55.	1.4	5
54	The Karyotype of <i>Elymus Mendodnus</i> (Poaceae; Triticeae) from Argentina studied by Banding Techniques. Hereditas, 2004, 131, 247-252.	1.4	2

#	ARTICLE	IF	CITATIONS
55	Karyotypes of <i>Elymus scabrifolius</i> (Poaceae: Triticeae) from South America Studied by Banding Techniques and in Situ Hybridization. <i>Hereditas</i> , 2004, 135, 41-50.	1.4	4
56	A phylogenetic analysis of the genus <i>Psathyrostachys</i> (Poaceae) based on one nuclear gene, three plastid genes, and morphology. <i>Plant Systematics and Evolution</i> , 2004, 249, 99-110.	0.9	5
57	An empirical test of the treatment of indels during optimization alignment based on the phylogeny of the genus <i>Secale</i> (Poaceae). <i>Molecular Phylogenetics and Evolution</i> , 2004, 30, 733-742.	2.7	27
58	A Phylogeny of the Monocots, as Inferred from <i>rbcL</i> and <i>atpA</i> Sequence Variation, and a Comparison of Methods for Calculating Jackknife and Bootstrap Values. <i>Systematic Botany</i> , 2004, 29, 467-510.	0.5	173
59	Plant DNA: A new substrate for carbon stable isotope analysis and a potential paleoenvironmental indicator. <i>Geology</i> , 2004, 32, 241.	4.4	10
60	On the Origin of the Tetraploid Species <i>Hordeum capense</i> and <i>H. secalinum</i> (Poaceae). <i>Systematic Botany</i> , 2004, 29, 862-873.	0.5	39
61	Phylogeny of the Juncaceae based on <i>rbc L</i> sequences, with special emphasis on <i>Luzula</i> DC. and <i>Juncus</i> L.. <i>Plant Systematics and Evolution</i> , 2003, 240, 133-147.	0.9	37
62	Shortcuts in systematics? A commentary on DNA-based taxonomy. <i>Trends in Ecology and Evolution</i> , 2003, 18, 63-65.	8.7	142
63	The phylogenetic and taxonomic position of <i>Lilaeopsis</i> (Apiaceae), with notes on the applicability of ITS sequence data for phylogenetic reconstruction. <i>Australian Systematic Botany</i> , 2002, 15, 181.	0.9	12
64	Molecular Evolution and Phylogenetic Application of DMC1. <i>Molecular Phylogenetics and Evolution</i> , 2002, 22, 43-50.	2.7	46
65	Morphometric analysis of the Bersama abyssinica Fresen. complex (Melianthaceae) in East Africa. <i>Plant Systematics and Evolution</i> , 2001, 227, 157-182.	0.9	4
66	A phylogenetic analysis of the monogenomic Triticeae (Poaceae) based on morphology. <i>Botanical Journal of the Linnean Society</i> , 2001, 136, 75-97.	1.6	47
67	A phylogenetic analysis of the monogenomic Triticeae (Poaceae) based on morphology. <i>Botanical Journal of the Linnean Society</i> , 2001, 136, 75-97.	1.6	0
68	Phylogenetic Evidence for Excision of Stowaway Miniature Inverted-Repeat Transposable Elements in Triticeae (Poaceae). <i>Molecular Biology and Evolution</i> , 2000, 17, 1589-1596.	8.9	63
69	Title is missing!. <i>Euphytica</i> , 1998, 102, 57-63.	1.2	10
70	A critical review of concepts and methods used in classical genome analysis. <i>Botanical Review</i> , The, 1998, 64, 372-417.	3.9	38
71	Simultaneous parsimony jackknife analysis of 2538 <i>rbcL</i> DNA sequences reveals support for major clades of green plants, land plants, seed plants and flowering plants. <i>Plant Systematics and Evolution</i> , 1998, 213, 259-287.	0.9	202
72	Molecular Studies on the Phylogeny of the Genus Barley ( <i>Hordeum</i> ; Poaceae). , 1998, , 437-440.	1	

#	ARTICLE	IF	CITATIONS
73	A taxonomic revision of the genus <i>Hystrix</i> (Triticeae, Poaceae). <i>Nordic Journal of Botany</i> , 1997, 17, 449-467.	0.5	24
74	Molecular technologies for biodiversity evaluation: Opportunities and challenges. <i>Nature Biotechnology</i> , 1997, 15, 625-628.	17.5	147
75	Phylogenetic Analysis of the Triticeae (Poaceae) Based on rpoA Sequence Data. <i>Molecular Phylogenetics and Evolution</i> , 1997, 7, 217-230.	2.7	100
76	Molecular Techniques in the Assessment of Botanical Diversity. <i>Annals of Botany</i> , 1996, 78, 143-149.	2.9	204
77	The karyotype of <i>Festucopsis serpentini</i> (Poaceae: Triticeae) from Albania studied by banding techniques and in situ hybridization. <i>Plant Systematics and Evolution</i> , 1996, 201, 75-82.	0.9	5
78	PCR and sequencing from a single pollen grain. <i>Plant Molecular Biology</i> , 1996, 31, 189-191.	3.9	37
79	ITS regions highly conserved in cultivated barleys. <i>Euphytica</i> , 1996, 90, 233-234.	1.2	5
80	<i>Eremium</i> , a New Genus of the Triticeae (Poaceae) from Argentina. <i>Systematic Botany</i> , 1996, 21, 3.	0.5	16
81	EXPLANATION. <i>Cladistics</i> , 1995, 11, 211-218.	3.3	45
82	DOES DAPI DETECT CYTOPLASMIC DNA?. <i>American Journal of Botany</i> , 1995, 82, 1215-1219.	1.7	3
83	Does DAPI Detect Cytoplasmic DNA?. <i>American Journal of Botany</i> , 1995, 82, 1215.	1.7	2
84	Comparison of the Giemsa C-banded and N-banded karyotypes of two <i>Elymus</i> species, <i>E. dentatus</i> and <i>E. glaucescens</i> (Poaceae: Triticeae). <i>Plant Systematics and Evolution</i> , 1994, 192, 165-176.	0.9	26
85	Variation and taxonomy in <i>Hordeum depressum</i> and in the <i>H. brachyantherum</i> complex (Poaceae). <i>Nordic Journal of Botany</i> , 1993, 13, 3-17.	0.5	12
86	A new combination in <i>Hordeum</i> (Triticeae, Poaceae). <i>Nordic Journal of Botany</i> , 1991, 11, 153-153.	0.5	1
87	Genome analysis of <i>Elymus angulatus</i> and <i>E. patagonicus</i> (Poaceae) and their hybrids with <i>N.</i> and <i>S.</i> American <i>Hordeum</i> spp.. <i>Plant Systematics and Evolution</i> , 1991, 174, 75-82.	0.9	9
88	THE SEVENTH ANNUAL MEETING OF THE WILLI HENNIG SOCIETY. <i>Cladistics</i> , 1989, 5, 183-191.	3.3	5
89	Genome analysis, phylogeny, and classification. <i>Plant Systematics and Evolution</i> , 1989, 166, 159-171.	0.9	51
90	A biometrical analysis of the South American <i>Elymus glaucescens</i> complex (Poaceae: Triticeae). <i>Plant Systematics and Evolution</i> , 1989, 166, 91-104.	0.9	9

#	ARTICLE		IF	CITATIONS
91	BIOGRAPHICAL AND BIBLIOGRAPHICAL NOTES ON C. A. AND P. C. CANDARGY. <i>Taxon</i> , 1989, 38, 569-575.		0.7	2
92	Graphs and Generalized Tracks: Some Comments on Methods. <i>Systematic Zoology</i> , 1989, 38, 69.		1.6	14
93	Taxonomy, phylogeny, and biogeography of the genus <i>Oreobolus</i> R.Br. (Cyperaceae), with comments on the biogeography of the South Pacific continents. <i>Botanical Journal of the Linnean Society</i> , 1988, 96, 119-195.		1.6	32
94	A Critique of the Theory and Methods of Panbiogeography. <i>Systematic Zoology</i> , 1986, 35, 369.		1.6	22
95	NEW INFORMATION ON FERDINAND J. H. MUELLER'S EARLY TAXONOMIC PAPERS (1854-1856). <i>Taxon</i> , 1986, 35, 262-271.		0.7	1
96	The Identity of <i>Chillania pusilla</i> Roivainen (Cyperaceae). <i>Systematic Botany</i> , 1985, 10, 239.		0.5	7
97	Taxonomy and phylogeny of the genus <i>Acalypha</i> (Euphorbiaceae) in the Galápagos Archipelago. <i>Nordic Journal of Botany</i> , 1984, 4, 159-190.		0.5	16
98	PARALECTOTYPE, A NEW TYPE TERM IN BOTANY. <i>Taxon</i> , 1984, 33, 707-711.		0.7	23
99	THE HIERARCHY OF TYPES AGAIN. <i>Taxon</i> , 1984, 33, 496-497.		0.7	1
100	Phylogenetic analysis of the Triticeae (Poaceae). <i>Hereditas</i> , 0, 116, 15-19.		1.4	11
101	Genetic resources in the Triticeae. <i>Hereditas</i> , 0, 116, 141-150.		1.4	19
102	Contrasting patterns of support among plastid genes and genomes for major clades of the monocotyledons. , 0, , 315-349.			10
103	Willi Hennig's legacy in the Nordic countries. , 0, , 31-69.			0