

Akella Chendrasekhar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2240269/publications.pdf>

Version: 2024-02-01

66
papers

78
citations

1937685
4
h-index

1588992
8
g-index

66
all docs

66
docs citations

66
times ranked

122
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictive risk factors of adverse perinatal outcomes following blunt abdominal trauma in pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, , 1-7.	1.5	3
2	Delayed Sequelae Related to Mild Traumatic Brain Injury in Children. <i>Global Pediatric Health</i> , 2020, 7, 2333794X2094798.	0.7	4
3	ASSOCIATION OF TRAUMATIC BRAIN INJURY AND CARDIAC DYSRHYTHMIA: A PROPENSITY WEIGHTED ANALYSIS OF THE NATIONAL INPATIENT SAMPLE. <i>Chest</i> , 2020, 158, A112-A113.	0.8	0
4	NON-SEDATION IN THE ICU IS NON-INFERIOR TO TRADITIONAL MEANS OF SEDATION: A META ANALYSIS. <i>Chest</i> , 2020, 158, A626.	0.8	0
5	ASSOCIATION OF ACUTE HEART FAILURE AND FEMORAL FRACTURES: A PROPENSITY-WEIGHTED ANALYSIS OF NATIONAL INPATIENT SAMPLE. <i>Chest</i> , 2020, 158, A110-A111.	0.8	0
6	ASSOCIATION OF TRAUMATIC BRAIN INJURY AND HEART FAILURE: A PROPENSITY WEIGHTED ANALYSIS OF THE NATIONAL INPATIENT SAMPLE. <i>Chest</i> , 2020, 158, A625.	0.8	0
7	CARDIOVASCULAR ASSOCIATIONS OF TYPE 2 DIABETIC KETOACIDOSIS: A PROPENSITY WEIGHTED ANALYSIS OF THE NATIONAL INPATIENT SAMPLE. <i>Chest</i> , 2020, 158, A114.	0.8	0
8	<p>Cerebral Salt Wasting in Traumatic Brain Injury Is Associated with Increased Morbidity and Mortality</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 801-806.	2.2	1
9	Pulmonary Hygiene Protocol Reduces Incidence of Lobar Collapse in Severe Traumatic Brain Injury. <i>Cureus</i> , 2020, 12, e12199.	0.5	1
10	<p>Persistent symptoms in mild pediatric traumatic brain injury</p>. <i>Pediatric Health, Medicine and Therapeutics</i> , 2019, Volume 10, 57-60.	1.6	7
11	CERVICAL FRACTURE WITHOUT NEUROLOGICAL INJURY: CAN A NECK COLLAR PREDISPOSE PATIENTS TO POOR OUTCOME?. <i>Chest</i> , 2019, 156, A994.	0.8	0
12	CEREBRAL SALT WASTING IN TRAUMATIC BRAIN INJURY IS ASSOCIATED WITH INCREASED MORBIDITY AND MORTALITY. <i>Chest</i> , 2019, 156, A1146.	0.8	0
13	HEART FAILURE IS NOT CORRELATED WITH DOCUMENTED HISTORY OF CONGESTIVE HEART FAILURE IN ELDERLY TRAUMA PATIENTS. <i>Chest</i> , 2019, 156, A300.	0.8	0
14	PROTON PUMP INHIBITORS VS H2 ANTAGONISTS FOR STRESS ULCER PROPHYLAXIS: IS THERE A ROLE FOR NEPHROPROTECTION?. <i>Chest</i> , 2019, 156, A1026-A1027.	0.8	0
15	ATRIAL FIBRILLATION IS INDEPENDENTLY ASSOCIATED WITH INCREASED MORBIDITY AND MORTALITY IN ELDERLY TRAUMA PATIENTS. <i>Chest</i> , 2019, 156, A314.	0.8	0
16	STANDARDIZED CHECKLIST IN EVALUATION OF CRITICALLY ILL SURGICAL PATIENTS REDUCES MORBIDITY. <i>Chest</i> , 2019, 156, A125.	0.8	0
17	1789. <i>Critical Care Medicine</i> , 2019, 47, 868.	0.9	0
18	1596: GREATER MODIFIED FRAILITY INDEX IS ASSOCIATED WITH INCREASED MORBIDITY IN HIP FRACTURE. <i>Critical Care Medicine</i> , 2018, 46, 782-782.	0.9	0

#	ARTICLE	IF	CITATIONS
19	1600: PSYCHIATRIC ILLNESS IN TRAUMA PATIENTS IS ASSOCIATED WITH INCREASED MORTALITY AND MORBIDITY. <i>Critical Care Medicine</i> , 2018, 46, 784-784.	0.9	0
20	Venous thromboembolism risk assessments on trauma patients has suboptimal interobserver reliability among inexperienced clinicians (fourth-year medical students). <i>International Journal of General Medicine</i> , 2018, Volume 11, 225-231.	1.8	1
21	Initial Prealbumin Level and Ability to Normalize Prealbumin Are Highly Predictive of Increased Mortality and Morbidity in Elderly Trauma Patients. <i>Chest</i> , 2017, 152, A346.	0.8	1
22	Atrial Fibrillation in Elderly (Age > 65 Years) Trauma Patients is Associated With Increased Mortality and Morbidity. <i>Chest</i> , 2017, 152, A66.	0.8	0
23	Traumatic Brain Injury as an Independent Predictor of Lobar Collapse. <i>Chest</i> , 2017, 152, A371.	0.8	1
24	Anticoagulation is Associated With Increased Morbidity and Mortality in Concussive Injury Among Elderly Trauma Patients. <i>Chest</i> , 2017, 152, A372.	0.8	0
25	Hyponatremia on Initial Presentation Correlates with Suboptimal Outcomes after Traumatic Brain Injury. <i>American Surgeon</i> , 2017, 83, 126-128.	0.8	5
26	Older patients have increased risk of poor outcomes after low-velocity pedestrian–motor vehicle collisions. <i>Journal of Pragmatic and Observational Research</i> , 2017, Volume 8, 43-47.	1.5	4
27	Pyomyositis in the setting of complicated diverticulitis: case report. <i>International Journal of General Medicine</i> , 2017, Volume 11, 11-14.	1.8	1
28	Hyponatremia on Initial Presentation Correlates with Suboptimal Outcomes after Traumatic Brain Injury. <i>American Surgeon</i> , 2017, 83, e126-128.	0.8	1
29	ED Intubation Is Associated With Pulmonary Complications. <i>Chest</i> , 2016, 150, 290A.	0.8	0
30	Cervical Spine Injury Without Neurologic Deficit vs Thoracic or Lumbar Spine Injury: Does Location Matter With Regard to Complications?. <i>Chest</i> , 2016, 150, 336A.	0.8	0
31	Uterine Perforation with Intra-Abdominal <i>Clostridium perfringens</i> Gas Gangrene: A Rare and Fatal Infection. <i>Journal of Gynecologic Surgery</i> , 2016, 32, 182-184.	0.1	5
32	Inappropriate Levels of Trauma Triage and Patient Outcomes. <i>Chest</i> , 2015, 148, 482A.	0.8	0
33	Traumatic Brain Injury After Falls: The Effect of Trauma Service Involvement on Syncope Workup and 30-Day Readmissions. <i>Chest</i> , 2015, 148, 483A.	0.8	0
34	Malnutrition as Measured by Albumin and Prealbumin on Admission is Associated with Poor Outcomes after Severe Traumatic Brain Injury. <i>American Surgeon</i> , 2015, 81, 61-63.	0.8	25
35	Higher haemoglobin levels and dedicated trauma admission are associated with survival after severe traumatic brain injury. <i>Brain Injury</i> , 2015, 29, 607-611.	1.2	8
36	Systemic inflammatory response syndrome and platelet count $\geq 250 \times 10^9$ are associated with venous thromboembolic disease. <i>International Journal of General Medicine</i> , 2015, 8, 37.	1.8	8

#	ARTICLE	IF	CITATIONS
37	Post-traumatic carotid artery dissection in children. American Surgeon, 2015, 81, E204-5.	0.8	0
38	Evidence-Based Clinical Pathway Improves Outcomes in Patients With Isolated Hip Fracture. Chest, 2014, 146, 553A.	0.8	0
39	Total Parenteral Nutrition Changes Species Distribution in Patients with Fungemia. American Surgeon, 2014, 80, 278-280.	0.8	0
40	Have Plain Abdominal Radiographs Outlived Their Usefulness?. American Surgeon, 2014, 80, 304-306.	0.8	1
41	Hyponatremia on Initial Presentation Correlates With Poor Outcomes in Traumatic Brain Injury. Chest, 2014, 146, 221A.	0.8	0
42	Outcomes After Low-Velocity Pedestrian-Struck Injuries. Chest, 2014, 146, 529A.	0.8	0
43	573. Critical Care Medicine, 2014, 42, A1498.	0.9	0
44	Objective Clinical Assessment by Independent Service Identifies Significant Gaps in Pain Assessment and Control. Chest, 2014, 146, 535A.	0.8	0
45	Appropriate Usage of Beta-Blockers Improves Outcome in Trauma Patients Admitted to the Intensive Care Unit. Chest, 2014, 146, 512A.	0.8	0
46	Maintaining Higher Hemoglobin Levels and Dedicated Trauma Management to Optimize Survivorship of Patients With Severe Head Injury. Chest, 2013, 144, 549A.	0.8	0
47	DVT/PE Risk Assessments: All Are Not Equal, Quantitative Assessments Are Superior. Chest, 2013, 144, 845A.	0.8	0
48	Thrombocytosis and Systemic Inflammatory Response Syndrome [SIRS] are Independent Predictors of Venous Thromboembolism [VTE] in Clinically Suspected Patients. Chest, 2013, 144, 555A.	0.8	0
49	Catheter Related Urinary Tract Sepsis Is Associated With Longer ICU Length of Stay, Hospital Length of Stay, and Higher Mortality in Trauma Patients. Chest, 2013, 144, 383A.	0.8	0
50	Infection, Low Prealbumin, Low Albumin, and Renal Insufficiency Are Associated With Higher Morbidity and Mortality in Trauma Patients With Severe Head Injury. Chest, 2013, 144, 553A.	0.8	0
51	786. Critical Care Medicine, 2013, 41, A195-A196.	0.9	0
52	Rheumatoid nodules may cause cholecystitis. American Surgeon, 2013, 79, 216-7.	0.8	0
53	A novel repair of end colostomy prolapse. American Surgeon, 2013, 79, E100-1.	0.8	0
54	Oxygen Debt Correlates With SIRS Criteria Temperature. Chest, 2012, 142, 544A.	0.8	0

#	ARTICLE	IF	CITATIONS
55	New Surgical Apgar Score Correlates With Complications in Surgical Patients. Chest, 2012, 142, 378A.	0.8	0
56	Rectal stercoral ulcer perforation. American Surgeon, 2012, 78, E515-6.	0.8	0
57	DVT Risk Increases in Hospitalized Surgical Patients: When Does Risk Increase and What Facets of Risk Increase?. Chest, 2010, 138, 407A.	0.8	0
58	How Accurate Are Your Vitals? Perhaps Not So Accurate. Chest, 2010, 138, 219A.	0.8	0
59	Education of Medical and Nursing Staff Regarding Pain Assessment in Surgical Patients Results in Improved Documentation and Treatment. Chest, 2010, 138, 303A.	0.8	0
60	Jejunal diverticulosis. American Surgeon, 2010, 76, 904-6.	0.8	0
61	Abdominal tuberculosis. American Surgeon, 2010, 76, 1300-2.	0.8	0
62	INABILITY TO INCREASE TEMPERATURE AS A MARKER FOR DECREASED SURVIVAL. Critical Care Medicine, 1999, 27, 178A.	0.9	0
63	ORAL GLUCOSE ELECTROLYTE SOLUTION PRE-HEMORRHAGE IS ASSOCIATED WITH DECREASED MORTALITY. Critical Care Medicine, 1999, 27, 60A.	0.9	0
64	A Simple Apparatus for Frequent Measurement of Gastrointestinal Intraluminal PCO2. Journal of Veterinary Emergency and Critical Care, 1998, 8, 109-115.	1.1	1
65	DECREASING THE RATE OF INFUSION DECREASES RESPIRATORY ARREST INDUCED MORTALITY IN HEMORRHAGED RATS RESUSCITATED WITH HYPERTONIC SALINE DEXTRAN. Critical Care Medicine, 1998, 26, 49A.	0.9	0
66	AN EVALUATION OF INFECTION RATES IN SEVERE CLOSED HEAD INJURY PATIENTS.. Critical Care Medicine, 1995, 23, A73.	0.9	0