

Anson B Rosenfeldt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/224036/publications.pdf>

Version: 2024-02-01

28
papers

596
citations

623734

14
h-index

642732

23
g-index

28
all docs

28
docs citations

28
times ranked

750
citing authors

#	ARTICLE	IF	CITATIONS
1	Improving Quality of Life and Depression After Stroke Through Telerehabilitation. American Journal of Occupational Therapy, 2015, 69, 6902290020p1-6902290020p10.	0.3	91
2	Aerobic Exercise Preserves Olfaction Function in Individuals with Parkinson's Disease. Parkinson's Disease, 2016, 2016, 1-6.	1.1	66
3	Objective assessment of postural stability in Parkinson's disease using mobile technology. Movement Disorders, 2015, 30, 1214-1221.	3.9	60
4	Quantifying turning behavior and gait in Parkinson's disease using mobile technology. IBRO Reports, 2018, 5, 10-16.	0.3	36
5	Altered kinematics of arm swing in Parkinson's disease patients indicates declines in gait under dual-task conditions. Parkinsonism and Related Disorders, 2018, 48, 61-67.	2.2	32
6	Dual-task Interference Disrupts Parkinson's Gait Across Multiple Cognitive Domains. Neuroscience, 2018, 379, 375-382.	2.3	32
7	Forced Aerobic Exercise Preceding Task Practice Improves Motor Recovery Poststroke. American Journal of Occupational Therapy, 2017, 71, 7102290020p1-7102290020p9.	0.3	26
8	The Universal Prescription for Parkinson's Disease: Exercise. Journal of Parkinson's Disease, 2020, 10, S21-S27.	2.8	24
9	Mobility improves after high intensity aerobic exercise in individuals with Parkinson's disease. Journal of the Neurological Sciences, 2019, 399, 187-193.	0.6	23
10	An iPad-based Measure of Processing Speed in Older Adults Hospitalized for Heart Failure. Journal of Cardiovascular Nursing, 2019, 34, E9-E13.	1.1	23
11	Combined Aerobic Exercise and Task Practice Improve Health-Related Quality of Life Poststroke: A Preliminary Analysis. Archives of Physical Medicine and Rehabilitation, 2019, 100, 923-930.	0.9	23
12	Forced Aerobic Exercise Enhances Motor Recovery After Stroke: A Case Report. American Journal of Occupational Therapy, 2015, 69, 6904210010p1-6904210010p8.	0.3	21
13	Forced and Voluntary Aerobic Cycling Interventions Improve Walking Capacity in Individuals With Chronic Stroke. Archives of Physical Medicine and Rehabilitation, 2021, 102, 1-8.	0.9	16
14	The cyclical lower extremity exercise for Parkinson's trial (CYCLE): methodology for a randomized controlled trial. BMC Neurology, 2015, 15, 63.	1.8	15
15	Improvements in temporal and postural aspects of gait vary following single- and multi-modal training in individuals with Parkinson's disease. Parkinsonism and Related Disorders, 2019, 64, 280-285.	2.2	14
16	Improved lower extremity pedaling mechanics in individuals with stroke under maximal workloads. Topics in Stroke Rehabilitation, 2018, 25, 248-255.	1.9	12
17	The HoloLens Augmented Reality System Provides Valid Measures of Gait Performance in Healthy Adults. IEEE Transactions on Human-Machine Systems, 2020, 50, 584-592.	3.5	12
18	High intensity aerobic exercise improves bimanual coordination of grasping forces in Parkinson's disease. Parkinsonism and Related Disorders, 2021, 87, 13-19.	2.2	11

#	ARTICLE	IF	CITATIONS
19	The Microsoft HoloLens 2 Provides Accurate Measures of Gait, Turning, and Functional Mobility in Healthy Adults. <i>Sensors</i> , 2022, 22, 2009.	3.8	11
20	High intensity aerobic exercise improves information processing and motor performance in individuals with Parkinson's disease. <i>Experimental Brain Research</i> , 2021, 239, 777-786.	1.5	9
21	The 2-Min Walk Test Detects Dual-Task Deficits in Individuals With Parkinson's Disease. <i>Journal of Aging and Physical Activity</i> , 2019, 27, 843-847.	1.0	6
22	Predictors of Improved Aerobic Capacity in Individuals With Chronic Stroke Participating in Cycling Interventions. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 717-721.	0.9	6
23	Parkinson's gait kinematics deteriorates across multiple cognitive domains under dual-task paradigms. <i>Clinical Neurology and Neurosurgery</i> , 2020, 197, 106083.	1.4	6
24	Use of a Smartphone to Gather Parkinson's Disease Neurological Vital Signs during the COVID-19 Pandemic. <i>Parkinson's Disease</i> , 2021, 2021, 1-7.	1.1	6
25	Computer-Assisted Immersive Visual Rehabilitation in Argus II Retinal Prosthesis Recipients. <i>Ophthalmology Retina</i> , 2020, 4, 613-619.	2.4	5
26	Effectiveness of a Long-Term, Home-Based Aerobic Exercise Intervention on Slowing the Progression of Parkinson Disease: Design of the Cyclical Lower Extremity Exercise for Parkinson Disease II (CYCLE-II) Study. <i>Physical Therapy</i> , 2021, 101, .	2.4	5
27	Individuals With Parkinson Disease Are Adherent to a High-Intensity Community-Based Cycling Exercise Program. <i>Journal of Neurologic Physical Therapy</i> , 2022, 46, 73-80.	1.4	4
28	Aerobic exercise does improve bimanual coordination in Parkinson's disease: Response to Samuel and colleagues. <i>Parkinsonism and Related Disorders</i> , 2021, 93, 103-104.	2.2	1