

Anson B Rosenfeldt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/224036/publications.pdf>

Version: 2024-02-01

28
papers

596
citations

623734

14
h-index

642732

23
g-index

28
all docs

28
docs citations

28
times ranked

750
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Individuals With Parkinson Disease Are Adherent to a High-Intensity Community-Based Cycling Exercise Program. <i>Journal of Neurologic Physical Therapy</i> , 2022, 46, 73-80. | 1.4 | 4 |
| 2 | The Microsoft HoloLens 2 Provides Accurate Measures of Gait, Turning, and Functional Mobility in Healthy Adults. <i>Sensors</i> , 2022, 22, 2009. | 3.8 | 11 |
| 3 | Forced and Voluntary Aerobic Cycling Interventions Improve Walking Capacity in Individuals With Chronic Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 1-8. | 0.9 | 16 |
| 4 | Effectiveness of a Long-Term, Home-Based Aerobic Exercise Intervention on Slowing the Progression of Parkinson Disease: Design of the Cyclical Lower Extremity Exercise for Parkinson Disease II (CYCLE-II) Study. <i>Physical Therapy</i> , 2021, 101, . | 2.4 | 5 |
| 5 | High intensity aerobic exercise improves information processing and motor performance in individuals with Parkinson's disease. <i>Experimental Brain Research</i> , 2021, 239, 777-786. | 1.5 | 9 |
| 6 | Use of a Smartphone to Gather Parkinson's Disease Neurological Vital Signs during the COVID-19 Pandemic. <i>Parkinson's Disease</i> , 2021, 2021, 1-7. | 1.1 | 6 |
| 7 | High intensity aerobic exercise improves bimanual coordination of grasping forces in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2021, 87, 13-19. | 2.2 | 11 |
| 8 | Aerobic exercise does improve bimanual coordination in Parkinson's disease: Response to Samuel and colleagues. <i>Parkinsonism and Related Disorders</i> , 2021, 93, 103-104. | 2.2 | 1 |
| 9 | Computer-Assisted Immersive Visual Rehabilitation in Argus II Retinal Prosthesis Recipients. <i>Ophthalmology Retina</i> , 2020, 4, 613-619. | 2.4 | 5 |
| 10 | Predictors of Improved Aerobic Capacity in Individuals With Chronic Stroke Participating in Cycling Interventions. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 717-721. | 0.9 | 6 |
| 11 | Parkinson's gait kinematics deteriorates across multiple cognitive domains under dual-task paradigms. <i>Clinical Neurology and Neurosurgery</i> , 2020, 197, 106083. | 1.4 | 6 |
| 12 | The Universal Prescription for Parkinson's Disease: Exercise. <i>Journal of Parkinson's Disease</i> , 2020, 10, S21-S27. | 2.8 | 24 |
| 13 | The HoloLens Augmented Reality System Provides Valid Measures of Gait Performance in Healthy Adults. <i>IEEE Transactions on Human-Machine Systems</i> , 2020, 50, 584-592. | 3.5 | 12 |
| 14 | The 2-Min Walk Test Detects Dual-Task Deficits in Individuals With Parkinson's Disease. <i>Journal of Aging and Physical Activity</i> , 2019, 27, 843-847. | 1.0 | 6 |
| 15 | Improvements in temporal and postural aspects of gait vary following single- and multi-modal training in individuals with Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2019, 64, 280-285. | 2.2 | 14 |
| 16 | Mobility improves after high intensity aerobic exercise in individuals with Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2019, 399, 187-193. | 0.6 | 23 |
| 17 | An iPad-based Measure of Processing Speed in Older Adults Hospitalized for Heart Failure. <i>Journal of Cardiovascular Nursing</i> , 2019, 34, E9-E13. | 1.1 | 23 |
| 18 | Combined Aerobic Exercise and Task Practice Improve Health-Related Quality of Life Poststroke: A Preliminary Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 923-930. | 0.9 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Improved lower extremity pedaling mechanics in individuals with stroke under maximal workloads. <i>Topics in Stroke Rehabilitation</i> , 2018, 25, 248-255. | 1.9 | 12 |
| 20 | Altered kinematics of arm swing in Parkinson's disease patients indicates declines in gait under dual-task conditions. <i>Parkinsonism and Related Disorders</i> , 2018, 48, 61-67. | 2.2 | 32 |
| 21 | Dual-task Interference Disrupts Parkinson's Gait Across Multiple Cognitive Domains. <i>Neuroscience</i> , 2018, 379, 375-382. | 2.3 | 32 |
| 22 | Quantifying turning behavior and gait in Parkinson's disease using mobile technology. <i>IBRO Reports</i> , 2018, 5, 10-16. | 0.3 | 36 |
| 23 | Forced Aerobic Exercise Preceding Task Practice Improves Motor Recovery Poststroke. <i>American Journal of Occupational Therapy</i> , 2017, 71, 7102290020p1-7102290020p9. | 0.3 | 26 |
| 24 | Aerobic Exercise Preserves Olfaction Function in Individuals with Parkinson's Disease. <i>Parkinson's Disease</i> , 2016, 2016, 1-6. | 1.1 | 66 |
| 25 | Objective assessment of postural stability in Parkinson's disease using mobile technology. <i>Movement Disorders</i> , 2015, 30, 1214-1221. | 3.9 | 60 |
| 26 | Improving Quality of Life and Depression After Stroke Through Telerehabilitation. <i>American Journal of Occupational Therapy</i> , 2015, 69, 6902290020p1-6902290020p10. | 0.3 | 91 |
| 27 | Forced Aerobic Exercise Enhances Motor Recovery After Stroke: A Case Report. <i>American Journal of Occupational Therapy</i> , 2015, 69, 6904210010p1-6904210010p8. | 0.3 | 21 |
| 28 | The cyclical lower extremity exercise for Parkinson's trial (CYCLE): methodology for a randomized controlled trial. <i>BMC Neurology</i> , 2015, 15, 63. | 1.8 | 15 |