List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2243087/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Prevalence of Obstructive Sleep Apnoea and Its Association With Atherosclerotic Plaques in a Cohort of Subjects With Mild–Moderate Cardiovascular Risk. Archivos De Bronconeumologia, 2022, 58, 490-497. | 0.8 | 11 |
| 2 | Liraglutide Improves Forced Vital Capacity in Individuals With Type 2 Diabetes: Data From the Randomized Crossover LIRALUNG Study. Diabetes, 2022, 71, 315-320. | 0.6 | 19 |
| 3 | Dapagliflozin plus exenatide on patients with type 2 diabetes awaiting bariatric surgery in the DEXBASU study. Scientific Reports, 2022, 12, 3236. | 3.3 | 1 |
| 4 | Weak Association between Skin Autofluorescence Levels and Prediabetes with an ILERVAS Cross-Sectional Study. Nutrients, 2022, 14, 1102. | 4.1 | 0 |
| 5 | Prediabetes Is Associated with Increased Prevalence of Sleep-Disordered Breathing. Journal of Clinical Medicine, 2022, 11, 1413. | 2.4 | 5 |
| 6 | Beyond the Glycaemic Control of Dapagliflozin: Microangiopathy and Non-classical Complications. Diabetes Therapy, 2022, 13, 873-888. | 2.5 | 4 |
| 7 | Randomized Clinical Trial to Evaluate the Morphological Changes in the Adventitial Vasa Vasorum Density and Biological Markers of Endothelial Dysfunction in Subjects with Moderate Obesity Undergoing a Very Low-Calorie Ketogenic Diet. Nutrients, 2022, 14, 33. | 4.1 | 7 |
| 8 | Bidirectional relationship between diabetes and pulmonary function: a systematic review and meta-analysis. Diabetes and Metabolism, 2021, 47, 101186. | 2.9 | 12 |
| 9 | Subclinical atheromatosis localization and burden in a low-to-moderate cardiovascular risk population: the ILERVAS study. Revista Espanola De Cardiologia (English Ed), 2021, 74, 1042-1053. | 0.6 | 8 |
| 10 | Leading Factors for Weight Gain during COVID-19 Lockdown in a Spanish Population: A Cross-Sectional Study. Nutrients, 2021, 13, 894. | 4.1 | 44 |
| 11 | Clinical Usefulness of Anthropometric Indices to Predict the Presence of Prediabetes. Data from the ILERVAS Cohort. Nutrients, 2021, 13, 1002. | 4.1 | 5 |
| 12 | Obesity in Patients with Type 1 Diabetes: Links, Risks and Management Challenges. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2021, Volume 14, 2807-2827. | 2.4 | 32 |
| 13 | Un largo y pedregoso camino hacia el correcto tratamiento de la obesidad. Medicina ClÃnica, 2021, 157, 176-177. | 0.6 | 0 |
| 14 | Effect of a Training Program on Hepatic Fat Content and Cardiometabolic Risk in Postmenopausal Women: The Randomized Controlled Trial. Applied Sciences (Switzerland), 2021, 11, 6409. | 2.5 | 2 |
| 15 | A long and stony road to the correct treatment of obesity. Medicina ClÃnica (English Edition), 2021, 157, 176-177. | 0.2 | 0 |
| 16 | Circadian Patterns of Patients with Type 2 Diabetes and Obstructive Sleep Apnea. Journal of Clinical Medicine, 2021, 10, 244. | 2.4 | 3 |
| 17 | A Clinical-Genetic Score for Predicting Weight Loss after Bariatric Surgery: The OBEGEN Study. Journal of Personalized Medicine, 2021, 11, 1040. | 2.5 | 13 |
| 18 | Prevalence and Predictors of Cerebral Microangiopathy Determined by Pulsatility Index in an Asymptomatic Population From the ILERVAS Project. Frontiers in Neurology, 2021, 12, 785640. | 2.4 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Mediterranean diet, physical activity and subcutaneous advanced glycation end-products' accumulation: a cross-sectional analysis in the ILERVAS project. European Journal of Nutrition, 2020, 59, 1233-1242. | 3.9 | 17 |
| 20 | SEEDO-SEMERGEN consensus document on continuous care of obesity between primary care and specialist Hospital units 2019. Medicina ClÃnica (English Edition), 2020, 155, 267.e1-267.e11. | 0.2 | 6 |
| 21 | Protein succination as a potential surrogate biomarker of airway obstruction. The ilervas project. Respiratory Medicine, 2020, 172, 106124. | 2.9 | 1 |
| 22 | Impact of bariatric surgery on subclinical atherosclerosis in patients with morbid obesity. Surgery for Obesity and Related Diseases, 2020, 16, 1419-1428. | 1.2 | 6 |
| 23 | Editorial: Diabetes and Obesity Effects on Lung Function. Frontiers in Endocrinology, 2020, 11, 462. | 3.5 | 7 |
| 24 | Factors Accounting for Obesity and Its Perception among the Adult Spanish Population: Data from 1,000 Computer-Assisted Telephone Interviews. Obesity Facts, 2020, 13, 322-332. | 3.4 | 9 |
| 25 | Effect of Type 2 Diabetes Mellitus on the Hypoxia-Inducible Factor 1-Alpha Expression. Is There a Relationship with the Clock Genes?. Journal of Clinical Medicine, 2020, 9, 2632. | 2.4 | 4 |
| 26 | Non-linear association between diabetes mellitus and pulmonary function: a population-based study. Respiratory Research, 2020, 21, 292. | 3.6 | 13 |
| 27 | Looking for solutions to lung dysfunction in type 2 diabetes. Annals of Translational Medicine, 2020, 8, 521-521. | 1.7 | 1 |
| 28 | Exploring the Possible Impact of Unbalanced Open-Label Drop-In of Glucose-Lowering Medications on EXSCEL Outcomes. Circulation, 2020, 141, 1360-1370. | 1.6 | 9 |
| 29 | Are Obesity Indices Useful for Detecting Subclinical Atheromatosis in a Middle-Aged Population?. Obesity Facts, 2020, 13, 29-39. | 3.4 | 8 |
| 30 | Dynamics of Anthropometric Indices in a Large Paired Cohort With 10 Years of Follow-Up: Paving the Way to Sarcopenic Obesity. Frontiers in Endocrinology, 2020, 11, 209. | 3.5 | 6 |
| 31 | Effect of Subcutaneous Insulin on Spirometric Maneuvers in Patients with Type 1 Diabetes: A Case-Control Study. Journal of Clinical Medicine, 2020, 9, 1249. | 2.4 | 2 |
| 32 | New Metrics to Assess Type 2 Diabetes after Bariatric Surgery: The "Time-Within-Remission Range― Journal of Clinical Medicine, 2020, 9, 1070. | 2.4 | 6 |
| 33 | Effect of Glucose Improvement on Nocturnal Sleep Breathing Parameters in Patients with Type 2 Diabetes: The Candy Dreams Study. Journal of Clinical Medicine, 2020, 9, 1022. | 2.4 | 7 |
| 34 | Improved adherence to Mediterranean Diet in adults with type 1 diabetes mellitus. European Journal of Nutrition, 2019, 58, 2271-2279. | 3.9 | 18 |
| 35 | Preoperative Circulating Succinate Levels as a Biomarker for Diabetes Remission After Bariatric Surgery. Diabetes Care, 2019, 42, 1956-1965. | 8.6 | 47 |
| 36 | Genetic Testing to Predict Weight Loss and Diabetes Remission and Long-Term Sustainability after Bariatric Surgery: A Pilot Study. Journal of Clinical Medicine, 2019, 8, 964. | 2.4 | 13 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Dissimilar Impact of a Mediterranean Diet and Physical Activity on Anthropometric Indices: A Cross-Sectional Study from the ILERVAS Project. Nutrients, 2019, 11, 1359. | 4.1 | 10 |
| 38 | A Spanish Society joint SECO and SEEDO approach to the Post-operative management of the patients undergoing surgery for obesity. Obesity Surgery, 2019, 29, 3842-3853. | 2.1 | 16 |
| 39 | Characteristics of atheromatosis in the prediabetes stage: a cross-sectional investigation of the ILERVAS project. Cardiovascular Diabetology, 2019, 18, 154. | 6.8 | 17 |
| 40 | Sympathetic Hyperactivity and Sleep Disorders in Individuals With Type 2 Diabetes. Frontiers in Endocrinology, 2019, 10, 752. | 3.5 | 5 |
| 41 | Obesity, a Diet-Induced Inflammatory Disease. Nutrients, 2019, 11, 2284. | 4.1 | 9 |
| 42 | Effect of Glucose Improvement on Spirometric Maneuvers in Patients With Type 2 Diabetes: The Sweet Breath Study. Diabetes Care, 2019, 42, 617-624. | 8.6 | 15 |
| 43 | Seasonal variation of body weight loss after bariatric surgery. Chronobiology International, 2019, 36, 672-680. | 2.0 | 1 |
| 44 | Assessing Motivational Stages and Processes of Change for Weight Management Around Bariatric Surgery: a Multicenter Study. Obesity Surgery, 2019, 29, 3348-3356. | 2.1 | 10 |
| 45 | Adipose Tissue Protein Glycoxidation is Associated with Weightâ€Loss Potential. Obesity, 2019, 27, 1133-1140. | 3.0 | 4 |
| 46 | Skin Autofluorescence Measurement in Subclinical Atheromatous Disease: Results from the ILERVAS Project. Journal of Atherosclerosis and Thrombosis, 2019, 26, 879-889. | 2.0 | 9 |
| 47 | Lung function measurements in the prediabetes stage: data from the ILERVAS Project. Acta Diabetologica, 2019, 56, 1005-1012. | 2.5 | 11 |
| 48 | The influence of sleep apnea syndrome and intermittent hypoxia in carotid adventitial vasa vasorum. PLoS ONE, 2019, 14, e0211742. | 2.5 | 6 |
| 49 | Effects of Mediterranean Diet and Physical Activity on Pulmonary Function: A Cross-Sectional Analysis in the ILERVAS Project. Nutrients, 2019, 11, 329. | 4.1 | 22 |
| 50 | Outcomes of Bariatric Surgery in Patients with Cirrhosis. Obesity Surgery, 2019, 29, 585-592. | 2.1 | 28 |
| 51 | Seasonal variations of changes in lipid and glucidic variables after bariatric surgery. Chronobiology International, 2019, 36, 250-257. | 2.0 | 2 |
| 52 | Subcutaneous advanced glycation end-products and lung function according to glucose abnormalities: The ILERVAS Project. Diabetes and Metabolism, 2019, 45, 595-598. | 2.9 | 12 |
| 53 | Impact of <scp>TSH</scp> during the first trimester of pregnancy on obstetric and foetal complications: Usefulness of 2.5 <scp>mIU</scp> /L cutâ€off value. Clinical Endocrinology, 2018, 88, 728-734. | 2.4 | 24 |
| 54 | Prevalencia de enfermedad pulmonar obstructiva crónica no diagnosticada en una población con factores de riesgo cardiovascular. Medicina ClÃnica, 2018, 151, 383-389. | 0.6 | 4 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Prevalence of chronic obstructive pulmonary disease (COPD) not diagnosed in a population with cardiovascular risk factors. Medicina ClÃnica (English Edition), 2018, 151, 383-389. | 0.2 | 2 |
| 56 | Type 1 Diabetic Subjects with Diabetic Retinopathy Show an Unfavorable Pattern of Fat Intake. Nutrients, 2018, 10, 1184. | 4.1 | 8 |
| 57 | Interindividual differences in the clinical effectiveness of liraglutide in Type 2 diabetes: a realâ€world retrospective study conducted in Spain. Diabetic Medicine, 2018, 35, 1605-1612. | 2.3 | 10 |
| 58 | Influence of Morbid Obesity and Bariatric Surgery Impact on the Carotid Adventitial Vasa Vasorum Signal. Obesity Surgery, 2018, 28, 3935-3942. | 2.1 | 5 |
| 59 | Diabetic retinopathy is associated with the presence and burden of subclinical carotid atherosclerosis in type 1 diabetes. Cardiovascular Diabetology, 2018, 17, 66. | 6.8 | 36 |
| 60 | Sleep biosignature of Type 2 diabetes: a case–control study. Diabetic Medicine, 2017, 34, 79-85. | 2.3 | 9 |
| 61 | Peculiarities of the obese patient with cancer: a national consensus statement by the Spanish Society for the Study of Obesity and the Spanish Society of Medical Oncology. Clinical and Translational Oncology, 2017, 19, 682-694. | 2.4 | 2 |
| 62 | Prevention, diagnosis, and treatment of obesity. 2016 position statement of the Spanish Society for the Study of Obesity. EndocrinologÃa Diabetes Y Nutrición (English Ed), 2017, 64, 15-22. | 0.2 | 16 |
| 63 | Type 2 diabetes, risk of sleep apnea-hypopnea syndrome, and quality of life associated to sleep breathing disorders. EndocrinologÃa Diabetes Y Nutrición (English Ed), 2017, 64, 174-176. | 0.2 | 0 |
| 64 | LXR-dependent regulation of macrophage-specific reverse cholesterol transport is impaired in a model of genetic diabesity. Translational Research, 2017, 186, 19-35.e5. | 5.0 | 5 |
| 65 | Hepatic CD36 downregulation parallels steatosis improvement in morbidly obese undergoing bariatric surgery. International Journal of Obesity, 2017, 41, 1388-1393. | 3.4 | 11 |
| 66 | Productos finales de glicación avanzada en la obesidad mórbida y tras la cirugÃa bariátrica: cuando la memoria glucémica empieza a fallar. Endocrinologia, Diabetes Y NutriciÓn, 2017, 64, 4-10. | 0.3 | 14 |
| 67 | Type 2 diabetes, risk of sleep apnea-hypopnea syndrome, and quality of life associated to sleep breathing disorders. Endocrinologia, Diabetes Y NutriciÓn, 2017, 64, 174-176. | 0.3 | 0 |
| 68 | Advanced glycation end-products in morbid obesity and after bariatric surgery: When glycemic memory starts to fail. EndocrinologÃa Diabetes Y Nutrición (English Ed), 2017, 64, 4-10. | 0.2 | 10 |
| 69 | Pulmonary Function and Sleep Breathing: Two New Targets for Type 2 Diabetes Care. Endocrine Reviews, 2017, 38, 550-573. | 20.1 | 55 |
| 70 | Practical Approach to Initiating SGLT2 Inhibitors in Type 2 Diabetes. Diabetes Therapy, 2017, 8, 953-962. | 2.5 | 36 |
| 71 | Initial Approach to Childhood Obesity in Spain. A Multisociety Expert Panel Assessment. Obesity Surgery, 2017, 27, 997-1006. | 2.1 | 13 |
| 72 | Long-Term Outcomes in Patients with Morbid Obesity and Type 1 Diabetes Undergoing Bariatric Surgery. Obesity Surgery, 2017, 27, 856-863. | 2.1 | 32 |

| # | Article | IF | CITATIONS |
|----|---|-----------|---------------|
| 73 | Prevención, diagnóstico y tratamiento de la obesidad. Posicionamiento de la Sociedad Española para el Estudio de la Obesidad de 2016. Endocrinologia, Diabetes Y NutriciÓn, 2017, 64, 15-22. | 0.3 | 59 |
| 74 | Serum Surfactant Protein D as a Biomarker for Measuring Lung Involvement in Obese Patients With Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 4109-4116. | 3.6 | 23 |
| 75 | Preclinical carotid atherosclerosis in patients with latent autoimmune diabetes in adults (LADA), type 2 diabetes and classical type 1 diabetes. Cardiovascular Diabetology, 2017, 16, 94. | 6.8 | 20 |
| 76 | Skin Autofluorescence and Subclinical Atherosclerosis in Mild to Moderate Chronic Kidney Disease: A Case-Control Study. PLoS ONE, 2017, 12, e0170778. | 2.5 | 15 |
| 77 | Pregnancy after bariatric surgery: improving outcomes for mother and child. International Journal of Women's Health, 2016, Volume 8, 721-729. | 2.6 | 31 |
| 78 | Liraglutide in clinical practice: Glycemic control, and predictors of good response. Medicina ClÃnica, 2016, 146, 415-416. | 0.6 | 3 |
| 79 | Hyperinsulinemic Hypoglycemia after Bariatric Surgery: Diagnosis and Management Experience from a Spanish Multicenter Registry. Obesity Facts, 2016, 9, 41-51. | 3.4 | 25 |
| 80 | Estudio de intervención aleatorizado para evaluar la prevalencia de enfermedad ateromatosa y renal ocultas y su impacto en la morbimortalidad: Proyecto ILERVAS. Nefrologia, 2016, 36, 389-396. | 0.4 | 20 |
| 81 | Bariatric surgery-induced weight loss in morbidly obese patients promotes a favorable decrease in the gene expression of markers of subcutaneous adipose tissue homeostasis. Atherosclerosis, 2016, 252, e221. | 0.8 | 0 |
| 82 | Randomised intervention study to assess the prevalence of subclinical vascular disease and hidden kidney disease and its impact on morbidity and mortality: The ILERVAS project. Nefrologia, 2016, 36, 389-396. | 0.4 | 13 |
| 83 | Trends in Bariatric Surgery in Spain in the Twenty-First Century: Baseline Results and 1-Month Follow Up of the RICIBA, a National Registry. Obesity Surgery, 2016, 26, 1836-1842. | 2.1 | 22 |
| 84 | Diabetic and dyslipidaemic morbidly obese exhibit more liver alterations compared with healthy morbidly obese. BBA Clinical, 2016, 5, 54-65. | 4.1 | 8 |
| 85 | Global Assessment of the Impact of Type 2 Diabetes on Sleep through Specific Questionnaires. A Case-Control Study. PLoS ONE, 2016, 11, e0157579. | 2.5 | 29 |
| 86 | The Role of Morbid Obesity in the Promotion of Metabolic Disruptions and Non-Alcoholic Steatohepatitis by Helicobacter Pylori. PLoS ONE, 2016, 11, e0166741. | 2.5 | 18 |
| 87 | Usefulness of preoperative plasmapheresis in patients with thyrotoxicosis. Medicina ClÃnica (English) Tj ETQq1 | 1 0.78431 | .4 rgBT /Over |
| 88 | Characterization of Sleep Breathing Pattern in Patients with Type 2 Diabetes: Sweet Sleep Study. PLoS ONE, 2015, 10, e0119073. | 2.5 | 18 |
| 89 | Obesity as a risk factor in cancer: A national consensus of the Spanish Society for the Study of Obesity and the Spanish Society of Medical Oncology. Clinical and Translational Oncology, 2015, 17, 763-771. | 2.4 | 25 |
| 90 | Morbidly "Healthy―Obese Are Not Metabolically Healthy but Less Metabolically Imbalanced Than Those with Type 2 Diabetes or Dyslipidemia. Obesity Surgery, 2015, 25, 1380-1391. | 2.1 | 15 |

| # | Article | IF | CITATIONS |
|-----|---|-----------------|--------------------------|
| 91 | Effect of glycemic control on nocturnal arterial oxygen saturation: A caseâ€control study in type 2 diabetic patients 血糖控å^¶å⁻¹åæé—′动脉血氧饱和度的影å"ĩ¼šä¸€é¡¹2型糖尿病æ,£è€ | .çš" <u>‡.8</u> | .例å ¹⁷ ç§ç"ç(|
| 92 | Maternal and Perinatal Outcomes After Bariatric Surgery: a Spanish Multicenter Study. Obesity Surgery, 2015, 25, 436-442. | 2.1 | 51 |
| 93 | Haematological parameters and serum trace elements in "healthy―and "unhealthy―morbidly obese patients before and after gastric bypass. Clinical Nutrition, 2015, 34, 276-283. | 5.0 | 9 |
| 94 | lodine Deficiency Is Higher in Morbid Obesity in Comparison with Late After Bariatric Surgery and Non-obese Women. Obesity Surgery, 2015, 25, 85-89. | 2.1 | 28 |
| 95 | Fibromyalgia and eating disorders in morbid obesity. EndocrinologÃa Y Nutrición (English Edition), 2014, 61, 555-556. | 0.5 | 3 |
| 96 | Fibromialgia y trastornos de la conducta alimentaria en la obesidad mórbida. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2014, 61, 555-556. | 0.8 | 3 |
| 97 | Adiponectin Upregulates SHBG Production: Molecular Mechanisms and Potential Implications. Endocrinology, 2014, 155, 2820-2830. | 2.8 | 66 |
| 98 | There is no bubble, but there are conflicts of interests. Efforts to improve the credibility of the scientific process. EndocrinologÃa Y NutriciÃ ³ n (English Edition), 2014, 61, 443-444. | 0.5 | 0 |
| 99 | La burbuja no existe, los conflictos de intereses sÃ: Esfuerzos para mejorar la credibilidad del proceso cientÃfico. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2014, 61, 443-444. | 0.8 | 0 |
| 100 | Where are obese people happier?. EndocrinologÃa Y Nutrición (English Edition), 2014, 61, 1-2. | 0.5 | 8 |
| 101 | ¿Dónde son más felices las personas obesas?. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2014, 61, 1-2. | 0.8 | 2 |
| 102 | Bariatric surgery in morbidly obese patients improves the atherogenic qualitative properties of the plasma lipoproteins. Atherosclerosis, 2014, 234, 200-205. | 0.8 | 29 |
| 103 | Decreased lipases and fatty acid and glycerol transporter could explain reduced fat in diabetic morbidly obese. Obesity, 2014, 22, 2379-2387. | 3.0 | 9 |
| 104 | Effect of bariatric surgery in morbidly obese patients on the quantitative and qualitative characteristics of plasma lipoproteins. Atherosclerosis, 2014, 235, e249. | 0.8 | 0 |
| 105 | Bariatric Surgery Outcomes in a European Centre of Excellence (CoE). Obesity Surgery, 2013, 23, 1324-1332. | 2.1 | 22 |
| 106 | Joint Position Statement of the SEEN-SECO-SEEDO-SED Societies on metabolic surgery for type 2 diabetes mellitus. EndocrinologÃa Y Nutrición (English Edition), 2013, 60, 547-548. | 0.5 | 20 |
| 107 | Internet of Things and bariatric surgery follow-up: Comparative study of standard and IoT follow-up . Minimally Invasive Therapy and Allied Technologies, 2013, 22, 304-311. | 1.2 | 24 |
| 108 | A Bariatric Surgery Programme in Adolescents. Preliminary Results. CirugÃa Española (English Edition), 2013, 91, 685-687. | 0.1 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|------------------|---------------|
| 109 | Reply letter. EndocrinologÃa Y Nutrición (English Edition), 2013, 60, 410-411. | 0.5 | Ο |
| 110 | Non-islet cell induced hypoglycemia by "big-IGF-2―in a patient with retroperitoneal solitary fibrous tumor and a papillary thyroid carcinoma: An unusual association. EndocrinologÃa Y Nutrición (English Edition), 2013, 60, 483-484. | 0.5 | 1 |
| 111 | Non-islet cell induced hypoglycemia by "big-IGF-2―in a patient with retroperitoneal solitary fibrous tumor and a papillary thyroid carcinoma: An unusual association. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2013, 60, 483-484. | 0.8 | 3 |
| 112 | Carta respuesta. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2013, 60, 410-411. | 0.8 | 0 |
| 113 | Renaissance of acromegaly after bariatric surgery. Endocrine, 2013, 43, 239-241. | 2.3 | 4 |
| 114 | Weight-Related Quality of Life in Spanish Obese Subjects Suitable for Bariatric Surgery is Lower Than in Their North American Counterparts: a Case–Control Study. Obesity Surgery, 2013, 23, 509-514. | 2.1 | 16 |
| 115 | Soluble CD40 Ligand in Morbidly Obese Patients. JAMA Surgery, 2013, 148, 151. | 4.3 | 16 |
| 116 | Potential Role of Tumor Necrosis Factor-α in Downregulating Sex Hormone–Binding Globulin. Diabetes, 2012, 61, 372-382. | 0.6 | 102 |
| 117 | Molecular Mechanism of TNFα-Induced Down-Regulation of SHBG Expression. Molecular Endocrinology, 2012, 26, 438-446. | 3.7 | 50 |
| 118 | Alterations in the Common Pathway of Coagulation During Weight Loss Induced by Gastric Bypass in Severely Obese Patients. Obesity, 2012, 20, 1048-1056. | 3.0 | 21 |
| 119 | Type 2 diabetes and the lung: A bidirectional relationship. EndocrinologÃa Y Nutrición (English) Tj ETQq1 1 0.78 | 34314 rgB 0.5 | T /Qyerlock 1 |
| 120 | Breaking therapeutic inertia: Should metabolic surgery be considered one more option for the treatment of type 2 diabetes mellitus?. EndocrinologÃa Y Nutrición (English Edition), 2012, 59, 281-283. | 0.5 | 8 |
| 121 | Diabetes mellitus tipo 2 y pulmón: una relación bidireccional. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2012, 59, 95-97. | 0.8 | 14 |
| 122 | Rompiendo la inercia terapéutica: ¿debe considerarse la cirugÃa metabólica una opción más en el tratamiento de la diabetes mellitus tipo 2?. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2012, 59, 281-283. | 0.8 | 8 |
| 123 | A nontargeted proteomic approach to the study of visceral and subcutaneous adipose tissue in human obesity. Molecular and Cellular Endocrinology, 2012, 363, 10-19. | 3.2 | 64 |
| 124 | Psychometric Evaluation of the IWQOL-Lite (Spanish Version) When Applied to a Sample of Obese Patients Awaiting Bariatric Surgery. Obesity Surgery, 2012, 22, 802-809. | 2.1 | 10 |
| 125 | Proteomic Analysis of Cerebrospinal Fluid from Obese Women with Idiopathic Intracranial Hypertension: A New Approach for Identifying New Candidates in the Pathogenesis of Obesity. Journal of Neuroendocrinology, 2012, 24, 944-952. | 2.6 | 13 |
| 126 | Only C-Reactive Protein, but not TNF-α or IL6, Reflects the Improvement in Inflammation after Bariatric Surgery. Obesity Surgery, 2012, 22, 131-139. | 2.1 | 61 |

| # | Article | IF | CITATIONS |
|-----|--|--------------------|----------------------------|
| 127 | Diabetes Is the Main Factor Accounting for Hypomagnesemia in Obese Subjects. PLoS ONE, 2012, 7, e30599. | 2.5 | 60 |
| 128 | Surgically induced weight loss by gastric bypass improves non alcoholic fatty liver disease in morbid obese patients. World Journal of Hepatology, 2012, 4, 382. | 2.0 | 58 |
| 129 | RICIBA, what do we know about bariatric surgery in Spain?. EndocrinologÃa Y Nutrición (English) Tj ETQq1 1 C |).784314 rg 0.5 | gBT ₃ /Overlock |
| 130 | ENDOCRINOLOGÃA y NUTRICIÓN a partir de ahora también en inglés. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2011, 58, 1-2. | 0.8 | 4 |
| 131 | TNF-α system and lung function impairment in obesity. Cytokine, 2011, 54, 121-124. | 3.2 | 17 |
| 132 | Management of Patients with Hernia or Incisional Hernia Undergoing Surgery for Morbid Obesity. Journal of Obesity, 2011, 2011, 1-5. | 2.7 | 9 |
| 133 | Successful treatment for the Dunnigan-type familial partial lipodystrophy with Roux-en-Y gastric bypass. Clinical Endocrinology, 2011, 75, 403-404. | 2.4 | 23 |
| 134 | Phagocytic Activity Is Impaired in Type 2 Diabetes Mellitus and Increases after Metabolic Improvement. PLoS ONE, 2011, 6, e23366. | 2.5 | 160 |
| 135 | Type 2 diabetes impairs pulmonary function in morbidly obese women: a case–control study. Diabetologia, 2010, 53, 1210-1216. | 6.3 | 31 |
| 136 | Asymptomatic Sleep-disordered Breathing in Premenopausal Women Awaiting Bariatric Surgery. Obesity Surgery, 2010, 20, 454-461. | 2.1 | 40 |
| 137 | The Relationships Between IGF-1 and CRP, NO, Leptin, and Adiponectin During Weight Loss in the Morbidly Obese. Obesity Surgery, 2010, 20, 623-632. | 2.1 | 57 |
| 138 | Insulin resistance is related to impaired lung function in morbidly obese women: a case–control study. Diabetes/Metabolism Research and Reviews, 2010, 26, 639-645. | 4.0 | 26 |
| 139 | Iron in obesity. An ancient micronutrient for a modern disease. Obesity Reviews, 2010, 11, 322-328. | 6.5 | 77 |
| 140 | Endoscopic Management of Drain Inclusion in the Gastric Pouch after Gastrojejunal Leakage after Laparoscopic Roux-en-Y Gastric Bypass for the Treatment of Morbid Obesity (LRYGBP). Diagnostic and Therapeutic Endoscopy, 2010, 2010, 1-5. | 1.5 | 1 |
| 141 | Lower Zinc-α2-Glycoprotein Production by Adipose Tissue and Liver in Obese Patients Unrelated to Insulin Resistance. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 4499-4507. | 3.6 | 95 |
| 142 | Gene expression of paired abdominal adipose AQP7 and liver AQP9 in patients with morbid obesity. Metabolism: Clinical and Experimental, 2009, 58, 1762-1768. | 3.4 | 45 |
| 143 | Glucose abnormalities in nonâ€alcoholic fatty liver disease and chronic hepatitis C virus infection: the role of iron overload. Diabetes/Metabolism Research and Reviews, 2009, 25, 403-410. | 4.0 | 26 |
| 144 | Increased Expression and Activity of Hepatic Lipase in the Liver of Morbidly Obese Adult Patients in Relation to Lipid Content. Obesity Surgery, 2009, 19, 894-904. | 2.1 | 36 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Ghrelin and Apolipoprotein AIV Levels Show Opposite Trends to Leptin Levels During Weight Loss in Morbidly Obese Patients. Obesity Surgery, 2009, 19, 1414-1423. | 2.1 | 35 |
| 146 | Lipoprotein Lipase Expression in Livers of Morbidly Obese Patients Could be Responsible for Liver Steatosis. Obesity Surgery, 2009, 19, 608-616. | 2.1 | 54 |
| 147 | Lipoprotein Lipase but Not Hormone-Sensitive Lipase Activities Achieve Normality After Surgically Induced Weight Loss in Morbidly Obese Patients. Obesity Surgery, 2009, 19, 1150-1158. | 2.1 | 23 |
| 148 | Diabetes Is an Independent Risk Factor for Severe Nocturnal Hypoxemia in Obese Patients. A Case-Control Study. PLoS ONE, 2009, 4, e4692. | 2.5 | 29 |
| 149 | Factors accounting for high ferritin levels in obesity. International Journal of Obesity, 2008, 32, 1665-1669. | 3.4 | 62 |
| 150 | Secreción oculta de corticotropina y suprarrenalectomÃa bilateral: cuando en ocasiones es necesario matar al mensajero. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2008, 55, 507-509. | 0.8 | 0 |
| 151 | Response to Heish et al American Journal of Gastroenterology, 2008, 103, 488-488. | 0.4 | 0 |
| 152 | Glucose Abnormalities Are an Independent Risk Factor for Nonresponse to Antiviral Treatment in Chronic Hepatitis C. American Journal of Gastroenterology, 2007, 102, 2189-2195. | 0.4 | 40 |
| 153 | We-P11:130 Evolution and improvement of risk factors associated with morbid obesity in bariatric surgery. Atherosclerosis Supplements, 2006, 7, 374. | 1.2 | 0 |
| 154 | Sustained Virological Response Correlates With Reduction in the Incidence of Glucose Abnormalities in Patients With Chronic Hepatitis C Virus Infection. Diabetes Care, 2006, 29, 2462-2466. | 8.6 | 118 |
| 155 | Iron Deficiency in Obese Postmenopausal Women. Obesity, 2006, 14, 1724-1730. | 3.0 | 110 |
| 156 | Glucose Abnormalities in Patients With Hepatitis C Virus Infection: Epidemiology and Pathogenesis: Response to Lecube et al Diabetes Care, 2006, 29, 2558-2559. | 8.6 | 2 |
| 157 | Proinflammatory Cytokines, Insulin Resistance, and Insulin Secretion in Chronic Hepatitis C Patients: A Case-Control Study: Response to Lecube et al Diabetes Care, 2006, 29, 2180-2180. | 8.6 | 2 |
| 158 | Proinflammatory Cytokines, Insulin Resistance, and Insulin Secretion in Chronic Hepatitis C patients: A case-control study. Diabetes Care, 2006, 29, 1096-1101. | 8.6 | 81 |
| 159 | Glucose Abnormalities in Patients with Hepatitis C Virus Infection: Epidemiology and pathogenesis. Diabetes Care, 2006, 29, 1140-1149. | 8.6 | 55 |
| 160 | Soluble transferrin receptors and ferritin in Type 2 diabetic patients. Diabetic Medicine, 2005, 22, 97-101. | 2.3 | 40 |
| 161 | Diabetes Is the Main Factor Accounting for the High Ferritin Levels Detected in Chronic Hepatitis C Virus Infection: Response to Sebastiani et al Diabetes Care, 2005, 28, 1838-1839. | 8.6 | 0 |
| 162 | Diabetes Is the Main Factor Accounting for the High Ferritin Levels Detected in Chronic Hepatitis C Virus Infection: Response to Lecube et al Diabetes Care, 2005, 28, 1838-1838. | 8.6 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Relapsing Paranoid Psychosis as the First Manifestation of Pheochromocytoma. Journal of Clinical Psychiatry, 2005, 66, 949-950. | 2.2 | 11 |
| 164 | Hepatocyte Growth Factor in the Vitreous Fluid of Patients With Proliferative Diabetic Retinopathy: Its relationship with vascular endothelial growth factor and retinopathy activity. Diabetes Care, 2004, 27, 287-288. | 8.6 | 9 |
| 165 | High Prevalence of Glucose Abnormalities in Patients With Hepatitis C Virus Infection: A multivariate analysis considering the liver injury. Diabetes Care, 2004, 27, 1171-1175. | 8.6 | 183 |
| 166 | Diabetes Is the Main Factor Accounting for the High Ferritin Levels Detected in Chronic Hepatitis C Virus Infection. Diabetes Care, 2004, 27, 2669-2675. | 8.6 | 53 |
| 167 | Epidemiology, clinical characteristics, outcome, morbidity and mortality in acromegaly based on the Spanish Acromegaly Registry (Registro Espanol de Acromegalia, REA). European Journal of Endocrinology, 2004, 151, 439-446. | 3.7 | 334 |
| 168 | INTRAVITREOUS LEPTIN CONCENTRATIONS IN PATIENTS WITH PROLIFERATIVE DIABETIC RETINOPATHY. Retina, 2004, 24, 30-35. | 1.7 | 11 |
| 169 | Feocromocitoma extraadrenal maligno: una causa rara de hipertensiÃ ³ n arterial. Hipertension Y Riesgo Vascular, 2003, 20, 82-84. | 0.6 | 0 |
| 170 | Metástasis pleural como forma de presentación de un microcarcinoma papilar de tiroides: un caso excepcional. Revista Clinica Espanola, 2003, 203, 217-218. | 0.6 | 0 |
| 171 | Lymphocytic hypophysitis successfully treated with azathioprine: first case report. Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 1581-1583. | 1.9 | 71 |
| 172 | Effects of hypolipidemic treatment on serum markers of vascular inflammation in dyslipidemic men. Medical Science Monitor, 2003, 9, CR114-9. | 1.1 | 6 |
| 173 | Deficit of Somatostatin-Like Immunoreactivity in the Vitreous Fluid of Diabetic Patients: Possible role in the development of proliferative diabetic retinopathy. Diabetes Care, 2002, 25, 2282-2286. | 8.6 | 58 |
| 174 | Free insulin growth factor-I and vascular endothelial growth factor in the vitreous fluid of patients with proliferative diabetic retinopathy. American Journal of Ophthalmology, 2002, 134, 376-382. | 3.3 | 84 |
| 175 | V804M RET mutation and familial medullary thyroid carcinoma: Report of a large family with expression of the disease only in the homozygous gene carriers. Surgery, 2002, 131, 509-514. | 1.9 | 44 |
| 176 | CaracterÃsticas de la versiÃ3n española del cuestionario de calidad de vida QLSM-H en sujetos adultos con deficiencia de hormona de crecimiento tratados con somatotropina. Estudio piloto. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2002, 49, 105-112. | 0.8 | 2 |
| 177 | Nitric oxide and vascular endothelial growth factor concentrations are increased but not related in vitreous fluid of patients with proliferative diabetic retinopathy. Diabetic Medicine, 2002, 19, 655-660. | 2.3 | 40 |
| 178 | Adiponectin upregulates SHBG production: molecular mechanisms and potential implications. Endocrine Abstracts, 0, , . | 0.0 | 0 |
| 179 | Our experience in the evaluation criteria used for the genetic study of patients suspected of being affected by multiple endocrine neoplasia type 1 and mutational spectrum. Endocrine Abstracts, 0, , . | 0.0 | 0 |