

# Baoxue Zhou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2246550/publications.pdf>

Version: 2024-02-01

132  
papers

9,524  
citations

36303

51  
h-index

38395

95  
g-index

133  
all docs

133  
docs citations

133  
times ranked

10081  
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly efficient removal of total nitrogen and dissolved organic compound in waste reverse osmosis concentrate mediated by chlorine radical on 3D Co <sub>3</sub> O <sub>4</sub> nanowires anode. <i>Journal of Hazardous Materials</i> , 2022, 424, 127662.	12.4	30
2	Oxygen vacancy-abundant carbon quantum dots as superfast hole transport channel for vastly improving surface charge transfer efficiency of BiVO <sub>4</sub> photoanode. <i>Chemical Engineering Journal</i> , 2022, 431, 133414.	12.7	36
3	Treatment of hazardous organic amine wastewater and simultaneous electricity generation using photocatalytic fuel cell based on TiO <sub>2</sub> /WO <sub>3</sub> photoanode and Cu nanowires cathode. <i>Chemosphere</i> , 2022, 289, 133119.	8.2	17
4	Novel Denitrification Fuel Cell for Energy Recovery of Nitrate-N and TN Removal Based on NH <sub>4</sub> <sup>+</sup> Generation on a CNW@CF Cathode. <i>Environmental Science &amp; Technology</i> , 2022, 56, 2562-2571.	10.0	23
5	Rapid Conversion of Co <sup>2+</sup> to Co <sup>3+</sup> by Introducing Oxygen Vacancies in Co <sub>3</sub> O <sub>4</sub> Nanowire Anodes for Nitrogen Removal with Highly Efficient H <sub>2</sub> Recovery in Urine Treatment. <i>Environmental Science &amp; Technology</i> , 2022, 56, 9693-9701.	10.0	16
6	Efficient WO <sub>3</sub> <sup>x</sup> nanoplates photoanode based on bidentate hydrogen bonds and thermal reduction of ethylene glycol. <i>Chemical Engineering Journal</i> , 2021, 404, 127089.	12.7	11
7	Dramatically enhanced solar-driven water splitting of BiVO <sub>4</sub> photoanode via strengthening hole transfer and light harvesting by co-modification of CQDs and ultrathin FeOOH layers. <i>Chemical Engineering Journal</i> , 2021, 403, 126350.	12.7	82
8	Novel 3D Pd-Cu(OH) <sub>2</sub> /CF cathode for rapid reduction of nitrate-N and simultaneous total nitrogen removal from wastewater. <i>Journal of Hazardous Materials</i> , 2021, 401, 123232.	12.4	40
9	Enhanced Oxidation of Organic Contaminants by Mn(VII)/CaSO <sub>3</sub> Under Environmentally Relevant Conditions: Performance and Mechanisms. <i>Water Research</i> , 2021, 188, 116481.	11.3	45
10	Efficient ammonia removal and toxic chlorate control by using BiVO <sub>4</sub> /WO <sub>3</sub> heterojunction photoanode in a self-driven PEC-chlorine system. <i>Journal of Hazardous Materials</i> , 2021, 402, 123725.	12.4	40
11	Highly-active, metal-free, carbon-based ORR cathode for efficient organics removal and electricity generation in a PFC system. <i>Chinese Chemical Letters</i> , 2021, 32, 2212-2216.	9.0	70
12	Spin-State-Dependent Peroxymonosulfate Activation of Single-Atom Moieties via a Radical-Free Pathway. <i>ACS Catalysis</i> , 2021, 11, 9569-9577.	11.2	192
13	Photoelectrocatalytic generation of H <sub>2</sub> and S from toxic H <sub>2</sub> S by using a novel BiOI/WO <sub>3</sub> nanoflake array photoanode. <i>Frontiers in Energy</i> , 2021, 15, 744.	2.3	6
14	The design of high performance photoanode of CQDs/TiO <sub>2</sub> /WO <sub>3</sub> based on DFT alignment of lattice parameter and energy band, and charge distribution. <i>Journal of Colloid and Interface Science</i> , 2021, 600, 828-837.	9.4	27
15	Electrochemically reduced TiO <sub>2</sub> photoanode coupled with oxygen vacancy-rich carbon quantum dots for synergistically improving photoelectrochemical performance. <i>Chemical Engineering Journal</i> , 2021, 425, 131770.	12.7	53
16	Efficient photocatalytic H <sub>2</sub> O <sub>2</sub> production from oxygen and pure water over graphitic carbon nitride decorated by oxidative red phosphorus. <i>Applied Catalysis B: Environmental</i> , 2021, 298, 120522.	20.2	68
17	Simple method to quantify extraneous water and organic matter degradation in sewer networks. <i>Environmental Science: Water Research and Technology</i> , 2021, 7, 172-183.	2.4	2
18	Efficient Hydrogen Generation and Total Nitrogen Removal for Urine Treatment in a Neutral Solution Based on a Self-Driving Nano Photoelectrocatalytic System. <i>Nanomaterials</i> , 2021, 11, 2777.	4.1	3

#	ARTICLE	IF	CITATIONS
19	High Yield of CO and Synchronous S Recovery from the Conversion of CO <sub>2</sub> and H <sub>2</sub> S in Natural Gas Based on a Novel Electrochemical Reactor. <i>Environmental Science &amp; Technology</i> , 2021, 55, 14854-14862.	10.0	14
20	Efficient denitrification and removal of natural organic matter, emerging pollutants simultaneously for RO concentrate based on photoelectrocatalytic radical reaction. <i>Separation and Purification Technology</i> , 2020, 234, 116032.	7.9	19
21	Efficient degradation of N-containing organic wastewater via chlorine oxide radical generated by a photoelectrochemical system. <i>Chemical Engineering Journal</i> , 2020, 392, 123695.	12.7	35
22	Tungsten sulfide co-catalytic radical chain-reaction for efficient organics degradation and electricity generation. <i>Applied Catalysis B: Environmental</i> , 2020, 268, 118471.	20.2	7
23	Exhaustive denitrification via chlorine oxide radical reactions for urea based on a novel photoelectrochemical cell. <i>Water Research</i> , 2020, 170, 115357.	11.3	44
24	Multistep Surface Trap State Finishing Based on in Situ One-Step MOF Modification over Hematite for Dramatically Enhanced Solar Water Oxidation. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 33638-33646.	8.0	5
25	Efficient SO <sub>2</sub> Removal and Highly Synergistic H <sub>2</sub> O <sub>2</sub> Production Based on a Novel Dual-Function Photoelectrocatalytic System. <i>Environmental Science &amp; Technology</i> , 2020, 54, 11515-11525.	10.0	25
26	Efficient urine removal, simultaneous elimination of emerging contaminants, and control of toxic chlorate in a photoelectrocatalytic-chlorine system. <i>Environmental Pollution</i> , 2020, 267, 115605.	7.5	14
27	Enhanced O <sub>2</sub> <sup>•-</sup> and HO <sup>•</sup> via in situ generating H <sub>2</sub> O <sub>2</sub> at activated graphite felt cathode for efficient photocatalytic fuel cell. <i>Chemical Engineering Journal</i> , 2020, 399, 125839.	12.7	22
28	Modulation of Lewis acidic-basic sites for efficient photocatalytic H <sub>2</sub> O <sub>2</sub> production over potassium intercalated tri-s-triazine materials. <i>Applied Catalysis B: Environmental</i> , 2020, 277, 119225.	20.2	85
29	The synergic generation of CO <sub>3</sub> <sup>•-</sup> and O <sub>2</sub> <sup>•-</sup> radicals in a novel photocatalytic fuel cell for efficient oxidation of carbonate-containing wastewater and simultaneous electricity production. <i>Applied Catalysis B: Environmental</i> , 2020, 277, 119227.	20.2	11
30	In-situ and synchronous generation of oxygen vacancies and FeOx OECs on BiVO <sub>4</sub> for ultrafast electron transfer and excellent photoelectrochemical performance. <i>Chemical Engineering Journal</i> , 2020, 401, 126134.	12.7	34
31	Efficient organic pollutants conversion and electricity generation for carbonate-containing wastewater based on carbonate radical reactions initiated by BiVO <sub>4</sub> -Au/PVC system. <i>Journal of Hazardous Materials</i> , 2020, 389, 122140.	12.4	14
32	Carbon quantum dots modified anatase/rutile TiO <sub>2</sub> photoanode with dramatically enhanced photoelectrochemical performance. <i>Applied Catalysis B: Environmental</i> , 2020, 269, 118776.	20.2	132
33	Simulation and engineering demonstration of the advanced treatment of rainy overflow wastewater using a combined system of storage tank-wastewater treatment plant-wetland. <i>Water Environment Research</i> , 2020, 92, 1057-1069.	2.7	8
34	Effect of Oxygen-Iron Composition on Charge Transport and Interface Reaction in Hematite. <i>ACS Catalysis</i> , 2020, 10, 2413-2418.	11.2	14
35	Bird-nest structured ZnO/TiO <sub>2</sub> as a direct Z-scheme photoanode with enhanced light harvesting and carriers kinetics for highly efficient and stable photoelectrochemical water splitting. <i>Applied Catalysis B: Environmental</i> , 2020, 267, 118599.	20.2	116
36	Efficient degradation of refractory organics for carbonate-containing wastewater via generation carbonate radical based on a photoelectrocatalytic TNA-MCF system. <i>Applied Catalysis B: Environmental</i> , 2019, 259, 118071.	20.2	36

#	ARTICLE	IF	CITATIONS
37	Extremely Efficient Decomposition of Ammonia N to N <sub>2</sub> Using ClO <sup>-</sup> from Reactions of HO <sup>•</sup> and HOCl Generated <i>in Situ</i> on a Novel Bifacial Photoelectroanode. <i>Environmental Science &amp; Technology</i> , 2019, 53, 6945-6953.	10.0	84
38	Photocatalytic fuel cell based on sulfate radicals converted from sulfates <i>in situ</i> for wastewater treatment and chemical energy utilization. <i>Catalysis Today</i> , 2019, 335, 485-491.	4.4	21
39	Efficient TN removal and simultaneous TOC conversion for highly toxic organic amines based on a photoelectrochemical-chlorine radicals process. <i>Catalysis Today</i> , 2019, 335, 452-459.	4.4	14
40	Highly efficient total nitrogen and simultaneous total organic carbon removal for urine based on the photoelectrochemical cycle reaction of chlorine and hydroxyl radicals. <i>Electrochimica Acta</i> , 2019, 297, 1-9.	5.2	27
41	Efficient purification and chemical energy recovery from urine by using a denitrifying fuel cell. <i>Water Research</i> , 2019, 152, 117-125.	11.3	21
42	The effect and mechanism of organic pollutants oxidation and chemical energy conversion for neutral wastewater via strengthening reactive oxygen species. <i>Science of the Total Environment</i> , 2019, 651, 1226-1235.	8.0	32
43	High-efficient energy recovery from organics degradation for neutral wastewater treatment based on radicals catalytic reaction of Fe <sup>2+</sup> /Fe <sup>3+</sup> -EDTA complexes. <i>Chemosphere</i> , 2018, 201, 59-65.	8.2	24
44	Preparation of a BiVO <sub>4</sub> nanoporous photoanode based on peroxovanadate reduction and conversion for efficient photoelectrochemical performance. <i>Nanoscale</i> , 2018, 10, 2848-2855.	5.6	28
45	Exhaustive Conversion of Inorganic Nitrogen to Nitrogen Gas Based on a Photoelectro-Chlorine Cycle Reaction and a Highly Selective Nitrogen Gas Generation Cathode. <i>Environmental Science &amp; Technology</i> , 2018, 52, 1413-1420.	10.0	87
46	Highly-stable and efficient photocatalytic fuel cell based on an epitaxial TiO <sub>2</sub> /WO <sub>3</sub> /W nanothorn photoanode and enhanced radical reactions for simultaneous electricity production and wastewater treatment. <i>Applied Energy</i> , 2018, 220, 127-137.	10.1	87
47	BiVO <sub>4</sub> Photoanode with Exposed (040) Facets for Enhanced Photoelectrochemical Performance. <i>Nano-Micro Letters</i> , 2018, 10, 11.	27.0	58
48	Dramatic enhancement of photocurrent for BiVO <sub>4</sub> /TiO <sub>2</sub> heterojunction photoanode with suitable band-match via <i>in-situ</i> band regulation using Ta. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 18202-18210.	7.1	26
49	Serial hole transfer layers for a BiVO <sub>4</sub> photoanode with enhanced photoelectrochemical water splitting. <i>Nanoscale</i> , 2018, 10, 18378-18386.	5.6	44
50	Electron blocking and hole extraction by a dual-function layer for hematite with enhanced photoelectrocatalytic performance. <i>Applied Catalysis B: Environmental</i> , 2018, 237, 175-184.	20.2	23
51	High yield of H <sub>2</sub> O <sub>2</sub> and efficient S recovery from toxic H <sub>2</sub> S splitting through a self-driven photoelectrocatalytic system with a microporous GDE cathode. <i>Applied Catalysis B: Environmental</i> , 2018, 238, 491-497.	20.2	24
52	Total organic carbon and total nitrogen removal and simultaneous electricity generation for nitrogen-containing wastewater based on the catalytic reactions of hydroxyl and chlorine radicals. <i>Applied Catalysis B: Environmental</i> , 2018, 238, 168-176.	20.2	58
53	Highly selective photocatalytic production of H <sub>2</sub> O <sub>2</sub> on sulfur and nitrogen co-doped graphene quantum dots tuned TiO <sub>2</sub> . <i>Applied Catalysis B: Environmental</i> , 2018, 239, 475-484.	20.2	178
54	Monolithic cobalt-doped carbon aerogel for efficient catalytic activation of peroxymonosulfate in water. <i>Journal of Hazardous Materials</i> , 2017, 332, 195-204.	12.4	103

#	ARTICLE	IF	CITATIONS
55	Synthesis of WO <sub>3</sub> /BiVO <sub>4</sub> photoanode using a reaction of bismuth nitrate with peroxovanadate on WO <sub>3</sub> film for efficient photoelectrocatalytic water splitting and organic pollutant degradation. <i>Applied Catalysis B: Environmental</i> , 2017, 217, 21-29.	20.2	134
56	A low-cost photoelectrochemical tandem cell for highly-stable and efficient solar water splitting. <i>Nano Energy</i> , 2017, 41, 225-232.	16.0	62
57	Self-Driven Photoelectrochemical Splitting of H <sub>2</sub> S for S and H <sub>2</sub> Recovery and Simultaneous Electricity Generation. <i>Environmental Science &amp; Technology</i> , 2017, 51, 12965-12971.	10.0	35
58	Highly selective transformation of ammonia nitrogen to N <sub>2</sub> based on a novel solar-driven photoelectrocatalytic-chlorine radical reactions system. <i>Water Research</i> , 2017, 125, 512-519.	11.3	127
59	Dramatic enhancement of organics degradation and electricity generation via strengthening superoxide radical by using a novel 3D AQS/PPy-GF cathode. <i>Water Research</i> , 2017, 125, 259-269.	11.3	53
60	Selective Degradation of Organic Pollutants Using an Efficient Metal-Free Catalyst Derived from Carbonized Polypyrrole via Peroxymonosulfate Activation. <i>Environmental Science &amp; Technology</i> , 2017, 51, 11288-11296.	10.0	514
61	Preparation of hematite with an ultrathin iron titanate layer via an in situ reaction and its stable, long-lived, and excellent photoelectrochemical performance. <i>Applied Catalysis B: Environmental</i> , 2017, 218, 690-699.	20.2	21
62	High-performance BiVO <sub>4</sub> photoanodes cocatalyzed with an ultrathin $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> layer for photoelectrochemical application. <i>Applied Catalysis B: Environmental</i> , 2017, 204, 127-133.	20.2	133
63	Magnetically separable maghemite/montmorillonite composite as an efficient heterogeneous Fenton-like catalyst for phenol degradation. <i>Environmental Science and Pollution Research</i> , 2017, 24, 1926-1937.	5.3	33
64	Enhanced organic pollutants degradation and electricity production simultaneously via strengthening the radicals reaction in a novel Fenton-photocatalytic fuel cell system. <i>Water Research</i> , 2017, 108, 293-300.	11.3	84
65	Preparation of vertically aligned WO <sub>3</sub> nanoplate array films based on peroxotungstate reduction reaction and their excellent photoelectrocatalytic performance. <i>Applied Catalysis B: Environmental</i> , 2017, 202, 388-396.	20.2	114
66	BiVO <sub>4</sub> /TiO <sub>2</sub> (N <sub>2</sub> ) Nanotubes Heterojunction Photoanode for Highly Efficient Photoelectrocatalytic Applications. <i>Nano-Micro Letters</i> , 2017, 9, 14.	27.0	66
67	Efficient Degradation of Refractory Organics Using Sulfate Radicals Generated Directly from WO <sub>3</sub> Photoelectrode and the Catalytic Reaction of Sulfate. <i>Catalysts</i> , 2017, 7, 346.	3.5	16
68	Efficient wastewater treatment and simultaneously electricity production using a photocatalytic fuel cell based on the radical chain reactions initiated by dual photoelectrodes. <i>Journal of Hazardous Materials</i> , 2017, 337, 47-54.	12.4	36
69	The Promotion Effect and Mechanism of Methanoic Acid on the Photoelectrocatalytic Degradation of Fulvic Acid. <i>Journal of Chemistry</i> , 2016, 2016, 1-7.	1.9	0
70	The Inhibition Effect of Tert-Butyl Alcohol on the TiO <sub>2</sub> Nano Assays Photoelectrocatalytic Degradation of Different Organics and Its Mechanism. <i>Nano-Micro Letters</i> , 2016, 8, 221-231.	27.0	39
71	The Promotion Effect of Low-Molecular Hydroxyl Compounds on the Nano-Photoelectrocatalytic Degradation of Fulvic Acid and Mechanism. <i>Nano-Micro Letters</i> , 2016, 8, 320-327.	27.0	16
72	A highly efficient BiVO <sub>4</sub> /WO <sub>3</sub> /W heterojunction photoanode for visible-light responsive dual photoelectrode photocatalytic fuel cell. <i>Applied Catalysis B: Environmental</i> , 2016, 183, 224-230.	20.2	151

#	ARTICLE	IF	CITATIONS
73	A solar light driven dual photoelectrode photocatalytic fuel cell (PFC) for simultaneous wastewater treatment and electricity generation. <i>Journal of Hazardous Materials</i> , 2016, 311, 51-62.	12.4	103
74	Efficient visible light photocatalytic heterostructure of nonstoichiometric bismuth oxyiodide and iodine intercalated Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> . <i>Applied Catalysis B: Environmental</i> , 2016, 184, 20-27.	20.2	49
75	A novel in situ preparation method for nanostructured $\text{Fe}_2\text{O}_3$ films from electrodeposited Fe films for efficient photoelectrocatalytic water splitting and the degradation of organic pollutants. <i>Journal of Materials Chemistry A</i> , 2015, 3, 4345-4353.	10.3	79
76	Scalable one-step synthesis of TiO <sub>2</sub> /WO <sub>3</sub> films on titanium plates with an efficient electron storage ability. <i>Journal of Materials Chemistry A</i> , 2015, 3, 10195-10198.	10.3	14
77	A novel 3D ZnO/Cu <sub>2</sub> O nanowire photocathode material with highly efficient photoelectrocatalytic performance. <i>Journal of Materials Chemistry A</i> , 2015, 3, 22996-23002.	10.3	46
78	TiO <sub>2</sub> Nanotube Sensor for Online Chemical Oxygen Demand Determination in Conjunction with Flow Injection Technique. <i>Water Environment Research</i> , 2014, 86, 532-539.	2.7	12
79	WO <sub>3</sub> /W Nanopores Sensor for Chemical Oxygen Demand (COD) Determination under Visible Light. <i>Sensors</i> , 2014, 14, 10680-10690.	3.8	19
80	Aerated visible-light responsive photocatalytic fuel cell for wastewater treatment with producing sustainable electricity in neutral solution. <i>Chemical Engineering Journal</i> , 2014, 252, 89-94.	12.7	58
81	Combined nanostructured Bi <sub>2</sub> S <sub>3</sub> /TNA photoanode and Pt/SiPVC photocathode for efficient self-biasing photoelectrochemical hydrogen and electricity generation. <i>Nano Energy</i> , 2014, 9, 152-160.	16.0	59
82	RhB Adsorption Performance of Magnetic Adsorbent Fe <sub>3</sub> O <sub>4</sub> /RGO Composite and Its Regeneration through A Fenton-like Reaction. <i>Nano-Micro Letters</i> , 2014, 6, 125-135.	27.0	109
83	Enhanced photoelectrocatalytic performance of nanoporous WO <sub>3</sub> photoanode by modification of cobalt-phosphate (Co-Pi) catalyst. <i>Journal of Solid State Electrochemistry</i> , 2014, 18, 157-161.	2.5	22
84	Removal of trivalent chromium in the complex state of trivalent chromium passivation wastewater. <i>Chemical Engineering Journal</i> , 2014, 236, 59-65.	12.7	46
85	Titanium Dioxide Nanomaterials for Sensor Applications. <i>Chemical Reviews</i> , 2014, 114, 10131-10176.	47.7	702
86	RhB Adsorption Performance of Magnetic Adsorbent Fe <sub>3</sub> O <sub>4</sub> /RGO Composite and Its Regeneration through A Fenton-like Reaction. <i>Nano-Micro Letters</i> , 2014, 6, 125.	27.0	2
87	Photoelectrocatalytic activity of an n-ZnO/p-Cu <sub>2</sub> O/n-TNA ternary heterojunction electrode for tetracycline degradation. <i>Journal of Hazardous Materials</i> , 2013, 262, 482-488.	12.4	52
88	Converting hazardous organics into clean energy using a solar responsive dual photoelectrode photocatalytic fuel cell. <i>Journal of Hazardous Materials</i> , 2013, 262, 304-310.	12.4	92
89	Highly-ordered dye-sensitized TiO <sub>2</sub> nanotube arrays film used for improving photoelectrochemical electrodes. <i>Science China Chemistry</i> , 2013, 56, 101-105.	8.2	8
90	Self-Biasing Photoelectrochemical Cell for Spontaneous Overall Water Splitting under Visible Light Illumination. <i>ChemSusChem</i> , 2013, 6, 1276-1281.	6.8	41



#	ARTICLE	IF	CITATIONS
91	Solubility of 2,2,6,6-Tetrabromo-4,4-isopropylidene Phenol in Aqueous Pollutant Solutions. <i>Journal of Chemical &amp; Engineering Data</i> , 2013, 58, 3150-3154.	1.9	1
92	Photoelectrocatalytic Performance of Benzoic Acid on TiO <sub>2</sub> Nanotube Array Electrodes. <i>International Journal of Photoenergy</i> , 2013, 2013, 1-7.	2.5	6
93	Adsorption and photoelectrocatalytic characteristics of organics on TiO <sub>2</sub> nanotube arrays. <i>Journal of Solid State Electrochemistry</i> , 2012, 16, 3907-3914.	2.5	4
94	Assessment of a COD analytical method based on the photoelectrocatalysis of a TiO <sub>2</sub> nanotube array sensor. <i>Analytical Methods</i> , 2012, 4, 1790.	2.7	13
95	Visible-Light Responsive Photocatalytic Fuel Cell Based on WO <sub>3</sub> /W Photoanode and Cu <sub>2</sub> O/Cu Photocathode for Simultaneous Wastewater Treatment and Electricity Generation. <i>Environmental Science &amp; Technology</i> , 2012, 46, 11451-11458.	10.0	167
96	Photoelectrocatalytic degradation of refractory organic compounds enhanced by a photocatalytic fuel cell. <i>Applied Catalysis B: Environmental</i> , 2012, 111-112, 485-491.	20.2	110
97	Preparation of well-aligned WO <sub>3</sub> nanoflake arrays vertically grown on tungsten substrate as photoanode for photoelectrochemical water splitting. <i>Electrochemistry Communications</i> , 2012, 20, 153-156.	4.7	52
98	The hazardous hexavalent chromium formed on trivalent chromium conversion coating: The origin, influence factors and control measures. <i>Journal of Hazardous Materials</i> , 2012, 221-222, 56-61.	12.4	24
99	Efficient electricity production and simultaneously wastewater treatment via a high-performance photocatalytic fuel cell. <i>Water Research</i> , 2011, 45, 3991-3998.	11.3	138
100	Characterization and Mechanism of the Photoelectrocatalytic Oxidation of Organic Pollutants in a Thin-Layer Reactor. <i>Chinese Journal of Catalysis</i> , 2011, 32, 1357-1363.	14.0	6
101	A TiO <sub>2</sub> -nanotube-array-based photocatalytic fuel cell using refractory organic compounds as substrates for electricity generation. <i>Chemical Communications</i> , 2011, 47, 10314.	4.1	156
102	Magnetically separable mesoporous silica nanocomposite and its application in Fenton catalysis. <i>Microporous and Mesoporous Materials</i> , 2011, 145, 217-223.	4.4	61
103	A highly active bimetallic oxides catalyst supported on Al-containing MCM-41 for Fenton oxidation of phenol solution. <i>Applied Catalysis B: Environmental</i> , 2011, 110, 118-125.	20.2	164
104	Effect of Structural Parameters of TiO <sub>2</sub> Nanotube Arrays upon Their Photocatalytic/Photoelectrocatalytic Performance. <i>Chinese Journal of Chemistry</i> , 2011, 29, 2236-2242.	4.9	2
105	Highly stable CdS-modified short TiO <sub>2</sub> nanotube array electrode for efficient visible-light hydrogen generation. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 167-174.	7.1	115
106	Photoelectrochemical degradation of methyl orange by TiO <sub>2</sub> nanopore arrays electrode and its comparison with TiO <sub>2</sub> nanotube arrays electrode. <i>Water Science and Technology</i> , 2010, 62, 2783-2789.	2.5	1
107	Synthesis of Visible-Light Responsive Graphene Oxide/TiO <sub>2</sub> Composites with p/n Heterojunction. <i>ACS Nano</i> , 2010, 4, 6425-6432.	14.6	829
108	A novel thin-layer photoelectrocatalytic (PEC) reactor with double-faced titania nanotube arrays electrode for effective degradation of tetracycline. <i>Applied Catalysis B: Environmental</i> , 2010, 98, 154-160.	20.2	57

#	ARTICLE	IF	CITATIONS
109	Template-free sol-gel preparation and characterization of free-standing visible light responsive C,N-modified porous monolithic TiO <sub>2</sub> . Journal of Hazardous Materials, 2010, 178, 560-565.	12.4	24
110	Synthesis of coated solvent impregnated resin for the adsorption of indium (III). Hydrometallurgy, 2010, 101, 148-155.	4.3	60
111	A new glass substrate photoelectrocatalytic electrode for efficient visible-light hydrogen production: CdS sensitized TiO <sub>2</sub> nanotube arrays. Applied Catalysis B: Environmental, 2010, 95, 408-413.	20.2	120
112	Kinetics and Mechanisms for Photoelectrochemical Degradation of Glucose on Highly Effective Self-Organized TiO <sub>2</sub> Nanotube Arrays. Chinese Journal of Catalysis, 2010, 31, 163-170.	14.0	10
113	Enhanced Photoelectrochemical Properties of Cu <sub>2</sub> O-loaded Short TiO <sub>2</sub> Nanotube Array Electrode Prepared by Sonoelectrochemical Deposition. Nano-Micro Letters, 2010, 2, 277-284.	27.0	55
114	Synthesis and Photocatalytic Application of Hierarchical Macroporous TiO <sub>2</sub> with Mesocellular Foam Structure Using Eggshell Membrane as Template. International Conference on Bioinformatics and Biomedical Engineering: [proceedings] International Conference on Bioinformatics and Biomedical Engineering, 2010, , .	0.0	1
115	Enhanced Photoelectrochemical Properties of Cu <sub>2</sub> O-loaded Short TiO <sub>2</sub> Nanotube Array Electrode Prepared by Sonoelectrochemical Deposition. , 2010, 2, 277.		4
116	Comparison of photoelectrochemical properties of TiO <sub>2</sub> -nanotube-array photoanode prepared by anodization in different electrolyte. Environmental Chemistry Letters, 2009, 7, 363-368.	16.2	48
117	Photoelectrocatalytic degradation of tetracycline by highly effective TiO <sub>2</sub> nanopore arrays electrode. Journal of Hazardous Materials, 2009, 171, 678-683.	12.4	143
118	Preparation, characterization and visible-light activity of carbon modified TiO <sub>2</sub> with two kinds of carbonaceous species. Journal of Molecular Catalysis A, 2009, 314, 35-41.	4.8	92
119	Efficient photochemical water splitting and organic pollutant degradation by highly ordered TiO <sub>2</sub> nanopore arrays. Applied Catalysis B: Environmental, 2009, 89, 142-148.	20.2	96
120	Preparation of short, robust and highly ordered TiO <sub>2</sub> nanotube arrays and their applications as electrode. Applied Catalysis B: Environmental, 2009, 92, 326-332.	20.2	69
121	Photoelectrocatalytic COD determination method using highly ordered TiO <sub>2</sub> nanotube array. Water Research, 2009, 43, 1986-1992.	11.3	81
122	The formation mechanism of titania nanotube arrays in hydrofluoric acid electrolyte. Journal of Materials Science, 2008, 43, 1880-1884.	3.7	76
123	Self-Organized TiO <sub>2</sub> Nanotube Array Sensor for the Determination of Chemical Oxygen Demand. Advanced Materials, 2008, 20, 1044-1049.	21.0	309
124	Influence of the coexisting contaminants on bisphenol A sorption and desorption in soil. Journal of Hazardous Materials, 2008, 151, 389-393.	12.4	34
125	Influence of the presence of heavy metals and surface-active compounds on the sorption of bisphenol A to sediment. Chemosphere, 2007, 68, 1298-1303.	8.2	51
126	TiO <sub>2</sub> nanotube arrays and TiO <sub>2</sub> -nanotube-array based dye-sensitized solar cell. Science Bulletin, 2007, 52, 1585-1589.	1.7	18



#	ARTICLE	IF	CITATIONS
127	Efficient Photocatalytic Degradation of Phenol over Co <sub>3</sub> O <sub>4</sub> /BiVO <sub>4</sub> Composite under Visible Light Irradiation. <i>Journal of Physical Chemistry B</i> , 2006, 110, 20211-20216.	2.6	819
128	Charge recombination in dye-sensitized nanoporous TiO <sub>2</sub> solar cell. <i>Science Bulletin</i> , 2005, 50, 2408-2412.	1.7	7
129	Thermodynamics of transfer of naphthalene and 2-naphthoic acid from water to (water+ethanol) mixtures at T=298.15 K. <i>Journal of Chemical Thermodynamics</i> , 2003, 35, 1413-1424.	2.0	3
130	Thermodynamic Functions for Transfer of Anthracene from Water to (Water + Alcohol) Mixtures at 298.15 K. <i>Journal of Chemical &amp; Engineering Data</i> , 2003, 48, 742-745.	1.9	6
131	Thermal decomposition of N,N'-ethylenebis(salicylideneiminato) diaquochromium(III) chloride. <i>Thermochimica Acta</i> , 2000, 354, 25-30.	2.7	7
132	Thermal decomposition of Mn(II) complex of nicotinamide. <i>Journal of Thermal Analysis</i> , 1995, 45, 221-226.	0.6	1