

# Joel Bowman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2247015/publications.pdf>

Version: 2024-02-01

352  
papers

20,056  
citations

10351

72  
h-index

17055

122  
g-index

358  
all docs

358  
docs citations

358  
times ranked

5717  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Permutationally invariant potential energy surfaces in high dimensionality. <i>International Reviews in Physical Chemistry</i> , 2009, 28, 577-606.  | 0.9 | 730       |
| 2  | Self-consistent field energies and wavefunctions for coupled oscillators. <i>Journal of Chemical Physics</i> , 1978, 68, 608-610.  | 1.2 | 554       |
| 3  | The self-consistent-field approach to polyatomic vibrations. <i>Accounts of Chemical Research</i> , 1986, 19, 202-208.   | 7.6 | 541       |
| 4  | The Roaming Atom: Straying from the Reaction Path in Formaldehyde Decomposition. <i>Science</i> , 2004, 306, 1158-1161.  | 6.0 | 538       |
| 5  | Vibrational self-consistent field method for many-mode systems: A new approach and application to the vibrations of CO adsorbed on Cu(100). <i>Journal of Chemical Physics</i> , 1997, 107, 10458-10469.   | 1.2 | 501       |
| 6  | Reduced dimensionality theory of quantum reactive scattering. <i>The Journal of Physical Chemistry</i> , 1991, 95, 4960-4968.  | 2.9 | 435       |
| 7  | MULTIMODE: A code to calculate rovibrational energies of polyatomic molecules. <i>International Reviews in Physical Chemistry</i> , 2003, 22, 533-549.   | 0.9 | 413       |
| 8  | Variational quantum approaches for computing vibrational energies of polyatomic molecules. <i>Molecular Physics</i> , 2008, 106, 2145-2182.  | 0.8 | 402       |
| 9  | Extensions and tests of "multimode": a code to obtain accurate vibration/rotation energies of many-mode molecules. <i>Theoretical Chemistry Accounts</i> , 1998, 100, 191-198.   | 0.5 | 393       |
| 10 | Investigations of self-consistent field, scf ci and virtual stateconfiguration interaction vibrational energies for a model three-mode system. <i>Chemical Physics Letters</i> , 1982, 85, 220-224.  | 1.2 | 275       |
| 11 | Ab initio potential energy and dipole moment surfaces for H <sub>5</sub> O <sub>2</sub> <sup>+</sup> . <i>Journal of Chemical Physics</i> , 2005, 122, 044308.   | 1.2 | 257       |
| 12 | High-dimensional ab initio potential energy surfaces for reaction dynamics calculations. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 8094.  | 1.3 | 252       |
| 13 | Permutationally Invariant Polynomial Basis for Molecular Energy Surface Fitting via Monomial Symmetrization. <i>Journal of Chemical Theory and Computation</i> , 2010, 6, 26-34.   | 2.3 | 249       |
| 14 | Flexible, <i>ab initio</i> potential, and dipole moment surfaces for water. I. Tests and applications for clusters up to the 22-mer. <i>Journal of Chemical Physics</i> , 2011, 134, 094509.   | 1.2 | 238       |
| 15 | The vibrational predissociation spectra of the H <sub>5</sub> O <sub>2</sub> <sup>+</sup> ™RC <sub>n</sub> (RC=Ar,Ne) clusters: Correlation of the solvent perturbations in the free OH and shared proton transitions of the Zundel ion. <i>Journal of Chemical Physics</i> , 2005, 122, 244301. | 1.2 | 228       |
| 16 | Ab initio calculations of electronic and vibrational energies of HCO and HOC. <i>Journal of Chemical Physics</i> , 1986, 85, 911-921.  | 1.2 | 216       |
| 17 | Roaming Radicals. <i>Annual Review of Physical Chemistry</i> , 2011, 62, 531-553.  | 4.8 | 189       |
| 18 | Vibrational energy levels of formaldehyde. <i>Journal of Chemical Physics</i> , 1985, 82, 4155-4165.   | 1.2 | 187       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Roaming is the dominant mechanism for molecular products in acetaldehyde photodissociation. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 12719-12724.                              | 3.3 | 183       |
| 20 | Ab initio calculation of a global potential, vibrational energies, and wave functions for HCN/HNC, and a simulation of the $\text{Alf} \rightarrow \text{Xlf}$ emission spectrum. Journal of Chemical Physics, 1993, 99, 308-323. | 1.2 | 174       |
| 21 | Dynamics of the Reaction of Methane with Chlorine Atom on an Accurate Potential Energy Surface. Science, 2011, 334, 343-346.  | 6.0 | 167       |
| 22 | Accurate <i>ab initio</i> and $\sigma$ -hybrid potential energy surfaces, intramolecular vibrational energies, and classical ir spectrum of the water dimer. Journal of Chemical Physics, 2009, 130, 144314.                      | 1.2 | 162       |
| 23 | A method to constrain vibrational energy in quasiclassical trajectory calculations. Journal of Chemical Physics, 1989, 91, 2859-2862.   | 1.2 | 152       |
| 24 | Permutationally Invariant Potential Energy Surfaces. Annual Review of Physical Chemistry, 2018, 69, 151-175.  | 4.8 | 152       |
| 25 | Full-dimensional quantum calculations of ground-state tunneling splitting of malonaldehyde using an accurate <i>ab initio</i> potential energy surface. Journal of Chemical Physics, 2008, 128, 224314.                           | 1.2 | 149       |
| 26 | Unimolecular dissociation dynamics of vibrationally activated $\text{CH}_3\text{CHOO}$ Criegee intermediates to OH radical products. Nature Chemistry, 2016, 8, 509-514.  | 6.6 | 141       |
| 27 | <i>Ab initio</i> potential and dipole moment surfaces for water. II. Local-monomer calculations of the infrared spectra of water clusters. Journal of Chemical Physics, 2011, 134, 154510.  | 1.2 | 136       |
| 28 | A Global <i>ab Initio</i> Potential Energy Surface for Formaldehyde. Journal of Physical Chemistry A, 2004, 108, 8980-8986.   | 1.1 | 135       |
| 29 | Full-dimensional, <i>ab initio</i> potential energy and dipole moment surfaces for water. Journal of Chemical Physics, 2009, 131, 054511.   | 1.2 | 133       |
| 30 | The Water Hexamer: Cage, Prism, or Both. Full Dimensional Quantum Simulations Say Both. Journal of the American Chemical Society, 2012, 134, 11116-11119.   | 6.6 | 132       |
| 31 | Crossover from hydrogen to chemical bonding. Science, 2021, 371, 160-164.   | 6.0 | 123       |
| 32 | <i>Ab Initio</i> Potential Energy and Dipole Moment Surfaces of $(\text{H}_2\text{O})_2$ . Journal of Physical Chemistry A, 2006, 110, 445-451.   | 1.1 | 115       |
| 33 | Roaming. Molecular Physics, 2014, 112, 2516-2528.   | 0.8 | 113       |
| 34 | Reduced dimensionality quantum reactive scattering: $\text{H}_2 + \text{CN} \rightarrow \text{H} + \text{HCN}$ . Journal of Chemical Physics, 1990, 92, 5201-5210.  | 1.2 | 111       |
| 35 | The adiabatic rotation approximation for rovibrational energies of many-mode systems: Description and tests of the method. Journal of Chemical Physics, 1998, 108, 4397-4404.   | 1.2 | 111       |
| 36 | An accurate <i>ab initio</i> HOCl potential energy surface, vibrational and rotational calculations, and comparison with experiment. Journal of Chemical Physics, 1998, 109, 2662-2671.   | 1.2 | 110       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Ab initio global potential-energy surface for $H_5+\hat{H}^3++H_2$ . Journal of Chemical Physics, 2005, 122, 224307.  | 1.2 | 106       |
| 38 | A reduced dimensionality, six-degree-of-freedom, quantum calculation of the $H+CH_4\hat{H}^2+CH_3$ reaction. Journal of Chemical Physics, 2001, 115, 2055-2061.   | 1.2 | 104       |
| 39 | New <i>ab initio</i> potential energy surface and the vibration-rotation-tunneling levels of $(H_2O)_2$ and $(D_2O)_2$ . Journal of Chemical Physics, 2008, 128, 034312.  | 1.2 | 104       |
| 40 | A truncation/recoupling method for basis set calculations of eigenvalues and eigenvectors. Journal of Chemical Physics, 1991, 94, 454-460.  | 1.2 | 103       |
| 41 | Intersystem crossing and dynamics in $O(^3P)+C_2H_4$ multichannel reaction: Experiment validates theory. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 9733-9738. | 3.3 | 102       |
| 42 | Communication: A chemically accurate global potential energy surface for the $HO + CO \hat{H} + CO_2$ reaction. Journal of Chemical Physics, 2012, 136, 041103.   | 1.2 | 102       |
| 43 | Sudden rotation reactive scattering: Theory and application to $3\hat{H}+H_2$ . Journal of Chemical Physics, 1980, 72, 5071-5088.   | 1.2 | 98        |
| 44 | Classical and quasiclassical spectral analysis of $CH_5+$ using an ab initio potential energy surface. Journal of Chemical Physics, 2003, 119, 8790-8793.   | 1.2 | 97        |
| 45 | Full-dimensional vibrational calculations for $H_5O_2+$ using an ab initio potential energy surface. Journal of Chemical Physics, 2005, 122, 061101.  | 1.2 | 97        |
| 46 | An ab Initio Based Global Potential Energy Surface Describing $CH_5+\hat{H}^3++H_2$ . Journal of Physical Chemistry A, 2006, 110, 1569-1574.  | 1.1 | 97        |
| 47 | Ab-Initio-Based Potential Energy Surfaces for Complex Molecules and Molecular Complexes. Journal of Physical Chemistry Letters, 2010, 1, 1866-1874.   | 2.1 | 97        |
| 48 | Reaction Dynamics of Methane with F, O, Cl, and Br on ab Initio Potential Energy Surfaces. Journal of Physical Chemistry A, 2014, 118, 2839-2864.   | 1.1 | 96        |
| 49 | Reduced Dimensionality Theories of Quantum Reactive Scattering. Advances in Chemical Physics, 2007, , 115-167.  | 0.3 | 93        |
| 50 | Vibrational Analysis of the $H_5O_2+$ Infrared Spectrum Using Molecular and Driven Molecular Dynamics. Journal of Physical Chemistry A, 2006, 110, 2933-2939.   | 1.1 | 91        |
| 51 | Mode selectivity in reactions of H with $HOD(100)$ , $HOD(001)$ , and $HOD(002)$ . Journal of Chemical Physics, 1992, 96, 7852-7854.  | 1.2 | 90        |
| 52 | Three-State Trajectory Surface Hopping Studies of the Photodissociation Dynamics of Formaldehyde on ab Initio Potential Energy Surfaces. Journal of the American Chemical Society, 2011, 133, 7957-7968.        | 6.6 | 90        |
| 53 | Experimental and reduced dimensionality quantum rate coefficients for $H_2(D_2)+CN\hat{H}(D)CN+H(D)$ . Journal of Chemical Physics, 1990, 93, 4730-4739.  | 1.2 | 89        |
| 54 | Variational calculations of rovibrational energies of $CH_4$ and isotopomers in full dimensionality using an ab initio potential. Journal of Chemical Physics, 1999, 110, 8417-8423.                            | 1.2 | 89        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | A wave-packet calculation of the effect of reactant rotation and alignment on product branching in the O(1D)+HCl→ClO+H, OH+Cl reactions. <i>Journal of Chemical Physics</i> , 2000, 113, 1-3.  | 1.2 | 89        |
| 56 | Quasiclassical Trajectory Calculations of Acetaldehyde Dissociation on a Global Potential Energy Surface Indicate Significant Non-transition State Dynamics. <i>Journal of Physical Chemistry A</i> , 2007, 111, 8282-8285.  | 1.1 | 89        |
| 57 | Experimental and Theoretical Investigations of Energy Transfer and Hydrogen-Bond Breaking in the Water Dimer. <i>Journal of the American Chemical Society</i> , 2012, 134, 15430-15435.  | 6.6 | 89        |
| 58 | Ï”-machine learning for potential energy surfaces: A PIP approach to bring a DFT-based PES to CCSD(T) level of theory. <i>Journal of Chemical Physics</i> , 2021, 154, 051102.   | 1.2 | 89        |
| 59 | Ab Initio Diffusion Monte Carlo Calculations of the Quantum Behavior of CH <sub>5</sub> <sup>+</sup> in Full Dimensionality. <i>Journal of Physical Chemistry A</i> , 2004, 108, 4991-4994.  | 1.1 | 87        |
| 60 | Mode Selectivity for a Central-Barrier Reaction: Eight-Dimensional Quantum Studies of the O( <sup>3</sup> P) + CH <sub>4</sub> → OH + CH <sub>3</sub> Reaction on an Ab Initio Potential Energy Surface. <i>Journal of Physical Chemistry Letters</i> , 2012, 3, 3776-3780.    | 2.1 | 87        |
| 61 | High-Level, First-Principles, Full-Dimensional Quantum Calculation of the Ro-vibrational Spectrum of the Simplest Criegee Intermediate (CH <sub>2</sub> OO). <i>Journal of Physical Chemistry Letters</i> , 2014, 5, 2364-2369.  | 2.1 | 86        |
| 62 | Roaming-Dynamics in CH <sub>3</sub> CHO Photodissociation Revealed on a Global Potential Energy Surface. <i>Journal of Physical Chemistry A</i> , 2008, 112, 9344-9351.  | 1.1 | 84        |
| 63 | A theoretical study of the vibrational energy spectrum of the HOCl/HClO system on an accurate ab initio potential energy surface. <i>Journal of Chemical Physics</i> , 1999, 111, 7446-7456.   | 1.2 | 83        |
| 64 | The roaming atom pathway in formaldehyde decomposition. <i>Journal of Chemical Physics</i> , 2006, 125, 044303.  | 1.2 | 83        |
| 65 | Structure, Anharmonic Vibrational Frequencies, and Intensities of NNHNN <sup>+</sup> . <i>Journal of Physical Chemistry A</i> , 2015, 119, 11623-11631.  | 1.1 | 81        |
| 66 | Complex coordinate calculations of Feshbach resonance energies and widths for a collinear triatomic system. <i>Journal of Chemical Physics</i> , 1983, 78, 3952-3958.  | 1.2 | 80        |
| 67 | A theoretical study of vibrational mode coupling in H <sub>2</sub> O <sub>2</sub> <sup>+</sup> . <i>Journal of Chemical Physics</i> , 2003, 119, 6571-6580.  | 1.2 | 79        |
| 68 | Assessing Gaussian Process Regression and Permutationally Invariant Polynomial Approaches To Represent High-Dimensional Potential Energy Surfaces. <i>Journal of Chemical Theory and Computation</i> , 2018, 14, 3381-3396.  | 2.3 | 78        |
| 69 | Reduced dimensionality quantum calculations of mode specificity in OH+H <sub>2</sub> →H <sub>2</sub> O+H. <i>Journal of Chemical Physics</i> , 1992, 96, 8906-8913.  | 1.2 | 77        |
| 70 | An ab initio potential energy surface for the formic acid dimer: zero-point energy, selected anharmonic fundamental energies, and ground-state tunneling splitting calculated in relaxed 4-mode subspaces. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 24835-24840. | 1.3 | 76        |
| 71 | Sudden rotation calculations of atom-molecule scattering. <i>Journal of Chemical Physics</i> , 1977, 66, 288-295.  | 1.2 | 75        |
| 72 | Roaming reactions: The third way. <i>Physics Today</i> , 2011, 64, 33-37.  | 0.3 | 75        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | L2 calculations of resonances and final rotational distributions for HCO <sup>+</sup> +H+CO. Journal of Chemical Physics, 1994, 100, 1021-1027.   | 1.2  | 74        |
| 74 | Communication: On the consistency of approximate quantum dynamics simulation methods for vibrational spectra in the condensed phase. Journal of Chemical Physics, 2014, 141, 181101.  | 1.2  | 74        |
| 75 | Infrared identification of the Criegee intermediates syn- and anti-CH <sub>3</sub> CHOO, and their distinct conformation-dependent reactivity. Nature Communications, 2015, 6, 7012.  | 5.8  | 74        |
| 76 | A simple method to adjust potential energy surfaces: Application to HCO. Journal of Chemical Physics, 1991, 94, 816-817.  | 1.2  | 71        |
| 77 | New insights on reaction dynamics from formaldehyde photodissociation. Physical Chemistry Chemical Physics, 2006, 8, 321-332.   | 1.3  | 69        |
| 78 | Differences in the Vibrational Dynamics of H <sub>2</sub> O and D <sub>2</sub> O: Observation of Symmetric and Antisymmetric Stretching Vibrations in Heavy Water. Journal of Physical Chemistry Letters, 2016, 7, 1769-1774. | 2.1  | 68        |
| 79 | Coupled channel calculation of resonances in H+CO. Journal of Chemical Physics, 1986, 84, 4888-4893.  | 1.2  | 67        |
| 80 | Full-dimensionality quantum calculations of acetylene $\rightleftharpoons$ vinylidene isomerization. Journal of Chemical Physics, 2003, 118, 10012-10023.   | 1.2  | 67        |
| 81 | Signatures of H <sub>2</sub> CO Photodissociation from Two Electronic States. Science, 2006, 311, 1443-1446.  | 6.0  | 67        |
| 82 | Theories and simulations of roaming. Chemical Society Reviews, 2017, 46, 7615-7624.   | 18.7 | 67        |
| 83 | Resonances: A Bridge between Spectroscopy and Dynamics. Journal of Physical Chemistry A, 1998, 102, 3006-3017.  | 1.1  | 65        |
| 84 | Directab initio variational calculation of vibrational energies of the H <sub>2</sub> O $\cdots$ Cl <sup>-</sup> complex and resolution of experimental differences. Journal of Chemical Physics, 2000, 113, 8401-8403.       | 1.2  | 64        |
| 85 | Quasiclassical trajectory study of formaldehyde unimolecular dissociation: H <sub>2</sub> CO <sup>+</sup> +H <sub>2</sub> +CO, H+HCO. Journal of Chemical Physics, 2005, 122, 114313.   | 1.2  | 63        |
| 86 | An adjusted global potential surface for HCN based on rigorous vibrational calculations. Journal of Chemical Physics, 1991, 95, 6309-6316.  | 1.2  | 62        |
| 87 | Calculations of rovibrational energies and dipole transition intensities for polyatomic molecules using MULTIMODE. Journal of Chemical Physics, 2009, 131, 224106.  | 1.2  | 62        |
| 88 | Roaming Pathway Leading to Unexpected Water + Vinyl Products in C <sub>2</sub> H <sub>4</sub> OH Dissociation. Journal of Physical Chemistry Letters, 2010, 1, 3058-3065.   | 2.1  | 62        |
| 89 | Quantum calculations of mode specificity in reactions of H with HOD and H <sub>2</sub> O. Journal of Chemical Physics, 1993, 98, 6235-6247.   | 1.2  | 61        |
| 90 | Ab initio potential energy surface and rovibrational energies of H <sub>3</sub> O <sup>+</sup> and its isotopomers. Journal of Chemical Physics, 2003, 118, 5431-5441.  | 1.2  | 61        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Vibrational Levels of Methanol Calculated by the Reaction Path Version of MULTIMODE, Using an ab initio, Full-Dimensional Potential. Journal of Physical Chemistry A, 2007, 111, 7317-7321.  | 1.1 | 61        |
| 92  | Quantum dynamics of CO+H2 in full dimensionality. Nature Communications, 2015, 6, 6629.  | 5.8 | 61        |
| 93  | Capturing roaming molecular fragments in real time. Science, 2020, 370, 1072-1077.   | 6.0 | 61        |
| 94  | Permutationally Invariant Fitting of Many-Body, Non-covalent Interactions with Application to Three-Body Methane+Water+Water. Journal of Chemical Theory and Computation, 2015, 11, 1631-1638.   | 2.3 | 60        |
| 95  | Resonances in the O(3P)+HCl reaction due to van der Waals minima. Journal of Chemical Physics, 2002, 116, 7461-7467.   | 1.2 | 59        |
| 96  | Overview of reduced dimensionality quantum approaches to reactive scattering. Theoretical Chemistry Accounts, 2002, 108, 125-133.  | 0.5 | 59        |
| 97  | A comparative study of the reaction dynamics of several potential energy surfaces of O(3P)+H2+OH+H. I. Journal of Chemical Physics, 1981, 74, 4984-4996.   | 1.2 | 58        |
| 98  | Argon Predissociation Spectroscopy of the OH-H2O and Cl-H2O Complexes in the 1000-1900 cm-1 Region: Intramolecular Bending Transitions and the Search for the Shared-Proton Fundamental in the Hydroxide Monohydrate. Journal of Physical Chemistry A, 2005, 109, 571-575. | 1.1 | 56        |
| 99  | Communication: VSCF/VCI vibrational spectroscopy of H7O3+ and H9O4+ using high-level, many-body potential energy surface and dipole moment surfaces. Journal of Chemical Physics, 2017, 146, 121102.   | 1.2 | 56        |
| 100 | A three-dimensional L2 simulation of the photodetachment spectra of ClHCl+ and IHI+. Journal of Chemical Physics, 1989, 91, 4615-4624.   | 1.2 | 55        |
| 101 | Vibrational spectrum of the formic acid dimer in the OH stretch region. A model 3D study. Chemical Physics Letters, 2001, 349, 562-570.  | 1.2 | 55        |
| 102 | IR Spectra of the Water Hexamer: Theory, with Inclusion of the Monomer Bend Overtone, and Experiment Are in Agreement. Journal of Physical Chemistry Letters, 2013, 4, 1104-1108.  | 2.1 | 55        |
| 103 | Quasiclassical Trajectory Study of CH3NO2 Decomposition via Roaming Mediated Isomerization Using a Global Potential Energy Surface. Journal of Physical Chemistry A, 2013, 117, 11665-11672.   | 1.1 | 54        |
| 104 | Plug and play full-dimensional ab initio potential energy and dipole moment surfaces and anharmonic vibrational analysis for CH4+H2O. Physical Chemistry Chemical Physics, 2015, 17, 8172-8181.  | 1.3 | 54        |
| 105 | Energy dependence of the roaming atom pathway in formaldehyde decomposition. Journal of Chemical Physics, 2007, 126, 044314.   | 1.2 | 53        |
| 106 | The internal coordinate path Hamiltonian; application to methanol and malonaldehyde. Molecular Physics, 2003, 101, 3513-3525.  | 0.8 | 51        |
| 107 | Reaction dynamics for O(3P)+H2 and D2. IV. Reduced dimensionality quantum and quasiclassical rate constants with an adiabatic incorporation of the bending motion. Journal of Chemical Physics, 1984, 81, 1739-1752.   | 1.2 | 49        |
| 108 | Quasiclassical trajectory study of the postquenching dynamics of OH+ by H2/D2 on a global potential energy surface. Journal of Chemical Physics, 2010, 133, 164306.  | 1.2 | 49        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 109 | Crossed Molecular Beams and Quasiclassical Trajectory Surface Hopping Studies of the Multichannel Nonadiabatic $O(^3P) + \text{Ethylene}$ Reaction at High Collision Energy. <i>Journal of Physical Chemistry A</i> , 2015, 119, 12498-12511.              | 1.1  | 49        |
| 110 | Energetics and Predissociation Dynamics of Small Water, HCl, and Mixed HCl-Water Clusters. <i>Chemical Reviews</i> , 2016, 116, 4913-4936.   | 23.0 | 49        |
| 111 | The infrared spectrum of the hydrogen bifluoride anion: unprecedented variation with level of theory. <i>Chemical Physics Letters</i> , 1986, 131, 352-358.  | 1.2  | 48        |
| 112 | A comparative study of the reaction dynamics of several potential energy surfaces for $O(^3P) + H_2 \rightarrow OH + H$ . II. Collinear exact quantum and quasiclassical reaction probabilities. <i>Journal of Chemical Physics</i> , 1982, 76, 3563-3582. | 1.2  | 47        |
| 113 | The effect of rotation on resonances: Application to HCO. <i>Journal of Chemical Physics</i> , 1996, 105, 9884-9889.   | 1.2  | 47        |
| 114 | Photodissociation dynamics of nitromethane and methyl nitrite by infrared multiphoton dissociation imaging with quasiclassical trajectory calculations: Signatures of the roaming pathway. <i>Journal of Chemical Physics</i> , 2014, 140, 054305.         | 1.2  | 47        |
| 115 | Three Reaction Pathways in the $H + HCO \rightarrow H_2 + CO$ Reaction. <i>Journal of Physical Chemistry A</i> , 2009, 113, 4138-4144.   | 1.1  | 46        |
| 116 | Coupled-monomers in molecular assemblies: Theory and application to the water tetramer, pentamer, and ring hexamer. <i>Journal of Chemical Physics</i> , 2012, 136, 144113.  | 1.2  | 46        |
| 117 | Experimental and Theoretical Investigations of the Dissociation Energy ( $D_0$ ) and Dynamics of the Water Trimer, $(H_2O)_3$ . <i>Journal of Physical Chemistry A</i> , 2013, 117, 7207-7216.   | 1.1  | 46        |
| 118 | Experimental and Theoretical Investigations of Energy Transfer and Hydrogen-Bond Breaking in Small Water and HCl Clusters. <i>Accounts of Chemical Research</i> , 2014, 47, 2700-2709.   | 7.6  | 46        |
| 119 | Quantum calculations of the IR spectrum of liquid water using <i>ab initio</i> and model potential and dipole moment surfaces and comparison with experiment. <i>Journal of Chemical Physics</i> , 2015, 142, 194502.                                      | 1.2  | 46        |
| 120 | Vibrational analysis of HOCl up to 98% of the dissociation energy with a Fermi resonance Hamiltonian. <i>Journal of Chemical Physics</i> , 1999, 111, 6807-6820.   | 1.2  | 45        |
| 121 | Roaming Under the Microscope: Trajectory Study of Formaldehyde Dissociation. <i>Journal of Physical Chemistry A</i> , 2016, 120, 5103-5114.  | 1.1  | 45        |
| 122 | The calculated infrared spectrum of $Cl^{\sim}H_2O$ using a new full dimensionalab initio potential surface and dipole moment surface. <i>Journal of Chemical Physics</i> , 2006, 125, 133206.   | 1.2  | 44        |
| 123 | Are Roaming and Conventional Saddle Points for $H_2CO$ and $CH_3CHO$ Dissociation to Molecular Products Isolated from Each Other?. <i>Journal of Physical Chemistry Letters</i> , 2011, 2, 834-838.  | 2.1  | 44        |
| 124 | Mode-specific tunneling using the <i>Q</i> path: Theory and an application to full-dimensional malonaldehyde. <i>Journal of Chemical Physics</i> , 2013, 139, 154303.  | 1.2  | 44        |
| 125 | Disentangling the Complex Vibrational Spectrum of the Protonated Water Trimer, $H^+(H_2O)_3$ , with Two-Color IR-IR Photodissociation of the Bare Ion and Anharmonic VSCF/VCI Theory. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 3782-3789.   | 2.1  | 44        |
| 126 | Quantum and classical dynamics of a coupled double well oscillator. <i>Journal of Chemical Physics</i> , 1981, 74, 5057-5075.  | 1.2  | 43        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | High-Level Quantum Calculations of the IR Spectra of the Eigen, Zundel, and Ring Isomers of $\text{H}^+ \cdot (\text{H}_2\text{O})_4$ Find a Single Match to Experiment. <i>Journal of the American Chemical Society</i> , 2017, 139, 10984-10987.  | 6.6 | 43        |
| 128 | Using Gradients in Permutationally Invariant Polynomial Potential Fitting: A Demonstration for $\text{CH}_4$ Using as Few as 100 Configurations. <i>Journal of Chemical Theory and Computation</i> , 2019, 15, 2826-2835.   | 2.3 | 43        |
| 129 | Quasiclassical trajectory studies of rigid rotor-rigid surface scattering. I. Flat surface. <i>Journal of Chemical Physics</i> , 1982, 77, 5441-5449.   | 1.2 | 42        |
| 130 | Quantum calculations of the rate constant for the $\text{O}(^3\text{P})+\text{HCl}$ reaction on new ab initio $3\text{A}''^3$ and $3\text{A}''^2$ surfaces. <i>Journal of Chemical Physics</i> , 2003, 119, 9601-9608.  | 1.2 | 42        |
| 131 | Communication: Spectroscopic consequences of proton delocalization in $\text{OCHCO}^+$ . <i>Journal of Chemical Physics</i> , 2015, 143, 071102.  | 1.2 | 42        |
| 132 | A Machine Learning Approach for Prediction of Rate Constants. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 5250-5258.   | 2.1 | 42        |
| 133 | New approximate quantum cross sections for the $\text{H}+\text{H}_2$ reaction. <i>Journal of Chemical Physics</i> , 1981, 75, 5199-5201.  | 1.2 | 41        |
| 134 | A comparative study of the reaction dynamics of the $\text{O}(^3\text{P})+\text{H}_2\text{O}^+\text{OH}+\text{H}$ reaction on several potential energy surfaces. III. Collinear exact quantum transmission coefficient correction to transition state theory. <i>Journal of Chemical Physics</i> , 1982, 76, 3583-3596. | 1.2 | 41        |
| 135 | Theoretical studies of the reactivity and spectroscopy of $\text{H}+\text{CO}=\text{HCO}$ . I. Stabilization and scattering studies of resonances for $J=0$ on the Harding ab initio surface. <i>Journal of Chemical Physics</i> , 1992, 96, 2799-2811.   | 1.2 | 41        |
| 136 | Mid- and Far-IR Spectra of $\text{H}_5^+$ and $\text{D}_5^+$ Compared to the Predictions of Anharmonic Theory. <i>Journal of Physical Chemistry Letters</i> , 2012, 3, 3160-3166.   | 2.1 | 41        |
| 137 | q-AQUA: A Many-Body CCSD(T) Water Potential, Including Four-Body Interactions, Demonstrates the Quantum Nature of Water from Clusters to the Liquid Phase. <i>Journal of Physical Chemistry Letters</i> , 2022, 13, 5068-5074.  | 2.1 | 41        |
| 138 | One-dimensional tunneling calculations in the imaginary-frequency, rectilinear saddle-point normal mode. <i>Journal of Chemical Physics</i> , 2008, 129, 121103.  | 1.2 | 40        |
| 139 | Evidence for Vinylidene Production in the Photodissociation of the Allyl Radical. <i>Journal of Physical Chemistry Letters</i> , 2010, 1, 1875-1880.  | 2.1 | 40        |
| 140 | Quasiclassical Trajectory Calculations of the Dissociation Dynamics of $\text{CH}_3\text{CHO}$ at High Energy Yield Many Products. <i>Journal of Physical Chemistry Letters</i> , 2011, 2, 1715-1719.   | 2.1 | 40        |
| 141 | Full-dimensional, high-level <i>ab initio</i> potential energy surfaces for $\text{H}_2(\text{H}_2\text{O})$ and $\text{H}_2(\text{H}_2\text{O})_2$ with application to hydrogen clathrate hydrates. <i>Journal of Chemical Physics</i> , 2015, 143, 084302.  | 1.2 | 40        |
| 142 | Normal-mode analysis without the Hessian: A driven molecular-dynamics approach. <i>Journal of Chemical Physics</i> , 2003, 119, 646-650.  | 1.2 | 39        |
| 143 | First-principles calculations of rovibrational energies, dipole transition intensities and partition function for ethylene using MULTIMODE. <i>Journal of Chemical Physics</i> , 2012, 137, 154301.   | 1.2 | 39        |
| 144 | Benchmark Electronic Structure Calculations for $\text{H}_3\text{O}^+(\text{H}_2\text{O})_n$ , $n=0-5$ , Clusters and Tests of an Existing 1,2,3-Body Potential Energy Surface with a New 4-Body Correction. <i>Journal of Chemical Theory and Computation</i> , 2018, 14, 4553-4566.                                   | 2.3 | 39        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Breaking the Coupled Cluster Barrier for Machine-Learned Potentials of Large Molecules: The Case of 15-Atom Acetylacetone. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 4902-4909.                    | 2.1 | 39        |
| 146 | A movable basis method to calculate vibrational energies of molecules. <i>Journal of Chemical Physics</i> , 1990, 93, 1774-1784.  | 1.2 | 38        |
| 147 | Quantum calculations of unusual mode specificity in $H+C_2H_2 \rightarrow H_2+C_2H$ . <i>Journal of Chemical Physics</i> , 1994, 101, 8646-8662.  | 1.2 | 38        |
| 148 | Skirting the transition state, a new paradigm in reaction rate theory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 16061-16062.                           | 3.3 | 38        |
| 149 | Deconstructing Prominent Bands in the Terahertz Spectra of $H_7O_3^+$ and $H_9O_4^+$ : Intermolecular Modes in Eigen Clusters. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 798-803.                   | 2.1 | 38        |
| 150 | Recovering a full dimensional quantum rate constant from a reduced dimensionality calculation: Application to the $OH+CO \rightarrow H+CO_2$ reaction. <i>Journal of Chemical Physics</i> , 1996, 105, 2280-2286. | 1.2 | 37        |
| 151 | Full dimensionality quantum calculations of acetylene/vinylidene isomerization. <i>Journal of Chemical Physics</i> , 2002, 117, 5507-5510.  | 1.2 | 37        |
| 152 | Ab Initio Potential Energy Surface and Vibrational Energies of $H_3O^+$ and Its Isotopomers. <i>Journal of Physical Chemistry B</i> , 2002, 106, 8182-8188.   | 1.2 | 37        |
| 153 | Communication: A benchmark-quality, full-dimensional <i>ab initio</i> potential energy surface for Ar-HOCO. <i>Journal of Chemical Physics</i> , 2014, 140, .   | 1.2 | 37        |
| 154 | A fragmented, permutationally invariant polynomial approach for potential energy surfaces of large molecules: Application to <i>N</i> -methyl acetamide. <i>Journal of Chemical Physics</i> , 2019, 150, 141101.  | 1.2 | 37        |
| 155 | Vibrational dynamics up to the dissociation threshold: A case study of two-dimensional HOCl. <i>Journal of Chemical Physics</i> , 2000, 113, 9610-9621.   | 1.2 | 36        |
| 156 | Quantum Calculations of Intramolecular IR Spectra of Ice Models Using Ab Initio Potential and Dipole Moment Surfaces. <i>Journal of Physical Chemistry Letters</i> , 2012, 3, 3671-3676.                          | 2.1 | 36        |
| 157 | Quantum approaches to vibrational dynamics and spectroscopy: is ease of interpretation sacrificed as rigor increases?. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 3397-3413.                          | 1.3 | 35        |
| 158 | Quasiclassical studies of rigid rotor solid surface diffraction scattering. <i>Journal of Chemical Physics</i> , 1977, 66, 1122-1126.   | 1.2 | 34        |
| 159 | Perturbative inversion of the HOCl potential energy surface via singular value decomposition. <i>Chemical Physics Letters</i> , 1999, 312, 494-502.   | 1.2 | 34        |
| 160 | CHEMISTRY: Beyond Platonic Molecules. <i>Science</i> , 2000, 290, 724-725.  | 6.0 | 34        |
| 161 | The determination of molecular properties from MULTIMODE with an application to the calculation of Franck-Condon factors for photoionization of $CF_3$ . <i>Molecular Physics</i> , 2006, 104, 33-45.             | 0.8 | 34        |
| 162 | Photodissociation Dynamics of Formaldehyde Initiated at the $T_{1/S_0}$ Minimum Energy Crossing Configurations. <i>Journal of Physical Chemistry A</i> , 2008, 112, 13267-13270.                                  | 1.1 | 34        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Classical, Thermostated Ring Polymer, and Quantum VSCF/VCI Calculations of IR Spectra of $\text{H}_7\text{O}_3$ and $\text{H}_9\text{O}_4$ (Eigen) and Comparison with Experiment. <i>Journal of Physical Chemistry A</i> , 2019, 123, 1399-1409.   | 1.1 | 34        |
| 164 | Theoretical stabilization and scattering studies of resonances in the addition reaction $\text{H}+\text{CO}=\text{HCO}$ . <i>Journal of Chemical Physics</i> , 1991, 94, 4192-4194.   | 1.2 | 33        |
| 165 | Quasiclassical trajectory calculations of photodissociation of $\text{H}_2\text{O}(\text{X}^1\text{A}_1)$ and $\text{H}_2\text{O}(\text{X}^1\text{A}_1)$ . <i>Journal of Chemical Physics</i> , 1996, 104, 8348-8356.   | 1.2 | 33        |
| 166 | “Spectator” modes in resonance-driven reactions: Three-dimensional quantum calculations of HOCO resonances. <i>Journal of Chemical Physics</i> , 1998, 108, 511-518.  | 1.2 | 33        |
| 167 | Normal mode analysis using the driven molecular dynamics method. II. An application to biological macromolecules. <i>Journal of Chemical Physics</i> , 2004, 121, 5646-5653.  | 1.2 | 33        |
| 168 | Proton affinity and enthalpy of formation of formaldehyde. <i>International Journal of Quantum Chemistry</i> , 2009, 109, 2393-2409.  | 1.0 | 33        |
| 169 | Quasiclassical Trajectory Calculations of the Rate Constant of the $\text{OH} + \text{HBr} \rightarrow \text{Br} + \text{H}_2\text{O}$ Reaction Using a Full-Dimensional Ab Initio Potential Energy Surface Over the Temperature Range 5 to 500 K. <i>Journal of Physical Chemistry Letters</i> , 2014, 5, 706-712. | 2.1 | 33        |
| 170 | A new (multi-reference configuration interaction) potential energy surface for $\text{H}_2\text{CO}$ and preliminary studies of roaming. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2017, 375, 20160194.  | 1.6 | 33        |
| 171 | Efficient Generation of Permutationally Invariant Potential Energy Surfaces for Large Molecules. <i>Journal of Chemical Theory and Computation</i> , 2020, 16, 3264-3272.   | 2.3 | 33        |
| 172 | Translational energy dependence of the $\text{Cl} + \text{CH}_4(\text{v}_0=0, \text{v}_1)$ reactions: a joint crossed-beam and quasiclassical trajectory study. <i>Molecular Physics</i> , 2012, 110, 1617-1626.  | 0.8 | 32        |
| 173 | Full-dimensional quantum dynamics of CO in collision with H <sub>2</sub> . <i>Journal of Chemical Physics</i> , 2016, 145, 034308.  | 1.2 | 32        |
| 174 | Full and fragmented permutationally invariant polynomial potential energy surfaces for <i>trans</i> -N-methyl acetamide and isomerization saddle points. <i>Journal of Chemical Physics</i> , 2019, 151, 084306.  | 1.2 | 32        |
| 175 | Sudden approximation calculations of reactive scattering: The $\text{H}+\text{H}_2$ reaction. <i>Journal of Chemical Physics</i> , 1978, 68, 3940-3941.   | 1.2 | 31        |
| 176 | A comparative study of the quantum dynamics and rate constants of the $\text{O}(3\text{P})+\text{HCl}$ reaction described by two potential surfaces. <i>Journal of Chemical Physics</i> , 2000, 113, 227-236.   | 1.2 | 31        |
| 177 | Multimode calculations of rovibrational energies of $\text{C}_2\text{H}_4$ and $\text{C}_2\text{D}_4$ . <i>Molecular Physics</i> , 2012, 110, 775-781.  | 0.8 | 31        |
| 178 | Transferable ab Initio Dipole Moment for Water: Three Applications to Bulk Water. <i>Journal of Physical Chemistry B</i> , 2016, 120, 1735-1742.  | 1.2 | 31        |
| 179 | Rotational distributions and collision lifetimes in $\text{H}+\text{CO}$ scattering. <i>Journal of Chemical Physics</i> , 1986, 85, 6225-6226.  | 1.2 | 30        |
| 180 | Full dimensional calculations of vibrational energies of $\text{H}_3\text{O}^+$ and $\text{D}_3\text{O}^+$ . <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2002, 58, 839-848.  | 2.0 | 30        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Dipole Surface and Infrared Intensities for the <i>cis</i> - and <i>trans</i> -HOCO and DOCO Radicals. <i>Journal of Physical Chemistry A</i> , 2013, 117, 6932-6939.  | 1.1 | 30        |
| 182 | Ab Initio Potential for $H_3O^+ \cdot H^+ + H_2O$ : A Step to a Many-Body Representation of the Hydrated Proton?. <i>Journal of Chemical Theory and Computation</i> , 2016, 12, 5284-5292.   | 2.3 | 30        |
| 183 | Revisiting Adiabatic Switching for Initial Conditions in Quasi-Classical Trajectory Calculations: Application to $CH_4$ . <i>Journal of Physical Chemistry A</i> , 2016, 120, 4988-4993.   | 1.1 | 30        |
| 184 | Investigations of transformed mass-scaled Jacobi coordinates for vibrations of polyatomic molecules with application to H <sub>2</sub> O. <i>Journal of Chemical Physics</i> , 1989, 90, 2708-2713.  | 1.2 | 29        |
| 185 | Reduced dimensionality quantum calculations of acetylene vinylidene isomerization. <i>Journal of Chemical Physics</i> , 2002, 116, 6667-6673.  | 1.2 | 29        |
| 186 | Inverse perturbation via singular value decomposition: Application to correction of potential surface for HCN. <i>Journal of Chemical Physics</i> , 1997, 107, 3602-3610.  | 1.2 | 28        |
| 187 | Full Dimensional Quantum Calculations of Vibrational Energies of N-Methyl Acetamide. <i>Journal of Physical Chemistry A</i> , 2007, 111, 5593-5598.  | 1.1 | 28        |
| 188 | Comparison of quantum, classical, and ring-polymer molecular dynamics infra-red spectra of $Cl_2^+(H_2O)$ and $H^+(H_2O)_2$ . <i>Chemical Physics Letters</i> , 2008, 450, 253-257.  | 1.2 | 28        |
| 189 | Classical Trajectory Study of Energy Transfer in Collisions of Highly Excited Allyl Radical with Argon. <i>Journal of Physical Chemistry A</i> , 2013, 117, 14028-14041.   | 1.1 | 28        |
| 190 | Chemical Activation through Super Energy Transfer Collisions. <i>Journal of the American Chemical Society</i> , 2014, 136, 1682-1685.  | 6.6 | 28        |
| 191 | Isolating the spectral signature of $H_3O^+$ in the smallest droplet of dissociated HCl acid. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 6222-6226.  | 1.3 | 28        |
| 192 | A Machine Learning Approach for Rate Constants. II. Clustering, Training, and Predictions for the $O(3P) + HCl \rightarrow OH + Cl$ Reaction. <i>Journal of Physical Chemistry A</i> , 2020, 124, 5746-5755.                                       | 1.1 | 28        |
| 193 | Collision-induced and complex-mediated roaming dynamics in the $H + C_2H_4 \rightarrow H_2 + C_2H_3$ reaction. <i>Chemical Science</i> , 2020, 11, 2148-2154.  | 3.7 | 28        |
| 194 | Quasitrapping and rainbow mechanisms in model rigid-rotor rigid-surface scattering. <i>Journal of Chemical Physics</i> , 1982, 76, 1168-1170.  | 1.2 | 27        |
| 195 | Reaction dynamics for $O(3P)+HD$ . V. Reduced dimensionality quantum and quasiclassical reaction probabilities and rate constants with an adiabatic incorporation of the bending motion. <i>Journal of Chemical Physics</i> , 1987, 86, 1967-1975. | 1.2 | 27        |
| 196 | Quantum scattering calculations of energy transfer and dissociation of HCO in collisions with Ar. <i>Journal of Chemical Physics</i> , 1995, 103, 9661-9668.   | 1.2 | 27        |
| 197 | Variation of the resonance width of $HOCl(6\frac{1}{2}OH)$ with total angular momentum: Comparison between <i>ab initio</i> theory and experiment. <i>Journal of Chemical Physics</i> , 1999, 110, 9789-9792.                                      | 1.2 | 27        |
| 198 | Nonseparable transition state theory for nonzero total angular momentum: Implications for J shifting and application to the OH+H <sub>2</sub> reaction. <i>Journal of Chemical Physics</i> , 1999, 110, 4428-4434.                                 | 1.2 | 27        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Effects of Zero-Point Delocalization on the Vibrational Frequencies of Mixed HCl and Water Clusters. <i>Journal of Physical Chemistry Letters</i> , 2014, 5, 2247-2253.  | 2.1 | 27        |
| 200 | Ab Initio Quantum Approaches to the IR Spectroscopy of Water and Hydrates. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 366-373.  | 2.1 | 27        |
| 201 | Tag-Free and Isotopomer-Selective Vibrational Spectroscopy of the Cryogenically Cooled $\text{H}_9\text{O}_4^+$ Cation with Two-Color, IR-IR Double-Resonance Photoexcitation: Isolating the Spectral Signature of a Single OH Group in the Hydronium Ion Core. <i>Journal of Physical Chemistry A</i> , 2018, 122, 9275-9284. | 1.1 | 27        |
| 202 | Direct diabaticization and analytic representation of coupled potential energy surfaces and couplings for the reactive quenching of the excited $2^1\Sigma^+$ state of OH by molecular hydrogen. <i>Journal of Chemical Physics</i> , 2019, 151, 104311.   | 1.2 | 27        |
| 203 | Permutationally invariant polynomial potential energy surfaces for tropolone and H and D atom tunneling dynamics. <i>Journal of Chemical Physics</i> , 2020, 153, 024107.  | 1.2 | 27        |
| 204 | Tests of collinear quasiclassical trajectory transmission coefficient correction to transition state theory. <i>Journal of Chemical Physics</i> , 1981, 75, 141-147.   | 1.2 | 26        |
| 205 | New vibrational self-consistent field program for large molecules. <i>Journal of Computational Chemistry</i> , 1996, 17, 1645-1652.  | 1.5 | 26        |
| 206 | Formaldehyde photodissociation: Dependence on total angular momentum and rotational alignment of the CO product. <i>Journal of Chemical Physics</i> , 2007, 126, 134305.   | 1.2 | 26        |
| 207 | Pruning the Hamiltonian Matrix in MULTIMODE: Test for $\text{C}_2\text{H}_4$ and Application to $\text{CH}_3\text{NO}_2$ Using a New Ab Initio Potential Energy Surface. <i>Journal of Physical Chemistry A</i> , 2015, 119, 11632-11640.  | 1.1 | 26        |
| 208 | Full-dimensional quantum dynamics of rovibrationally inelastic scattering between CN and H <sub>2</sub> . <i>Journal of Chemical Physics</i> , 2016, 145, 224307.  | 1.2 | 26        |
| 209 | Quantum Calculation of the Recombination Rate Constant of $\text{H} + \text{CO} \rightarrow \text{HCO}$ . <i>The Journal of Physical Chemistry</i> , 1996, 100, 15165-15170.   | 2.9 | 25        |
| 210 | Quantum Local Monomer IR Spectrum of Liquid $\text{D}_2\text{O}$ at 300 K from 0 to 4000 $\text{cm}^{-1}$ Is in Near-Quantitative Agreement with Experiment. <i>Journal of Physical Chemistry B</i> , 2016, 120, 2824-2828.  | 1.2 | 25        |
| 211 | Full-Dimensional Quantum Dynamics of SiO in Collision with $\text{H}_2$ . <i>Journal of Physical Chemistry A</i> , 2018, 122, 1511-1520.   | 1.1 | 25        |
| 212 | Observation of the Low-Frequency Spectrum of the Water Dimer as a Sensitive Test of the Water Dimer Potential and Dipole Moment Surfaces. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 13119-13126.  | 7.2 | 25        |
| 213 | A CCSD(T)-Based 4-Body Potential for Water. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 10318-10324.  | 2.1 | 25        |
| 214 | Sudden rotation total rotational inelastic cross sections for $4\text{He} + \text{I}_2^*$ . <i>Journal of Chemical Physics</i> , 1977, 66, 296-297.  | 1.2 | 24        |
| 215 | Quantum calculations of the effect of bend excitation in methane on the HCl rotational distribution in the reaction $\text{CH}_4 + \text{Cl} \rightarrow \text{CH}_3 + \text{HCl}$ . <i>Journal of Chemical Physics</i> , 2000, 113, 4495-4497.  | 1.2 | 24        |
| 216 | A novel Gaussian Binning (1GB) analysis of vibrational state distributions in highly excited $\text{H}_2\text{O}$ from reactive quenching of $\text{OH}^*$ by $\text{H}_2$ . <i>Journal of Chemical Physics</i> , 2013, 139, 044104.   | 1.2 | 24        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Zero-point Energy is Needed in Molecular Dynamics Calculations to Access the Saddle Point for $\text{H}+\text{HCN}^{\ddagger}\text{H}_2\text{CN}^*$ and <i>cis/trans</i> -HCNH* on a New Potential Energy Surface. Journal of Chemical Theory and Computation, 2013, 9, 901-908. | 2.3 | 24        |
| 218 | Two-component, <i>ab initio</i> potential energy surface for $\text{CO}_2\text{H}_2\text{O}$ , extension to the hydrate clathrate, $\text{CO}_2@(\text{H}_2\text{O})_{20}$ , and VSCF/VCI vibrational analyses of both. Journal of Chemical Physics, 2017, 147, 161714.          | 1.2 | 24        |
| 219 | Energy transfer between vibrationally excited carbon monoxide based on a highly accurate six-dimensional potential energy surface. Journal of Chemical Physics, 2020, 153, 054310.   | 1.2 | 24        |
| 220 | Rotational resonances in the $\text{H}_2\text{CO}$ roaming reaction are revealed by detailed correlations. Science, 2020, 369, 1592-1596.  | 6.0 | 24        |
| 221 | Full-dimensional potential energy surface for acetylacetone and tunneling splittings. Physical Chemistry Chemical Physics, 2021, 23, 7758-7767.  | 1.3 | 24        |
| 222 | Permutationally invariant polynomial regression for energies and gradients, using reverse differentiation, achieves orders of magnitude speed-up with high precision compared to other machine learning methods. Journal of Chemical Physics, 2022, 156, 044120.                 | 1.2 | 24        |
| 223 | Thermal and State-Selected Rate Coefficients for the $\text{O}(3\text{P}) + \text{HCl}$ Reaction and New Calculations of the Barrier Height and Width. Journal of Physical Chemistry A, 2001, 105, 2298-2307.  | 1.1 | 23        |
| 224 | Quantum vibrational analysis and infrared spectra of microhydrated sodium ions using an <i>ab initio</i> potential. Journal of Chemical Physics, 2011, 134, 114311.  | 1.2 | 23        |
| 225 | Quasiclassical Trajectory Studies of the Photodissociation Dynamics of $\text{NO}_3$ from the $\text{D}_0$ and $\text{D}_1$ Potential Energy Surfaces. Journal of Chemical Theory and Computation, 2013, 9, 893-900.   | 2.3 | 23        |
| 226 | High-dimensional fitting of sparse datasets of CCSD(T) electronic energies and MP2 dipole moments, illustrated for the formic acid dimer and its complex IR spectrum. Journal of Chemical Physics, 2018, 148, 241713.  | 1.2 | 23        |
| 227 | High-Level VSCF/VCI Calculations Decode the Vibrational Spectrum of the Aqueous Proton. Journal of Physical Chemistry B, 2019, 123, 7214-7224.   | 1.2 | 23        |
| 228 | Tracking Hydronium/Water Stretches in Magic $\text{H}_3\text{O}^+(\text{H}_2\text{O})_{20}$ Clusters through High-level Quantum VSCF/VCI Calculations. Journal of Physical Chemistry A, 2020, 124, 1167-1175.  | 1.1 | 23        |
| 229 | Full-dimensional, <i>ab initio</i> potential energy surface for glycine with characterization of stationary points and zero-point energy calculations by means of diffusion Monte Carlo and semiclassical dynamics. Journal of Chemical Physics, 2020, 153, 244301.              | 1.2 | 23        |
| 230 | Reduced dimensionality diatom-diatom reactive scattering: Application to a model $\text{H}_2+\text{A}_2\text{H}+\text{HA}_2$ reaction. Journal of Chemical Physics, 1990, 92, 1021-1029.   | 1.2 | 22        |
| 231 | "Morphing" of <i>ab initio</i> -based interaction potentials to spectroscopic accuracy: Application to $\text{Cl}(\text{H}_2\text{O})$ . Pure and Applied Chemistry, 2004, 76, 29-35.  | 0.9 | 22        |
| 232 | Reduced-Dimensional Quantum Approach to Tunneling Splittings Using Saddle-Point Normal Coordinates. Journal of Physical Chemistry A, 2009, 113, 7556-7562.   | 1.1 | 22        |
| 233 | Variational Calculations of Vibrational Energies and IR Spectra of <i>trans</i> - and <i>cis</i> -HOCO Using New <i>ab Initio</i> Potential Energy and Dipole Moment Surfaces. Journal of Physical Chemistry A, 2013, 117, 9343-9352.  | 1.1 | 22        |
| 234 | Photodissociation of $\text{CH}_3\text{CHO}$ at 248 nm: identification of the channels of roaming, triple fragmentation and the transition state. Physical Chemistry Chemical Physics, 2017, 19, 18628-18634.  | 1.3 | 22        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | IR Spectra of (HCOOH) <sub>2</sub> and (DCOOH) <sub>2</sub> : Experiment, VSCF/VCI, and Ab Initio Molecular Dynamics Calculations Using Full-Dimensional Potential and Dipole Moment Surfaces. Journal of Physical Chemistry Letters, 2018, 9, 2604-2610. | 2.1 | 22        |
| 236 | Application of adiabatic switching to vibrational energies of three-dimensional HCO, H <sub>2</sub> O, and H <sub>2</sub> CO. Journal of Chemical Physics, 1988, 89, 3124-3130.   | 1.2 | 21        |
| 237 | Time dependence of OH overtone relaxation in the hydroperoxyl radical. Journal of Chemical Physics, 1992, 96, 1919-1930.  | 1.2 | 21        |
| 238 | Potential energy surface and vibrational eigenstates of the H <sub>2</sub> â€“CN(Xâ€“ $\tilde{2}^+$ ) van der Waals complex. Journal of Chemical Physics, 1999, 110, 10380-10392.   | 1.2 | 21        |
| 239 | High torsional vibrational energies of H <sub>2</sub> O <sub>2</sub> and CH <sub>3</sub> OH studied by MULTIMODE with a large amplitude motion coupled to two effective contraction schemes. Molecular Physics, 2009, 107, 727-737.                       | 0.8 | 21        |
| 240 | Multimode calculations of rovibrational energies and dipole transition intensities for polyatomic molecules with torsional motion: Application to H <sub>2</sub> O <sub>2</sub> . Journal of Chemical Physics, 2011, 135, 014308.                         | 1.2 | 21        |
| 241 | Reduced Dimensionality Theories of Quantum Reactive Scattering: Applications to Mu+H <sub>2</sub> , H+H <sub>2</sub> , O(3P)+H <sub>2</sub> , D <sub>2</sub> and HD. , 1986, , 47-76.   |     | 20        |
| 242 | Application of complex L <sub>2</sub> functions to the calculation of photodissociation processes. Journal of Chemical Physics, 1994, 100, 7229-7238.   | 1.2 | 20        |
| 243 | On using potential, gradient, and Hessian data in least squares fits of potentials: Application and tests for H <sub>2</sub> O. Journal of Chemical Physics, 2002, 117, 10487-10492.  | 1.2 | 20        |
| 244 | Local-Monomer Calculations of the Intramolecular IR Spectra of the Cage and Prism Isomers of HOD(D <sub>2</sub> O) <sub>5</sub> and HOD and D <sub>2</sub> O Ice Ih. Journal of Physical Chemistry B, 2014, 118, 14124-14131.                             | 1.2 | 20        |
| 245 | Quasiclassical Trajectory Calculations of the N( <sup>2</sup> D) + H <sub>2</sub> O Reaction Elucidating the Formation Mechanism of HNO and HON Seen in Molecular Beam Experiments. Journal of Physical Chemistry Letters, 2014, 5, 3508-3513.            | 2.1 | 20        |
| 246 | Ab initio potential energy and dipole moment surfaces of the Fâ€“(H <sub>2</sub> O) complex. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2014, 119, 59-62.   | 2.0 | 20        |
| 247 | How the Zundel (H <sub>5</sub> O <sub>2</sub> <sup>+</sup> ) Potential Can Be Used to Predict the Proton Stretch and Bend Frequencies of Larger Protonated Water Clusters. Journal of Physical Chemistry Letters, 2016, 7, 5259-5265.                     | 2.1 | 20        |
| 248 | Formaldehyde roaming dynamics: Comparison of quasi-classical trajectory calculations and experiments. Journal of Chemical Physics, 2017, 147, 013936.   | 1.2 | 20        |
| 249 | Decoding the 2D IR spectrum of the aqueous proton with high-level VSCF/VCI calculations. Journal of Chemical Physics, 2020, 153, 124506.  | 1.2 | 20        |
| 250 | Reaction dynamics for O(3P)+H <sub>2</sub> , D <sub>2</sub> , and HD. VI. Comparison of TST and reduced dimensionality quantum and quasiclassical isotope effects with experiment. Journal of Chemical Physics, 1987, 86, 1976-1981.                      | 1.2 | 19        |
| 251 | Quantum scattering calculations for vibrational and rotational excitation of CO by hot hydrogen atoms. Journal of Chemical Physics, 1995, 102, 8800-8806.   | 1.2 | 19        |
| 252 | Collisional quenching of ODâ€“ $\tilde{2}^+$ by H <sub>2</sub> : Experimental and theoretical studies of the state-resolved ODâ€“ $\tilde{2}^+$ product distribution and branching fraction. Journal of Chemical Physics, 2010, 133, 164307.              | 1.2 | 19        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | The Dynamics of Allyl Radical Dissociation. <i>Journal of Physical Chemistry A</i> , 2011, 115, 6797-6804.   | 1.1 | 19        |
| 254 | Experiment and Theory Elucidate the Multichannel Predissociation Dynamics of the HCl Trimer: Breaking Up Is Hard To Do. <i>Journal of Physical Chemistry A</i> , 2014, 118, 8402-8410.                                   | 1.1 | 19        |
| 255 | Calculations of Mode-Specific Tunneling of Double-Hydrogen Transfer in Porphycene Agree with and Illuminate Experiment. <i>Journal of Physical Chemistry Letters</i> , 2014, 5, 2723-2727.                               | 2.1 | 19        |
| 256 | Quasiclassical trajectory studies of rigid rotor-rigid surface scattering. II. Corrugated surface. <i>Journal of Chemical Physics</i> , 1984, 80, 2183-2190.   | 1.2 | 18        |
| 257 | A truncation/recoupling method for eigenvalues and eigenvectors ideal for parallel computation. <i>Theoretica Chimica Acta</i> , 1991, 79, 215-224.  | 0.9 | 18        |
| 258 | Isolated resonance decomposition of a multichannel S matrix: A test from the scattering of H+CO=HCO. <i>Journal of Chemical Physics</i> , 1992, 96, 2812-2818.   | 1.2 | 18        |
| 259 | Complex L2 calculation of the variation of resonance widths of HOCl with total angular momentum. <i>Journal of Chemical Physics</i> , 1999, 111, 4933-4941.  | 1.2 | 18        |
| 260 | All-Atom Calculation of the Normal Modes of Bacteriorhodopsin Using a Sliding Block Iterative Diagonalization Method. <i>Journal of Chemical Theory and Computation</i> , 2006, 2, 166-174.                              | 2.3 | 18        |
| 261 | Communications: Classical trajectory study of the postquenching dynamics of OH A <sup>2</sup> <sub>1</sub> by H <sub>2</sub> initiated at conical intersections. <i>Journal of Chemical Physics</i> , 2010, 132, 091102. | 1.2 | 18        |
| 262 | Ab Initio Deconstruction of the Vibrational Relaxation Pathways of Dilute HOD in Ice Ih. <i>Journal of the American Chemical Society</i> , 2014, 136, 5888-5891.   | 6.6 | 18        |
| 263 | Visible/Infrared Dissociation of NO <sub>3</sub> : Roaming in the Dark or Roaming on the Ground?. <i>Journal of Physical Chemistry A</i> , 2015, 119, 7163-7168.   | 1.1 | 18        |
| 264 | Quasiclassical trajectory calculations of He-LiF (001) diffraction scattering. <i>Journal of Chemical Physics</i> , 1975, 63, 5231-5234.   | 1.2 | 17        |
| 265 | Inclusion and assessment of Renner-Teller coupling in transition state theory for $\hat{I}$ states: Application to O(3P)+H <sub>2</sub> . <i>Journal of Chemical Physics</i> , 1985, 82, 1866-1872.                      | 1.2 | 17        |
| 266 | Quantum scattering calculations of energy transfer and isomerization of HCN/HNC in collisions with Ar. <i>Journal of Chemical Physics</i> , 2000, 112, 4496-4505.  | 1.2 | 17        |
| 267 | Roaming Dynamics in Formaldehyde-d <sub>2</sub> Dissociation. <i>Journal of Physical Chemistry A</i> , 2009, 113, 15315-15319.   | 1.1 | 17        |
| 268 | Quasiclassical trajectory study of fast H-atom collisions with acetylene. <i>Journal of Chemical Physics</i> , 2012, 136, 214313.  | 1.2 | 17        |
| 269 | Trajectory and Model Studies of Collisions of Highly Excited Methane with Water Using an ab Initio Potential. <i>Journal of Physical Chemistry A</i> , 2015, 119, 12304-12317.   | 1.1 | 17        |
| 270 | Vibrational second-order perturbation theory (VPT2) using local monomer normal modes. <i>Molecular Physics</i> , 2015, 113, 3964-3971.   | 0.8 | 17        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Quantum and classical IR spectra of (HCOOH) <sub>2</sub> , (DCOOH) <sub>2</sub> and (DCOOD) <sub>2</sub> using <i>ab initio</i> potential energy and dipole moment surfaces. Faraday Discussions, 2018, 212, 33-49.   | 1.6 | 17        |
| 272 | Coupling of Low- and High-Frequency Vibrational Modes: Broadening in the Infrared Spectrum of F <sup>+</sup> (H <sub>2</sub> O) <sub>2</sub> . Journal of Physical Chemistry Letters, 2013, 4, 2964-2969.   | 2.1 | 16        |
| 273 | Five <i>ab initio</i> potential energy and dipole moment surfaces for hydrated NaCl and NaF. I. Two-body interactions. Journal of Chemical Physics, 2016, 144, 114311.  | 1.2 | 16        |
| 274 | Ab Initio, Embedded Local-Monomer Calculations of Methane Vibrational Energies in Clathrate Hydrates. Journal of Physical Chemistry C, 2016, 120, 3167-3175.  | 1.5 | 16        |
| 275 | Disentangling the Complex Vibrational Mechanics of the Protonated Water Trimer by Rational Control of Its Hydrogen Bonds. Journal of Physical Chemistry A, 2019, 123, 7965-7972.  | 1.1 | 16        |
| 276 | Observation of the Low-Frequency Spectrum of the Water Trimer as a Sensitive Test of the Water Trimer Potential and the Dipole Moment Surface. Angewandte Chemie - International Edition, 2020, 59, 11399-11407.  | 7.2 | 16        |
| 277 | Collision induced isomerization of a semirigid bender hydrogen cyanide. Journal of Chemical Physics, 1994, 101, 8564-8571.  | 1.2 | 15        |
| 278 | Resonances in the cumulative reaction probability for a model electronically nonadiabatic reaction. Journal of Chemical Physics, 1996, 104, 7545-7553.  | 1.2 | 15        |
| 279 | Beyond Born-Oppenheimer. Science, 2008, 319, 40-41.   | 6.0 | 15        |
| 280 | Two Pathways for Dissociation of Highly Energized <i>syn</i> -CH <sub>3</sub> CHOO to OH Plus Vinyloxy. Journal of Physical Chemistry Letters, 2016, 7, 3359-3364.  | 2.1 | 15        |
| 281 | A reduced dimensionality quasiclassical and quantum study of the proton transfer reaction H <sub>3</sub> O <sup>+</sup> +H <sub>2</sub> O <sup>+</sup> →H <sub>2</sub> O+H <sub>3</sub> O <sup>+</sup> . Journal of Chemical Physics, 2004, 120, 7018-7023. | 1.2 | 14        |
| 282 | Enhancement of tunneling due to resonances in pre-barrier wells in chemical reactions. Chemical Physics, 2005, 308, 255-257.  | 0.9 | 14        |
| 283 | Do H <sub>5</sub> <sup>+</sup> and Its Isotopologues Have Rotational Spectra?. Journal of Physical Chemistry Letters, 2011, 2, 1405-1407.   | 2.1 | 14        |
| 284 | MULTIMODE calculations of the infrared spectra of H <sub>7</sub> <sup>+</sup> and D <sub>7</sub> <sup>+</sup> using <i>ab initio</i> potential energy and dipole moment surfaces. Theoretical Chemistry Accounts, 2013, 132, 1.                             | 0.5 | 14        |
| 285 | Complex coordinate, self-consistent field calculations of vibrational resonance energies. Journal of Chemical Physics, 1982, 76, 5370-5374.   | 1.2 | 13        |
| 286 | Quantum calculations of inelastic and dissociative scattering of HCO by Ar. Journal of Chemical Physics, 1998, 109, 1734-1742.  | 1.2 | 13        |
| 287 | Wave vector modification of the infinite order sudden approximation. Journal of Chemical Physics, 1980, 73, 3699-3708.  | 1.2 | 12        |
| 288 | Model studies of atom and molecule diffusion on surfaces. Journal of Chemical Physics, 1984, 80, 2191-2196.   | 1.2 | 12        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Self-consistent field investigation of vibrations of atomic adsorbates. Journal of Chemical Physics, 1987, 87, 2363-2369.   | 1.2 | 12        |
| 290 | CONSTRUCTION OF A GLOBAL POTENTIAL ENERGY SURFACE FROM NOVEL AB INITIO MOLECULAR DYNAMICS FOR THE O(3P) + C3H3 REACTION. Journal of Theoretical and Computational Chemistry, 2005, 04, 163-173.   | 1.8 | 12        |
| 291 | The MD17 datasets from the perspective of datasets for gas-phase "small"-molecule potentials. Journal of Chemical Physics, 2022, 156, .   | 1.2 | 12        |
| 292 | An improved quasiclassical histogram method. Journal of Chemical Physics, 1977, 66, 1756-1757.  | 1.2 | 11        |
| 293 | Reply to Comment by Thomas on "On rainbow scattering in inelastic molecular collisions". Journal of Chemical Physics, 1981, 74, 2664-2665.  | 1.2 | 11        |
| 294 | Approximations based on the adiabatic treatment of rotation for resonances. Journal of Chemical Physics, 1997, 107, 9960-9965.  | 1.2 | 11        |
| 295 | Two novel applications of Shepard-type interpolation for polyatomic systems: Reduced dimensionality HOCO and full dimensionality Ar-HCO. International Journal of Quantum Chemistry, 1997, 65, 965-973.   | 1.0 | 11        |
| 296 | Theoretical study of the photodetachment spectroscopy of the IHBr and IDBr anions. Journal of Chemical Physics, 2000, 113, 9479-9487.   | 1.2 | 11        |
| 297 | Anharmonic rovibrational calculations of singlet cyclic C4 using a new <i>ab initio</i> potential and a quartic force field. Journal of Chemical Physics, 2013, 139, 224302.  | 1.2 | 11        |
| 298 | Communication: MULTIMODE calculations of low-lying vibrational states of NO3 using an adiabatic potential energy surface. Journal of Chemical Physics, 2014, 141, 161104.   | 1.2 | 11        |
| 299 | A combined crossed molecular beam and quasiclassical trajectory study of the Titan-relevant N(2D) + D2O reaction. Molecular Physics, 2015, 113, 2296-2301.  | 0.8 | 11        |
| 300 | A Model For Energy Transfer in Collisions of Atoms with Highly Excited Molecules. Journal of Physical Chemistry A, 2015, 119, 4695-4710.  | 1.1 | 11        |
| 301 | Velocity map imaging of OH radical products from IR activated (CH3)2COO Criegee intermediates. Journal of Chemical Physics, 2016, 145, 104307.  | 1.2 | 11        |
| 302 | Assessing the Importance of the H <sub>2</sub> O-H <sub>2</sub> O Three-Body Interaction on the Vibrational Frequency Shift of H <sub>2</sub> in the sII Clathrate Hydrate and Comparison with Experiment. Journal of Physical Chemistry A, 2019, 123, 329-335. | 1.1 | 11        |
| 303 | Classical trajectory-quantum forced oscillator study of gas-surface phonon scattering: He/Si(100)-(2x1). Journal of Chemical Physics, 1984, 81, 6277-6280.  | 1.2 | 10        |
| 304 | Full-dimensional, <i>ab initio</i> potential energy surface for CH <sub>3</sub> OH+CH <sub>3</sub> OH. Molecular Physics, 2013, 111, 1964-1971.   | 0.8 | 10        |
| 305 | Two-layer Gaussian-based MCTDH study of the S1 $\rightarrow$ S0 vibronic absorption spectrum of formaldehyde using multiplicative neural network potentials. Journal of Chemical Physics, 2019, 151, 064121.  | 1.2 | 10        |
| 306 | Wavepacket propagation for reactive scattering using real L2 eigenfunctions with damping. Physical Chemistry Chemical Physics, 2000, 2, 495-500.  | 1.3 | 9         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Accurate Potential Energy Surfaces and Beyond: Chemical Reactivity, Binding, Long-Range Interactions, and Spectroscopy. <i>Advances in Physical Chemistry</i> , 2012, 2012, 1-4.   | 2.0 | 9         |
| 308 | Ultraviolet Photodissociation Dynamics of the 1-Propenyl Radical. <i>Journal of Physical Chemistry A</i> , 2016, 120, 5248-5256.   | 1.1 | 9         |
| 309 | Inelastic vibrational dynamics of CS in collision with H <sub>2</sub> using a full-dimensional potential energy surface. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 28425-28434.                             | 1.3 | 9         |
| 310 | Quasiclassical simulations based on cluster models reveal vibration-facilitated roaming in the isomerization of CO adsorbed on NaCl. <i>Nature Chemistry</i> , 2021, 13, 249-254.  | 6.6 | 9         |
| 311 | MULTIMODE Calculations of Vibrational Spectroscopy and 1d Interconformer Tunneling Dynamics in Glycine Using a Full-Dimensional Potential Energy Surface. <i>Journal of Physical Chemistry A</i> , 2021, 125, 5346-5354. | 1.1 | 9         |
| 312 | Evidence for a rotational rainbow in inelastic hot atom experiments?. <i>Journal of Chemical Physics</i> , 1987, 86, 3046-3046.  | 1.2 | 8         |
| 313 | Adiabatic Rotation, Centrifugal Sudden, and Exact Calculations of Rotationally Mediated Fermi Resonances in HOCl. <i>Journal of Physical Chemistry A</i> , 2001, 105, 2423-2426.   | 1.1 | 8         |
| 314 | Calculating Feshbach resonances in HCO using an extension of Q <sub>im</sub> path theory. <i>International Journal of Quantum Chemistry</i> , 2017, 117, 139-145.  | 1.0 | 8         |
| 315 | A new functional form for global potentials of floppy molecules. <i>Journal of Molecular Structure</i> , 1990, 224, 133-139.   | 1.8 | 7         |
| 316 | Bend Excitation Is Predicted to Greatly Accelerate Isomerization of <i>trans</i> -Hydroxymethylene to Formaldehyde in the Deep Tunneling Region. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 124-128.        | 2.1 | 7         |
| 317 | Spectral analyses of <i>trans</i> - and <i>cis</i> -DOC <sub>2</sub> transients via comb spectroscopy. <i>Molecular Physics</i> , 2018, 116, 3710-3717.  | 0.8 | 7         |
| 318 | H atom Product Channels in the Ultraviolet Photodissociation of the 2-Propenyl Radical. <i>Journal of Physical Chemistry A</i> , 2019, 123, 9957-9965.   | 1.1 | 7         |
| 319 | Theoretical studies of rotation induced Fermi resonances in HOCl. <i>Journal of Chemical Physics</i> , 1999, 111, 7290-7297.   | 1.2 | 6         |
| 320 | State-to-State Reactive Scattering via Reall2Wave Packet Propagation for Reduced Dimensionality AB + CD Reactions. <i>Journal of Physical Chemistry A</i> , 2001, 105, 2502-2508.  | 1.1 | 6         |
| 321 | The 'MULTIMODE' approach to ro-vibrational spectroscopy. <i>AIP Conference Proceedings</i> , 2012, , .   | 0.3 | 6         |
| 322 | The Rovibrational Spectra of <i>trans</i> - and <i>cis</i> -HOCO, Calculated by MULTIMODE with ab Initio Potential Energy and Dipole Moment Surfaces. <i>Journal of Physical Chemistry A</i> , 2017, 121, 1616-1626.     | 1.1 | 6         |
| 323 | On the use of an adiabaticity criterion to reduce computation time in quasiclassical trajectory calculations. <i>Journal of Chemical Physics</i> , 1976, 64, 4229-4230.  | 1.2 | 5         |
| 324 | Observation of the Low-Frequency Spectrum of the Water Dimer as a Sensitive Test of the Water Dimer Potential and Dipole Moment Surfaces. <i>Angewandte Chemie</i> , 2019, 131, 13253-13260.                             | 1.6 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Diffusion Monte Carlo with fictitious masses finds holes in potential energy surfaces. <i>Molecular Physics</i> , 0, , .   | 0.8 | 5         |
| 326 | Electronic relaxation and dissociation dynamics in formaldehyde: pump wavelength dependence. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 1779-1786.   | 1.3 | 5         |
| 327 | Rotational distributions from resonances in H + H <sub>2</sub> . <i>International Journal of Quantum Chemistry</i> , 1986, 30, 681-687.  | 1.0 | 4         |
| 328 | A reduced dimensionality quantum calculation of the reaction of H <sub>2</sub> with diamond (111) surface. <i>Journal of Chemical Physics</i> , 2000, 113, 779-788.  | 1.2 | 4         |
| 329 | Experimental and Theoretical Studies of Roaming Dynamics in the Unimolecular Dissociation of CH <sub>3</sub> NO <sub>2</sub> to CH <sub>3</sub> O+NO. <i>Zeitschrift Fur Physikalische Chemie</i> , 2013, , 130708000310008. | 1.4 | 4         |
| 330 | Does Infrared Multiphoton Dissociation of Vinyl Chloride Yield Cold Vinylidene?. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 2457-2462.  | 2.1 | 4         |
| 331 | Classical energy transfer in forced oscillator models of inelastic scattering. <i>Journal of Chemical Physics</i> , 1987, 87, 6618-6622.   | 1.2 | 3         |
| 332 | Predissociation dynamics of the HClâ€“(H <sub>2</sub> O) <sub>3</sub> tetramer: An experimental and theoretical investigation. <i>Journal of Chemical Physics</i> , 2018, 148, 204303.                                       | 1.2 | 3         |
| 333 | Teaching vibrational spectra to assign themselves. <i>Faraday Discussions</i> , 2018, 212, 65-82.  | 1.6 | 3         |
| 334 | Diffusion Monte Carlo Calculations of Zeroâ€“Point Energies of Methanol and Deuterated Methanol. <i>Journal of Computational Chemistry</i> , 2019, 40, 328-332.  | 1.5 | 3         |
| 335 | New numerical approaches to the solution of the N-well SchrÃ¶dinger equation. <i>International Journal of Quantum Chemistry</i> , 1989, 35, 297-303.   | 1.0 | 2         |
| 336 | Laplace transformation of the SchrÃ¶dinger equation: Application to scattering. <i>Journal of Chemical Physics</i> , 1978, 68, 2825.   | 1.2 | 1         |
| 337 | Approximate Quantum Approaches to the Calculation of Resonances in Reactive and Nonreactive Scattering. <i>ACS Symposium Series</i> , 1984, , 43-62.   | 0.5 | 1         |
| 338 | Model calculations of electronic excitation of Li adsorbed on LiF(001). <i>Journal of Chemical Physics</i> , 1991, 94, 801-805.  | 1.2 | 1         |
| 339 | Ab initio Calculations of the Interaction Potentials of Ar-HCN and Ar-HCO. <i>ACS Symposium Series</i> , 1997, , 150-172.  | 0.5 | 1         |
| 340 | Gas Phase Vibrational Spectroscopy of Strong Hydrogen Bonds. , 0, , 53-78.   |     | 1         |
| 341 | Sudden approximation theory of vibrational excitation. <i>International Journal of Quantum Chemistry</i> , 2009, 16, 487-500.  | 1.0 | 1         |
| 342 | Diatom-diatom reactive scattering in hypercylindrical coordinates. <i>International Journal of Quantum Chemistry</i> , 1989, 36, 115-126.  | 1.0 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | MULTIMODE, The <i>n</i> -Mode Representation of the Potential and Illustrations to IR Spectra of Glycine and Two Protonated Water Clusters. , 2022, , 296-339.   |     | 1         |
| 344 | HN2 and DN2 Resonance Spectra. ACS Symposium Series, 1992, , 37-47.  | 0.5 | 0         |
| 345 | The Challenge of High-Resolution Dynamics: Rotationally Mediated Unimolecular Dissociation of HOCl. ACS Symposium Series, 2002, , 346-360.   | 0.5 | 0         |
| 346 | Keiji Morokuma. Journal of Physical Chemistry A, 2018, 122, 880-881.   | 1.1 | 0         |
| 347 | Frontispiz: Observation of the Low-Frequency Spectrum of the Water Trimer as a Sensitive Test of the Water-Trimer Potential and the Dipole-Moment Surface. Angewandte Chemie, 2020, 132, .   | 1.6 | 0         |
| 348 | Observation of the Low-Frequency Spectrum of the Water Trimer as a Sensitive Test of the Water-Trimer Potential and the Dipole-Moment Surface. Angewandte Chemie, 2020, 132, 11496-11504.  | 1.6 | 0         |
| 349 | Frontispiece: Observation of the Low-Frequency Spectrum of the Water Trimer as a Sensitive Test of the Water-Trimer Potential and the Dipole-Moment Surface. Angewandte Chemie - International Edition, 2020, 59, .  | 7.2 | 0         |
| 350 | On the measurement of statistical dynamics using the method of Coulomb explosion imaging. AIP Conference Proceedings, 2021, , .  | 0.3 | 0         |
| 351 | Reaction Pathways: <i>Intramolecular Motion and Chemical Reaction</i> . I. M. Mills, M. S. Child, and R. A. Marcus, Eds. Royal Society, London, 1990. viii, 198 pp., illus. £40. From a meeting, London, Feb. 1990. Reprinted from the <i>Philosophical Transactions of the Royal Society of London</i> , series A, vol. 332, no. 1625 (1990).. <i>Science</i> , 1991, 252, 589-589. | 6.0 | 0         |
| 352 | Capturing Roaming Fragments in Real Time: A Molecular Road Movie. , 2020, , .  |     | 0         |