

Kinya Otsu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2249268/publications.pdf>

Version: 2024-02-01

134
papers

21,533
citations

24978

57
h-index

13727

129
g-index

138
all docs

138
docs citations

138
times ranked

31302
citing authors

#	ARTICLE	IF	CITATIONS
1	Differential roles of MDA5 and RIG-I helicases in the recognition of RNA viruses. <i>Nature</i> , 2006, 441, 101-105.	13.7	3,292
2	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	4.3	3,122
3	Cyclophilin D-dependent mitochondrial permeability transition regulates some necrotic but not apoptotic cell death. <i>Nature</i> , 2005, 434, 652-658.	13.7	1,464
4	The role of autophagy in cardiomyocytes in the basal state and in response to hemodynamic stress. <i>Nature Medicine</i> , 2007, 13, 619-624.	15.2	1,378
5	Mitochondrial DNA that escapes from autophagy causes inflammation and heart failure. <i>Nature</i> , 2012, 485, 251-255.	13.7	985
6	Discovery of Atg5/Atg7-independent alternative macroautophagy. <i>Nature</i> , 2009, 461, 654-658.	13.7	949
7	Direct Association of the Gap Junction Protein Connexin-43 with ZO-1 in Cardiac Myocytes. <i>Journal of Biological Chemistry</i> , 1998, 273, 12725-12731.	1.6	464
8	Inhibition of autophagy in the heart induces age-related cardiomyopathy. <i>Autophagy</i> , 2010, 6, 600-606.	4.3	391
9	Bcl-2-like protein 13 is a mammalian Atg32 homologue that mediates mitophagy and mitochondrial fragmentation. <i>Nature Communications</i> , 2015, 6, 7527.	5.8	381
10	Involvement of Nuclear Factor- κ B and Apoptosis Signal-Regulating Kinase 1 in G-Protein-Coupled Receptor Agonist-Induced Cardiomyocyte Hypertrophy. <i>Circulation</i> , 2002, 105, 509-515.	1.6	353
11	A substitution of cysteine for arginine 614 in the ryanodine receptor is potentially causative of human malignant hyperthermia. <i>Genomics</i> , 1991, 11, 751-755.	1.3	347
12	Cardiac fibroblasts are essential for the adaptive response of the murine heart to pressure overload. <i>Journal of Clinical Investigation</i> , 2010, 120, 254-265.	3.9	336
13	Mitochondrial Function, Biology, and Role in Disease. <i>Circulation Research</i> , 2016, 118, 1960-1991.	2.0	330
14	Exercise Provides Direct Biphasic Cardioprotection via Manganese Superoxide Dismutase Activation. <i>Journal of Experimental Medicine</i> , 1999, 189, 1699-1706.	4.2	320
15	Signaling Pathways and Genes that Inhibit Pathogen-Induced Macrophage Apoptosis CREB and NF- κ B as Key Regulators. <i>Immunity</i> , 2005, 23, 319-329.	6.6	289
16	Crosstalk Between Autophagy and Apoptosis in Heart Disease. <i>Circulation Research</i> , 2008, 103, 343-351.	2.0	279
17	The kinase p38 β serves cell type-specific inflammatory functions in skin injury and coordinates pro- and anti-inflammatory gene expression. <i>Nature Immunology</i> , 2008, 9, 1019-1027.	7.0	250
18	Fibroblast-Specific Genetic Manipulation of p38 Mitogen-Activated Protein Kinase In Vivo Reveals Its Central Regulatory Role in Fibrosis. <i>Circulation</i> , 2017, 136, 549-561.	1.6	225

#	ARTICLE	IF	CITATIONS
19	Targeted deletion of apoptosis signal-regulating kinase 1 attenuates left ventricular remodeling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 15883-15888.	3.3	222
20	p38 $\hat{\pm}$ Mitogen-Activated Protein Kinase Plays a Critical Role in Cardiomyocyte Survival but Not in Cardiac Hypertrophic Growth in Response to Pressure Overload. <i>Molecular and Cellular Biology</i> , 2004, 24, 10611-10620.	1.1	212
21	Inflammation and metabolic cardiomyopathy. <i>Cardiovascular Research</i> , 2017, 113, 389-398.	1.8	201
22	Oxidative Stress Causes Heart Failure with Impaired Mitochondrial Respiration. <i>Journal of Biological Chemistry</i> , 2006, 281, 33789-33801.	1.6	197
23	Perilipin 5, a Lipid Droplet-binding Protein, Protects Heart from Oxidative Burden by Sequestering Fatty Acid from Excessive Oxidation. <i>Journal of Biological Chemistry</i> , 2012, 287, 23852-23863.	1.6	190
24	MicroRNA-451 Exacerbates Lipotoxicity in Cardiac Myocytes and High-Fat Diet-Induced Cardiac Hypertrophy in Mice Through Suppression of the LKB1/AMPK Pathway. <i>Circulation Research</i> , 2015, 116, 279-288.	2.0	185
25	Involvement of Reactive Oxygen Species-mediated NF- $\hat{\kappa}$ B Activation in TNF- $\hat{\alpha}$ -induced Cardiomyocyte Hypertrophy. <i>Journal of Molecular and Cellular Cardiology</i> , 2002, 34, 233-240.	0.9	178
26	Polymorphisms and deduced amino acid substitutions in the coding sequence of the ryanodine receptor (RYR1) gene in individuals with malignant hyperthermia. <i>Genomics</i> , 1992, 13, 1247-1254.	1.3	163
27	Cardiac-specific disruption of the c-raf-1 gene induces cardiac dysfunction and apoptosis. <i>Journal of Clinical Investigation</i> , 2004, 114, 937-943.	3.9	159
28	Cosegregation of porcine malignant hyperthermia and a probable causal mutation in the skeletal muscle ryanodine receptor gene in backcross families. <i>Genomics</i> , 1991, 11, 744-750.	1.3	147
29	The antioxidant N-2-mercaptopropionyl glycine attenuates left ventricular hypertrophy in in vivo murine pressure-overload model. <i>Journal of the American College of Cardiology</i> , 2002, 39, 907-912.	1.2	135
30	Pathological neoangiogenesis depends on oxidative stress regulation by ATM. <i>Nature Medicine</i> , 2012, 18, 1208-1216.	15.2	133
31	Intercellular Calcium Signaling via Gap Junction in Connexin-43-transfected Cells. <i>Journal of Biological Chemistry</i> , 1998, 273, 1519-1528.	1.6	108
32	Cardiac-specific disruption of the c-raf-1 gene induces cardiac dysfunction and apoptosis. <i>Journal of Clinical Investigation</i> , 2004, 114, 937-943.	3.9	107
33	Mitochondrial DNA as an inflammatory mediator in cardiovascular diseases. <i>Biochemical Journal</i> , 2018, 475, 839-852.	1.7	101
34	Cardiac-specific overexpression of sarcolipin inhibits sarco(endoplasmic reticulum Ca ²⁺ ATPase (SERCA2a) activity and impairs cardiac function in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 9199-9204.	3.3	99
35	Signaling via the kinase p38 $\hat{\alpha}$ programs dendritic cells to drive TH17 differentiation and autoimmune inflammation. <i>Nature Immunology</i> , 2012, 13, 152-161.	7.0	93
36	Macrophage hypoxia signaling regulates cardiac fibrosis via Oncostatin M. <i>Nature Communications</i> , 2019, 10, 2824.	5.8	93

#	ARTICLE	IF	CITATIONS
37	Chromosome Mapping of Five Human Cardiac and Skeletal Muscle Sarcoplasmic Reticulum Protein Genes. <i>Genomics</i> , 1993, 17, 507-509.	1.3	92
38	p38 β Activates Purine Metabolism to Initiate Hematopoietic Stem/Progenitor Cell Cycling in Response to Stress. <i>Cell Stem Cell</i> , 2016, 19, 192-204.	5.2	92
39	Refinement of diagnostic assays for a probable causal mutation for porcine and human malignant hyperthermia. <i>Genomics</i> , 1992, 13, 835-837.	1.3	88
40	Relationship between effects of statins, aspirin and angiotensin II modulators on high-sensitive C-reactive protein levels. <i>Atherosclerosis</i> , 2003, 169, 155-158.	0.4	84
41	Functional Role of c-Src in Gap Junctions of the Cardiomyopathic Heart. <i>Circulation Research</i> , 1999, 85, 672-681.	2.0	81
42	Autophagy during cardiac remodeling. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 95, 11-18.	0.9	81
43	Thyroid Hormone Enhances Ca ²⁺ Pumping Activity of the Cardiac Sarcoplasmic Reticulum by Increasing Ca ²⁺ ATPase and Decreasing Phospholamban Expression. <i>Journal of Molecular and Cellular Cardiology</i> , 1994, 26, 1145-1154.	0.9	80
44	Calcineurin Inhibitor Attenuates Left Ventricular Hypertrophy, Leading to Prevention of Heart Failure in Hypertensive Rats. <i>Circulation</i> , 2000, 102, 2269-2275.	1.6	78
45	A Mammalian Mitophagy Receptor, Bcl2-L13, Recruits the ULK1 Complex to Induce Mitophagy. <i>Cell Reports</i> , 2019, 26, 338-345.e6.	2.9	78
46	Inhibition of phospholamban phosphorylation by O-GlcNAcylation: implications for diabetic cardiomyopathy. <i>Glycobiology</i> , 2010, 20, 1217-1226.	1.3	73
47	The importance of manganese superoxide dismutase in delayed preconditioning Involvement of reactive oxygen species and cytokines. <i>Cardiovascular Research</i> , 2002, 55, 495-505.	1.8	71
48	BCL2L13 is a mammalian homolog of the yeast mitophagy receptor Atg32. <i>Autophagy</i> , 2015, 11, 1932-1933.	4.3	71
49	HSP70 Binds to the Fast-twitch Skeletal Muscle Sarco(endoplasmic Reticulum Ca ²⁺ -ATPase (SERCA1a) and Prevents Thermal Inactivation. <i>Journal of Biological Chemistry</i> , 2004, 279, 52382-52389.	1.6	69
50	Disruption of a single copy of the p38 β MAP kinase gene leads to cardioprotection against ischemia-reperfusion. <i>Biochemical and Biophysical Research Communications</i> , 2003, 302, 56-60.	1.0	67
51	CaMKII activates ASK1 and NF- κ B to induce cardiomyocyte hypertrophy. <i>Biochemical and Biophysical Research Communications</i> , 2005, 327, 136-142.	1.0	67
52	Macromolecular Degradation Systems and Cardiovascular Aging. <i>Circulation Research</i> , 2016, 118, 1577-1592.	2.0	67
53	The Antioxidant Edaravone Attenuates Pressure Overload-Induced Left Ventricular Hypertrophy. <i>Hypertension</i> , 2005, 45, 921-926.	1.3	66
54	The Small GTP-binding Protein Rac1 Induces Cardiac Myocyte Hypertrophy through the Activation of Apoptosis Signal-regulating Kinase 1 and Nuclear Factor- κ B. <i>Journal of Biological Chemistry</i> , 2003, 278, 20770-20777.	1.6	64

#	ARTICLE	IF	CITATIONS
55	The involvement of cytokines in the second window of ischaemic preconditioning. <i>British Journal of Pharmacology</i> , 2000, 131, 415-422.	2.7	63
56	Repeated physiologic stresses provide persistent cardioprotection against ischemia-reperfusion injury in rats. <i>Journal of the American College of Cardiology</i> , 2002, 40, 826-831.	1.2	62
57	Iron derived from autophagy-mediated ferritin degradation induces cardiomyocyte death and heart failure in mice. <i>ELife</i> , 2021, 10, .	2.8	60
58	Gab family proteins are essential for postnatal maintenance of cardiac function via neuregulin-1/ErbB signaling. <i>Journal of Clinical Investigation</i> , 2007, 117, 1771-1781.	3.9	60
59	The Î² Kinase Î²/Nuclear Factor Î² Signaling Pathway Protects the Heart From Hemodynamic Stress Mediated by the Regulation of Manganese Superoxide Dismutase Expression. <i>Circulation Research</i> , 2009, 105, 70-79.	2.0	59
60	Receptor-mediated mitophagy. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 95, 50-56.	0.9	59
61	Apoptosis signal-regulating kinase 1 is involved not only in apoptosis but also in non-apoptotic cardiomyocyte death. <i>Biochemical and Biophysical Research Communications</i> , 2005, 333, 562-567.	1.0	58
62	Cardiac-specific overexpression of a high Ca ²⁺ affinity mutant of SERCA2a attenuates in vivo pressure overload cardiac hypertrophy. <i>FASEB Journal</i> , 2003, 17, 61-63.	0.2	57
63	Regulation of Sarco(endo)plasmic Reticulum Ca ²⁺ Adenosine Triphosphatase by Phospholamban and Sarcolipin Implication for Cardiac Hypertrophy and Failure. <i>Trends in Cardiovascular Medicine</i> , 2003, 13, 152-157.	2.3	55
64	Apoptosis Signal-Regulating Kinase 1/p38 Signaling Pathway Negatively Regulates Physiological Hypertrophy. <i>Circulation</i> , 2008, 117, 545-552.	1.6	52
65	Influence of clinical and genetic factors on warfarin dose requirements among Japanese patients. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 1097-1103.	0.8	51
66	Downregulation of ferritin heavy chain increases labile iron pool, oxidative stress and cell death in cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2009, 46, 59-66.	0.9	51
67	Role of Autophagy in Aging. <i>Journal of Cardiovascular Pharmacology</i> , 2012, 60, 242-247.	0.8	51
68	Impact of Smoking Status on Long-Term Mortality in Patients With Acute Myocardial Infarction. <i>Circulation Journal</i> , 2005, 69, 7-12.	0.7	50
69	Autophagy-mediated degradation is necessary for regression of cardiac hypertrophy during ventricular unloading. <i>Biochemical and Biophysical Research Communications</i> , 2013, 441, 787-792.	1.0	50
70	P38 MAPK underlies muscular dystrophy and myofiber death through a Bax-dependent mechanism. <i>Human Molecular Genetics</i> , 2014, 23, 5452-5463.	1.4	49
71	The role of autophagic degradation in the heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2015, 78, 73-79.	0.9	49
72	mTOR Hyperactivation by Ablation of Tuberous Sclerosis Complex 2 in the Mouse Heart Induces Cardiac Dysfunction with the Increased Number of Small Mitochondria Mediated through the Down-Regulation of Autophagy. <i>PLoS ONE</i> , 2016, 11, e0152628.	1.1	49

#	ARTICLE	IF	CITATIONS
73	Calpain Protects the Heart from Hemodynamic Stress. <i>Journal of Biological Chemistry</i> , 2011, 286, 32170-32177.	1.6	48
74	Endogenous Ghrelin Attenuates Pressure Overload-Induced Cardiac Hypertrophy via a Cholinergic Anti-Inflammatory Pathway. <i>Hypertension</i> , 2015, 65, 1238-1244.	1.3	48
75	Ataxia telangiectasia mutated in cardiac fibroblasts regulates doxorubicin-induced cardiotoxicity. <i>Cardiovascular Research</i> , 2016, 110, 85-95.	1.8	48
76	Ca ²⁺ -sensitive tyrosine kinase Pyk2/CAK β -dependent signaling is essential for G-protein-coupled receptor agonist-induced hypertrophy. <i>Journal of Molecular and Cellular Cardiology</i> , 2004, 36, 799-807.	0.9	47
77	Sex-specific control of central nervous system autoimmunity by p38 mitogen-activated protein kinase signaling in myeloid cells. <i>Annals of Neurology</i> , 2014, 75, 50-66.	2.8	47
78	Intracellular Calcium Level Required for Calpain Activation in a Single Myocardial Cell. <i>Journal of Molecular and Cellular Cardiology</i> , 2001, 33, 1133-1142.	0.9	45
79	Presenilin 2 regulates the systolic function of heart by modulating Ca ²⁺ signaling. <i>FASEB Journal</i> , 2005, 19, 2069-2071.	0.2	44
80	Rheb (Ras Homologue Enriched in Brain)-dependent Mammalian Target of Rapamycin Complex 1 (mTORC1) Activation Becomes Indispensable for Cardiac Hypertrophic Growth after Early Postnatal Period. <i>Journal of Biological Chemistry</i> , 2013, 288, 10176-10187.	1.6	44
81	Glycoproteomics Reveals Decorin Peptides With Anti-Myostatin Activity in Human Atrial Fibrillation. <i>Circulation</i> , 2016, 134, 817-832.	1.6	43
82	Toll-like receptor 9 prevents cardiac rupture after myocardial infarction in mice independently of inflammation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 311, H1485-H1497.	1.5	38
83	Modulation of cardiac fibrosis by Krüppel-like factor 6 through transcriptional control of thrombospondin 4 in cardiomyocytes. <i>Cardiovascular Research</i> , 2015, 107, 420-430.	1.8	37
84	Involvement of p38 in Age-Related Decline in Adult Neurogenesis via Modulation of Wnt Signaling. <i>Stem Cell Reports</i> , 2019, 12, 1313-1328.	2.3	37
85	Progression of Heart Failure Was Suppressed by Inhibition of Apoptosis Signal-Regulating Kinase 1 Via Transcoronary Gene Transfer. <i>Journal of the American College of Cardiology</i> , 2007, 50, 453-462.	1.2	35
86	FKBP8 protects the heart from hemodynamic stress by preventing the accumulation of misfolded proteins and endoplasmic reticulum-associated apoptosis in mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2018, 114, 93-104.	0.9	35
87	Impact of atherosclerosis-related gene polymorphisms on mortality and recurrent events after myocardial infarction. <i>Atherosclerosis</i> , 2006, 185, 400-405.	0.4	33
88	Reduction in Hemoglobin-Oxygen Affinity Results in the Improvement of Exercise Capacity in Mice With Chronic Heart Failure. <i>Journal of the American College of Cardiology</i> , 2008, 52, 779-786.	1.2	31
89	Acrolein, an Environmental Toxin, Induces Cardiomyocyte Apoptosis via Elevated Intracellular Calcium and Free Radicals. <i>Cell Biochemistry and Biophysics</i> , 2011, 61, 131-136.	0.9	31
90	Translation of hemodynamic stress to sterile inflammation in the heart. <i>Trends in Endocrinology and Metabolism</i> , 2013, 24, 546-553.	3.1	31

#	ARTICLE	IF	CITATIONS
91	Ablation of Toll-like receptor 9 attenuates myocardial ischemia/reperfusion injury in mice. <i>Biochemical and Biophysical Research Communications</i> , 2019, 515, 442-447.	1.0	30
92	The Role of Apoptosis Signal-Regulating Kinase 1 in Cardiomyocyte Apoptosis. <i>Antioxidants and Redox Signaling</i> , 2006, 8, 1729-1736.	2.5	29
93	Platelet-Specific p38 $\hat{\pm}$ Deficiency Improved Cardiac Function After Myocardial Infarction in MiceHighlights. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, e185-e196.	1.1	29
94	Cooperation between proteolytic systems in cardiomyocyte recycling. <i>Cardiovascular Research</i> , 2012, 96, 46-52.	1.8	27
95	Degradation systems in heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2015, 84, 212-222.	0.9	27
96	Involvement of Cytokines in the Mechanism of Whole-Body Hyperthermia-Induced Cardioprotection. <i>Circulation</i> , 2000, 102, 452-457.	1.6	26
97	Pressure Overload Induces Cardiac Dysfunction and Dilatation in Signal Transducer and Activator of Transcription 6 $\hat{\pm}$ Deficient Mice. <i>Circulation</i> , 2004, 110, 2631-2637.	1.6	26
98	Protein kinase p38 $\hat{\pm}$ signaling in dendritic cells regulates colon inflammation and tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E12313-E12322.	3.3	26
99	Cytokine mRNA Degradation in Cardiomyocytes Restrains Sterile Inflammation in Pressure-Overloaded Hearts. <i>Circulation</i> , 2020, 141, 667-677.	1.6	26
100	Administration of a TLR9 Inhibitor Attenuates the Development and Progression of Heart Failure in Mice. <i>JACC Basic To Translational Science</i> , 2019, 4, 348-363.	1.9	25
101	Targeted ablation of p38 $\hat{\pm}$ MAPK suppresses denervation-induced muscle atrophy. <i>Scientific Reports</i> , 2018, 8, 9037.	1.6	23
102	Loss of Functionally Redundant p38 Isoforms in T Cells Enhances Regulatory T Cell Induction. <i>Journal of Biological Chemistry</i> , 2017, 292, 1762-1772.	1.6	22
103	Ischemic or Nonischemic Functional Mitral Regurgitation and Outcomes in Patients With Acute Decompensated Heart Failure With Preserved or Reduced Ejection Fraction. <i>American Journal of Cardiology</i> , 2017, 120, 809-816.	0.7	20
104	p38 $\hat{\pm}$ signaling in Langerhans cells promotes the development of IL-17 $\hat{\pm}$ producing T cells and psoriasiform skin inflammation. <i>Science Signaling</i> , 2018, 11, .	1.6	20
105	Cell type-specific targeting dissociates the therapeutic from the adverse effects of protein kinase inhibition in allergic skin disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 9089-9094.	3.3	19
106	Sterile Inflammation and Degradation Systems in Heart Failure. <i>Circulation Journal</i> , 2017, 81, 622-628.	0.7	18
107	Monophosphoryl lipid A provides biphasic cardioprotection against ischaemia-reperfusion injury in rat hearts. <i>British Journal of Pharmacology</i> , 1999, 128, 412-418.	2.7	15
108	Activation of MTK1/MEKK4 induces cardiomyocyte death and heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2010, 48, 302-309.	0.9	14

#	ARTICLE	IF	CITATIONS
109	Tuning of Protein Kinase Circuitry by p38 $\hat{\pm}$ Is Vital for Epithelial Tissue Homeostasis. Journal of Biological Chemistry, 2013, 288, 23788-23797.	1.6	14
110	Tissue-Specific Regulation of p38 $\hat{\pm}$ -Mediated Inflammation in Con A $\hat{\epsilon}$ -Induced Acute Liver Damage. Journal of Immunology, 2015, 194, 4759-4766.	0.4	13
111	CXCR7 ameliorates myocardial infarction as a $\hat{\Gamma}$ -arrestin-biased receptor. Scientific Reports, 2021, 11, 3426.	1.6	13
112	NF- $\hat{\rho}$ B activation in cardiac fibroblasts results in the recruitment of inflammatory Ly6C ^{hi} monocytes in pressure-overloaded hearts. Science Signaling, 2021, 14, eabe4932.	1.6	13
113	The kinase p38 $\hat{\pm}$ functions in dendritic cells to regulate Th2-cell differentiation and allergic inflammation. , 2022, 19, 805-819.		12
114	Direct cardiotoxic effects of cocaine and cocaethylene on isolated cardiomyocytes. International Journal of Cardiology, 1996, 53, 15-23.	0.8	11
115	Cloning and Characterization of the 5'-Upstream Regulatory Region of the Ca ²⁺ -Release Channel Gene of Cardiac Sarcoplasmic Reticulum. FEBS Journal, 1996, 240, 408-415.	0.2	11
116	Involvement of NF- $\hat{\gamma}$ in transcriptional regulation of the phospholamban gene. FEBS Journal, 1998, 258, 744-751.	0.2	8
117	FR167653, a Cytokine-suppressive Agent, Reduces Myocardial Ischemia-reperfusion Injury in Rats. Cytokines, Cellular & Molecular Therapy, 2000, 6, 165-170.	0.3	8
118	Usefulness of High-Resolution Real-Time Three-Dimensional Echocardiography to Visualize the Left Ventricular Endocardial Surface in Myocardial Infarction. American Journal of Cardiology, 2006, 97, 1578-1581.	0.7	7
119	Genetic modulation of the SERCA activity does not affect the Ca ²⁺ leak from the cardiac sarcoplasmic reticulum. Cell Calcium, 2014, 55, 17-23.	1.1	6
120	NRSF- <i>GNAO1</i> Pathway Contributes to the Regulation of Cardiac Ca ²⁺ Homeostasis. Circulation Research, 2022, 130, 234-248.	2.0	6
121	p38 $\hat{\pm}$ plays differential roles in hematopoietic stem cell activity dependent on aging contexts. Journal of Biological Chemistry, 2021, 296, 100563.	1.6	5
122	Single-strand conformation polymorphism analysis on the $\hat{\Gamma}$ -sarcoglycan gene in Japanese patients with hypertrophic cardiomyopathy. American Journal of Cardiology, 2000, 85, 1315-1318.	0.7	3
123	p38 $\hat{\pm}$ Deficiency in T Cells Ameliorates Diet-Induced Obesity, Insulin Resistance, and Adipose Tissue Senescence. Diabetes, 2022, 71, 1205-1217.	0.3	3
124	Calpain-mediated proteolytic production of free amino acids in vascular endothelial cells augments obesity-induced hepatic steatosis. Journal of Biological Chemistry, 2022, , 101953.	1.6	3
125	Mitochondria and sterile inflammation in the heart. Current Opinion in Physiology, 2018, 1, 68-74.	0.9	2
126	Rubicon-regulated beta-1 adrenergic receptor recycling protects the heart from pressure overload. Scientific Reports, 2022, 12, 41.	1.6	2

#	ARTICLE	IF	CITATIONS
127	Novel In Vivo Tool to Evaluate Autophagic Activity in the Heart. <i>Circulation Journal</i> , 2010, 74, 49-50.	0.7	1
128	The Novel Mitophagic Receptor Protein, Bcl2-like Protein 13: New Insights for the Molecular Mechanisms of the Pathogenesis of Heart Disease. <i>Journal of Cardiac Failure</i> , 2015, 21, S147.	0.7	1
129	“Autophagy in the Heart” <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 95, 1.	0.9	1
130	Roles of Mitogen-activated Protein Kinase Signaling Pathway in Cardiac Remodeling. <i>Journal of Cardiac Failure</i> , 2005, 11, S250.	0.7	0
131	Chronic Inhibition of Apoptosis Signal-regulating Kinase 1 (ASK-1) by Myocardial Gene Transfer Suppressed Progression of Heart Failure in Genetic Cardiomyopathy. <i>Journal of Cardiac Failure</i> , 2005, 11, S279.	0.7	0
132	Reduction in Hemoglobin-Oxygen Affinity Results in the Improvement of Exercise Capacity in Mice with Chronic Heart Failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 45, S8-S9.	0.9	0
133	Cardiac Steroidogenesis and Glucocorticoid Contribute to Augmentation of Cardiac Hypertrophy. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 45, S16-S17.	0.9	0
134	Activated cardiac steroidogenesis and increased glucocorticoid promote cardiac hypertrophy. <i>Journal of Cardiac Failure</i> , 2008, 14, S153.	0.7	0