David J Moore

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2250374/publications.pdf

Version: 2024-02-01

66911 81900 7,209 182 39 78 citations g-index h-index papers 189 189 189 6881 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The impact of HIV-associated neuropsychological impairment on everyday functioning. Journal of the International Neuropsychological Society, 2004, 10, 317-31.	1.8	653
2	Cognitive Neuropsychology of HIV-Associated Neurocognitive Disorders. Neuropsychology Review, 2009, 19, 152-168.	4.9	486
3	Methamphetamine dependence increases risk of neuropsychological impairment in HIV infected persons. Journal of the International Neuropsychological Society, 2004, 10, 1-14.	1.8	380
4	Correlates of Self-Rated Successful Aging Among Community-Dwelling Older Adults. American Journal of Geriatric Psychiatry, 2006, 14, 43-51.	1.2	330
5	Measurement and predictors of resilience among community-dwelling older women. Journal of Psychiatric Research, 2008, 43, 148-154.	3.1	307
6	Brain deposition of beta-amyloid is a common pathologic feature in HIV positive patients. Aids, 2005, 19, 407-411.	2.2	262
7	Demographically corrected norms for African Americans and Caucasians on the Hopkins Verbal Learning Test–Revised, Brief Visuospatial Memory Test–Revised, Stroop Color and Word Test, and Wisconsin Card Sorting Test 64-Card Version. Journal of Clinical and Experimental Neuropsychology, 2011, 33, 793-804.	1.3	224
8	Cortical and subcortical neurodegeneration is associated with HIV neurocognitive impairment. Aids, 2006, 20, 879-887.	2.2	192
9	A review of performance-based measures of functional living skills. Journal of Psychiatric Research, 2007, 41, 97-118.	3.1	181
10	Initial Validation of a Screening Battery for the Detection of HIV-Associated Cognitive Impairment. Clinical Neuropsychologist, 2004, 18, 234-248.	2.3	160
11	Clear Links Between Starting Methamphetamine and Increasing Sexual Risk Behavior. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 71, 551-557.	2.1	138
12	Accelerated epigenetic aging in brain is associated with pre-mortem HIV-associated neurocognitive disorders. Journal of NeuroVirology, 2016, 22, 366-375.	2.1	101
13	Successful cognitive aging in persons living with HIV infection. Journal of NeuroVirology, 2011, 17, 110-119.	2.1	92
14	A Six-Factor Model of Cognition in Schizophrenia and Related Psychotic Disorders: Relationships With Clinical Symptoms and Functional Capacity. Schizophrenia Bulletin, 2004, 30, 739-754.	4.3	91
15	Neurocognitive deficits are associated with unemployment in chronic methamphetamine users. Drug and Alcohol Dependence, 2012, 125, 146-153.	3.2	88
16	Development and Pilot Testing of a New Psychosocial Intervention for Older Latinos With Chronic Psychosis. Schizophrenia Bulletin, 2005, 31, 922-930.	4.3	83
17	Methamphetamine use and neuropsychiatric factors are associated with antiretroviral non-adherence. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2012, 24, 1504-1513.	1.2	83
18	Low prevalence of neurocognitive impairment in early diagnosed and managed HIV-infected persons. Neurology, 2013, 80, 371-379.	1.1	77

#	Article	IF	CITATIONS
19	Randomized Controlled Trial of Daily Text Messages to Support Adherence to Preexposure Prophylaxis in Individuals at Risk for Human Immunodeficiency Virus: The TAPIR Study. Clinical Infectious Diseases, 2018, 66, 1566-1572.	5.8	77
20	Lifetime suicidal ideation and attempt are common among HIV+ individuals. Journal of Affective Disorders, 2012, 136, 993-999.	4.1	75
21	Rapid HIV Viral Load Suppression in those Initiating Antiretroviral Therapy at First Visit after HIV Diagnosis. Scientific Reports, 2016, 6, 32947.	3.3	7 5
22	Successful Cognitive Aging and Health-Related Quality of Life in Younger and Older Adults Infected with HIV. AIDS and Behavior, 2014, 18, 1186-1197.	2.7	74
23	Substance use is a risk factor for neurocognitive deficits and neuropsychiatric distress in acute and early HIV infection. Journal of NeuroVirology, 2013, 19, 65-74.	2.1	72
24	An active lifestyle is associated with better neurocognitive functioning in adults living with HIV infection. Journal of NeuroVirology, 2014, 20, 233-242.	2.1	71
25	Increased frequency of \hat{l}_{\pm} -synuclein in the substantia nigra in human immunodeficiency virus infection. Journal of NeuroVirology, 2009, 15, 131-138.	2.1	70
26	A Case-Controlled Study of Successful Aging in Older HIV-Infected Adults. Journal of Clinical Psychiatry, 2013, 74, e417-e423.	2.2	67
27	Physical exercise is associated with less neurocognitive impairment among HIV-infected adults. Journal of NeuroVirology, 2013, 19, 410-417.	2.1	64
28	Feasibility and Acceptability of Ecological Momentary Assessment of Daily Functioning Among Older Adults with HIV. American Journal of Geriatric Psychiatry, 2017, 25, 829-840.	1.2	63
29	Physical Activity is Associated with Better Neurocognitive and Everyday Functioning Among Older Adults with HIV Disease. AIDS and Behavior, 2015, 19, 1470-1477.	2.7	62
30	Multilevel analysis of neuropathogenesis of neurocognitive impairment in HIV. Journal of NeuroVirology, 2016, 22, 431-441.	2.1	61
31	Shortâ€term course of neuropsychological abilities in middleâ€aged and older adults with bipolar disorder. Bipolar Disorders, 2008, 10, 684-690.	1.9	59
32	Individualized Texting for Adherence Building (iTAB): Improving Antiretroviral Dose Timing Among HIV-Infected Persons with Co-occurring Bipolar Disorder. AIDS and Behavior, 2015, 19, 459-471.	2.7	57
33	Human Immunodeficiency Virus Infection Heightens Concurrent Risk of Functional Dependence in Persons With Long-Term Methamphetamine Use. Journal of Addiction Medicine, 2013, 7, 255-263.	2.6	55
34	Evidence-informed practical recommendations for increasing physical activity among persons living with HIV. Aids, 2019, 33, 931-939.	2.2	53
35	Sex differences in HIV-associated cognitive impairment. Aids, 2018, 32, 2719-2726.	2.2	50
36	HIV-Infected Individuals with Co-occurring Bipolar Disorder Evidence Poor Antiretroviral and Psychiatric Medication Adherence. AIDS and Behavior, 2012, 16, 2257-2266.	2.7	45

#	Article	lF	Citations
37	An evaluation of longitudinal neurocognitive performance among middle-aged and older schizophrenia patients: Use of mixed-model analyses. Schizophrenia Research, 2006, 83, 215-223.	2.0	44
38	Real-world impact of neurocognitive deficits in acute and early HIV infection. Journal of NeuroVirology, 2013, 19, 565-573.	2.1	43
39	Depression and aging with HIV: Associations with health-related quality of life and positive psychological factors. Journal of Affective Disorders, 2019, 251, 1-7.	4.1	42
40	Neurocognitive functioning in acute or early HIV infection. Journal of NeuroVirology, 2011, 17, 50-57.	2.1	40
41	Temperament and risky behaviors: a pathway to HIV?. Journal of Affective Disorders, 2005, 85, 191-200.	4.1	37
42	Performance of Hispanics and Non-Hispanic Whites on the NIH Toolbox Cognition Battery: the roles of ethnicity and language backgrounds. Clinical Neuropsychologist, 2017, 31, 783-797.	2.3	37
43	Grit and Ambition are Associated with Better Neurocognitive and Everyday Functioning Among Adults Living with HIV. AIDS and Behavior, 2018, 22, 3214-3225.	2.7	36
44	Positive Psychological Factors are Linked to Successful Cognitive Aging Among Older Persons Living with HIV/AIDS. AIDS and Behavior, 2018, 22, 1551-1561.	2.7	36
45	The Wide Range Achievement Test–4 Reading subtest "holds―in HIV-infected individuals. Journal of Clinical and Experimental Neuropsychology, 2014, 36, 992-1001.	1.3	35
46	Lower Frailty Is Associated with Successful Cognitive Aging Among Older Adults with HIV. AIDS Research and Human Retroviruses, 2017, 33, 157-163.	1.1	35
47	Effects of trauma, economic hardship, and stress on neurocognition and everyday function in HIV Health Psychology, 2019, 38, 33-42.	1.6	35
48	A Longitudinal Analysis of the Impact of Physical Activity on Neurocognitive Functioning Among HIV-Infected Adults. AIDS and Behavior, 2018, 22, 1562-1572.	2.7	34
49	Different roles of frontal versus striatal atrophy in HIVâ€associated neurocognitive disorders. Human Brain Mapping, 2019, 40, 3010-3026.	3.6	34
50	Sexual Risk Compensation in a Pre-exposure Prophylaxis Demonstration Study Among Individuals at Risk of HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, e9-e13.	2.1	33
51	Evidence for Alteration of Gene Regulatory Networks through MicroRNAs of the HIV-Infected Brain: Novel Analysis of Retrospective Cases. PLoS ONE, 2010, 5, e10337.	2.5	32
52	Prospective Memory and Antiretroviral Medication Non-Adherence in HIV: An Analysis of Ongoing Task Delay Length Using the Memory for Intentions Screening Test. Journal of the International Neuropsychological Society, 2013, 19, 155-161.	1.8	32
53	Cohort Profile: HAART Observational Medical Evaluation and Research (HOMER) Cohort. International Journal of Epidemiology, 2015, 44, 58-67.	1.9	31
54	The current understanding of overlap between characteristics of HIV-associated neurocognitive disorders and Alzheimer's disease. Journal of NeuroVirology, 2019, 25, 661-672.	2.1	30

#	Article	IF	CITATIONS
55	Assessment of Medication Management Ability in Middle-Aged and Older Adults With Bipolar Disorder. Journal of Clinical Psychopharmacology, 2008, 28, 225-229.	1.4	29
56	Antiretroviral therapy reduces neurodegeneration in HIV infection. Aids, 2015, 29, 323-330.	2.2	29
57	Differences in Neurocognitive Impairment Among HIV-Infected Latinos in the United States. Journal of the International Neuropsychological Society, 2018, 24, 163-175.	1.8	29
58	Verbal fluency impairments among middle-aged and older outpatients with schizophrenia are characterized by deficient switching. Schizophrenia Research, 2006, 87, 254-260.	2.0	28
59	Refining a personalized mHealth intervention to promote medication adherence among HIV+ methamphetamine users. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2014, 26, 1477-1481.	1.2	28
60	Smartphone-based ecological momentary assessment (EMA) of alcohol and cannabis use in older adults with and without HIV infection. Addictive Behaviors, 2018, 83, 102-108.	3.0	28
61	Trajectories and Predictors of Longitudinal Preexposure Prophylaxis Adherence Among Men Who Have Sex With Men. Journal of Infectious Diseases, 2018, 218, 1551-1559.	4.0	28
62	Comparing Self-Report Pre-Exposure Prophylaxis Adherence Questions to Pharmacologic Measures of Recent and Cumulative Pre-Exposure Prophylaxis Exposure. Frontiers in Pharmacology, 2019, 10, 721.	3.5	28
63	Neurocognitive SuperAging in Older Adults Living With HIV: Demographic, Neuromedical and Everyday Functioning Correlates. Journal of the International Neuropsychological Society, 2019, 25, 507-519.	1.8	28
64	Cumulative Burden of Depression and Neurocognitive Decline Among Persons With HIV: A Longitudinal Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 84, 304-312.	2.1	27
65	Identification of an Abbreviated Test Battery for Detection of HIV-Associated Neurocognitive Impairment in an Early-Managed HIV-Infected Cohort. PLoS ONE, 2012, 7, e47310.	2.5	27
66	Daily Activities Related to Mobile Cognitive Performance in Middle-Aged and Older Adults: An Ecological Momentary Cognitive Assessment Study. JMIR MHealth and UHealth, 2020, 8, e19579.	3.7	26
67	Apolipoprotein-E genotype and human immunodeficiency virus-associated neurocognitive disorder: the modulating effects of older age and disease severity. Neurobehavioral HIV Medicine, 2013, 5, 11.	2.0	25
68	UPSA-M: Feasibility and initial validity of a mobile application of the UCSD Performance-Based Skills Assessment. Schizophrenia Research, 2015, 164, 187-192.	2.0	25
69	Clinical utility of the UCSD Performance-Based Skills Assessmentâ€"Brief (UPSA-B) in adults living with HIV: Associations with neuropsychological impairment and patient-reported everyday functioning difficulties. PLoS ONE, 2017, 12, e0183614.	2.5	25
70	Abbreviated Goal Management Training Shows Preliminary Evidence as a Neurorehabilitation Tool for HIV-associated Neurocognitive Disorders among Substance Users. Clinical Neuropsychologist, 2016, 30, 107-130.	2.3	24
71	Preliminary Findings Describing Participant Experience With iSTEP, an mHealth Intervention to Increase Physical Activity and Improve Neurocognitive Function in People Living With HIV. Journal of the Association of Nurses in AIDS Care, 2016, 27, 495-511.	1.0	24
72	Inflammation Relates to Poorer Complex Motor Performance Among Adults Living With HIV on Suppressive Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, 15-23.	2.1	24

#	Article	IF	Citations
73	Approaches to Identifying Appropriate Medication Adherence Assessments for HIV Infected Individuals with Comorbid Bipolar Disorder. AIDS Patient Care and STDs, 2012, 26, 388-394.	2.5	23
74	Preliminary Evidence for Feasibility, Use, and Acceptability of Individualized Texting for Adherence Building for Antiretroviral Adherence and Substance Use Assessment among HIV-Infected Methamphetamine Users. AIDS Research and Treatment, 2013, 2013, 1-11.	0.7	23
75	Metabolic Syndrome and Neurocognitive Deficits in HIV Infection. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, 95-101.	2.1	23
76	Lower CSF homovanillic acid relates to higher burden of neuroinflammation and depression in people with HIV disease. Brain, Behavior, and Immunity, 2020, 90, 353-363.	4.1	23
77	Plasma soluble CD163 is associated with postmortem brain pathology in human immunodeficiency virus infection. Aids, 2017, 31, 973-979.	2.2	22
78	A composite of multisystem injury and neurocognitive impairment in HIV infection: association with everyday functioning. Journal of NeuroVirology, 2018, 24, 549-556.	2.1	22
79	Individualized texting for adherence building (iTAB) for methamphetamine users living with HIV: A pilot randomized clinical trial. Drug and Alcohol Dependence, 2018, 189, 154-160.	3.2	22
80	Neurocognitive functioning predicts frailty index in HIV. Neurology, 2018, 91, e162-e170.	1.1	22
81	Use of the Mini-Mental State Exam in Middle-Aged and Older Outpatients With Schizophrenia: Cognitive Impairment and Its Associations. American Journal of Geriatric Psychiatry, 2004, 12, 412-419.	1.2	22
82	Inflammation-related genes are associated with epigenetic aging in HIV. Journal of NeuroVirology, 2019, 25, 853-865.	2.1	21
83	Self-administered cognitive screening for a study of successful aging among community-dwelling seniors: a preliminary study. International Journal of Geriatric Psychiatry, 2007, 22, 327-331.	2.7	20
84	Shallow Encoding and Forgetting Are Associated with Dependence in Instrumental Activities of Daily Living Among Older Adults Living with HIV Infection. Archives of Clinical Neuropsychology, 2014, 29, 278-288.	0.5	19
85	Atâ€Risk Alcohol Use is Associated with Antiretroviral Treatment Nonadherence Among Adults Living with HIV/AIDS. Alcoholism: Clinical and Experimental Research, 2017, 41, 1518-1525.	2.4	19
86	Temporal Associations Between Social Activity and Mood, Fatigue, and Pain in Older Adults With HIV: An Ecological Momentary Assessment Study. JMIR Mental Health, 2018, 5, e38.	3.3	19
87	Association between Childhood Physical Abuse, Unprotected Receptive Anal Intercourse and HIV Infection among Young Men Who Have Sex with Men in Vancouver, Canada. PLoS ONE, 2014, 9, e100501.	2.5	18
88	Development of an mHealth Intervention (iSTEP) to Promote Physical Activity among People Living with HIV. Journal of the International Association of Providers of AIDS Care, 2015, 14, 471-475.	1.5	18
89	Factors Associated with Productive Recruiting in a Respondent-Driven Sample of Men who Have Sex with Men in Vancouver, Canada. Journal of Urban Health, 2016, 93, 379-387.	3.6	18
90	Low CD4 nadir linked to widespread cortical thinning in adults living with HIV. NeuroImage: Clinical, 2020, 25, 102155.	2.7	18

#	Article	IF	Citations
91	Frailty and Neurocognitive Impairment: Impacts on Quality of Life in HIV. Journal of the Association of Nurses in AIDS Care, 2020, 31, 290-300.	1.0	18
92	Implications of hepatitis C virus infection for behavioral symptoms and activities of daily living. Journal of Clinical and Experimental Neuropsychology, 2010, 32, 637-644.	1.3	16
93	Psychosocial Correlates of Frailty Among HIV-Infected and HIV-Uninfected Adults. Behavioral Medicine, 2019, 45, 210-220.	1.9	16
94	Objective and subjective sleep measures are associated with neurocognition in aging adults with and without HIV. Clinical Neuropsychologist, 2022, 36, 1352-1371.	2.3	16
95	The impact of age, HIV serostatus and seroconversion on methamphetamine use. American Journal of Drug and Alcohol Abuse, 2016, 42, 168-177.	2.1	15
96	Impact of time perspectives on texting intervention to reduce HIV/STI transmission among female sex workers in Tijuana and Ciudad Juarez, Mexico. Journal of Behavioral Medicine, 2019, 42, 111-127.	2.1	15
97	Focus groups inform a mobile health intervention to promote adherence to a Mediterranean diet and engagement in physical activity among people living with HIV. BMC Public Health, 2019, 19, 101.	2.9	15
98	Predictors of Long-Term HIV Pre-exposure Prophylaxis Adherence After Study Participation in Men Who Have Sex With Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, 166-174.	2.1	15
99	Sex Differences in the Patterns and Predictors of Cognitive Function in HIV. Frontiers in Neurology, 2020, 11, 551921.	2.4	15
100	Metabolic Risk Factors as Differential Predictors of Profiles of Neurocognitive Impairment Among Older HIV+ and HIVâ^ Adults: An Observational Study. Archives of Clinical Neuropsychology, 2021, 36, 151-164.	0.5	15
101	Results from a Pre-exposure Prophylaxis Demonstration Project for At-risk Cisgender Women in the United States. Clinical Infectious Diseases, 2021, 73, 1149-1156.	5.8	15
102	Neurocognitive Effects of the Hepatitis C Virus. Current Hepatitis Reports, 2009, 8, 18-26.	0.3	14
103	Effect of rectal douching/enema on rectal gonorrhoea and chlamydia among a cohort of men who have sex with men on HIV pre-exposure prophylaxis. Sexually Transmitted Infections, 2018, 94, 508-514.	1.9	14
104	Low CD4+ cell count nadir exacerbates the impacts of APOE $\hat{l}\mu4$ on functional connectivity and memory in adults with HIV. Aids, 2021, 35, 727-736.	2.2	14
105	Multimorbidity networks associated with frailty among middle-aged and older people with HIV. Aids, 2021, 35, 2451-2461.	2.2	14
106	Chronically elevated depressive symptoms interact with acute increases in inflammation to predict worse neurocognition among people with HIV. Journal of NeuroVirology, 2021, 27, 160-167.	2.1	14
107	Distinguishing Amnestic Mild Cognitive Impairment From HIV-Associated Neurocognitive Disorders. Journal of Infectious Diseases, 2021, 224, 435-442.	4.0	14
108	Predictors of psychotropic medication adherence among HIV+ individuals living with bipolar disorder. International Journal of Psychiatry in Medicine, 2016, 51, 69-83.	1.8	13

#	Article	IF	CITATIONS
109	Seroadaptive Strategies of Vancouver Gay and Bisexual Men in a Treatment as Prevention Environment. Journal of Homosexuality, 2018, 65, 524-539.	2.0	13
110	Associations of regional amyloid- \hat{l}^2 plaque and phospho-tau pathology with biological factors and neuropsychological functioning among HIV-infected adults. Journal of NeuroVirology, 2019, 25, 741-753.	2.1	13
111	Outcomes of Psychoeducation and a Text Messaging Adherence Intervention Among Individuals With Hypertension and Bipolar Disorder. Psychiatric Services, 2019, 70, 608-612.	2.0	13
112	A neuropathologic diagnosis of Alzheimer's disease in an older adult with HIV-associated neurocognitive disorder. Neurocase, 2018, 24, 213-219.	0.6	12
113	Current Challenges and Solutions in Research and Clinical Care of Older Persons Living with HIV: Findings Presented at the 9th International Workshop on HIV and Aging. AIDS Research and Human Retroviruses, 2019, 35, 985-998.	1.1	12
114	Older HIV+ and HIVa^' Adults Provide Similar Definitions of Successful Aging: A Mixed-Methods Examination. Gerontologist, The, 2020, 60, 385-395.	3.9	12
115	Self-initiated continuation of and adherence to HIV pre-exposure prophylaxis (PrEP) after PrEP demonstration project roll-off in men who have sex with men: associations with risky decision making, impulsivity/disinhibition, and sensation seeking. Journal of NeuroVirology, 2019, 25, 324-330.	2.1	11
116	Pre-frailty predicts cognitive decline at 2-year follow-up in persons living with HIV. Journal of NeuroVirology, 2020, 26, 168-180.	2.1	11
117	The Current State of HIV and Aging: Findings Presented at the 10th International Workshop on HIV and Aging. AIDS Research and Human Retroviruses, 2020, 36, 973-981.	1.1	11
118	Alterations of Brain Metabolites in Adults With HIV. Neurology, 2021, 97, e1085-e1096.	1.1	11
119	Predictors and Barriers to Mental Health Treatment Utilization Among Older Veterans Living With HIV. primary care companion for CNS disorders, The, 2017, 19, .	0.6	11
120	Family History of Dementia Predicts Worse Neuropsychological Functioning Among HIV-Infected Persons. Journal of Neuropsychiatry and Clinical Neurosciences, 2011, 23, 316-323.	1.8	10
121	Frailty in Comorbid HIV and Lifetime Methamphetamine Use Disorder: Associations with Neurocognitive and Everyday Functioning. AIDS Research and Human Retroviruses, 2019, 35, 1044-1053.	1.1	10
122	Perceived risks and amelioration of harm in research using mobile technology to support antiretroviral therapy adherence in the context of methamphetamine use: a focus group study among minorities living with HIV. Harm Reduction Journal, 2020, 17, 41.	3.2	10
123	Lifetime methamphetamine dependence is associated with cerebral microgliosis in HIV-1-infected adults. Journal of NeuroVirology, 2016, 22, 650-660.	2.1	9
124	Conditional Effects of Lifetime Alcohol Consumption on Methamphetamine-Associated Neurocognitive Performance. Journal of the International Neuropsychological Society, 2019, 25, 787-799.	1.8	9
125	Depression is associated with hippocampal volume loss in adults with HIV. Human Brain Mapping, 2021, 42, 3750-3759.	3.6	9
126	Patient participation in the development of a customized m-Health intervention to improve medication adherence in poorly adherent individuals with bipolar disorder (BD) and hypertension (HTN). International Journal of Healthcare, 2017, 4, 25.	0.2	8

#	Article	IF	Citations
127	Age of Last Alcohol Use Disorder Relates to Processing Speed Among Older Adults Living with HIV. Alcohol and Alcoholism, 2019, 54, 139-147.	1.6	8
128	Brief Report: Frailty and HIV Disease Severity Synergistically Increase Risk of HIV-Associated Neurocognitive Disorders. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 84, 522-526.	2.1	8
129	Social support moderates D-dimer and self-rated successful aging within people with HIV and older adults. Journal of Behavioral Medicine, 2020, 43, 979-988.	2.1	8
130	Assessing Cognitive Functioning in People Living With HIV (PLWH): Factor Analytic Results From CHARTER and NNTC Cohorts. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 251-259.	2.1	7
131	Greater Levels of Self-Reported Adherence to Pre-Exposure Prophylaxis (PrEP) are Associated with Increased Condomless Sex Among Men Who Have Sex with Men. AIDS and Behavior, 2020, 24, 3192-3204.	2.7	7
132	Connectome-based prediction of global cognitive performance in people with HIV. NeuroImage: Clinical, 2021, 30, 102677.	2.7	7
133	Predictors of Transition to Frailty in Middle-Aged and Older People With HIV: A Prospective Cohort Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 88, 518-527.	2.1	7
134	Nucleic acid oxidation is associated with biomarkers of neurodegeneration in CSF in people with HIV. Neurology: Neuroimmunology and NeuroInflammation, 2020, 7, .	6.0	6
135	HIV-infected persons with bipolar disorder are less aware of memory deficits than HIV-infected persons without bipolar disorder. Journal of Clinical and Experimental Neuropsychology, 2012, 34, 773-781.	1.3	5
136	Behavioral and Physical Activity Interventions for HAND. Current Topics in Behavioral Neurosciences, 2019, 50, 479-501.	1.7	5
137	Tailoring a mobile health text-messaging intervention to promote antiretroviral therapy adherence among African Americans: A qualitative study. PLoS ONE, 2020, 15, e0233217.	2.5	5
138	Genetic variation in alcohol dehydrogenase is associated with neurocognition in men with HIV and history of alcohol use disorder: preliminary findings. Journal of NeuroVirology, 2020, 26, 214-225.	2.1	5
139	PrEP University: A Multi-Disciplinary University-Based HIV Prevention Education Program. Journal of Community Health, 2021, 46, 1213-1220.	3.8	5
140	Pre-Exposure Prophylaxis Perspectives, Sociodemographic Characteristics, and HIV Risk Profiles of Cisgender Women Seeking and Initiating PrEP in a US Demonstration Project. AIDS Patient Care and STDs, 2021, 35, 481-487.	2.5	5
141	CSF markers of AD-related pathology relate specifically to memory impairment in older people with HIV: a pilot study. Journal of NeuroVirology, 2022, 28, 162-167.	2.1	5
142	Dynamic indices of methamphetamine dependence and HIV infection predict fluctuations in affective distress: A five-year longitudinal analysis. Journal of Affective Disorders, 2013, 151, 728-737.	4.1	4
143	Recent HIV Risk Behavior and Partnership Type Predict HIV Pre-Exposure Prophylaxis Adherence in Men Who Have Sex with Men. AIDS Patient Care and STDs, 2019, 33, 220-226.	2.5	4
144	Overdose mortality is reducing the gains in life expectancy of antiretroviral-treated people living with HIV in British Columbia, Canada. International Journal of Drug Policy, 2021, 96, 103195.	3.3	4

#	Article	IF	CITATIONS
145	A Cross-Sectional Study to Evaluate the Effects of Age and Duration of HIV Infection on Anxiety and Depression in Cisgender Men. AIDS and Behavior, 2022, 26, 196-203.	2.7	4
146	Lower CSF A? is Associated with HAND in HIV-Infected Adults with a Family History of Dementia. Current HIV Research, 2016, 14, 324-330.	0.5	4
147	Daily Level Association of Physical Activity and Performance on Ecological Momentary Cognitive Tests in Free-living Environments: A Mobile Health Observational Study. JMIR MHealth and UHealth, 2022, 10, e33747.	3.7	4
148	Characteristics of a cohort of high-risk men who have sex with men on pre-exposure prophylaxis reporting transgender sexual partners. Medicine (United States), 2019, 98, e18232.	1.0	3
149	Association of HIV serostatus and metabolic syndrome with neurobehavioral disturbances. Journal of NeuroVirology, 2020, 26, 888-898.	2.1	3
150	Binge Drinking Relates to Worse Neurocognitive Functioning Among Adults Aging with HIV. Journal of the International Neuropsychological Society, 2022, 28, 600-610.	1.8	3
151	The impacts of HIV infection, age, and education on functional brain networks in adults with HIV. Journal of NeuroVirology, 2022, 28, 265-273.	2.1	3
152	Neopterin Relates to Lifetime Depression in Older Adults With HIV on Suppressive Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2022, 89, 454-461.	2.1	3
153	The impact of life stress, psychological resources, and proactive behaviors onÂquality of life among people living with HIV. Aging and Mental Health, 2023, 27, 948-956.	2.8	3
154	Using mHealth to improve adherence and reduce blood pressure in individuals with hypertension and bipolar disorder (iTAB-CV): study protocol for a 2-stage randomized clinical trial. Trials, 2022, 23, .	1.6	3
155	Measures of Physical and Mental Independence Among HIV-Positive Individuals: Impact of Substance Use Disorder. AIDS Research and Human Retroviruses, 2017, 33, 1048-1055.	1.1	2
156	Generational differences in sexual behaviour and partnering among gay, bisexual, and other men who have sex with men. Canadian Journal of Human Sexuality, 2019, 28, 215-225.	1.6	2
157	Informing Informed Consent for HIV Research. Journal of Empirical Research on Human Research Ethics, 2020, 15, 235-243.	1.3	2
158	HIV and three dimensions of Wisdom: Association with cognitive function and physical and mental well-being. Psychiatry Research, 2020, 294, 113510.	3.3	2
159	Longitudinal uptake of the human papillomavirus vaccine among gay, bisexual and other men who have sex with men in British Columbia, Canada 2012–2019. Sexually Transmitted Infections, 2021, , sextrans-2020-054871.	1.9	2
160	A Culturally Adapted SMS Text Messaging Intervention to Promote Antiretroviral Therapy Adherence Among African Americans: Protocol for a Single-Arm Trial. JMIR Research Protocols, 2020, 9, e21592.	1.0	2
161	Frailty Syndrome Is Associated with Poorer Self-Reported Sleep Quality Among Older Persons with Human Immunodeficiency Virus. AIDS Research and Human Retroviruses, 2022, 38, 87-96.	1.1	2
162	Sexually transmitted infections among participants in an HIV PrEP adherence trial. International Journal of STD and AIDS, 2022, 33, 397-403.	1.1	2

#	Article	IF	Citations
163	Differential medication attitudes to antihypertensive and mood stabilizing agents in response to an automated text-messaging adherence enhancement intervention. Journal of Behavioral and Cognitive Therapy, 2020, 30, 57-64.	1.4	1
164	A Randomized Controlled Trial of a Texting Intervention to Maintain Sexual Risk Reduction with Clients Among Female Sex Workers in Tijuana and Ciudad Juarez, Mexico. AIDS and Behavior, 2020, 24, 3306-3319.	2.7	1
165	A candidate gene study of intermediate histopathological phenotypes in HIV-associated neurocognitive disorders. Journal of NeuroVirology, 2020, 26, 496-508.	2.1	1
166	The Effects of Lowâ€Risk Drinking on Neurocognition Among Older Persons Living With HIV as Compared to Those Without HIV. Alcoholism: Clinical and Experimental Research, 2020, 44, 1389-1399.	2.4	1
167	Using health technology to capture digital phenotyping data in HIV-associated neurocognitive disorders. Aids, 2021, 35, 15-22.	2.2	1
168	Current Considerations for Clinical Management and Care of People with HIV: Findings from the 11th Annual International HIV and Aging Workshop. AIDS Research and Human Retroviruses, 2021, 37, 807-820.	1.1	1
169	Felt Age Discrepancy Differs by HIV Serostatus: A Secondary Analysis. Journal of the Association of Nurses in AIDS Care, 2020, 31, 587-597.	1.0	1
170	The relationship between vascular endothelial growth factor (VEGF) and amnestic mild cognitive impairment among older adults living with HIV. Journal of NeuroVirology, 2021, 27, 885-894.	2.1	1
171	A guide for considering performance-based assessments when determining a patient's capacity for safe, independent living. Geriatrics, 2008, 63, 16-20.	0.3	1
172	Relationship of the balloon analog risk task to neurocognitive impairment differs by HIV serostatus and history of major depressive disorder. Journal of NeuroVirology, 2022, , 1 .	2.1	1
173	Cognitive and Physiologic Reserve Independently Relate to Superior Neurocognitive Abilities in Adults Aging With HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2022, 90, 440-448.	2.1	1
174	Identification of Youthful Neurocognitive Trajectories in Adults Aging with HIV: A Latent Growth Mixture Model. AIDS and Behavior, 2021, , 1.	2.7	1
175	Longitudinal Analysis of HIV Risk and Substance Use Patterns for Men Who Have Sex With Men and Women and Men Who Have Sex With Men Only. Journal of Bisexuality, 2021, 21, 405-423.	1.3	0
176	Are needs of stakeholders in cancer care being met? A novel approch to assessing needs to improve value in cancer care Journal of Clinical Oncology, 2013, 31, 6581-6581.	1.6	0
177	Are patients' needs being met after hours? An evaluation of phone calls made after hours for patients with thoracic malignancies Journal of Clinical Oncology, 2013, 31, 46-46.	1.6	0
178	HIV Neurocognitive Diagnosis, Natural History, and Treatment. , 2015, , 1-11.		0
179	HIV Neurocognitive Diagnosis, Natural History, and Treatment. , 2018, , 730-740.		0
180	The Epidemiology and Burden of Childhood Chronic Pancreatitis in South Australia. Journal of Pediatrics, 2021 , , .	1.8	0

#	Article	IF	CITATIONS
181	Association Between VACS Index and Health-Related Quality of Life in Persons with HIV: Moderating Role of Fruit and Vegetable Consumption. International Journal of Behavioral Medicine, 2022, , 1.	1.7	O
182	Cingulate transcranial direct current stimulation in adults with HIV. PLoS ONE, 2022, 17, e0269491.	2.5	0