

# Paolo Nencini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2256677/publications.pdf>

Version: 2024-02-01

79  
papers

1,593  
citations

257450

24  
h-index

345221

36  
g-index

81  
all docs

81  
docs citations

81  
times ranked

1412  
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibition of hippocampal plasticity in rats performing contrafreeloading for water under repeated administrations of pramipexole. <i>Psychopharmacology</i> , 2016, 233, 727-737.	3.1	7
2	Association between Positivity and Smoking Cessation. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	13
3	Validity of the Italian Version of the Severity of Dependence Scale (SDS) for Nicotine Dependence in Smokers Intending to Quit. <i>Psychological Reports</i> , 2014, 114, 1-13.	1.7	20
4	Knowledge about Health Effects of Cigarette Smoking and Quitting among Italian University Students: The Importance of Teaching Nicotine Dependence and Treatment in the Medical Curriculum. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	10
5	Genders and the concurrent use of cocaine and alcohol: Pharmacological aspects. <i>Pharmacological Research</i> , 2014, 87, 60-70.	7.1	31
6	Differences in the structure of drinking, cart expression and dopamine turnover between polydipsic and non polydipsic rats in the quinpirole model of psychotic polydipsia. <i>Psychopharmacology</i> , 2014, 231, 3889-3897.	3.1	6
7	Khat. , 2014, , 1-5.		0
8	Effects of the 5HT2C antagonist SB242084 on the pramipexole-induced potentiation of water contrafreeloading, a putative animal model of compulsive behavior. <i>Psychopharmacology</i> , 2013, 227, 55-66.	3.1	15
9	Pivaloylcodeine, a new codeine derivative, for the inhibition of morphine glucuronidation. An in vitro study in the rat. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 7955-7963.	3.0	2
10	InÂvitro morphine metabolism by rat microglia. <i>Neuropharmacology</i> , 2013, 75, 391-398.	4.1	16
11	Cigarette Smoking Knowledge and Perceptions Among Students in Four Italian Medical Schools. <i>Nicotine and Tobacco Research</i> , 2012, 14, 1065-1072.	2.6	32
12	Repeated exposure to codeine alters morphine glucuronidation by affecting UGT gene expression in the rat. <i>European Journal of Pharmacology</i> , 2012, 693, 7-14.	3.5	4
13	Induction of morphine-6-glucuronide synthesis by heroin self-administration in the rat. <i>Psychopharmacology</i> , 2012, 221, 195-203.	3.1	7
14	Effectiveness of varenicline for smoking cessation: A 1-year follow-up study. <i>Journal of Substance Abuse Treatment</i> , 2011, 41, 64-70.	2.8	19
15	Development and validation of an analytical method based on high performance thin layer chromatography for the simultaneous determination of lamotrigine, zonisamide and levetiracetam in human plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011, 56, 763-770.	2.8	33
16	The role of setting in the oral self-administration of alcohol in the rat. <i>Psychopharmacology</i> , 2011, 215, 749-760.	3.1	10
17	Clomipramine, but not haloperidol or aripiprazole, inhibits quinpirole-induced water contrafreeloading, a putative animal model of compulsive behavior. <i>Psychopharmacology</i> , 2011, 218, 749-759.	3.1	25
18	Opposite roles of dopamine and orexin in quinpirole-induced excessive drinking: a rat model of psychotic polydipsia. <i>Psychopharmacology</i> , 2010, 211, 355-366.	3.1	16

#	ARTICLE	IF	CITATIONS
19	The effects of clozapine on quinpirole-induced non-regulatory drinking and prepulse inhibition disruption in rats. <i>Psychopharmacology</i> , 2010, 212, 105-115.	3.1	11
20	Psychobiology of Drug-Induced Religious Experience: From the Brain "Locus of Religion" to Cognitive Unbinding. <i>Substance Use and Misuse</i> , 2010, 45, 2130-2151.	1.4	16
21	A smoking ban in public places increases the efficacy of bupropion and counseling on cessation outcomes at 1 year. <i>Nicotine and Tobacco Research</i> , 2009, 11, 1114-1121.	2.6	32
22	Drug context differently regulates cocaine versus heroin self-administration and cocaine- versus heroin-induced Fos mRNA expression in the rat. <i>Psychopharmacology</i> , 2009, 204, 349-360.	3.1	33
23	Ambience and Drug Choice: Cocaine- and Heroin-Taking as a Function of Environmental Context in Humans and Rats. <i>Biological Psychiatry</i> , 2009, 65, 893-899.	1.3	99
24	The influence of cost manipulation on water contrafreeloading induced by repeated exposure to quinpirole in the rat. <i>Psychopharmacology</i> , 2008, 197, 379-390.	3.1	12
25	Opposite environmental regulation of heroin and amphetamine self-administration in the rat. <i>Psychopharmacology</i> , 2008, 198, 395-404.	3.1	38
26	Haloperidol both prevents and reverses quinpirole-induced nonregulatory water intake, a putative animal model of psychogenic polydipsia. <i>Psychopharmacology</i> , 2008, 200, 157-165.	3.1	23
27	In vivo chronic exposure to heroin or naltrexone selectively inhibits liver microsome formation of estradiol-3-glucuronide in the rat. <i>Biochemical Pharmacology</i> , 2008, 76, 672-679.	4.4	8
28	Khat Chewing from the Pharmacological Point of View: An Update. <i>Substance Use and Misuse</i> , 2008, 43, 762-783.	1.4	39
29	Non-opioid induction of morphine-6-glucuronide synthesis is elicited by prolonged exposure of rat hepatocytes to heroin. <i>Drug and Alcohol Dependence</i> , 2008, 98, 179-184.	3.2	6
30	Modulatory Effect of Environmental Context and Drug History on Heroin-Induced Psychomotor Activity and Fos Protein Expression in the Rat Brain. <i>Neuropsychopharmacology</i> , 2007, 32, 2611-2623.	5.4	35
31	Compulsive-like effects of quinpirole on drinking behavior in rats are inhibited by substituting ethanol for water. <i>Behavioural Brain Research</i> , 2007, 177, 340-346.	2.2	10
32	Short-term efficacy of Disulfiram or Naltrexone in reducing positive urinalysis for both cocaine and cocaethylene in cocaine abusers: A pilot study. <i>Pharmacological Research</i> , 2007, 55, 117-121.	7.1	39
33	Environmental modulation of cocaine self-administration in the rat. <i>Psychopharmacology</i> , 2007, 192, 397-406.	3.1	35
34	Social isolation selectively reduces hippocampal brain-derived neurotrophic factor without altering plasma corticosterone. <i>Behavioural Brain Research</i> , 2006, 168, 323-325.	2.2	103
35	Compulsive-like effects of repeated administration of quinpirole on drinking behavior in rats. <i>Behavioural Brain Research</i> , 2006, 172, 1-13.	2.2	24
36	Combined counseling and bupropion therapy for smoking cessation: identification of outcome predictors. <i>Drug Development Research</i> , 2006, 67, 271-279.	2.9	10

#	ARTICLE	IF	CITATIONS
37	Effect of repeated administrations of heroin, naltrexone, methadone, and alcohol on morphine glucuronidation in the rat. <i>Psychopharmacology</i> , 2005, 182, 58-64.	3.1	22
38	Environmental modulation of the interoceptive effects of amphetamine in the rat. <i>Behavioural Brain Research</i> , 2004, 152, 149-55.	2.2	11
39	High levels of morphine-6-glucuronide in street heroin addicts. <i>Psychopharmacology</i> , 2003, 170, 200-204.	3.1	29
40	Repeated Exposures to Heroin and/or Cadmium Alter the Rate of Formation of Morphine Glucuronides in the Rat. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 307, 651-660.	2.5	25
41	PREDICTIVE FACTORS OF PERSISTING ILLICIT DRUG USE IN HOSPITALIZED HEROIN ADDICTS. <i>Pharmacological Research</i> , 2002, 46, 539-544.	7.1	6
42	THE SHAMAN AND THE RAVE PARTY: SOCIAL PHARMACOLOGY OF ECSTASY. <i>Substance Use and Misuse</i> , 2002, 37, 923-939.	1.4	15
43	Dissociation in the effects of the D2/D3 dopaminergic agonist quinpirole on drinking and on vasopressin levels in the rat. <i>Neuroscience Letters</i> , 2002, 325, 79-82.	2.1	16
44	Cadmium inhibits stimulated amylase secretion from isolated pancreatic lobules of the guinea-pig. <i>Pharmacological Research</i> , 2001, 43, 219-223.	7.1	11
45	Modulation of food intake by the $\mu$ opioid U-50,488H: evidence for an effect on satiation. <i>Behavioural Brain Research</i> , 2001, 118, 179-186.	2.2	12
46	Analysis of cocaethylene, benzoylecgonine and cocaine in human urine by high-performance thin-layer chromatography with ultraviolet detection: a comparison with high-performance liquid chromatography. <i>Biomedical Applications</i> , 2001, 751, 19-27.	1.7	20
47	Stereoselective Morphine-Like Discriminative Properties of a New Alkylaminonaphthalenic Derivative. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 66, 199-204.	2.9	0
48	Quinpirole- and amphetamine-induced hyperdipsia: influence of fluid palatability and behavioral cost. <i>Behavioural Brain Research</i> , 2000, 109, 9-18.	2.2	21
49	ACAMPROSATE DOES NOT ANTAGONISE THE DISCRIMINATIVE STIMULUS PROPERTIES OF AMPHETAMINE AND MORPHINE IN RATS. <i>Pharmacological Research</i> , 1999, 40, 333-338.	7.1	5
50	( $\alpha$ )-Norpseudoephedrine, a metabolite of cathinone with amphetamine-like stimulus properties, enhances the analgesic and rate decreasing effects of morphine, but inhibits its discriminative properties. <i>Behavioural Brain Research</i> , 1998, 92, 11-20.	2.2	12
51	The Rules of Drug Taking: Wine and Poppy Derivatives in the Ancient World. VII. A Ritual Use of Poppy Derivatives?. <i>Substance Use and Misuse</i> , 1997, 32, 1405-1415.	1.4	2
52	The Rules of Drug Taking: Wine and Poppy Derivatives in the Ancient World. VIII. Lack of Evidence of Opium Addiction. <i>Substance Use and Misuse</i> , 1997, 32, 1581-1586.	1.4	4
53	The Rules of Drug Taking: Wine and Poppy Derivatives in the Ancient World. I. General Introduction. <i>Substance Use and Misuse</i> , 1997, 32, 89-96.	1.4	6
54	The Rules of Drug Taking: Wine and Poppy Derivatives in the Ancient World. II. Wine-Induced Loss of Control and Vigilance. <i>Substance Use and Misuse</i> , 1997, 32, 211-217.	1.4	1

#	ARTICLE	IF	CITATIONS
55	The Rules of Drug Taking: Wine and Poppy Derivatives in the Ancient World. III. Wine as an Instrument of Aggressive Behavior and of Ritual Madness. <i>Substance Use and Misuse</i> , 1997, 32, 361-367.	1.4	2
56	Social Pharmacology: The Rules of Drug Taking: Wine and Poppy Derivatives in the Ancient World. IV. The Rules of Temperance. <i>Substance Use and Misuse</i> , 1997, 32, 475-483.	1.4	2
57	The Rules of Drug Taking: Wine and Poppy Derivatives in the Ancient World. V. Sobriety or Postponement of Drunkenness?. <i>Substance Use and Misuse</i> , 1997, 32, 629-633.	1.4	1
58	Social Pharmacology the Rules of Drug Taking: Wine and Poppy Derivatives in the Ancient World. VI. Poppies as a Source of Food and Drug. <i>Substance Use and Misuse</i> , 1997, 32, 757-766.	1.4	3
59	The Rules of Drug Taking: Wine and Poppy Derivatives in the Ancient World. IX. Conclusions. <i>Substance Use and Misuse</i> , 1997, 32, 2111-2119.	1.4	4
60	Amphetamine reinstates polydipsia induced by chronic exposure to quinpirole, a dopaminergic D2 agonist, in rats. <i>Behavioural Brain Research</i> , 1997, 89, 199-215.	2.2	33
61	Physiological and environmental aspects of drinking stimulated by chronic exposure to amphetamine in rats. <i>General Pharmacology</i> , 1994, 25, 7-13.	0.7	8
62	Environment-specific reinstatement of amphetamine-mediated hyperdipsia by morphine and ( $\alpha^*$ )-norpseudoephedrine. <i>Pharmacology Biochemistry and Behavior</i> , 1994, 47, 339-343.	2.9	21
63	The role of opioid mechanisms in the anorectic effects of stimulants: U50,488H enhances amphetamine inhibition of free feeding in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1994, 48, 63-68.	2.9	9
64	Behavioral sensitization to drugs of abuse. <i>European Neuropsychopharmacology</i> , 1994, 4, 207-208.	0.7	0
65	The $\hat{1}$ -blocker dapiprazole inhibits diuresis but not drinking and feeding induced by U-50,488H. <i>Brain Research Bulletin</i> , 1992, 29, 401-405.	3.0	5
66	Studies on the relationship between hiv infection and substitution treatments in heroin addicts in Rome area. <i>Pharmacological Research</i> , 1992, 26, 316.	7.1	0
67	Opiatergic modulation of preparatory and consummatory components of feeding and drinking. <i>Pharmacology Biochemistry and Behavior</i> , 1990, 37, 531-537.	2.9	12
68	Dapiprazole, a selective alpha-1 adrenoceptor antagonist, inhibits diuresis but not polydipsia produced by amphetamine in rats. <i>Brain Research Bulletin</i> , 1990, 25, 765-767.	3.0	12
69	Chronic systemic administration of amphetamine increases food intake to morphine, but not to U50-488H, microinjected into the ventral tegmental area in rats. <i>Brain Research</i> , 1990, 527, 254-258.	2.2	34
70	Khat chewing spread to the Somali community in Rome. <i>Drug and Alcohol Dependence</i> , 1989, 23, 255-258.	3.2	47
71	Khat consumption: a pharmacological review. <i>Drug and Alcohol Dependence</i> , 1989, 23, 19-29.	3.2	106
72	Effects of nimodipine on the discriminative stimulus properties of amphetamine in rats. <i>Psychopharmacology</i> , 1988, 96, 40-44.	3.1	32

#	ARTICLE	IF	CITATIONS
73	The role of opiate mechanisms in the development of tolerance to the anorectic effects of amphetamines. <i>Pharmacology Biochemistry and Behavior</i> , 1988, 30, 755-764.	2.9	39
74	Enhancement of morphine-induced analgesia after repeated injections of methylenedioxymethamphetamine. <i>Brain Research</i> , 1988, 457, 136-142.	2.2	15
75	Effect of nimodipine on drinking behavior measured in the runway: comparison and interaction with (±)-amphetamine. <i>Drug and Alcohol Dependence</i> , 1988, 22, 9-14.	3.2	4
76	Brief Footshock Analgesia: Long-Lasting Enhancement Induced by Cathinone, an Amphetamine-Like Agent. <i>Pharmacology</i> , 1988, 37, 114-124.	2.2	4
77	Subjective effects of Khat chewing in humans. <i>Drug and Alcohol Dependence</i> , 1986, 18, 97-105.	3.2	46
78	Tolerance Develops to Sympathetic Effects of Khat in Humans. <i>Pharmacology</i> , 1984, 28, 150-154.	2.2	78
79	Prolonged Analgesia Induced by Cathinone. <i>Pharmacology</i> , 1984, 29, 269-281.	2.2	18