
Stephen McClean

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2259582/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Therapeutic Potential of Peptides Derived from Animal Venoms: Current Views and Emerging Drugs for Diabetes. Clinical Medicine Insights: Endocrinology and Diabetes, 2021, 14, 117955142110060. | 1.9 | 17 |
| 2 | The need for positive pedagogy in multi-disciplinary STEM courses in higher education: an opinion piece. Higher Education Pedagogies, 2020, 5, 324-326. | 3.5 | 2 |
| 3 | Quorum sensing as a potential target for increased production of rhamnolipid biosurfactant in Burkholderia thailandensis E264. Applied Microbiology and Biotechnology, 2019, 103, 6505-6517. | 3.6 | 28 |
| 4 | Nutrition Education and Community Pharmacy: A First Exploration of Current Attitudes and Practices in Northern Ireland. Pharmacy (Basel, Switzerland), 2019, 7, 27. | 1.6 | 16 |
| 5 | Fatty acid synthesis pathway provides lipid precursors for rhamnolipid biosynthesis in Burkholderia thailandensis E264. Applied Microbiology and Biotechnology, 2018, 102, 6163-6174. | 3.6 | 20 |
| 6 | Novel dual incretin agonist peptide with antidiabetic and neuroprotective potential. Biochemical Pharmacology, 2018, 155, 264-274. | 4.4 | 31 |
| 7 | Application of Liquid Chromatography–Tandem Mass Spectrometry To Determine Urinary Concentrations of Five Commonly Used Low-Calorie Sweeteners: A Novel Biomarker Approach for Assessing Recent Intakes?. Journal of Agricultural and Food Chemistry, 2017, 65, 4516-4525. | 5.2 | 31 |
| 8 | Microbial rhamnolipid production: a critical re-evaluation of published data and suggested future publication criteria. Applied Microbiology and Biotechnology, 2017, 101, 3941-3951. | 3.6 | 84 |
| 9 | Making room for interactivity: using the cloud-based audience response system Nearpod to enhance engagement in lectures. FEMS Microbiology Letters, 2017, 364, . | 1.8 | 32 |
| 10 | Biological Activity and Antidiabetic Potential of C-Terminal Octapeptide Fragments of the Gut-Derived Hormone Xenin. PLoS ONE, 2016, 11, e0152818. | 2.5 | 24 |
| 11 | Reflections on "YouTestTube.comâ€ŧ An Online Video-Sharing Platform To Engage Students with Chemistry Laboratory Classes. Journal of Chemical Education, 2016, 93, 1863-1870. | 2.3 | 13 |
| 12 | A novel chemically modified analogue of xenin-25 exhibits improved glucose-lowering and insulin-releasing properties. Biochimica Et Biophysica Acta - General Subjects, 2016, 1860, 757-764. | 2.4 | 22 |
| 13 | Isolation and Characterisation of Insulin-Releasing Compounds from Pseudechis australis and Pseudechis butleri Venom. International Journal of Peptide Research and Therapeutics, 2016, 22, 211-218. | 1.9 | 1 |
| 14 | Isolation and characterisation of insulin-releasing compounds from Crotalus adamanteus, Crotalus vegrandis and Bitis nasicornis venom. Toxicon, 2015, 101, 48-54. | 1.6 | 13 |
| 15 | Characterization of Synthetic and Natural Product Pharmaceuticals by Functional Group Analysis using Electrospray Ionization-Ion Trap Mass Spectrometry: A Mini-Review. Analytical Letters, 2015, 48, 2661-2675. | 1.8 | 4 |
| 16 | A family of antimicrobial and immunomodulatory peptides related to the frenatins from skin secretions of the Orinoco lime frog Sphaenorhynchus lacteus (Hylidae). Peptides, 2014, 56, 132-140. | 2.4 | 24 |
| 17 | Antimicrobial activity of antihypertensive food-derived peptides and selected alanine analogues. Food Chemistry, 2014, 146, 443-447. | 8.2 | 48 |
| 18 | Purification, characterization and molecular cloning of chymotrypsin inhibitor peptides from the venom of Burmese Daboia russelii siamensis. Peptides, 2013, 43, 126-132. | 2.4 | 8 |

STEPHEN MCCLEAN

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Trypsin and chymotrypsin inhibitor peptides from the venom of Chinese Daboia russellii siamensis. Toxicon, 2013, 63, 154-164. | 1.6 | 22 |
| 20 | Lipopeptide biosurfactants from <i>Paenibacillus polymyxa</i> inhibit single and mixed species biofilms. Biofouling, 2012, 28, 1151-1166. | 2.2 | 45 |
| 21 | Regulation of CYP3A4 and CYP3A5 expression and modulation of "intracrine―metabolism of androgens in prostate cells by liganded vitamin D receptor. Molecular and Cellular Endocrinology, 2012, 364, 54-64. | 3.2 | 23 |
| 22 | Degradation, insulin secretion, glucose-lowering and GIP additive actions of a palmitate-derivatised analogue of xenin-25. Biochemical Pharmacology, 2012, 84, 312-319. | 4.4 | 43 |
| 23 | Guidelines for reporting the use of capillary electrophoresis in proteomics. Nature Biotechnology, 2010, 28, 654-655. | 17.5 | 24 |
| 24 | Text Messaging for Student Communication and Voting. Bioscience Education, 2010, 16, 1-12. | 0.4 | 5 |
| 25 | Mass spectrometric characterisation and quantitation of selected low molecular mass compounds from the venom of <i>Haplopelma lividum</i> (Theraphosidae). Rapid Communications in Mass Spectrometry, 2009, 23, 1747-1755. | 1.5 | 10 |
| 26 | Making Small Talk — Audio MP3 Files Made More Portable. Bioscience Education, 2008, 12, 1-2. | 0.4 | 1 |
| 27 | Excel Yourself with Personalised Email Messages. Bioscience Education, 2008, 12, 1-4. | 0.4 | 1 |
| 28 | A study of the analytical behaviour of selected psycho-active drugs using liquid chromatography, ion trap mass spectrometry, gas chromatography and polarography and the construction of an appropriate database for drug characterisation. Talanta, 2007, 72, 755-761. | 5.5 | 14 |
| 29 | Bradykinin-related peptides, including a novel structural variant, (Val1)-bradykinin, from the skin secretion of Guenther's frog, Hylarana guentheri and their molecular precursors. Peptides, 2007, 28, 781-789. | 2.4 | 15 |
| 30 | A combined mass spectrometric and cDNA sequencing approach to the isolation and characterization of novel antimicrobial peptides from the skin secretions of Phyllomedusa hypochondrialis azurea. Peptides, 2007, 28, 1331-1343. | 2.4 | 42 |
| 31 | Amphibian Skin Secretomics:  Application of Parallel Quadrupole Time-of-Flight Mass Spectrometry and Peptide Precursor cDNA Cloning to Rapidly Characterize the Skin Secretory Peptidome of <i>Phyllomedusa hypochondrialis azurea:</i> Discovery of a Novel Peptide Family, the Hyposins. lournal of Proteome Research, 2007, 6, 3604-3613. | 3.7 | 32 |
| 32 | An electrospray ionisation tandem mass spectrometric investigation of selected psychoactive pharmaceuticals and its application in drug and metabolite profiling by liquid chromatography/electrospray ionisation tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2007, 21, 2031-2038. | 1.5 | 24 |
| 33 | The enigma of double-stranded RNA (dsRNA) associated with mushroom virus X (MVX). Current Issues in Molecular Biology, 2007, 9, 103-21. | 2.4 | 13 |
| 34 | Histamine-releasing and antimicrobial peptides from the skin secretions of the Dusky Gopher frog, Rana sevosa. Peptides, 2006, 27, 1313-1319. | 2.4 | 21 |
| 35 | Purification and characterization of novel antimicrobial peptides from the skin secretion of Hylarana guentheri. Peptides, 2006, 27, 3077-3084. | 2.4 | 57 |
| 36 | The characterisation of selected antidepressant drugs using electrospray ionisation with ion trap mass spectrometry and with quadrupole time-of-flight mass spectrometry and their determination by high-performance liquid chromatography/electrospray ionisation tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2006, 20, 1637-1642. | 1.5 | 48 |

STEPHEN MCCLEAN

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Bradykinin-related peptides fromPhyllomedusa hypochondrialis azurea: mass spectrometric structural characterisation and cloning of precursor cDNAs. Rapid Communications in Mass Spectrometry, 2006, 20, 3780-3788. | 1.5 | 23 |
| 38 | The characterisation of synthetic and natural-product pharmaceuticals by electrospray ionisation-mass spectrometry (ESI-MS) and liquid chromatography (LC)-ESI-MS. TrAC - Trends in Analytical Chemistry, 2006, 25, 572-582. | 11.4 | 16 |
| 39 | Reduced toxicity of lipo-oligosaccharide from a <i>phoP</i> mutant of <i>Neisseria meningitidis</i> : an <i>in vitro</i> demonstration. Journal of Endotoxin Research, 2006, 12, 39-46. | 2.5 | 4 |
| 40 | Adenosine in the venoms from viperinae snakes of the genus Bitis: Identification and quantitation using LC/MS and CE/MS. Biochemical and Biophysical Research Communications, 2005, 333, 88-94. | 2.1 | 20 |
| 41 | Identification and functional analysis of a novel bradykinin inhibitory peptide in the venoms of New World Crotalinae pit vipers. Biochemical and Biophysical Research Communications, 2005, 338, 1587-1592. | 2.1 | 46 |
| 42 | Peptide Tyrosine Arginine, a potent immunomodulatory peptide isolated and structurally characterized from the skin secretions of the dusky gopher frog, Rana sevosa. Peptides, 2005, 26, 737-743. | 2.4 | 16 |
| 43 | A Computational Approach for Peptidomic Analysis in Taxonomic Study of Amphibian Species. IEEE Transactions on Nanobioscience, 2005, 4, 241-247. | 3.3 | 1 |
| 44 | Pachymedusa dacnicolor tryptophyllin-1: structural characterization, pharmacological activity and cloning of precursor cDNA. Regulatory Peptides, 2004, 117, 25-32. | 1.9 | 34 |
| 45 | Peptidomic Pattern Analysis and Taxonomy of Amphibian Species. Lecture Notes in Computer Science, 2004, , 498-503. | 1.3 | 1 |
| 46 | Bacterial biodegradation of phenol and 2,4-dichlorophenol. Journal of Chemical Technology and Biotechnology, 2003, 78, 959-963. | 3.2 | 23 |
| 47 | Heuristic charge assignment for deconvolution of electrospray ionization mass spectra. Rapid Communications in Mass Spectrometry, 2003, 17, 429-436. | 1.5 | 28 |
| 48 | Cloning of maximakinin precursor cDNAs from Chinese toad, Bombina maxima, venom. Peptides, 2003, 24, 853-861. | 2.4 | 40 |
| 49 | Bradykinins and their precursor cDNAs from the skin of the fire-bellied toad (Bombina orientalis). Peptides, 2002, 23, 1547-1555. | 2.4 | 41 |
| 50 | Novel bradykinins and their precursor cDNAs from European yellow-bellied toad (Bombina variegata) skin. FEBS Journal, 2002, 269, 4693-4700. | 0.2 | 52 |
| 51 | Characterisation and determination of indole alkaloids in frog-skin secretions by electrospray ionisation ion trap mass spectrometry. Rapid Communications in Mass Spectrometry, 2002, 16, 346-354. | 1.5 | 53 |
| 52 | Rhamnolipid Biosurfactant Production by Strains of Pseudomonas aeruginosa Using Low-Cost Raw Materials. Biotechnology Progress, 2002, 18, 1277-1281. | 2.6 | 249 |
| 53 | Study of the mass spectrometric behaviour of phthalocyanine and azo dyes using electrospray ionisation and matrix-assisted laser desorption/ionisation. Rapid Communications in Mass Spectrometry, 2001, 15, 2076-2084. | 1.5 | 24 |
| 54 | The identification and determination of selected 1,4-benzodiazepines by an optimised capillary electrophoresis - electrospray mass spectrometric method. Electrophoresis, 2000, 21, 1381-1389. | 2.4 | 44 |

STEPHEN MCCLEAN

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A study of the electrospray ionisation of pharmacologically significant 1,4-benzodiazepines and their subsequent fragmentation using an ion-trap mass spectrometer. Rapid Communications in Mass Spectrometry, 2000, 14, 2061-2069. | 1.5 | 47 |
| 56 | Electrospray ionisation–mass spectrometric characterisation of selected anti-psychotic drugs and their detection and determination in human hair samples by liquid chromatography–tandem mass spectrometry. Biomedical Applications, 2000, 740, 141-157. | 1.7 | 50 |
| 57 | Determination of 1,4-benzodiazepines and their metabolites by capillary electrophoresis and high-performance liquid chromatography using ultraviolet and electrospray ionisation mass spectrometry. Journal of Chromatography A, 1999, 838, 273-291. | 3.7 | 68 |
| 58 | Application of electrospray mass spectrometry in the detection and determination of Remazol textile dyes. Journal of Chromatography A, 1999, 854, 259-274. | 3.7 | 29 |
| 59 | Capillary electrophoretic determination of trace metals in hair samples and its comparison with high performance liquid chromatography and atomic absorption spectrometry techniques. Electrophoresis, 1998, 19, 11-18. | 2.4 | 15 |
| 60 | A critical evaluation of the application of capillary electrophoresis to the detection and determination of 1,4-benzodiazepine tranquilizers in formulations and body materials. Electrophoresis, 1998, 19, 2870-2882. | 2.4 | 24 |
| 61 | Use of Large Volume Sample Stacking for Improving Limits of Detection in the Capillary Electrophoretic Determination of Selected Cations. Analytical Communications, 1997, 34, 9-11. | 2.2 | 27 |
| 62 | Effect of on-capillary large volume sample stacking on limits of detection in the capillary zone electrophoretic determination of selected drugs, dyes and metal chelates. Journal of Chromatography A, 1997, 772, 161-169. | 3.7 | 40 |
| 63 | Study of the capillary zone electrophoretic behaviour of selected drugs, and its comparison with other analytical techniques for their formulation assay. Journal of Chromatography A, 1996, 735, 237-247. | 3.7 | 21 |
| 64 | Study of the chelation of boron with Azomethine H by differential pulse polarography, liquid chromatography and capillary electrophoresis and its analytical applications. Analytica Chimica Acta, 1995, 317, 295-301. | 5.4 | 16 |
| 65 | Differential pulse polarographic study of the degradation of H+/K+ ATPase inhibitors SK&F 95601 and omeprazole in acidic media and the subsequent reactions with thiols. Analytica Chimica Acta, 1994, 292, 81-89. | 5.4 | 31 |
| 66 | Ultraviolet spectrophotometric, solvent extraction, high-performance liquid chromatographic and polarographic study of the H+/K+adenosine triphosphatase inhibitor (SK&F 95601) and its acid-catalysed degradation products. Analyst, The, 1993, 118, 511-516. | 3.5 | 3 |